

A Mark Evans

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4622035/publications.pdf>

Version: 2024-02-01

60
papers

4,047
citations

147801

31
h-index

175258

52
g-index

64
all docs

64
docs citations

64
times ranked

6075
citing authors

#	ARTICLE	IF	CITATIONS
1	LKB1 is the gatekeeper of carotid body chemosensing and the hypoxic ventilatory response. <i>Communications Biology</i> , 2022, 5, .	4.4	3
2	On a Magical Mystery Tour with 8-Bromo-Cyclic ADP-Ribose: From All-or-None Block to Nanojunctions and the Cell-Wide Web. <i>Molecules</i> , 2020, 25, 4768.	3.8	0
3	AMPK and the Need to Breathe and Feed: What's the Matter with Oxygen?. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3518.	4.1	12
4	The cell-wide web coordinates cellular processes by directing site-specific Ca ²⁺ flux across cytoplasmic nanocourses. <i>Nature Communications</i> , 2019, 10, 2299.	12.8	14
5	AMPK breathing and oxygen supply. <i>Respiratory Physiology and Neurobiology</i> , 2019, 265, 112-120.	1.6	9
6	The Hypoxic Ventilatory Response is Blocked by AMPK Deletion in Catecholaminergic, but not Adrenergic Cells. <i>FASEB Journal</i> , 2019, 33, 551.12.	0.5	1
7	mTORC1 controls lysosomal Ca ²⁺ release through the two-pore channel TPC2. <i>Science Signaling</i> , 2018, 11, .	3.6	59
8	Genotoxic Damage Activates the AMPK- β 1 Isoform in the Nucleus via Ca ²⁺ /CaMKK2 Signaling to Enhance Tumor Cell Survival. <i>Molecular Cancer Research</i> , 2018, 16, 345-357.	3.4	41
9	The LKB1-AMPK- β 1 signaling pathway triggers hypoxic pulmonary vasoconstriction downstream of mitochondria. <i>Science Signaling</i> , 2018, 11, .	3.6	27
10	AMPK- β 1 or AMPK- β 2 Deletion in Smooth Muscles Does Not Affect the Hypoxic Ventilatory Response or Systemic Arterial Blood Pressure Regulation During Hypoxia. <i>Frontiers in Physiology</i> , 2018, 9, 655.	2.8	8
11	AMPK-dependent modulation of breathing and oxygen supply: An emerging therapeutic strategy for sleep apnoea and pulmonary hypertension?. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018, WCP2018, SY83-4.	0.0	0
12	Tissue Specificity: The Role of Organellar Membrane Nanojunctions in Smooth Muscle Ca ²⁺ Signaling. <i>Advances in Experimental Medicine and Biology</i> , 2017, 993, 321-342.	1.6	3
13	The emerging role of AMPK in the regulation of breathing and oxygen supply. <i>Biochemical Journal</i> , 2016, 473, 2561-2572.	3.7	19
14	From contraction to gene expression: nanojunctions of the sarco/endoplasmic reticulum deliver site- and function-specific calcium signals. <i>Science China Life Sciences</i> , 2016, 59, 749-763.	4.9	22
15	AMP-activated protein kinase inhibits K _v 1.5 channel currents of pulmonary arterial myocytes in response to hypoxia and inhibition of mitochondrial oxidative phosphorylation. <i>Journal of Physiology</i> , 2016, 594, 4901-4915.	2.9	33
16	AMP-activated Protein Kinase Deficiency Blocks the Hypoxic Ventilatory Response and Thus Precipitates Hypoventilation and Apnea. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2016, 193, 1032-1043.	5.6	41
17	Lysosomal Two-pore Channel Subtype 2 (TPC2) Regulates Skeletal Muscle Autophagic Signaling. <i>Journal of Biological Chemistry</i> , 2015, 290, 3377-3389.	3.4	69
18	Organelle-specific Subunit Interactions of the Vertebrate Two-pore Channel Family. <i>Journal of Biological Chemistry</i> , 2015, 290, 1086-1095.	3.4	24

#	ARTICLE	IF	CITATIONS
19	Modulation of the LKB1-AMPK Signalling Pathway Underpins Hypoxic Pulmonary Vasoconstriction and Pulmonary Hypertension. <i>Advances in Experimental Medicine and Biology</i> , 2015, 860, 89-99.	1.6	16
20	Inactivation of Corticotropin-Releasing Hormone-Induced Insulinotropic Role by High-Altitude Hypoxia. <i>Diabetes</i> , 2015, 64, 785-795.	0.6	17
21	Nuclear invaginations demarcate cytoplasmic nanotubes for integrative calcium signalling to the nucleus. <i>FASEB Journal</i> , 2015, 29, 728.6.	0.5	0
22	Cytoplasmic nanojunctions between lysosomes and sarcoplasmic reticulum are required for specific calcium signaling. <i>F1000Research</i> , 2014, 3, 93.	1.6	44
23	Pan-junctional sarcoplasmic reticulum in vascular smooth muscle: nanospace Ca ²⁺ transport for site-specific Ca ²⁺ signalling. <i>Journal of Physiology</i> , 2013, 591, 2043-2054.	2.9	39
24	Ion Channel Regulation by the LKB1-AMPK Signalling Pathway: The Key to Carotid Body Activation by Hypoxia and Metabolic Homeostasis at the Whole Body Level. <i>Advances in Experimental Medicine and Biology</i> , 2012, 758, 81-90.	1.6	13
25	Ion channel regulation by the Lkb1-AMPK signalling pathway: the key to carotid body activation by hypoxia and metabolic homeostasis at the whole body level. <i>FASEB Journal</i> , 2012, 26, 897.4.	0.5	0
26	Hypoxic pulmonary vasoconstriction: mechanisms of oxygen-sensing. <i>Current Opinion in Anaesthesiology</i> , 2011, 24, 13-20.	2.0	55
27	Phosphorylation of the voltage-gated potassium channel Kv2.1 by AMP-activated protein kinase regulates membrane excitability. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 18132-18137.	7.1	125
28	Selective Expression in Carotid Body Type I Cells of a Single Splice Variant of the Large Conductance Calcium- and Voltage-activated Potassium Channel Confers Regulation by AMP-activated Protein Kinase. <i>Journal of Biological Chemistry</i> , 2011, 286, 11929-11936.	3.4	48
29	Cyclic Adenosine Diphosphate Ribose Activates Ryanodine Receptors, whereas NAADP Activates Two-pore Domain Channels. <i>Journal of Biological Chemistry</i> , 2011, 286, 9136-9140.	3.4	78
30	Mechanisms for acute oxygen sensing in the carotid body. <i>Respiratory Physiology and Neurobiology</i> , 2010, 174, 292-298.	1.6	62
31	TPCs: Endolysosomal channels for Ca ²⁺ mobilization from acidic organelles triggered by NAADP. <i>FEBS Letters</i> , 2010, 584, 1966-1974.	2.8	71
32	Identification of Functionally Segregated Sarcoplasmic Reticulum Calcium Stores in Pulmonary Arterial Smooth Muscle. <i>Journal of Biological Chemistry</i> , 2010, 285, 13542-13549.	3.4	42
33	Calcium signaling via two-pore channels: local or global, that is the question. <i>American Journal of Physiology - Cell Physiology</i> , 2010, 298, C430-C441.	4.6	117
34	Use of Cells Expressing Î³ Subunit Variants to Identify Diverse Mechanisms of AMPK Activation. <i>Cell Metabolism</i> , 2010, 11, 554-565.	16.2	661
35	The Role of Intracellular Ion Channels in Regulating Cytoplasmic Calcium in Pulmonary Arterial Smooth Muscle: Which Store and Where?. <i>Advances in Experimental Medicine and Biology</i> , 2010, 661, 57-76.	1.6	14
36	NAADP mobilizes calcium from acidic organelles through two-pore channels. <i>Nature</i> , 2009, 459, 596-600.	27.8	687

#	ARTICLE	IF	CITATIONS
37	Ion Channel Regulation by AMPK. <i>Annals of the New York Academy of Sciences</i> , 2009, 1177, 89-100.	3.8	42
38	Hypoxic Pulmonary Vasoconstriction – Invited Article. <i>Advances in Experimental Medicine and Biology</i> , 2009, 648, 351-360.	1.6	28
39	Lysosomes co-localize with ryanodine receptor subtype 3 to form a trigger zone for calcium signalling by NAADP in rat pulmonary arterial smooth muscle. <i>Cell Calcium</i> , 2008, 44, 190-201.	2.4	95
40	AMP-activated protein kinase and hypoxic pulmonary vasoconstriction. <i>European Journal of Pharmacology</i> , 2008, 595, 39-43.	3.5	40
41	AMP-activated Protein Kinase Mediates Carotid Body Excitation by Hypoxia. <i>Journal of Biological Chemistry</i> , 2007, 282, 8092-8098.	3.4	126
42	AMP-activated protein kinase and chemotransduction in the carotid body. <i>Respiratory Physiology and Neurobiology</i> , 2007, 157, 22-29.	1.6	25
43	Hypoxic pulmonary vasoconstriction. <i>Essays in Biochemistry</i> , 2007, 43, 61-76.	4.7	12
44	AMP-activated protein kinase underpins hypoxic pulmonary vasoconstriction and carotid body excitation by hypoxia in mammals. <i>Experimental Physiology</i> , 2006, 91, 821-827.	2.0	27
45	AMP-activated protein kinase and the regulation of Ca ²⁺ signalling in O ₂ -sensing cells. <i>Journal of Physiology</i> , 2006, 574, 113-123.	2.9	43
46	Does AMP-activated Protein Kinase Couple Inhibition of Mitochondrial Oxidative Phosphorylation by Hypoxia to Pulmonary Artery Constriction?. , 2006, 580, 147-154.		9
47	AMP-activated protein kinase couples mitochondrial inhibition by hypoxia to cell-specific Ca ²⁺ signalling mechanisms in oxygen-sensing cells. <i>Novartis Foundation Symposium</i> , 2006, 272, 234-52; discussion 252-8, 274-9.	1.1	14
48	Pyridine nucleotides and calcium signalling in arterial smooth muscle: From cell physiology to pharmacology. , 2005, 107, 286-313.		32
49	Does AMP-activated Protein Kinase Couple Inhibition of Mitochondrial Oxidative Phosphorylation by Hypoxia to Calcium Signaling in O ₂ -sensing Cells?. <i>Journal of Biological Chemistry</i> , 2005, 280, 41504-41511.	3.4	160
50	Lysosome-Sarcoplasmic Reticulum Junctions. <i>Journal of Biological Chemistry</i> , 2004, 279, 54319-54326.	3.4	179
51	Vasodilation by the Calcium-mobilizing Messenger Cyclic ADP-ribose. <i>Journal of Biological Chemistry</i> , 2003, 278, 9602-9608.	3.4	50
52	Nicotinic Acid Adenine Dinucleotide Phosphate Mediates Ca ²⁺ Signals and Contraction in Arterial Smooth Muscle via a Two-Pool Mechanism. <i>Circulation Research</i> , 2002, 91, 1168-1175.	4.5	106
53	Hypoxic pulmonary vasoconstriction: cyclic adenosine diphosphate-ribose, smooth muscle Ca ²⁺ stores and the endothelium. <i>Respiratory Physiology and Neurobiology</i> , 2002, 132, 3-15.	1.6	46
54	Hypoxic release of calcium from the sarcoplasmic reticulum of pulmonary artery smooth muscle. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2001, 281, L318-L325.	2.9	107

#	ARTICLE	IF	CITATIONS
55	Cyclic ADP-Ribose Is the Primary Trigger for Hypoxic Pulmonary Vasoconstriction in the Rat Lung In Situ. <i>Circulation Research</i> , 2001, 89, 77-83.	4.5	107
56	ADP-ribosyl Cyclase and Cyclic ADP-ribose Hydrolase Act as a Redox Sensor. <i>Journal of Biological Chemistry</i> , 2001, 276, 11180-11188.	3.4	116
57	Inhibition of sustained hypoxic vasoconstriction by Yâ€27632 in isolated intrapulmonary arteries and perfused lung of the rat. <i>British Journal of Pharmacology</i> , 2000, 131, 5-9.	5.4	142
58	ETA receptors are the primary mediators of myofilament calcium sensitization induced by ET-1 in rat pulmonary artery smooth muscle: a tyrosine kinase independent pathway. <i>British Journal of Pharmacology</i> , 1999, 127, 153-160.	5.4	45
59	AMP-Activated Protein Kinase Couples Mitochondrial Inhibition by Hypoxia to Cell-Specific Ca ²⁺ Signalling Mechanisms in Oxygensensing Cells. <i>Novartis Foundation Symposium</i> , 0, , 234-258.	1.1	19
60	AMPK facilitates the hypoxic ventilatory response through non-adrenergic mechanisms at the brainstem. <i>Pflugers Archiv European Journal of Physiology</i> , 0, , .	2.8	3