

Anna Szpakowicz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4629134/publications.pdf>

Version: 2024-02-01

35
papers

442
citations

840776

11
h-index

839539

18
g-index

36
all docs

36
docs citations

36
times ranked

1092
citing authors

#	ARTICLE	IF	CITATIONS
1	GRACE, TIMI, Zwolle and CADILLAC risk scores – Do they predict 5-year outcomes after ST-elevation myocardial infarction treated invasively?. <i>International Journal of Cardiology</i> , 2011, 148, 70-75.	1.7	52
2	Enhanced IL-6 trans-signaling in pulmonary arterial hypertension and its potential role in disease-related systemic damage. <i>Cytokine</i> , 2015, 76, 187-192.	3.2	36
3	Coronary sinus concentrations of interleukin 6 and its soluble receptors are affected by reperfusion and may portend complications in patients with myocardial infarction. <i>Atherosclerosis</i> , 2009, 206, 581-587.	0.8	28
4	Impact of Selection Bias on Estimation of Subsequent Event Risk. <i>Circulation: Cardiovascular Genetics</i> , 2017, 10, .	5.1	28
5	LC-MS-based serum fingerprinting reveals significant dysregulation of phospholipids in chronic heart failure. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018, 154, 354-363.	2.8	26
6	Association of Chromosome 9p21 With Subsequent Coronary Heart Disease Events. <i>Circulation Genomic and Precision Medicine</i> , 2019, 12, e002471.	3.6	22
7	Influence of atorvastatin on blood pressure control in treated hypertensive, normolipemic patients – An open, pilot study. <i>Blood Pressure</i> , 2010, 19, 260-266.	1.5	18
8	Subsequent Event Risk in Individuals With Established Coronary Heart Disease. <i>Circulation Genomic and Precision Medicine</i> , 2019, 12, e002470.	3.6	17
9	Interleukin-6 signaling in patients with chronic heart failure treated with cardiac resynchronization therapy. <i>Archives of Medical Science</i> , 2017, 5, 1069-1077.	0.9	16
10	The rs12526453 Polymorphism in an Intron of the PHACTR1 Gene and Its Association with 5-Year Mortality of Patients with Myocardial Infarction. <i>PLoS ONE</i> , 2015, 10, e0129820.	2.5	15
11	CHA2DS2-VASc and R2CHA2DS2-VASc scores have predictive value in patients with acute coronary syndromes. <i>Polish Archives of Internal Medicine</i> , 2015, 125, 545-552.	0.4	13
12	Gut Microbiome in Chronic Coronary Syndrome Patients. <i>Journal of Clinical Medicine</i> , 2021, 10, 5074.	2.4	13
13	Circadian variations of interleukin 6 in coronary circulations of patients with myocardial infarction. <i>Cytokine</i> , 2010, 50, 204-209.	3.2	12
14	Polymorphism of 9p21.3 Locus Is Associated with 5-Year Survival in High-Risk Patients with Myocardial Infarction. <i>PLoS ONE</i> , 2014, 9, e104635.	2.5	12
15	Hypotensive effect of atorvastatin is not related to changes in inflammation and oxidative stress. <i>Pharmacological Reports</i> , 2010, 62, 883-890.	3.3	11
16	The rs9982601 polymorphism of the region between the SLC5A3/MRPS6 and KCNE2 genes associated with a prevalence of myocardial infarction and subsequent long-term mortality. <i>Polish Archives of Internal Medicine</i> , 2015, 125, 240-248.	0.4	10
17	Lack of ST-Segment Depression Normalization After PCI is a Predictor of 5-Year Mortality in Patients With ST-Elevation Myocardial Infarction. <i>Circulation Journal</i> , 2007, 71, 1851-1856.	1.6	8
18	The influence of renal function on the association of rs854560 polymorphism of paraoxonase 1 gene with long-term prognosis in patients after myocardial infarction. <i>Heart and Vessels</i> , 2016, 31, 15-22.	1.2	8

#	ARTICLE	IF	CITATIONS
19	The significance of diminished sTWEAK and P-selectin content in platelets of patients with pulmonary arterial hypertension. <i>Cytokine</i> , 2018, 107, 52-58.	3.2	8
20	High-sensitivity C-reactive protein and total antioxidant status in patients with essential arterial hypertension and dyslipidemia. <i>Advances in Medical Sciences</i> , 2009, 54, 225-32.	2.1	8
21	Iatrogenic femoral pseudoaneurysms - a simple solution of inconvenient problem?. <i>Advances in Medical Sciences</i> , 2011, 56, 215-221.	2.1	7
22	Serum Chemerin Concentration Is Associated with Proinflammatory Status in Chronic Coronary Syndrome. <i>Biomolecules</i> , 2021, 11, 1149.	4.0	7
23	Polymorphism of 9p21.3 Locus Is Associated with 5-Year Survival in High-Risk Patients with Myocardial Infarction. <i>PLoS ONE</i> , 2013, 8, e72333.	2.5	7
24	The association between type 2 diabetes mellitus and A1/A2 polymorphism of glycoprotein IIIa gene. <i>Acta Diabetologica</i> , 2007, 44, 30-33.	2.5	6
25	The rs1801133 polymorphism of methylenetetrahydrofolate reductase gene- the association with 5-year survival in patients with ST-elevation myocardial infarction. <i>Advances in Medical Sciences</i> , 2012, 57, 106-111.	2.1	6
26	Natural history and risk factors of long-term mortality in acute coronary syndrome patients with cardiogenic shock. <i>Advances in Medical Sciences</i> , 2014, 59, 156-160.	2.1	6
27	Percutaneous Coronary Interventions Affect Concentrations of Interleukin 6 and Its Soluble Receptors in Coronary Sinus Blood in Patients with Stable Angina. <i>Angiology</i> , 2009, 60, 322-328.	1.8	5
28	Impact of Pulse Wave Velocity and Parameters Reflecting Android Type Fat Distribution on Left Ventricular Diastolic Dysfunction in Patients with Chronic Coronary Syndromes. <i>Journal of Clinical Medicine</i> , 2020, 9, 3924.	2.4	5
29	Cardiogenic pulmonary oedema: alarmingly poor long term prognosis. Analysis of risk factors. <i>Kardiologia Polska</i> , 2013, 71, 712-720.	0.6	5
30	Effectiveness of Lifestyle Modification vs. Therapeutic, Preventative Strategies for Reducing Cardiovascular Risk in Primary Prevention – A Cohort Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 688.	2.4	5
31	Relation of Body Mass Index to Five-Year Survival in Patients With ST-Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2009, 103, 435.	1.6	4
32	Chemokines profile in patients with chronic heart failure treated with cardiac resynchronization therapy. <i>Advances in Medical Sciences</i> , 2020, 65, 102-110.	2.1	4
33	The 9p21 polymorphism is linked with atrial fibrillation during acute phase of ST-segment elevation myocardial infarction. <i>Heart and Vessels</i> , 2016, 31, 1590-1594.	1.2	3
34	The rs2228145 polymorphism in the interleukin-6 receptor and its association with long-term prognosis after myocardial infarction in a pilot study. <i>Archives of Medical Science</i> , 2017, 1, 93-99.	0.9	3
35	The relationships between FLAIS, a novel insulin sensitivity index, and cardiovascular risk factors in a population-based study. <i>Cardiovascular Diabetology</i> , 2022, 21, 55.	6.8	0