

Qian Sui

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4630268/publications.pdf>

Version: 2024-02-01

87
papers

5,322
citations

61984

43
h-index

85541

71
g-index

88
all docs

88
docs citations

88
times ranked

4815
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Occurrence, sources and fate of pharmaceuticals and personal care products in the groundwater: A review. <i>Emerging Contaminants</i> , 2015, 1, 14-24. | 4.9 | 520 |
| 2 | Occurrence and removal of pharmaceuticals, caffeine and DEET in wastewater treatment plants of Beijing, China. <i>Water Research</i> , 2010, 44, 417-426. | 11.3 | 384 |
| 3 | Seasonal Variation in the Occurrence and Removal of Pharmaceuticals and Personal Care Products in Different Biological Wastewater Treatment Processes. <i>Environmental Science & Technology</i> , 2011, 45, 3341-3348. | 10.0 | 323 |
| 4 | Municipal Solid Waste Landfills: An Underestimated Source of Pharmaceutical and Personal Care Products in the Water Environment. <i>Environmental Science & Technology</i> , 2020, 54, 9757-9768. | 10.0 | 157 |
| 5 | Degradation of trichloroethylene in aqueous solution by persulfate activated with citric acid chelated ferrous ion. <i>Chemical Engineering Journal</i> , 2014, 255, 585-592. | 12.7 | 151 |
| 6 | Strong enhancement of trichloroethylene degradation in ferrous ion activated persulfate system by promoting ferric and ferrous ion cycles with hydroxylamine. <i>Separation and Purification Technology</i> , 2015, 147, 186-193. | 7.9 | 131 |
| 7 | Benzene depletion by Fe ²⁺ -catalyzed sodium percarbonate in aqueous solution. <i>Chemical Engineering Journal</i> , 2015, 267, 25-33. | 12.7 | 124 |
| 8 | Degradation of trichloroethylene in aqueous solution by calcium peroxide activated with ferrous ion. <i>Journal of Hazardous Materials</i> , 2015, 284, 253-260. | 12.4 | 116 |
| 9 | Degradation of phenanthrene in aqueous solution by a persulfate/percarbonate system activated with CA chelated-Fe(II). <i>Chemical Engineering Journal</i> , 2018, 333, 122-131. | 12.7 | 111 |
| 10 | Pharmaceuticals and personal care products in the leachates from a typical landfill reservoir of municipal solid waste in Shanghai, China: Occurrence and removal by a full-scale membrane bioreactor. <i>Journal of Hazardous Materials</i> , 2017, 323, 99-108. | 12.4 | 109 |
| 11 | Degradation of trichloroethylene in aqueous solution by rGO supported nZVI catalyst under several oxic environments. <i>Journal of Hazardous Materials</i> , 2018, 349, 35-44. | 12.4 | 109 |
| 12 | Degradation of phenanthrene in sulfate radical based oxidative environment by nZVI-PDA functionalized rGO catalyst. <i>Chemical Engineering Journal</i> , 2018, 354, 541-552. | 12.7 | 109 |
| 13 | Occurrence and distribution of microplastics in domestic, industrial, agricultural and aquacultural wastewater sources: A case study in Changzhou, China. <i>Water Research</i> , 2020, 182, 115956. | 11.3 | 108 |
| 14 | Rapid removal of bisphenol A on highly ordered mesoporous carbon. <i>Journal of Environmental Sciences</i> , 2011, 23, 177-182. | 6.1 | 104 |
| 15 | Simultaneous removal of benzene, toluene, ethylbenzene and xylene (BTEX) by CaO ₂ based Fenton system: Enhanced degradation by chelating agents. <i>Chemical Engineering Journal</i> , 2018, 331, 255-264. | 12.7 | 97 |
| 16 | Identification of priority pharmaceuticals in the water environment of China. <i>Chemosphere</i> , 2012, 89, 280-286. | 8.2 | 94 |
| 17 | Benzene oxidation by Fe(III)-activated percarbonate: matrix-constituent effects and degradation pathways. <i>Chemical Engineering Journal</i> , 2017, 309, 22-29. | 12.7 | 91 |
| 18 | Enhanced degradation of benzene in aqueous solution by sodium percarbonate activated with chelated-Fe(II). <i>Chemical Engineering Journal</i> , 2016, 285, 180-188. | 12.7 | 82 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Degradation of carbon tetrachloride in aqueous solution in the thermally activated persulfate system. <i>Journal of Hazardous Materials</i> , 2015, 286, 7-14. | 12.4 | 77 |
| 20 | Mechanism of PCE oxidation by percarbonate in a chelated Fe(II)-based catalyzed system. <i>Chemical Engineering Journal</i> , 2015, 275, 53-62. | 12.7 | 74 |
| 21 | Removal and fate of polycyclic aromatic hydrocarbons in a hybrid anaerobic-anoxic-oxic process for highly toxic coke wastewater treatment. <i>Science of the Total Environment</i> , 2018, 635, 716-724. | 8.0 | 72 |
| 22 | Occurrence, source and ecotoxicological risk assessment of pesticides in surface water of Wujin District (northwest of Taihu Lake), China. <i>Environmental Pollution</i> , 2020, 265, 114953. | 7.5 | 70 |
| 23 | Perchloroethylene (PCE) oxidation by percarbonate in Fe ²⁺ -catalyzed aqueous solution: PCE performance and its removal mechanism. <i>Chemosphere</i> , 2015, 119, 1120-1125. | 8.2 | 69 |
| 24 | Insight on the generation of reactive oxygen species in the CaO ₂ /Fe(II) Fenton system and the hydroxyl radical advancing strategy. <i>Chemical Engineering Journal</i> , 2018, 353, 657-665. | 12.7 | 67 |
| 25 | Degradation of ethylbenzene in aqueous solution by sodium percarbonate activated with EDDS-Fe(III) complex. <i>Chemical Engineering Journal</i> , 2017, 309, 80-88. | 12.7 | 62 |
| 26 | Pharmaceuticals and personal care products in the urban river across the megacity Shanghai: Occurrence, source apportionment and a snapshot of influence of rainfall. <i>Journal of Hazardous Materials</i> , 2018, 359, 429-436. | 12.4 | 62 |
| 27 | Enhancement effects of reducing agents on the degradation of tetrachloroethene in the Fe(II)/Fe(III) catalyzed percarbonate system. <i>Journal of Hazardous Materials</i> , 2015, 300, 530-537. | 12.4 | 61 |
| 28 | The destruction of benzene by calcium peroxide activated with Fe(II) in water. <i>Chemical Engineering Journal</i> , 2016, 302, 187-193. | 12.7 | 61 |
| 29 | Recent advances in pharmaceuticals and personal care products in the surface water and sediments in China. <i>Frontiers of Environmental Science and Engineering</i> , 2016, 10, 1. | 6.0 | 61 |
| 30 | Application of calcium peroxide activated with Fe(II)-EDDS complex in trichloroethylene degradation. <i>Chemosphere</i> , 2016, 160, 1-6. | 8.2 | 60 |
| 31 | Comparative studies of H ₂ O ₂ /Fe(II)/formic acid, sodium percarbonate/Fe(II)/formic acid and calcium peroxide/Fe(II)/formic acid processes for degradation performance of carbon tetrachloride. <i>Chemical Engineering Journal</i> , 2018, 344, 453-461. | 12.7 | 60 |
| 32 | Identification of indicator PPCPs in landfill leachates and livestock wastewaters using multi-residue analysis of 70 PPCPs: Analytical method development and application in Yangtze River Delta, China. <i>Science of the Total Environment</i> , 2021, 753, 141653. | 8.0 | 60 |
| 33 | How to detect small microplastics (20-100 µm) in freshwater, municipal wastewaters and landfill leachates? A trial from sampling to identification. <i>Science of the Total Environment</i> , 2020, 733, 139218. | 8.0 | 57 |
| 34 | Identification of New Oxidation Products of Bezafibrate for Better Understanding of Its Toxicity Evolution and Oxidation Mechanisms during Ozonation. <i>Environmental Science & Technology</i> , 2017, 51, 2262-2270. | 10.0 | 53 |
| 35 | Application of ascorbic acid to enhance trichloroethene degradation by Fe(III)-activated calcium peroxide. <i>Chemical Engineering Journal</i> , 2017, 325, 188-198. | 12.7 | 53 |
| 36 | Elucidation of the oxidation mechanisms and pathways of sulfamethoxazole degradation under Fe(II) activated percarbonate treatment. <i>Science of the Total Environment</i> , 2018, 640-641, 973-980. | 8.0 | 52 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Photodegradation performance of 1,1,1-trichloroethane in aqueous solution: In the presence and absence of persulfate. <i>Chemical Engineering Journal</i> , 2013, 215-216, 29-35. | 12.7 | 50 |
| 38 | Occurrence and removal of six pharmaceuticals and personal care products in a wastewater treatment plant employing anaerobic/anoxic/aerobic and UV processes in Shanghai, China. <i>Environmental Science and Pollution Research</i> , 2014, 21, 4276-4285. | 5.3 | 50 |
| 39 | Efficient elimination of sulfonamides by an anaerobic/anoxic/oxic-membrane bioreactor process: Performance and influence of redox condition. <i>Science of the Total Environment</i> , 2018, 633, 668-676. | 8.0 | 47 |
| 40 | Role of Reactive Oxygen Species for 1,1,1-Trichloroethane Degradation in a Thermally Activated Persulfate System. <i>Industrial & Engineering Chemistry Research</i> , 2014, 53, 1056-1063. | 3.7 | 46 |
| 41 | Carbon dioxide radical anion-based UV/S ₂ O ₈ ²⁻ /HCOOH reductive process for carbon tetrachloride degradation in aqueous solution. <i>Separation and Purification Technology</i> , 2017, 172, 211-216. | 7.9 | 46 |
| 42 | Naphthalene degradation in aqueous solution by Fe(II) activated persulfate coupled with citric acid. <i>Separation and Purification Technology</i> , 2021, 264, 118441. | 7.9 | 46 |
| 43 | Enhanced degradation of trichloroethene by calcium peroxide activated with Fe(III) in the presence of citric acid. <i>Frontiers of Environmental Science and Engineering</i> , 2016, 10, 502-512. | 6.0 | 45 |
| 44 | Utilization of formic acid in nanoscale zero valent iron-catalyzed Fenton system for carbon tetrachloride degradation. <i>Chemical Engineering Journal</i> , 2020, 380, 122537. | 12.7 | 45 |
| 45 | Insight into CaO ₂ -based Fenton and Fenton-like systems: Strategy for CaO ₂ -based oxidation of organic contaminants. <i>Chemical Engineering Journal</i> , 2019, 361, 919-928. | 12.7 | 44 |
| 46 | Trichloroethene degradation by nanoscale CaO ₂ activated with Fe(II)/FeS: The role of FeS and the synergistic activation mechanism of Fe(II)/FeS. <i>Chemical Engineering Journal</i> , 2020, 394, 124830. | 12.7 | 44 |
| 47 | Enhancement effects of chelating agents on the degradation of tetrachloroethene in Fe(III) catalyzed percarbonate system. <i>Chemical Engineering Journal</i> , 2015, 281, 286-294. | 12.7 | 43 |
| 48 | Efficient removal of trichloroethylene in surfactant amended solution by nano FeO-Nickel bimetallic composite activated sodium persulfate process. <i>Chemical Engineering Journal</i> , 2020, 386, 123995. | 12.7 | 43 |
| 49 | Degradation of trichloroethylene in aqueous solution by nanoscale calcium peroxide in the Fe(II)-based catalytic environments. <i>Separation and Purification Technology</i> , 2019, 226, 13-21. | 7.9 | 41 |
| 50 | Enhanced redox degradation of chlorinated hydrocarbons by the Fe(II)-catalyzed calcium peroxide system in the presence of formic acid and citric acid. <i>Journal of Hazardous Materials</i> , 2019, 368, 506-513. | 12.4 | 37 |
| 51 | Do high levels of PPCPs in landfill leachates influence the water environment in the vicinity of landfills? A case study of the largest landfill in China. <i>Environment International</i> , 2020, 135, 105404. | 10.0 | 34 |
| 52 | Degradation of trichloroethylene in aqueous solution by sodium percarbonate activated with Fe(II)-citric acid complex in the presence of surfactant Tween-80. <i>Chemosphere</i> , 2020, 257, 127223. | 8.2 | 34 |
| 53 | Enhanced degradation of trichloroethylene in oxidative environment by nZVI/PDA functionalized rGO catalyst. <i>Journal of Hazardous Materials</i> , 2018, 359, 157-165. | 12.4 | 33 |
| 54 | Removal of pharmaceutical and personal care products by sequential ultraviolet and ozonation process in a full-scale wastewater treatment plant. <i>Frontiers of Environmental Science and Engineering</i> , 2014, 8, 62-68. | 6.0 | 31 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Tracking emission sources of PAHs in a region with pollution-intensive industries, Taihu Basin: From potential pollution sources to surface water. <i>Environmental Pollution</i> , 2020, 264, 114674. | 7.5 | 30 |
| 56 | Rainfall Influences Occurrence of Pharmaceutical and Personal Care Products in Landfill Leachates: Evidence from Seasonal Variations and Extreme Rainfall Episodes. <i>Environmental Science & Technology</i> , 2021, 55, 4822-4830. | 10.0 | 30 |
| 57 | Mechanism of carbon tetrachloride reduction in ferrous ion activated calcium peroxide system in the presence of methanol. <i>Chemical Engineering Journal</i> , 2019, 362, 243-250. | 12.7 | 29 |
| 58 | Efficient removal of trichloroethene in oxidative environment by anchoring nano FeS on reduced graphene oxide supported nZVI catalyst: The role of FeS on oxidant decomposition and iron leakage. <i>Journal of Hazardous Materials</i> , 2020, 392, 122328. | 12.4 | 27 |
| 59 | Trichloroethylene oxidation performance in sodium percarbonate (SPC)/Fe ²⁺ system. <i>Environmental Technology (United Kingdom)</i> , 2014, 35, 791-798. | 2.2 | 26 |
| 60 | Rapid determination of pharmaceuticals from multiple therapeutic classes in wastewater by solid-phase extraction and ultra-performance liquid chromatography tandem mass spectrometry. <i>Science Bulletin</i> , 2009, 54, 4633-4643. | 9.0 | 25 |
| 61 | Degradation of trichloroethene by citric acid chelated Fe(II) catalyzing sodium percarbonate in the environment of sodium dodecyl sulfate aqueous solution. <i>Chemosphere</i> , 2021, 281, 130798. | 8.2 | 25 |
| 62 | Accelerated degradation of tetrachloroethylene by Fe(II) activated persulfate process with hydroxylamine for enhancing Fe(II) regeneration. <i>Journal of Chemical Technology and Biotechnology</i> , 2016, 91, 1280-1289. | 3.2 | 23 |
| 63 | The impact of surface properties and dominant ions on the effectiveness of G-nZVI heterogeneous catalyst for environmental remediation. <i>Science of the Total Environment</i> , 2019, 651, 1182-1188. | 8.0 | 22 |
| 64 | Seasonal occurrence and source analysis of pharmaceutically active compounds (PhACs) in aquatic environment in a small and medium-sized city, China. <i>Science of the Total Environment</i> , 2021, 769, 144272. | 8.0 | 22 |
| 65 | Pharmaceuticals and consumer products in four wastewater treatment plants in urban and suburb areas of Shanghai. <i>Environmental Science and Pollution Research</i> , 2015, 22, 6086-6094. | 5.3 | 21 |
| 66 | Role of reactive oxygen species in the dechlorination of trichloroethene and 1,1,1-trichloroethane in aqueous phase in UV/TiO ₂ systems. <i>Chemical Engineering Science</i> , 2015, 123, 367-375. | 3.8 | 21 |
| 67 | Ethanol enhanced carbon tetrachloride degradation in Fe(II) activated calcium peroxide system. <i>Separation and Purification Technology</i> , 2018, 205, 105-112. | 7.9 | 20 |
| 68 | Efficient transformation in characteristics of cations supported-reduced graphene oxide nanocomposites for the destruction of trichloroethane. <i>Applied Catalysis A: General</i> , 2017, 544, 10-20. | 4.3 | 19 |
| 69 | Enhanced degradation of carbon tetrachloride by sodium percarbonate activated with ferrous ion in the presence of ethyl alcohol. <i>Environmental Technology (United Kingdom)</i> , 2019, 40, 356-364. | 2.2 | 19 |
| 70 | Occurrence, spatiotemporal distribution, seasonal and annual variation, and source apportionment of poly- and perfluoroalkyl substances (PFASs) in the northwest of Tai Lake Basin, China. <i>Journal of Hazardous Materials</i> , 2021, 416, 125784. | 12.4 | 18 |
| 71 | Degradation of carbon tetrachloride in thermally activated persulfate system in the presence of formic acid. <i>Frontiers of Environmental Science and Engineering</i> , 2016, 10, 438-446. | 6.0 | 17 |
| 72 | Source apportionment of phenolic compounds based on a simultaneous monitoring of surface water and emission sources: A case study in a typical region adjacent to Taihu Lake watershed. <i>Science of the Total Environment</i> , 2020, 722, 137946. | 8.0 | 16 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | A step forward towards synthesizing a stable and regeneratable nanocomposite for remediation of trichloroethene. <i>Chemical Engineering Journal</i> , 2018, 347, 660-668. | 12.7 | 15 |
| 74 | Enhanced reductive degradation of carbon tetrachloride by carbon dioxide radical anion-based sodium percarbonate/Fe(II)/formic acid system in aqueous solution. <i>Frontiers of Environmental Science and Engineering</i> , 2018, 12, 1. | 6.0 | 15 |
| 75 | Enhanced effect of HAH on citric acid-chelated Fe(II)-catalyzed percarbonate for trichloroethene degradation. <i>Environmental Science and Pollution Research</i> , 2017, 24, 24318-24326. | 5.3 | 14 |
| 76 | Non-antibiotics matter: Evidence from a one-year investigation of livestock wastewater from six farms in East China. <i>Science of the Total Environment</i> , 2022, 846, 157418. | 8.0 | 10 |
| 77 | The performance of nCaO ₂ for BTEX removal: Hydroxyl radical generation pattern and the influences of co-existing environmental pollutants. <i>Water Environment Research</i> , 2020, 92, 622-630. | 2.7 | 7 |
| 78 | Application of glutamate to enhance carbon tetrachloride (CT) degradation by Fe(II) activated calcium peroxide in the presence of methanol: CT removal performance and mechanism. <i>Separation and Purification Technology</i> , 2020, 236, 116259. | 7.9 | 6 |
| 79 | Quantitatively identifying the emission sources of pharmaceutically active compounds (PhACs) in the surface water: Method development, verification and application in Huangpu River, China. <i>Science of the Total Environment</i> , 2022, 815, 152783. | 8.0 | 5 |
| 80 | Synergistic strengthening of SPC/Fe(II) system by CA coupled with mZVI for trichloroethylene degradation in SDS-containing aqueous solution. <i>Journal of Environmental Chemical Engineering</i> , 2022, 10, 108276. | 6.7 | 5 |
| 81 | Capacity estimation and preliminary strategy for reducing the release of dioxins in China. <i>Frontiers of Environmental Science and Engineering in China</i> , 2007, 1, 13-17. | 0.8 | 4 |
| 82 | Effect of effluent organic matter on ozonation of bezafibrate. <i>Frontiers of Environmental Science and Engineering</i> , 2015, 9, 962-969. | 6.0 | 4 |
| 83 | Enhanced carbon tetrachloride degradation by hydroxylamine in ferrous ion activated calcium peroxide in the presence of formic acid. <i>Frontiers of Environmental Science and Engineering</i> , 2020, 14, 1. | 6.0 | 4 |
| 84 | Enhancement of benzene degradation by persulfate oxidation: synergistic effect by nanoscale zero-valent iron (nZVI) and thermal activation. <i>Water Science and Technology</i> , 2020, 82, 998-1008. | 2.5 | 4 |
| 85 | Effective degradation of 1,2-dichloroethane in calcium peroxide activated by Fe(III): performance and mechanisms. <i>Water Science and Technology: Water Supply</i> , 2022, 22, 5589-5602. | 2.1 | 3 |
| 86 | Discharge of pharmaceuticals from a municipal solid waste transfer station: Overlooked influence on the contamination of pharmaceuticals in surface waters. <i>Science of the Total Environment</i> , 2022, 839, 156317. | 8.0 | 3 |
| 87 | Insights into the enhanced fluoranthene degradation in citric acid coupled Fe(II)-activated sodium persulfate system. <i>Water Science and Technology: Water Supply</i> , 2022, 22, 4822-4838. | 2.1 | 2 |