

Darren W Johnson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/463072/publications.pdf>

Version: 2024-02-01

147
papers

5,207
citations

71102

41
h-index

110387

64
g-index

160
all docs

160
docs citations

160
times ranked

4560
citing authors

#	ARTICLE	IF	CITATIONS
1	Câ€“Hâ€“S hydrogen bonding interactions. <i>Chemical Society Reviews</i> , 2022, 51, 1454-1469.	38.1	35
2	A scalable, eco-friendly ultralow-temperature approach to forming Al ₂ O ₃ water-repellent cotton coatings <i>via</i> UV photo-annealing. <i>Chemical Communications</i> , 2022, 58, 4536-4539.	4.1	1
3	Expanding the Scope of Pnictogenâ€“Assisted Cyclophane Selfâ€“Assembly. <i>European Journal of Organic Chemistry</i> , 2022, 2022, .	2.4	4
4	Controlling Tautomerization in Pyridineâ€“Fused Phosphorusâ€“Nitrogen Heterocycles. <i>Chemistry - A European Journal</i> , 2022, 28, .	3.3	3
5	Thionation of the 2â€“5 Phosphaquinolinâ€“one Scaffold with Lawesson's Reagent. <i>Israel Journal of Chemistry</i> , 2021, 61, 217-221.	2.3	2
6	Deuterium equilibrium isotope effects in a supramolecular receptor for the hydrochalcogenide and halide anions. <i>RSC Advances</i> , 2021, 11, 26581-26585.	3.6	0
7	Main Group Supramolecular Chemistry Led to Surprising New Directions in the Self-Assembly of Organic Macrocycles, Cages, and Cyclophanes. <i>Synlett</i> , 2021, 32, 1702-1710.	1.8	2
8	Hydrosulfide-selective ChemFETs for aqueous H ₂ S/HS ⁻ measurement. <i>Sensing and Bio-Sensing Research</i> , 2021, 31, 100394.	4.2	6
9	Investigation of the physical, optical, and chemical properties of phase segregated AlCoOx thin films from a novel hexol-type cluster. <i>Dalton Transactions</i> , 2021, 50, 3247-3252.	3.3	0
10	Amplification of the Quantum Yields of 2-Î»5-Phosphaquinolin-2-ones through Phosphorus Center Modification. <i>Journal of Organic Chemistry</i> , 2020, 85, 85-91.	3.2	11
11	A highly fluorescent PN-heterocycle-fused pyrene derivative with strong self-dimerisation through hydrogen bonding. <i>Supramolecular Chemistry</i> , 2020, 32, 49-55.	1.2	4
12	â€“Design of Experimentsâ€“as a Method to Optimize Dynamic Disulfide Assemblies: Cages and Functionalizable Macrocycles. <i>Angewandte Chemie</i> , 2020, 132, 1512-1516.	2.0	5
13	â€“Design of Experimentsâ€“as a Method to Optimize Dynamic Disulfide Assemblies: Cages and Functionalizable Macrocycles. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 1496-1500.	13.8	14
14	Hydrosulfide Oxidation at a Molybdenum Tetrasulfido Complex. <i>Inorganic Chemistry</i> , 2020, 59, 15574-15578.	4.0	10
15	An Efficient Route to Symmetrical and Unsymmetrical Disulfide, Thioether, and Hydrocarbon Cyclophanes. <i>European Journal of Organic Chemistry</i> , 2020, 2020, 6795-6800.	2.4	6
16	Bumpy Roads Lead to Beautiful Places: The Twists and Turns in Developing a New Class of PN-Heterocycles. <i>Synlett</i> , 2020, 31, 1862-1877.	1.8	5
17	Solvent-Dependent Linear Free-Energy Relationship in a Flexible Hostâ€“Guest System. <i>Journal of Organic Chemistry</i> , 2020, 85, 12367-12373.	3.2	17
18	Dynamic Covalent Chemistry as a Facile Route to Unusual Mainâ€“Group Thiolate Assemblies and Disulfide Hoops and Cages. <i>ChemPlusChem</i> , 2020, 85, 1270-1282.	2.8	18

#	ARTICLE	IF	CITATIONS
19	Evolution of Atomic-Level Structure in Sub-10 Nanometer Iron Oxide Nanocrystals: Influence on Cation Occupancy and Growth Rates. <i>ACS Nano</i> , 2020, 14, 5480-5490.	14.6	22
20	Tuning Supramolecular Selectivity for Hydrosulfide: Linear Free Energy Relationships Reveal Preferential C-H Hydrogen Bond Interactions. <i>Journal of the American Chemical Society</i> , 2020, 142, 8243-8251.	13.7	27
21	PN-Containing Pyrene Derivatives: Synthesis, Structure, and Photophysical Properties. <i>Organic Letters</i> , 2019, 21, 6427-6431.	4.6	20
22	Self-Assembly of a Trithioorthoformate-Capped Cyclophane and Its Endohedral Inclusion of a Methine Group. <i>Chemistry - A European Journal</i> , 2019, 25, 13290-13293.	3.3	7
23	Self-sorting in dynamic disulfide assembly: new biphenyl-bridged α -nanohoops and unsymmetrical cyclophanes. <i>Chemical Communications</i> , 2019, 55, 11840-11843.	4.1	7
24	Expanding reversible chalcogenide binding: supramolecular receptors for the hydroselenide (HSe^-) anion. <i>Chemical Science</i> , 2019, 10, 67-72.	7.4	20
25	Exploiting the Hydrogen Bond Donor/Acceptor Properties of PN-Heterocycles: Selective Anion Receptors for Hydrogen Sulfate. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 3934-3938.	13.8	25
26	Methanesulfonyl-polarized halogen bonding enables strong halide recognition in an arylolefinyl anion receptor. <i>Chemical Communications</i> , 2019, 55, 1919-1922.	4.1	18
27	Organotin Carboxylate Reagents for Nanopatterning: Chemical Transformations during Direct-Write Electron Beam Processes. <i>Chemistry of Materials</i> , 2019, 31, 4840-4850.	6.7	20
28	Naphtho[2,1- <i>b</i>]-1,2-azaphosphorine 2-Oxide Derivatives: Synthesis, Optoelectronic Properties, and Self-Dimerization Phenomena. <i>Journal of Organic Chemistry</i> , 2019, 84, 8131-8139.	3.2	13
29	Synthesis, photophysical properties, and self-dimerization studies of 2- <i>b</i> -phosphaquinolin-2-ones. <i>Organic Chemistry Frontiers</i> , 2019, 6, 1257-1265.	4.5	10
30	Influence of Nanocrystal Size on the Optoelectronic Properties of Thin, Solution-Cast Sn-Doped In_2O_3 Films. <i>Chemistry of Materials</i> , 2019, 31, 3370-3380.	6.7	35
31	The road to aryl CH^- anion binding was paved with good intentions: fundamental studies, host design, and historical perspectives in CH hydrogen bonding. <i>Chemical Communications</i> , 2019, 55, 5195-5206.	4.1	47
32	Exploiting the Hydrogen Bond Donor/Acceptor Properties of PN-Heterocycles: Selective Anion Receptors for Hydrogen Sulfate. <i>Angewandte Chemie</i> , 2019, 131, 3974-3978.	2.0	6
33	Unique chemistries of metal-nitrate precursors to form metal-oxide thin films from solution: materials for electronic and energy applications. <i>Journal of Materials Chemistry A</i> , 2019, 7, 24124-24149.	10.3	78
34	Convergent Ditopic Receptors Enhance Anion Binding upon Alkali Metal Complexation for Catalyzing the Ritter Reaction. <i>Organic Letters</i> , 2019, 21, 652-655.	4.6	23
35	Coupling Metalloid-Directed Self-Assembly and Dynamic Covalent Systems as a Route to Large Organic Cages and Cyclophanes. <i>Inorganic Chemistry</i> , 2018, 57, 3486-3496.	4.0	20
36	Copper(II) serves as an efficient additive for metal-directed self-assembly of over 20 thiacyclophanes. <i>Chemical Communications</i> , 2018, 54, 13419-13422.	4.1	9

#	ARTICLE	IF	CITATIONS
37	Conformationally flexible arylethynyl bis-urea receptors bind disparate oxoanions with similar, high affinities. <i>Chemical Communications</i> , 2018, 54, 13208-13211.	4.1	8
38	Evaluation of Thermal and Radiation Induced Chemistries of Metal Oxo-Hydroxo Clusters for Next-Generation Nanoscale Inorganic Resists. <i>ACS Applied Nano Materials</i> , 2018, 1, 4548-4556.	5.0	15
39	Computational and Experimental Evidence of Emergent Equilibrium Isotope Effects in Anion Receptor Complexes. <i>Journal of the American Chemical Society</i> , 2017, 139, 3962-3965.	13.7	13
40	Do CH-Anion and Anion- π Interactions Alter the Mechanism of 2:1 Host-Guest Complexation in Arylethynyl Monourea Anion Receptors?. <i>Chemistry - A European Journal</i> , 2017, 23, 4051-4054.	3.3	10
41	Synthesis of an Aluminum Hydroxide Octamer through a Simple Dissolution Method. <i>Angewandte Chemie</i> , 2017, 129, 10295-10298.	2.0	10
42	Synthesis of an Aluminum Hydroxide Octamer through a Simple Dissolution Method. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 10161-10164.	13.8	24
43	Alkyltin Keggin Clusters Templated by Sodium. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 10140-10144.	13.8	41
44	Synthesis and Properties of Naphtho[2,3- <i>c</i>]-1,2-azaphosphorine 2-Oxides: PN-Anthracene Analogues. <i>Organometallics</i> , 2017, 36, 2491-2493.	2.3	15
45	Stable Heterometallic Cluster Ions based on Werner's Hexol. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 8776-8779.	13.8	2
46	Same Precursor, Two Different Products: Comparing the Structural Evolution of In-Ga-O α -Gel-Derived Powders and Solution-Cast Films Using Pair Distribution Function Analysis. <i>Journal of the American Chemical Society</i> , 2017, 139, 5607-5613.	13.7	13
47	Ln polyoxocations: yttrium oxide solution speciation & solution deposited thin films. <i>Dalton Transactions</i> , 2017, 46, 947-955.	3.3	15
48	Role of Combustion Chemistry in Low-Temperature Deposition of Metal Oxide Thin Films from Solution. <i>Chemistry of Materials</i> , 2017, 29, 9480-9488.	6.7	30
49	Minerals to Materials: Bulk Synthesis of Aqueous Aluminum Clusters and Their Use as Precursors for Metal Oxide Thin Films. <i>Chemistry of Materials</i> , 2017, 29, 7760-7765.	6.7	15
50	Radial Dopant Placement for Tuning Plasmonic Properties in Metal Oxide Nanocrystals. <i>ACS Nano</i> , 2017, 11, 7719-7728.	14.6	69
51	Implications of Crystal Structure on Organotin Carboxylate Photoresists. <i>Crystal Research and Technology</i> , 2017, 52, 1700081.	1.3	14
52	Alkyltin Keggin Clusters Templated by Sodium. <i>Angewandte Chemie</i> , 2017, 129, 10274-10278.	2.0	9
53	Stable Heterometallic Cluster Ions based on Werner's Hexol. <i>Angewandte Chemie</i> , 2017, 129, 8902-8905.	2.0	1
54	Sub-30%keV patterning of HafSOx resist: Effects of voltage on resolution, contrast, and sensitivity. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2016, 34, 041607.	1.2	4

#	ARTICLE	IF	CITATIONS
55	A Synthetic Supramolecular Receptor for the Hydrosulfide Anion. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 11480-11484.	13.8	40
56	Proton-Exchange Rates on Hydroxide Bridges of Mineral-Like Metal-Hydroxide Clusters. <i>ChemistrySelect</i> , 2016, 1, 1118-1122.	1.5	1
57	A Synthetic Supramolecular Receptor for the Hydrosulfide Anion. <i>Angewandte Chemie</i> , 2016, 128, 11652-11656.	2.0	9
58	A facile route to old and new cyclophanes via self-assembly and capture. <i>Nature Communications</i> , 2016, 7, 11052.	12.8	43
59	Synthetic routes to a nanoscale inorganic cluster $[Ga_{13}(\frac{1}{4}3-OH)_6(\frac{1}{4}2-OH)_{18}(H_2O)](NO_3)_{15}$ evaluated by solid-state ^{71}Ga NMR. <i>Journal of Solid State Chemistry</i> , 2016, 242, 193-198.	2.9	7
60	Attraction by repulsion: compounds with like charges undergo self-assembly in water that improves in high salt and persists in real biological fluids. <i>Chemical Communications</i> , 2016, 52, 2768-2771.	4.1	15
61	Non-covalent functionalization of high-surface area nanomaterials: a new class of sorbent materials. <i>Environmental Science: Nano</i> , 2016, 3, 138-145.	4.3	15
62	Anion-directed self-assembly of a 2,6-bis(2-anilinoethynyl)pyridine bis(amide) scaffold. <i>Supramolecular Chemistry</i> , 2016, 28, 37-44.	1.2	2
63	Non-uniform Composition Profiles in Inorganic Thin Films from Aqueous Solutions. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 667-672.	8.0	18
64	Harnessing solid-state packing for selective detection of chloride in a macrocyclic anionophore. <i>Chemical Communications</i> , 2016, 52, 9506-9509.	4.1	11
65	Facile Synthesis and Properties of 2×5 -Phosphaquinolines and 2×5 -Phosphaquinolinones. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 13318-13322.	13.8	36
66	Solid-State Examination of Conformationally Diverse Sulfonamide Receptors Based on Bis(2-anilinoethynyl)pyridine, -Bipyridine, and -Thiophene. <i>Crystal Growth and Design</i> , 2015, 15, 1502-1511.	3.0	6
67	Ion and Molecular Recognition Using Aryl-Ethynyl Scaffolding. <i>Chemistry - an Asian Journal</i> , 2015, 10, 522-535.	3.3	21
68	Off-on aggregation-based fluorescent sensor for the detection of chloride in water. <i>Organic and Biomolecular Chemistry</i> , 2015, 13, 4266-4270.	2.8	34
69	Heat capacities and thermodynamics of formation of flat- Al_{13} nitrate $[Al_{13}(OH)_{24}(H_2O)_{24}](NO_3)_{15} \cdot 11H_2O$. <i>Journal of Chemical Thermodynamics</i> , 2015, 90, 224-231.	2.0	2
70	An overview of selected current approaches to the characterization of aqueous inorganic clusters. <i>Dalton Transactions</i> , 2015, 44, 16982-17006.	3.3	41
71	Solution structural characterization of an array of nanoscale aqueous inorganic $Ga_{13}xIn_x$ ($0 \leq x \leq 1$). <i>Chemical Communications</i> , 2015, 11, 1274-1276.	7.4	12
72	Synthesis and Solid-State Structural Characterization of a Series of Aqueous Heterometallic Tridecameric Group 13 Clusters. <i>Inorganic Chemistry</i> , 2015, 54, 3913-3920.	4.0	9

#	ARTICLE	IF	CITATIONS
73	Self-assembled trinuclear arsenic and antimony macrobicycles. <i>Chemical Science</i> , 2015, 6, 2444-2448.	7.4	4
74	Structural study by solid-state ⁷¹ Ga NMR of thin film transistor precursors. <i>Dalton Transactions</i> , 2015, 44, 17652-17659.	3.3	7
75	Substituent Effects in CH Hydrogen Bond Interactions: Linear Free Energy Relationships and Influence of Anions. <i>Journal of the American Chemical Society</i> , 2015, 137, 14959-14967.	13.7	63
76	Transmetalation of self-assembled, supramolecular complexes. <i>Chemical Society Reviews</i> , 2014, 43, 1825-1834.	38.1	77
77	Synthesis of a Self-Assembled Hg(II)-Dithiocarbamate Metallomacrocyclic. <i>Crystal Growth and Design</i> , 2014, 14, 2087-2091.	3.0	13
78	Mentoring Graduate Students in Research and Teaching by Utilizing Research as a Template. <i>Journal of Chemical Education</i> , 2014, 91, 200-205.	2.3	8
79	Synthesis and solid-state structures of a macrocyclic receptor based on the 2,6-bis(2-anilinoethynyl)pyridine scaffold. <i>CrystEngComm</i> , 2014, 16, 3703.	2.6	6
80	Intramolecular Nâ€“Hâ€“Cl hydrogen bonds in the outer coordination sphere of a bipyridyl bisurea-based ligand stabilize a tetrahedral FeLCl ₂ complex. <i>Chemical Communications</i> , 2014, 50, 7173-7175.	4.1	16
81	Exploring anion-induced conformational flexibility and molecular switching in a series of heteroaryl-urea receptors. <i>Chemical Science</i> , 2014, 5, 2899-2905.	7.4	26
82	Electrochemical synthesis of flat-[Ga ₁₃ xIn _x (¹ / ₄ -OH) ₆ (¹ / ₄ -OH) ₁₈ (H ₂ O) ₂₄ clusters as aqueous precursors for solution-processed semiconductors. <i>Journal of Materials Chemistry C</i> , 2014, 2, 8492-8496.	5.5	14
83	Chloride-catalyzed, multicomponent self-assembly of arsenic thiolates. <i>Chemical Communications</i> , 2014, 50, 73-75.	4.1	11
84	Chemical and Structural Investigation of High-Resolution Patterning with HafSOx. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 2917-2921.	8.0	72
85	Solid-State ⁶⁹ Ga and ⁷¹ Ga NMR Study of the Nanoscale Inorganic Cluster [Ga ₁₃ (¹ / ₄ -OH) ₆ (¹ / ₄ -OH) ₁₈ (H ₂ O) ₂₄]. <i>Journal of Materials Chemistry</i> , 2014, 26, 4978-4983.		
86	Transmetalation of Aqueous Inorganic Clusters: A Useful Route to the Synthesis of Heterometallic Aluminum and Indium Hydroxoâ€“Aquo Clusters. <i>Inorganic Chemistry</i> , 2014, 53, 7101-7105.	4.0	22
87	Aryl Câ€“Hâ€“Clâ€“ hydrogen bonding in a fluorescent anion sensor. <i>Chemical Communications</i> , 2013, 49, 7240.	4.1	52
88	Elucidating Inorganic Nanoscale Species in Solution: Complementary and Corroborative Approaches. <i>ChemPhysChem</i> , 2013, 14, 2655-2661.	2.1	15
89	Aqueous Solution Processing of F-Doped SnO ₂ Transparent Conducting Oxide Films Using a Reactive Tin(II) Hydroxide Nitrate Nanoscale Cluster. <i>Chemistry of Materials</i> , 2013, 25, 4080-4087.	6.7	50
90	An Anionâ€“Modulated Threeâ€“Way Supramolecular Switch that Selectively Binds Dihydrogen Phosphate, H ₂ PO ₄ ⁻ . <i>Angewandte Chemie - International Edition</i> , 2013, 52, 10270-10274.	13.8	59

#	ARTICLE	IF	CITATIONS
91	Selective Nitrate Binding in Competitive Hydrogen Bonding Solvents: Do Anion-π Interactions Facilitate Nitrate Selectivity?. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 10275-10280.	13.8	75
92	Lithium-selective phosphine oxide-based ditopic receptors show enhanced halide binding upon alkali metal ion coordination. <i>Chemical Science</i> , 2013, 4, 585-590.	7.4	19
93	Ion-π Interactions in Ligand Design for Anions and Main Group Cations. <i>Accounts of Chemical Research</i> , 2013, 46, 955-966.	15.6	128
94	Pnictogen-directed synthesis of discrete disulfide macrocycles. <i>Chemical Communications</i> , 2013, 49, 6599.	4.1	15
95	Identifying Nanoscale M ₁₃ Clusters in the Solid State and Aqueous Solution: Vibrational Spectroscopy and Theoretical Studies. <i>Inorganic Chemistry</i> , 2013, 52, 6187-6192.	4.0	13
96	ConfChem Conference on Educating the Next Generation: Green and Sustainable Chemistry—Chemistry of Sustainability: A General Education Science Course Enhancing Students, Faculty and Institutional Programming. <i>Journal of Chemical Education</i> , 2013, 90, 515-516.	2.3	6
97	Selective Nitrate Binding in Competitive Hydrogen Bonding Solvents: Do Anion-π Interactions Facilitate Nitrate Selectivity?. <i>Angewandte Chemie</i> , 2013, 125, 10465-10470.	2.0	20
98	An Anion-Modulated Three-Way Supramolecular Switch that Selectively Binds Dihydrogen Phosphate, H ₂ PO ₄ ⁻ . <i>Angewandte Chemie</i> , 2013, 125, 10460-10464.	2.0	25
99	Single Nanoscale Cluster Species Revealed by ¹ H...NMR Diffusion-Ordered Spectroscopy and Small-Angle X-ray Scattering. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 10992-10996.	13.8	26
100	Oligomeric group 13 hydroxide compounds—a rare but varied class of molecules. <i>Chemical Society Reviews</i> , 2012, 41, 1019-1030.	38.1	72
101	Synthesis and optoelectronic properties of 2,6-bis(2-anilinoethynyl)pyridine scaffolds. <i>Chemical Science</i> , 2012, 3, 1105.	7.4	29
102	Counterion and Steric Effects in Self-Assembled HgX ₂ -Thioether Coordination Polymers. <i>Crystal Growth and Design</i> , 2012, 12, 1579-1585.	3.0	20
103	Design, synthesis and characterization of self-assembled As ₂ L ₃ and Sb ₂ L ₃ cryptands. <i>Dalton Transactions</i> , 2011, 40, 12125.	3.3	22
104	Anion-dependent fluorescence in bis(anilinoethynyl)pyridine derivatives: switchable ON-OFF and OFF-ON responses. <i>Chemical Communications</i> , 2011, 47, 5539-5541.	4.1	41
105	Synthesis of the Hydroxide Cluster [Al ₁₃ (¹ / ₄ -OH) ₃ (OH) ₆ (¹ / ₄ -OH) ₁₈ (H ₂ O) ₂₄] ⁵⁷⁺ from an Aqueous Solution. <i>Inorganic Chemistry</i> , 2011, 50, 4683-4685.	15.7	157
106	Molecular Self-Assembly: Solvent Guests Tune the Conformation of a Series of 2,6-Bis(2-anilinoethynyl)pyridine-Based Ureas. <i>Crystal Growth and Design</i> , 2011, 11, 5144-5152.	3.0	19
107	Lithium cation enhances anion binding in a tripodal phosphine oxide-based ditopic receptor. <i>Chemical Communications</i> , 2011, 47, 7653.	4.1	11
108	Design Considerations for the Group 15 Elements: The Pnictogen-π Interaction As a Complementary Component in Supramolecular Assembly Design. <i>Crystal Growth and Design</i> , 2010, 10, 3531-3536.	3.0	42

#	ARTICLE	IF	CITATIONS
109	Supramolecular "Transmetalation" Leads to an Unusual Self-Assembled P ₂ L ₃ Cryptand. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 1248-1251.	13.8	56
110	A Surprising "Folded-In" Conformation of a Self-Assembled Arsenic-Thiolate Macrocyclic. <i>Crystal Growth and Design</i> , 2010, 10, 1471-1473.	3.0	14
111	Self-Assembled E ₂ L ₃ Cryptands (E = P, As, Sb, Bi): Transmetalation, Homo- and Heterometallic Assemblies, and Conformational Isomerism. <i>Inorganic Chemistry</i> , 2010, 49, 9985-9992.	4.0	32
112	Arylethynyl receptors for neutral molecules and anions: emerging applications in cellular imaging. <i>Chemical Society Reviews</i> , 2010, 39, 3875.	38.1	77
113	Three's company: co-crystallization of a self-assembled S ₄ metallacyclophane with two diastereomeric metallacycle intermediates. <i>Chemical Communications</i> , 2010, 46, 3505.	4.1	24
114	Supramolecular Organization Using Multiple Secondary Bonding Interactions. <i>Crystal Growth and Design</i> , 2009, 9, 3011-3013.	3.0	15
115	Synthesis and Crystallization of Infinite Indium and Gallium Acetate 1D Chain Structures and Concomitant Ethyl Acetate Hydrolysis. <i>Inorganic Chemistry</i> , 2009, 48, 3505-3507.	4.0	21
116	Anion Binding Induces Helicity in a Hydrogen-Bonding Receptor: Crystal Structure of a 2,6-Bis(anilinoethynyl)pyridinium Chloride. <i>Crystal Growth and Design</i> , 2009, 9, 4247-4249.	3.0	29
117	Observation of reaction intermediates and kinetic mistakes in a remarkably slow self-assembly reaction. <i>Chemical Communications</i> , 2009, , 5606.	4.1	46
118	Experimental evidence for interactions between anions and electron-deficient aromatic rings. <i>Chemical Communications</i> , 2009, , 3143.	4.1	137
119	Protonation activates anion binding and alters binding selectivity in new inherently fluorescent 2,6-bis(2-anilinoethynyl)pyridine bisureas. <i>Chemical Communications</i> , 2009, , 2520.	4.1	65
120	Water and Hydrogen Halides Serve the Same Structural Role in a Series of 2+2 Hydrogen-Bonded Dimers Based on 2,6-Bis(2-anilinoethynyl)pyridine Sulfonamide Receptors. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 117-120.	13.8	43
121	Synthesis of Heterometallic Group...13 Nanoclusters and Inks for Oxide Thin-Film Transistors. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 9484-9486.	13.8	66
122	Host-guest interactions in a series of self-assembled As ₂ L ₂ Cl ₂ macrocycles. <i>Dalton Transactions</i> , 2008, , 3447.	3.3	19
123	Multiple weak supramolecular interactions stabilize a surprisingly twisted As ₂ L ₃ assembly. <i>Chemical Communications</i> , 2008, , 3936.	4.1	21
124	New functional materials for heavy metal sorption: "Supramolecular" attachment of thiols to mesoporous silica substrates. <i>Chemical Communications</i> , 2008, , 5583.	4.1	32
125	Solution Phase Measurement of Both Weak π and $\text{C}^{\delta+}\text{H}^{\delta-}\text{X}^{\delta-}$ Hydrogen Bonding Interactions in Synthetic Anion Receptors. <i>Journal of the American Chemical Society</i> , 2008, 130, 10895-10897.	13.7	168
126	Facile Synthesis of the Tridecameric Al ₁₃ Nanocluster Al ₁₃ ($\frac{1}{4}$ -OH) ₆ ($\frac{1}{4}$ -OH) ₁₈ (H ₂ O) ₂₄ (NO ₃) ₁₂ . <i>Inorganic Chemistry</i> , 2008, 47, 1267-1269.		

#	ARTICLE	IF	CITATIONS
127	SUPRAMOLECULAR ARSENIC COORDINATION CHEMISTRY. Comments on Inorganic Chemistry, 2007, 28, 97-122.	5.2	30
128	Diastereoselectivity in the Self-Assembly of As ₂ L ₂ Cl ₂ Macrocycles is Directed by the As ⁺ ⋯I ⁻ Interaction. Inorganic Chemistry, 2007, 46, 9278-9284.	4.0	29
129	Structural Criteria for the Design of Anion Receptors: The Interaction of Halides with Electron-Deficient Arenes. Journal of the American Chemical Society, 2007, 129, 48-58.	13.7	301
130	Main group supramolecular chemistry. Chemical Society Reviews, 2007, 36, 1441.	38.1	156
131	Anion⋯I ⁻ interaction augments halide binding in solution. Chemical Communications, 2006, , 506-508.	4.1	178
132	Self-assembled antimony-thiolate Sb ₂ L ₃ and Sb ₂ L ₂ Cl ₂ complexes. Main Group Chemistry, 2006, 5, 51-59.	0.8	19
133	Secondary Bonding Interactions Observed in Two Arsenic Thiolate Complexes. Inorganic Chemistry, 2005, 44, 9634-9636.	4.0	22
134	A Simple Organic Reaction Mediates the Crystallization of the Inorganic Nanocluster [Ga ₁₃ (μ ₄ -OH) ₆ (μ ₂ -OH) ₁₈ (H ₂ O) ₂₄](NO ₃) ₁₅ . Journal of the American Chemical Society, 2005, 127, 3242-3243. ^{13.7}	13.7	36
135	Synthesis and Characterization of Two Isomeric, Self-Assembled Arsenic ⁺ Thiolate Macrocycles. Inorganic Chemistry, 2005, 44, 9247-9252.	4.0	53
136	Main-Group Supramolecular Coordination Chemistry. , 2004, , 1-17.		0
137	Arsenic-? Interactions Stabilize a Self-Assembled As ₂ L ₃ Supramolecular Complex. Angewandte Chemie - International Edition, 2004, 43, 5831-5833.	13.8	95
138	Supramolecular Chirality: A Reporter of Structural Memory. Angewandte Chemie, 2003, 115, 689-692.	2.0	44
139	Supramolecular Chirality: A Reporter of Structural Memory. Angewandte Chemie - International Edition, 2003, 42, 665-668.	13.8	144
140	Imposition of Chirality in a Dinuclear Triple-Stranded Helicate by Ion Pair Formation ¹ . Inorganic Chemistry, 2001, 40, 2216-2217.	4.0	58
141	The Self-Assembly of a [Ga ₄ L ₆] ₁₂ -Tetrahedral Cluster Thermodynamically Driven by Host ⁺ ⋯Guest Interactions ¹ . Inorganic Chemistry, 2001, 40, 5157-5161.	4.0	78
142	Rational Design and Assembly of M ₂ M ⁺ ₃ L ₆ Supramolecular Clusters with C ₃ h Symmetry by Exploiting Incommensurate Symmetry Numbers ¹ . Journal of the American Chemical Society, 2001, 123, 2752-2763.	13.7	104
143	A Silver-Linked Supramolecular Cluster Encapsulating a Cesium Cation ¹ . Inorganic Chemistry, 2001, 40, 4504-4506.	4.0	46
144	The Role of Guest Molecules in the Self-assembly of Metal ⁺ ⋯ligand Clusters. Supramolecular Chemistry, 2001, 13, 639-659.	1.2	84

#	ARTICLE	IF	CITATIONS
145	Exploiting Incommensurate Symmetry Numbers: Rational Design and Assembly of $M_2M_3L_6$ Supramolecular Clusters with C_3h Symmetry. <i>Angewandte Chemie - International Edition</i> , 1999, 38, 1303-1307.	13.8	94
146	Triple Helicate ²⁺ Tetrahedral Cluster Interconversion Controlled by Host-Guest Interactions. <i>Angewandte Chemie - International Edition</i> , 1999, 38, 1587-1592.	13.8	107
147	Self-Assembly of a Three-Dimensional $[Ca_6(L_2)_6]$ Metal-Ligand α -Cylinder. <i>Angewandte Chemie - International Edition</i> , 1999, 38, 2882-2885.	13.8	88