

Martin DebbanÃ©

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4635073/publications.pdf>

Version: 2024-02-01

124
papers

5,237
citations

94433

37
h-index

98798

67
g-index

126
all docs

126
docs citations

126
times ranked

5512
citing authors

#	ARTICLE	IF	CITATIONS
1	Psychiatric Disorders From Childhood to Adulthood in 22q11.2 Deletion Syndrome: Results From the International Consortium on Brain and Behavior in 22q11.2 Deletion Syndrome. <i>American Journal of Psychiatry</i> , 2014, 171, 627-639.	7.2	645
2	Degrees of separation: A quantitative neuroimaging meta-analysis investigating self-specificity and shared neural activation between self- and other-reflection. <i>Neuroscience and Biobehavioral Reviews</i> , 2012, 36, 1043-1059.	6.1	307
3	Psychiatric Disorders and Intellectual Functioning Throughout Development in Velocardiofacial (22q11.2 Deletion) Syndrome. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2009, 48, 1060-1068.	0.5	253
4	Developing Psychosis and Its Risk States Through the Lens of Schizotypy. <i>Schizophrenia Bulletin</i> , 2015, 41, S396-S407.	4.3	191
5	Sex differences in thickness, and folding developments throughout the cortex. <i>NeuroImage</i> , 2013, 82, 200-207.	4.2	182
6	Psychotic symptoms in children and adolescents with 22q11.2 deletion syndrome: Neuropsychological and behavioral implications. <i>Schizophrenia Research</i> , 2006, 84, 187-193.	2.0	140
7	Deviant dynamics of EEG resting state pattern in 22q11.2 deletion syndrome adolescents: A vulnerability marker of schizophrenia?. <i>Schizophrenia Research</i> , 2014, 157, 175-181.	2.0	132
8	Are Hallucinations Due to an Imbalance Between Excitatory and Inhibitory Influences on the Brain?. <i>Schizophrenia Bulletin</i> , 2016, 42, 1124-1134.	4.3	127
9	Functional connectivity mapping of regions associated with self- and other-processing. <i>Human Brain Mapping</i> , 2015, 36, 1304-1324.	3.6	121
10	Deviant trajectories of cortical maturation in 22q11.2 deletion syndrome (22q11DS): A cross-sectional and longitudinal study. <i>Schizophrenia Research</i> , 2009, 115, 182-190.	2.0	112
11	Attachment, Neurobiology, and Mentalizing along the Psychosis Continuum. <i>Frontiers in Human Neuroscience</i> , 2016, 10, 406.	2.0	112
12	Risk Factors and the Evolution of Psychosis in 22q11.2 Deletion Syndrome: A Longitudinal 2-Site Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2013, 52, 1192-1203.e3.	0.5	108
13	Schizotypy From a Developmental Perspective. <i>Schizophrenia Bulletin</i> , 2015, 41, S386-S395.	4.3	99
14	The French Version of the Reflective Functioning Questionnaire: Validity Data for Adolescents and Adults and Its Association with Non-Suicidal Self-Injury. <i>PLoS ONE</i> , 2015, 10, e0145892.	2.5	94
15	Schizotypal traits and psychotic-like experiences during adolescence: An update. <i>Psicothema</i> , 2017, 29, 5-17.	0.9	78
16	From Phenomenology to Neurophysiological Understanding of Hallucinations in Children and Adolescents. <i>Schizophrenia Bulletin</i> , 2014, 40, S221-S232.	4.3	71
17	Graph theory reveals disconnected hubs in 22q11DS and altered nodal efficiency in patients with hallucinations. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 402.	2.0	67
18	Impaired Activation of Face Processing Networks Revealed by Functional Magnetic Resonance Imaging in 22q11.2 Deletion Syndrome. <i>Biological Psychiatry</i> , 2008, 63, 49-57.	1.3	64

#	ARTICLE	IF	CITATIONS
19	Hippocampal volume reduction in 22q11.2 deletion syndrome. <i>Neuropsychologia</i> , 2006, 44, 2360-2365.	1.6	62
20	Clinical and cognitive risk factors for psychotic symptoms in 22q11.2 deletion syndrome: a transversal and longitudinal approach. <i>European Child and Adolescent Psychiatry</i> , 2014, 23, 425-436.	4.7	62
21	Revisiting the Basic Symptom Concept: Toward Translating Risk Symptoms for Psychosis into Neurobiological Targets. <i>Frontiers in Psychiatry</i> , 2016, 7, 9.	2.6	62
22	Mentalization-Based Treatment in Clinical High-Risk for Psychosis: A Rationale and Clinical Illustration. <i>Journal of Contemporary Psychotherapy</i> , 2016, 46, 217-225.	1.2	60
23	Developmental trajectories of executive functions in 22q11.2 deletion syndrome. <i>Journal of Neurodevelopmental Disorders</i> , 2016, 8, 10.	3.1	60
24	Psychosis-predictive value of self-reported schizotypy in a clinical high-risk sample.. <i>Journal of Abnormal Psychology</i> , 2016, 125, 923-932.	1.9	59
25	Congenital heart disease affects local gyrification in 22q11.2 deletion syndrome. <i>Developmental Medicine and Child Neurology</i> , 2009, 51, 746-753.	2.1	58
26	Preliminary structure and predictive value of attenuated negative symptoms in 22q11.2 deletion syndrome. <i>Psychiatry Research</i> , 2012, 196, 277-284.	3.3	55
27	Resting-state networks in adolescents with 22q11.2 deletion syndrome: Associations with prodromal symptoms and executive functions. <i>Schizophrenia Research</i> , 2012, 139, 33-39.	2.0	54
28	Ultra high risk status and transition to psychosis in 22q11.2 deletion syndrome. <i>World Psychiatry</i> , 2016, 15, 259-265.	10.4	52
29	The Network Structure of Schizotypal Personality Traits. <i>Schizophrenia Bulletin</i> , 2018, 44, S468-S479.	4.3	52
30	Brief assessment of schizotypal traits: A multinational study. <i>Schizophrenia Research</i> , 2018, 197, 182-191.	2.0	52
31	Cognitive and emotional associations to positive schizotypy during adolescence. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2009, 50, 326-334.	5.2	48
32	Structural and functional connectivity in the default mode network in 22q11.2 deletion syndrome. <i>Journal of Neurodevelopmental Disorders</i> , 2015, 7, 23.	3.1	47
33	Hallucinations in Children and Adolescents: An Updated Review and Practical Recommendations for Clinicians. <i>Schizophrenia Bulletin</i> , 2019, 45, S5-S23.	4.3	47
34	Cingulate gyral reductions are related to low executive functioning and psychotic symptoms in 22q11.2 deletion syndrome. <i>Neuropsychologia</i> , 2008, 46, 2986-2992.	1.6	46
35	Broadly defined risk mental states during adolescence: Disorganization mediates positive schizotypal expression. <i>Schizophrenia Research</i> , 2013, 147, 153-156.	2.0	46
36	Altered auditory processing in frontal and left temporal cortex in 22q11.2 deletion syndrome: A group at high genetic risk for schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2013, 212, 141-149.	1.8	44

#	ARTICLE	IF	CITATIONS
37	Reduced Fronto-Temporal and Limbic Connectivity in the 22q11.2 Deletion Syndrome: Vulnerability Markers for Developing Schizophrenia?. PLoS ONE, 2013, 8, e58429.	2.5	44
38	No Evidence for an Effect of COMT Val158Met Genotype on Executive Function in Patients With 22q11 Deletion Syndrome. American Journal of Psychiatry, 2006, 163, 537-539.	7.2	42
39	Comparisons of schizotypal traits across 12 countries: Results from the International Consortium for Schizotypy Research. Schizophrenia Research, 2018, 199, 128-134.	2.0	40
40	Social feedback processing from early to late adolescence: influence of sex, age, and attachment style. Brain and Behavior, 2014, 4, 703-720.	2.2	37
41	Attachment and Reflective Functioning in Women With Borderline Personality Disorder. Journal of Personality Disorders, 2018, 32, 17-30.	1.4	37
42	Adolescent resting state networks and their associations to schizotypal trait expression. Frontiers in Systems Neuroscience, 2010, 4, .	2.5	36
43	Predominant negative symptoms in 22q11.2 deletion syndrome and their associations with cognitive functioning and functional outcome. Journal of Psychiatric Research, 2014, 48, 86-93.	3.1	36
44	Integration and Development in Schizotypy Research: An Introduction to the Special Supplement. Schizophrenia Bulletin, 2015, 41, S363-S365.	4.3	36
45	Eye Gaze During Face Processing in Children and Adolescents With 22q11.2 Deletion Syndrome. Journal of the American Academy of Child and Adolescent Psychiatry, 2010, 49, 665-674.	0.5	35
46	Identifying 22q11.2 Deletion Syndrome and Psychosis Using Resting-State Connectivity Patterns. Brain Topography, 2014, 27, 808-821.	1.8	34
47	Mentalization in adults with attention deficit hyperactivity disorder: Comparison with controls and patients with borderline personality disorder. Psychiatry Research, 2017, 256, 334-341.	3.3	33
48	Depression and anxiety disorders in children and adolescents with velo-cardio-facial syndrome (VCFS). European Child and Adolescent Psychiatry, 2012, 21, 379-385.	4.7	31
49	Testing Measurement Invariance of the Schizotypal Personality Questionnaire-Brief Scores across Spanish and Swiss Adolescents. PLoS ONE, 2013, 8, e82041.	2.5	31
50	Roles of age, gender and psychological difficulties in adolescent mentalizing. Journal of Adolescence, 2019, 74, 120-129.	2.4	30
51	Temporal perception in velo-cardio-facial syndrome. Neuropsychologia, 2005, 43, 1754-1762.	1.6	29
52	Self-reflection and positive schizotypy in the adolescent brain. Schizophrenia Research, 2014, 152, 65-72.	2.0	29
53	Regional cortical volumes and congenital heart disease: a MRI study in 22q11.2 deletion syndrome. Journal of Neurodevelopmental Disorders, 2010, 2, 224-234.	3.1	27
54	Structural changes to the fusiform gyrus: A cerebral marker for social impairments in 22q11.2 deletion syndrome?. Schizophrenia Research, 2007, 96, 82-86.	2.0	26

#	ARTICLE	IF	CITATIONS
55	Comparing the neural bases of self-referential processing in typically developing and 22q11.2 adolescents. <i>Developmental Cognitive Neuroscience</i> , 2012, 2, 277-289.	4.0	26
56	Risk and Protective Factors in Adolescent Suicidal Behaviour: A Network Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 1784.	2.6	26
57	New approaches on the study of the psychometric properties of the STAI. <i>Actas Espanolas De Psiquiatria</i> , 2016, 44, 83-92.	0.1	26
58	Associations Among Metacognitive Beliefs, Anxiety and Positive Schizotypy During Adolescence. <i>Journal of Nervous and Mental Disease</i> , 2012, 200, 620-626.	1.0	23
59	Strange-Face-in-the-Mirror Illusion and Schizotypy During Adolescence. <i>Schizophrenia Bulletin</i> , 2015, 41, S475-S482.	4.3	23
60	Brain activity underlying negative self- and other-perception in adolescents: The role of attachment-derived self-representations. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2017, 17, 554-576.	2.0	23
61	Negative Schizotypy and Altered Functional Connectivity During Facial Emotion Processing. <i>Schizophrenia Bulletin</i> , 2018, 44, S491-S500.	4.3	23
62	Hippocampal volume reduction in chromosome 22q11.2 deletion syndrome (22q11.2DS): A longitudinal study of morphometry and symptomatology. <i>Psychiatry Research - Neuroimaging</i> , 2012, 203, 1-5.	1.8	22
63	Cortical and subcortical neuroanatomical signatures of schizotypy in 3004 individuals assessed in a worldwide ENIGMA study. <i>Molecular Psychiatry</i> , 2022, 27, 1167-1176.	7.9	22
64	Encoding and retrieval processes in velo-cardio-facial syndrome (VCFS).. <i>Neuropsychology</i> , 2008, 22, 226-234.	1.3	21
65	Neural correlates of reality monitoring during adolescence. <i>NeuroImage</i> , 2011, 55, 1393-1400.	4.2	21
66	Monitoring of self-generated speech in adolescents with 22q11.2 deletion syndrome. <i>British Journal of Clinical Psychology</i> , 2010, 49, 373-386.	3.5	20
67	Large-scale functional network reorganization in 22q11.2 deletion syndrome revealed by modularity analysis. <i>Cortex</i> , 2016, 82, 86-99.	2.4	20
68	Beyond diagnosis: Mentalization and mental health from a transdiagnostic point of view in adolescents from non-clinical population. <i>Psychiatry Research</i> , 2018, 270, 755-763.	3.3	19
69	Prevalence, course and psychosis-predictive value of negative symptoms in 22q11.2 deletion syndrome. <i>Schizophrenia Research</i> , 2019, 206, 386-393.	2.0	19
70	Congenital heart disease is associated with reduced cortical and hippocampal volume in patients with 22q11.2 deletion syndrome. <i>Cortex</i> , 2014, 57, 128-142.	2.4	16
71	Designing a range of mentalizing interventions for young people using a clinical staging approach to borderline pathology. <i>Borderline Personality Disorder and Emotion Dysregulation</i> , 2020, 7, 6.	2.6	16
72	Associations between schizotypal personality features, mentalizing difficulties and thought problems in a sample of community adolescents. <i>Microbial Biotechnology</i> , 2021, 15, 705-715.	1.7	16

#	ARTICLE	IF	CITATIONS
73	Enhancing Psychosis-Spectrum Nosology Through an International Data Sharing Initiative. <i>Schizophrenia Bulletin</i> , 2018, 44, S460-S467.	4.3	15
74	Visual memory profile in 22q11.2 microdeletion syndrome: are there differences in performance and neurobiological substrates between tasks linked to ventral and dorsal visual brain structures? A cross-sectional and longitudinal study. <i>Journal of Neurodevelopmental Disorders</i> , 2016, 8, 41.	3.1	14
75	Resting-State Networks of Adolescents Experiencing Depersonalization-Like Illusions: Cross-sectional and Longitudinal Findings. <i>Schizophrenia Bulletin</i> , 2018, 44, S501-S511.	4.3	14
76	Building a Cybernetic Model of Psychopathology: Beyond the Metaphor. <i>Psychological Inquiry</i> , 2018, 29, 156-164.	0.9	14
77	Longitudinal Relationships Between Reflective Functioning, Empathy, and Externalizing Behaviors During Adolescence and Young Adulthood. <i>Child Psychiatry and Human Development</i> , 2020, 51, 59-70.	1.9	14
78	Cortical thickness of the insula and prefrontal cortex relates to externalizing behavior: Cross-sectional and prospective findings. <i>Development and Psychopathology</i> , 2021, 33, 1437-1447.	2.3	14
79	Self-Blame Mediates the Link between Childhood Neglect Experiences and Internalizing Symptoms in Low-Risk Adolescents. <i>Journal of Child and Adolescent Trauma</i> , 2021, 14, 73-83.	1.9	13
80	Negative and paranoid symptoms are associated with negative performance beliefs and social cognition in 22q11.2 deletion syndrome. <i>Microbial Biotechnology</i> , 2017, 11, 156-164.	1.7	12
81	No age effect in the prevalence and clinical significance of ultra-high risk symptoms and criteria for psychosis in 22q11 deletion syndrome: Confirmation of the genetically driven risk for psychosis?. <i>PLoS ONE</i> , 2017, 12, e0174797.	2.5	12
82	A Mentalization-Informed Staging Approach to Clinical High Risk for Psychosis. <i>Frontiers in Psychiatry</i> , 2019, 10, 385.	2.6	12
83	Beyond Clinical High-Risk State for Psychosis: The Network Structure of Multidimensional Psychosis Liability in Adolescents. <i>Frontiers in Psychiatry</i> , 2019, 10, 967.	2.6	12
84	Psychosis risk screening: Validation of the youth psychosis at-risk questionnaire – brief in a community-derived sample of adolescents. <i>International Journal of Methods in Psychiatric Research</i> , 2017, 26, .	2.1	11
85	Developmental trajectories of subcortical structures in relation to dimensional schizotypy expression along adolescence. <i>Schizophrenia Research</i> , 2020, 218, 76-84.	2.0	11
86	Network analysis of reflective functioning and conduct problems during adolescence.. <i>Psychology of Violence</i> , 2020, 10, 300-311.	1.5	11
87	The role of interoception in understanding others' affect. Dissociation between superficial and detailed appraisal of facial expressions. <i>Cortex</i> , 2020, 130, 16-31.	2.4	10
88	Visuospatial Working Memory Deficits and Visual Pursuit Impairments are Not Directly Related in Schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009, 43, 766-774.	2.3	9
89	Visuospatial encoding deficits and compensatory strategies in schizophrenia revealed by eye movement analysis during a working memory task. <i>Acta Neuropsychiatrica</i> , 2009, 21, 75-83.	2.1	9
90	Action simulation in hallucination-prone adolescents. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 329.	2.0	9

#	ARTICLE	IF	CITATIONS
91	Social cognition in individuals with 22q11.2 deletion syndrome and its link with psychopathology and social outcomes: a review. <i>BMC Psychiatry</i> , 2021, 21, 130.	2.6	9
92	Schizotypy: The Way Ahead. <i>Psicothema</i> , 2021, 33, 16-27.	0.9	9
93	Covariance and specificity in adolescent schizotypal and borderline trait expression. <i>Microbial Biotechnology</i> , 2015, 9, 378-387.	1.7	8
94	Mentalization-based treatment for adults with attention-deficit/hyperactivity disorder: a pilot study. <i>Research in Psychotherapy: Psychopathology, Process and Outcome</i> , 2018, 21, 317.	0.8	8
95	Face processing in 22q11.2 deletion syndrome: atypical development and visual scanning alterations. <i>Journal of Neurodevelopmental Disorders</i> , 2018, 10, 26.	3.1	8
96	Developmental Trajectories of Cortical Thickness in Relation to Schizotypy During Adolescence. <i>Schizophrenia Bulletin</i> , 2020, 46, 1306-1316.	4.3	8
97	Encoding style and its relationships with schizotypal traits and impulsivity during adolescence. <i>Psychiatry Research</i> , 2013, 210, 1020-1025.	3.3	7
98	Emotion Recognition and Perspective Taking: A Comparison between Typical and Incarcerated Male Adolescents. <i>PLoS ONE</i> , 2017, 12, e0170646.	2.5	7
99	Screening for bipolar disorder in adolescents with the Mood Disorder Questionnaire Adolescent version (MDQ-A) and the Child Bipolar Questionnaire (CBQ). <i>Microbial Biotechnology</i> , 2013, 7, 270-277.	1.7	6
100	Individuals With 22q11.2 Deletion Syndrome Are Impaired at Explicit, But Not Implicit, Discrimination of Local Forms Embedded in Global Structures. <i>American Journal on Intellectual and Developmental Disabilities</i> , 2014, 119, 261-275.	1.6	6
101	Multitasking Abilities in Adolescents With 22q11.2 Deletion Syndrome: Results From an Experimental Ecological Paradigm. <i>American Journal on Intellectual and Developmental Disabilities</i> , 2016, 121, 151-164.	1.6	6
102	Validation of the French version of the « Meta-Cognition Questionnaire » for adolescents (MCQ-Af): Evolution of metacognitive beliefs with age and their links with anxiety during adolescence. <i>PLoS ONE</i> , 2020, 15, e0230171.	2.5	6
103	Prevalence Rates and Evolution of Psychiatric Disorders Among Incarcerated Youths in Comparison With Non-incarcerated Youths. <i>Frontiers in Psychiatry</i> , 2021, 12, 784954.	2.6	6
104	Anxiety Assessment: Psychometric Properties of the Spanish Version of the Burns Anxiety Inventory. <i>Spanish Journal of Psychology</i> , 2015, 18, E44.	2.1	5
105	VERS UN MODÈLE DU DÉVELOPPEMENT DES DIMENSIONS DE LA MENTALISATION À L'ADOLESCENCE. <i>Revue Québécoise De Psychologie</i> , 0, 37, 49-68.	0.0	5
106	Crossing Boundaries in Schizotypy Research: An Introduction to the Special Supplement. <i>Schizophrenia Bulletin</i> , 2018, 44, S457-S459.	4.3	5
107	Longitudinal associations between self-reported attachment dimensions and neurostructural development from adolescence to early adulthood. <i>Attachment and Human Development</i> , 2023, 25, 162-180.	2.1	5
108	A Developmental Study of Mirror-Gazing-Induced Anomalous Self-Experiences and Self-Reported Schizotypy from 7 to 28 Years of Age. <i>Psychopathology</i> , 2022, 55, 49-61.	1.5	5

#	ARTICLE	IF	CITATIONS
109	Neural correlates of socio-emotional perception in 22q11.2 deletion syndrome. Journal of Neurodevelopmental Disorders, 2018, 10, 13.	3.1	4
110	Clinical Characteristics of Suicidal Youths and Adults: A One-Year Retrospective Study. International Journal of Environmental Research and Public Health, 2020, 17, 8733.	2.6	4
111	Predictors and moderators of outcome of psychotherapeutic interventions for mental disorders in adolescents and young adults: protocol for systematic reviews. Systematic Reviews, 2021, 10, 239.	5.3	4
112	Attachment and mentalization in contemporary psychodynamic psychotherapy. , 2019, , 33-45.		3
113	The Effects of Cognitive-Affective Switching With Unpredictable Cues in Adults and Adolescents and Their Relation to "Cool" Executive Functioning and Emotion Regulation. Frontiers in Psychology, 2022, 13, 757213.	2.1	3
114	Validation of self-report measures of narcissism against a diagnostic interview. PLoS ONE, 2022, 17, e0266540.	2.5	3
115	Encoding dysfunctions in a dynamic "static paradigm for visuospatial working memory in first-episode psychosis patients: a 2-year follow-up study. Microbial Biotechnology, 2009, 3, 44-51.	1.7	2
116	Patterns of source monitoring bias in incarcerated youths with and without conduct problems. Cognitive Neuropsychiatry, 2018, 23, 15-27.	1.3	2
117	Self-Monitoring for speech and its links to age, cognitive effort, schizotypal trait expression and impulsivity during adolescence. Cognitive Neuropsychiatry, 2020, 25, 215-230.	1.3	2
118	Schizotypy. , 2015, , 83-98.		2
119	An Integrative-Relational Approach in Schizophrenia: From Philosophical Principles to Mentalization-Based Practice. Studies in Brain and Mind, 2018, , 193-207.	0.5	2
120	Borderline and schizotypal traits in college students: Relationship and personality profiles. Bulletin of the Menninger Clinic, 2020, 84, 299-318.	0.6	2
121	Eye Gaze During Face Processing in Children and Adolescents With 22q11.2 Deletion Syndrome. Journal of the American Academy of Child and Adolescent Psychiatry, 2010, 49, 665-674.	0.5	1
122	Chapitre 18. Une perspective développementale et intégrative du profil neuropsychologique des jeunes porteurs de la microdélétion 22q11.2. , 2018, , 274-286.		1
123	Developmental trajectories and brain correlates of directed forgetting in 22q11.2 deletion syndrome. Brain Research, 2021, 1773, 147683.	2.2	0
124	Title of "Ambassador of Clinical Psychology and Psychological Treatment" awarded to Peter Fonagy. Clinical Psychology in Europe, 2022, 4, .	1.1	0