

Neel Haldolaarachchige

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4636762/publications.pdf>

Version: 2024-02-01

67

papers

5,693

citations

101543

36

h-index

95266

68

g-index

76

all docs

76

docs citations

76

times ranked

7869

citing authors

#	ARTICLE	IF	CITATIONS
1	Ir _d -band derived superconductivity in the lanthanum-iridium system LaIr ₃ . Journal of Physics Condensed Matter, 2017, 29, 475602.	1.8	12
2	Anomalous composition dependence of the superconductivity in In-doped SnTe. Physical Review B, 2016, 93, .	3.2	51
3	Temperatureâ' field phase diagram of extreme magnetoresistance. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, E3475-81.	7.1	91
4	Resistivity plateau and extreme magnetoresistance in LaSb. Nature Physics, 2016, 12, 272-277.	16.7	277
5	Synthesis and anisotropic properties of single crystalline Ln ₂ Ru ₃ Al ₁₅₊ (Ln=Gd, Tb). Journal of Solid State Chemistry, 2016, 236, 186-194. Dirac metal to topological metal transition at a structural phase change in mml:math $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}<\text{mml:msub}><\text{mml:mrow}><\text{mml:mi}$ $\text{mathvariant}=\text{"normal"}\text{Au}</\text{mml:mi}></\text{mml:mrow}><\text{mml:mn}>2</\text{mml:mn}></\text{mml:msub}><\text{mml:mi}$ $\text{mathvariant}=\text{"normal"}\text{Pb}</\text{mml:mi}></\text{mml:math}>\text{and prediction of}\text{mml:math}$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}<\text{mml:msub}><\text{mml:mrow}><\text{mml:mi}$ $\text{mathvariant}=\text{"double-struck"}Z</\text{mml:mi}></\text{mml:mrow}><\text{mml:mn}>2</\text{mml:mn}></\text{mml:msub}></\text{mml:math}>\text{topology}$	2.9	1
6	Coexistence of High- <i>T</i> $\text{FeBi}_{2}\text{Se}_4$ Ferromagnetism and <i>n</i> -Type Electrical Conductivity in FeBi ₂ Se ₄ . Journal of the American Chemical Society, 2015, 137, 691-698.	3.2	55
7	A large family of filled skutterudites stabilized by electron count. Nature Communications, 2015, 6, 6489.	12.8	52
8	Characterization of the heavy metal pyrochlore lattice superconductor CaIr ₂ . Journal of Physics Condensed Matter, 2015, 27, 185701.	1.8	23
9	Superconducting properties of the mml:math $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}<\text{mml:msub}><\text{mml:mi}K</\text{mml:mi}><\text{mml:mi}>x</\text{mml:mi}></\text{mml:msub}>$ tungsten bronze and the superconducting phase diagram of the tungsten bronze family. Physical Review B, 2014, 89, .	3.2	35
10	Magnetocapacitance in magnetic microtubular carbon nanocomposites under external magnetic field. Nano Energy, 2014, 6, 180-192.	16.0	64
11	Magnetoresistive conductive polymer-tungsten trioxide nanocomposites with ultrahigh sensitivity at low magnetic field. Polymer, 2014, 55, 944-950.	3.8	19
12	Positive and negative magnetoresistance phenomena observed in magnetic electrospun polyacrylonitrile-based carbon nanocomposite fibers. Journal of Materials Chemistry C, 2014, 2, 715-722.	5.5	34
13	Mesoporous magnetic carbon nanocomposite fabrics for highly efficient Cr(<i>vi</i>) removal. Journal of Materials Chemistry A, 2014, 2, 2256-2265.	10.3	140
14	One-pot synthesis of size- and morphology-controlled 1-D iron oxide nanochains with manipulated magnetic properties. Chemical Communications, 2014, 50, 201-203.	4.1	28
15	Donor and acceptor impurity-driven switching of magnetic ordering in MnSb ₂ xSn _x Se ₄ . Journal of Materials Chemistry C, 2014, 2, 6199-6210.	5.5	30
16	Superconducting properties of BaBi ₃ . Superconductor Science and Technology, 2014, 27, 105001.	3.5	28
17	Large, non-saturating magnetoresistance in WTe ₂ . Nature, 2014, 514, 205-208.	27.8	1,329

#	ARTICLE	IF	CITATIONS
19	Magnetic carbon nanostructures: microwave energy-assisted pyrolysis vs. conventional pyrolysis. <i>Chemical Communications</i> , 2013, 49, 258-260.	4.1	39
20	Iron-core carbon-shell nanoparticles reinforced electrically conductive magnetic epoxy resin nanocomposites with reduced flammability. <i>RSC Advances</i> , 2013, 3, 9453.	3.6	49
21	Investigation of Fe incorporation in LnCr2Al20 (Ln = La, Gd, Yb) with 57Fe Mössbauer and Single Crystal X-ray Diffraction. <i>Inorganic Chemistry</i> , 2013, 52, 5055-5062.	4.0	6
22	Morphology and phase controlled cobalt nanostructures in magnetic polypropylene nanocomposites: the role of alkyl chain-length in maleic anhydride grafted polypropylene. <i>Chemical Communications</i> , 2013, 49, 2679.	4.1	34
23	Giant magnetoresistance in non-magnetic phosphoric acid doped polyaniline silicon nanocomposites with higher magnetic field sensing sensitivity. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 10866.	2.8	36
24	Magnetic and electrical properties of flux grown single crystals of Ln6M4Al43 (Ln=Gd, Yb; M=Cr, Mo) T _j ETQq0 0 0 _{2.9} rgBT /Overlock 10 Tf ₇		
25	Giant Magnetoresistive Phosphoric Acid Doped Polyaniline-Silica Nanocomposites. <i>Journal of Physical Chemistry C</i> , 2013, 117, 6426-6436.	3.1	70
26	Structural Complexity Meets Transport and Magnetic Anisotropy in Single Crystalline Ln ₃₀ Ru ₄ Sn ₃₁ (Ln = Gd, Dy). <i>Journal of the American Chemical Society</i> , 2013, 135, 2748-2758.	13.7	9
27	Microwave synthesized magnetic tubular carbon nanocomposite fabrics toward electrochemical energy storage. <i>Nanoscale</i> , 2013, 5, 1825.	5.6	30
28	Magnetite-Polypyrrole Metacomposites: Dielectric Properties and Magnetoresistance Behavior. <i>Journal of Physical Chemistry C</i> , 2013, 117, 10191-10202.	3.1	113
29	Magnetically Soft and Hard Polypropylene/Cobalt Nanocomposites: Role of Maleic Anhydride Grafted Polypropylene. <i>Macromolecules</i> , 2013, 46, 2357-2368.	4.8	51
30	Synthesis, Structure, and Properties of Ln ₂ Ru ₃ Al ₁₅ (Ln = Ce, Gd): Comparison with LnRu ₂ Al ₁₀ and CeRu ₄ (Al,Si) _{15.58} . <i>Inorganic Chemistry</i> , 2013, 52, 3198-3206.	4.0	8
31	Synthesis, Structure, and Magnetic and Electrical Properties of Yb(Mn,M) _x Al ₁₂ -x(M = Fe, Ru; x ≈ 2.5) Phases. <i>Crystal Growth and Design</i> , 2013, 13, 1543-1550.	3.0	5
32	Thermoelectric properties of intermetallic semiconducting RuIn ₃ and metallic IrIn ₃ . <i>Journal of Applied Physics</i> , 2013, 113, 083709.	2.5	13
33	Microwave Assisted Formation of Magnetic Core-Shell Carbon Nanostructure. <i>ECS Solid State Letters</i> , 2013, 2, M65-M68.	1.4	20
34	Separating positive and negative magnetoresistance for polyaniline-silicon nanocomposites in variable range hopping regime. <i>Applied Physics Letters</i> , 2013, 102, .	3.3	34
35	Polypyrrole metacomposites with different carbon nanostructures. <i>Journal of Materials Chemistry</i> , 2012, 22, 4996.	6.7	110
36	Polyaniline Stabilized Magnetite Nanoparticle Reinforced Epoxy Nanocomposites. <i>ACS Applied Materials & Interfaces</i> , 2012, 4, 5613-5624.	8.0	161

#	ARTICLE	IF	CITATIONS
37	Silica stabilized iron particles toward anti-corrosion magnetic polyurethane nanocomposites. RSC Advances, 2012, 2, 1136-1143.	3.6	67
38	Looped carbon capturing and environmental remediation: case study of magnetic polypropylene nanocomposites. RSC Advances, 2012, 2, 4844.	3.6	39
39	Magnetic polyaniline nanocomposites toward toxic hexavalent chromium removal. RSC Advances, 2012, 2, 11007.	3.6	213
40	Structures and Phase Transitions of CePd _{3+x} Ga _{8-x} : New Variants of the BaHg ₁₁ Structure Type. Journal of the American Chemical Society, 2012, 134, 12998-13009.	13.7	11
41	Magnetic Graphene Nanoplatelet Composites toward Arsenic Removal. ECS Journal of Solid State Science and Technology, 2012, 1, M1-M5.	1.8	90
42	Magnetic high density polyethylene nanocomposites reinforced with in-situ synthesized Fe@FeO core-shell nanoparticles. Polymer, 2012, 53, 3642-3652.	3.8	83
43	Crystal growth and magnetic properties of Ln-Mn-Al (Ln=Gd, Yb) compounds of the CaCr ₂ Al ₁₀ and ThMn ₁₂ structure types. Journal of Solid State Chemistry, 2012, 194, 143-150.	2.9	12
44	Crystal growth, structure, and physical properties of Ln ₂ PdGa ₁₂ (Ln=La, Pr, Nd, and Sm). Journal of Alloys and Compounds, 2012, 514, 64-70.	5.5	3
45	Serendipitous growth of single crystals with silicon incorporation. Philosophical Magazine, 2012, 92, 2524-2540.	1.6	5
46	Magnetic electrospun fluorescent polyvinylpyrrolidone nanocomposite fibers. Polymer, 2012, 53, 4501-4511.	3.8	48
47	Probing the Lower Limit of Lattice Thermal Conductivity in an Ordered Extended Solid: Gd ₁₁₇ Co ₅₆ Sn ₁₁₂ , a Phonon Glass-Electron Crystal System. Journal of the American Chemical Society, 2012, 134, 5965-5973.	13.7	48
48	Synthesis, Structure, and Physical Properties of Ln(Cu,Al,Ga) ₁₃ (Ln= La, Pr, and Eu) and Eu(Cu,Al) ₁₃ . Inorganic Chemistry, 2012, 51, 10193-10202.	4.0	5
49	Magnetoresistive Conductive Polyaniline-Barium Titanate Nanocomposites with Negative Permittivity. Journal of Physical Chemistry C, 2012, 116, 15731-15740.	3.1	95
50	Magnetic graphene nanocomposites: electron conduction, giant magnetoresistance and tunable negative permittivity. Journal of Materials Chemistry, 2012, 22, 835-844.	6.7	85
51	Very large magnetoresistive graphene disk with negative permittivity. Nanoscale, 2012, 4, 152-156.	5.6	41
52	One-Pot Synthesis of Magnetic Graphene Nanocomposites Decorated with Core@Double-shell Nanoparticles for Fast Chromium Removal. Environmental Science & Technology, 2012, 46, 977-985.	10.0	469
53	Morphology-and Phase-Controlled Iron Oxide Nanoparticles Stabilized with Maleic Anhydride Grafted Polypropylene. Angewandte Chemie - International Edition, 2012, 51, 8842-8845.	13.8	65
54	Magnetoresistive polyaniline-magnetite nanocomposites with negative dielectrical properties. Polymer, 2012, 53, 801-809.	3.8	218

#	ARTICLE	IF	CITATIONS
55	Synthetic process engineered polyaniline nanostructures with tunable morphology and physical properties. <i>Polymer</i> , 2012, 53, 2109-2120.	3.8	164
56	Effect of chemical doping on the thermoelectric properties of FeGa3. <i>Journal of Applied Physics</i> , 2011, 109, .	2.5	36
57	Surfactant-Free Synthesized Magnetic Polypropylene Nanocomposites: Rheological, Electrical, Magnetic, and Thermal Properties. <i>Macromolecules</i> , 2011, 44, 4382-4391.	4.8	104
58	Comprehensive and sustainable recycling of polymer nanocomposites. <i>Journal of Materials Chemistry</i> , 2011, 21, 16239.	6.7	30
59	Electromagnetic Field Shielding Polyurethane Nanocomposites Reinforced with Coreâ€“Shell Feâ€“Silica Nanoparticles. <i>Journal of Physical Chemistry C</i> , 2011, 115, 15304-15310.	3.1	243
60	Electrical and dielectric properties of polyanilineâ€“Al2O3 nanocomposites derived from various Al2O3 nanostructures. <i>Journal of Materials Chemistry</i> , 2011, 21, 3952.	6.7	146
61	Crystal Structure and Physical Properties of Yb ₃ Co ₄ ^x Ru _{1-x} Sn ₁₃ (<i>x</i> = 0, 0.38). <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2011, 637, 2046-2051.	1.2	4
62	Ex Situ Solventâ€Assisted Preparation of Magnetic Poly(propylene) 8nocomposites Filled with Fe@FeO Nanoparticles. <i>Macromolecular Materials and Engineering</i> , 2011, 296, 850-857.	3.6	17
63	A Tale of Two Polymorphs - Growth and Characterization of $\hat{\gamma}$ -LnNiGa4 (Ln = Y, Gd-Yb) and $\hat{\gamma}^2$ -LnNi _{1-x} Ga ₄ (Ln = Tb-Er). <i>European Journal of Inorganic Chemistry</i> , 2011, 2011, 3909-3919.	2.0	9
64	Magnetic polyacrylonitrile-Fe@FeO nanocomposite fibers - Electrospinning, stabilization and carbonization. <i>Polymer</i> , 2011, 52, 2947-2955.	3.8	90
65	Polypyrrole-Titania Nanocomposites Derived from Different Oxidants. <i>Journal of the Electrochemical Society</i> , 2011, 158, K205.	2.9	74
66	Physical properties of the noncentrosymmetric superconductor Nb ₃ ^{1-x} ₂ ^x Nb ₃ ^{1+x} ₂ ^x (x = 0, 0.2). <i>Journal of the American Ceramic Society</i> , 2011, 94, 276-282.	2.2	12
67	Crystal growth, structure, and physical properties of Ln(Ag, Al, Si) ₂ (Ln = Ce and Gd). <i>Journal of Physics Condensed Matter</i> , 2010, 22, 426002.	1.8	4