

# Elie G Karam

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4636986/publications.pdf>

Version: 2024-02-01

80  
papers

13,124  
citations

94433

37  
h-index

64796

79  
g-index

83  
all docs

83  
docs citations

83  
times ranked

15693  
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence, Severity, and Unmet Need for Treatment of Mental Disorders in the World Health Organization World Mental Health Surveys. JAMA - Journal of the American Medical Association, 2004, 291, 2581.	7.4	2,696
2	Cross-national prevalence and risk factors for suicidal ideation, plans and attempts. British Journal of Psychiatry, 2008, 192, 98-105.	2.8	1,993
3	Prevalence and Correlates of Bipolar Spectrum Disorder in the World Mental Health Survey Initiative. Archives of General Psychiatry, 2011, 68, 241.	12.3	1,931
4	Trauma and PTSD in the WHO World Mental Health Surveys. HÅrre Utbildning, 2017, 8, 1353383.	3.0	801
5	Undertreatment of people with major depressive disorder in 21 countries. British Journal of Psychiatry, 2017, 210, 119-124.	2.8	664
6	Cross-National Analysis of the Associations among Mental Disorders and Suicidal Behavior: Findings from the WHO World Mental Health Surveys. PLoS Medicine, 2009, 6, e1000123.	8.4	592
7	Disability and treatment of specific mental and physical disorders across the world. British Journal of Psychiatry, 2008, 192, 368-375.	2.8	326
8	Treatment gap for anxiety disorders is global: Results of the World Mental Health Surveys in 21 countries. Depression and Anxiety, 2018, 35, 195-208.	4.1	318
9	Cross-sectional Comparison of the Epidemiology of <i>DSM-5</i> Generalized Anxiety Disorder Across the Globe. JAMA Psychiatry, 2017, 74, 465.	11.0	274
10	Mental Health During the First Year of the COVID-19 Pandemic: A Review and Recommendations for Moving Forward. Perspectives on Psychological Science, 2022, 17, 915-936.	9.0	255
11	Prevalence and treatment of mental disorders in Lebanon: a national epidemiological survey. Lancet, The, 2006, 367, 1000-1006.	13.7	235
12	Alcohol use among college students: an international perspective. Current Opinion in Psychiatry, 2007, 20, 213-221.	6.3	222
13	Lifetime Prevalence of Mental Disorders in Lebanon: First Onset, Treatment, and Exposure to War. PLoS Medicine, 2008, 5, e61.	8.4	197
14	Subthreshold Posttraumatic Stress Disorder in the World Health Organization World Mental Health Surveys. Biological Psychiatry, 2015, 77, 375-384.	1.3	197
15	Mental health services in the Arab world. World Psychiatry, 2012, 11, 52-54.	10.4	163
16	Childhood adversities and post-traumatic stress disorder: evidence for stress sensitisation in the World Mental Health Surveys. British Journal of Psychiatry, 2017, 211, 280-288.	2.8	118
17	The epidemiology of alcohol use disorders cross-nationally: Findings from the World Mental Health Surveys. Addictive Behaviors, 2020, 102, 106128.	3.0	108
18	Lifetime alcohol use, abuse and dependence among university students in Lebanon: exploring the role of religiosity in different religious faiths. Addiction, 2009, 104, 940-948.	3.3	100

#	ARTICLE	IF	CITATIONS
19	Pediatric-Onset and Adult-Onset Separation Anxiety Disorder Across Countries in the World Mental Health Survey. <i>American Journal of Psychiatry</i> , 2015, 172, 647-656.	7.2	100
20	Effectiveness and specificity of a classroom-based group intervention in children and adolescents exposed to war in Lebanon. <i>World Psychiatry</i> , 2008, 7, 103-109.	10.4	95
21	The role of anxious and hyperthymic temperaments in mental disorders: a national epidemiologic study. <i>World Psychiatry</i> , 2010, 9, 103-110.	10.4	87
22	THE BEREAVEMENT EXCLUSION AND DSM-5. <i>Depression and Anxiety</i> , 2012, 29, 425-443.	4.1	80
23	Suicidal thoughts and behaviors among college students and same-aged peers: results from the World Health Organization World Mental Health Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 279-288.	3.1	79
24	Psychometric properties of the Lebanese Arabic TEMPS-A: A national epidemiologic study. <i>Journal of Affective Disorders</i> , 2005, 87, 169-183.	4.1	76
25	Association Between Psychotic Experiences and Subsequent Suicidal Thoughts and Behaviors. <i>JAMA Psychiatry</i> , 2017, 74, 1136.	11.0	75
26	Mental health research in the Arab region: challenges and call for action. <i>Lancet Psychiatry</i> , 2019, 6, 961-966.	7.4	58
27	Bereavement related and non-bereavement related depressions: A comparative field study. <i>Journal of Affective Disorders</i> , 2009, 112, 102-110.	4.1	56
28	The associations between psychotic experiences and substance use and substance use disorders: findings from the World Health Organization World Mental Health surveys. <i>Addiction</i> , 2018, 113, 924-934.	3.3	56
29	Mental health reform in Lebanon and the Syrian crisis. <i>Lancet Psychiatry</i> , 2016, 3, 202-203.	7.4	55
30	Findings From World Mental Health Surveys of the Perceived Helpfulness of Treatment for Patients With Major Depressive Disorder. <i>JAMA Psychiatry</i> , 2020, 77, 830.	11.0	53
31	The epidemiology of anxiety disorders in the Arab world: A review. <i>Journal of Anxiety Disorders</i> , 2009, 23, 409-419.	3.2	46
32	Temperament and suicide: A national study. <i>Journal of Affective Disorders</i> , 2015, 184, 123-128.	4.1	46
33	The cross-national structure of mental disorders: results from the World Mental Health Surveys. <i>Psychological Medicine</i> , 2018, 48, 2073-2084.	4.5	46
34	Use and Abuse of Licit and Illicit Substances: Prevalence and Risk Factors among Students in Lebanon. <i>European Addiction Research</i> , 2000, 6, 189-197.	2.4	45
35	The epidemiology of drug use disorders cross-nationally: Findings from the WHO's World Mental Health Surveys. <i>International Journal of Drug Policy</i> , 2019, 71, 103-112.	3.3	45
36	Alcohol use among university students in Lebanon: prevalence, trends and covariates The IDRAC University Substance Use Monitoring Study (1991 and 1999). <i>Drug and Alcohol Dependence</i> , 2004, 76, 273-286.	3.2	44

#	ARTICLE	IF	CITATIONS
37	Outcome of Depression and Anxiety After War: A Prospective Epidemiologic Study of Children and Adolescents. <i>Journal of Traumatic Stress</i> , 2014, 27, 192-199.	1.8	40
38	Mental health research in the Arab world. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 1727-1731.	3.1	39
39	Dissemination of an evidence-based intervention to parents of children with behavioral problems in a developing country. <i>European Child and Adolescent Psychiatry</i> , 2010, 19, 629-636.	4.7	37
40	A national survey on depressive and anxiety disorders in Afghanistan: A highly traumatized population. <i>BMC Psychiatry</i> , 2021, 21, 314.	2.6	37
41	The Nosological Status of Bereavement-Related Depressions. <i>British Journal of Psychiatry</i> , 1994, 165, 48-52.	2.8	36
42	Concordance between the diagnostic guidelines for alcohol and cannabis use disorders in the draft ICD-11 and other classification systems: analysis of data from the WHO's World Mental Health Surveys. <i>Addiction</i> , 2019, 114, 534-552.	3.3	36
43	New Hyperekplexia Mutations Provide Insight into Glycine Receptor Assembly, Trafficking, and Activation Mechanisms. <i>Journal of Biological Chemistry</i> , 2013, 288, 33745-33759.	3.4	35
44	Post-traumatic stress disorder associated with life-threatening motor vehicle collisions in the WHO World Mental Health Surveys. <i>BMC Psychiatry</i> , 2016, 16, 257.	2.6	34
45	Posttraumatic stress disorder associated with unexpected death of a loved one: Cross-national findings from the world mental health surveys. <i>Depression and Anxiety</i> , 2017, 34, 315-326.	4.1	33
46	The role of epigenetics in psychological resilience. <i>Lancet Psychiatry</i> , 2021, 8, 620-629.	7.4	33
47	Lebanon: mental health system reform and the Syrian crisis. <i>BJPsych International</i> , 2016, 13, 87-89.	1.4	28
48	Suitability of the TEMPS-A for population-based studies: Ease of administration and stability of affective temperaments in its Lebanese version. <i>Journal of Affective Disorders</i> , 2007, 98, 45-53.	4.1	27
49	Psychotic experiences and general medical conditions: a cross-national analysis based on 28 002 respondents from 16 countries in the WHO World Mental Health Surveys. <i>Psychological Medicine</i> , 2018, 48, 2730-2739.	4.5	27
50	Cross-national patterns of substance use disorder treatment and associations with mental disorder comorbidity in the WHO World Mental Health Surveys. <i>Addiction</i> , 2019, 114, 1446-1459.	3.3	27
51	Association of Cohort and Individual Substance Use With Risk of Transitioning to Drug Use, Drug Use Disorder, and Remission From Disorder. <i>JAMA Psychiatry</i> , 2019, 76, 708.	11.0	27
52	Childhood generalized specific phobia as an early marker of internalizing psychopathology across the lifespan: results from the World Mental Health Surveys. <i>BMC Medicine</i> , 2019, 17, 101.	5.5	24
53	Toward measuring effective treatment coverage: critical bottlenecks in quality- and user-adjusted coverage for major depressive disorder. <i>Psychological Medicine</i> , 2022, 52, 1948-1958.	4.5	23
54	A comparison of DSM-5 and DSM-IV agoraphobia in the World Mental Health Surveys. <i>Depression and Anxiety</i> , 2019, 36, 499-510.	4.1	22

#	ARTICLE	IF	CITATIONS
55	Under-reporting bipolar disorder in large-scale epidemiologic studies. <i>Journal of Affective Disorders</i> , 2014, 159, 147-154.	4.1	21
56	Childhood Adversities and Traumata in Lebanon: A National Study. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2014, 10, 116-125.	1.2	20
57	The association between psychotic experiences and health-related quality of life: a cross-national analysis based on World Mental Health Surveys. <i>Schizophrenia Research</i> , 2018, 201, 46-53.	2.0	20
58	Prevalence, Correlates, and Treatment of Mental Disorders among Lebanese Older Adults: A National Study. <i>American Journal of Geriatric Psychiatry</i> , 2016, 24, 278-286.	1.2	17
59	Civilians in World War II and DSM-IV mental disorders: results from the World Mental Health Survey Initiative. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 207-219.	3.1	17
60	Patterns and correlates of patient-reported helpfulness of treatment for common mental and substance use disorders in the <sc>WHO</sc> World Mental Health Surveys. <i>World Psychiatry</i> , 2022, 21, 272-286.	10.4	16
61	Psychosocial consequences of war among civilian populations. <i>Current Opinion in Psychiatry</i> , 2003, 16, 413-419.	6.3	15
62	A rapid situation assessment (RSA) study of alcohol and drug use in Lebanon. <i>Journal Medical Libanais</i> , 2010, 58, 76-85.	0.0	11
63	Perceived helpfulness of treatment for generalized anxiety disorder: a World Mental Health Surveys report. <i>BMC Psychiatry</i> , 2021, 21, 392.	2.6	10
64	In Memory of Hagop Akiskal. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2021, 17, 48-51.	1.2	9
65	Perceived helpfulness of treatment for specific phobia: Findings from the World Mental Health Surveys. <i>Journal of Affective Disorders</i> , 2021, 288, 199-209.	4.1	9
66	Mental health research in the Arab world: an update. <i>BJPsych International</i> , 2015, 12, S-25-S-28.	1.4	8
67	Duloxetine and suicide attempts: a possible relation. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2008, 4, 18.	1.2	7
68	Perceived helpfulness of treatment for social anxiety disorder: findings from the WHO World Mental Health Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 2079-2095.	3.1	7
69	Access to Care for Mental Health Problems in Afghanistan: A National Challenge. <i>International Journal of Health Policy and Management</i> , 2021, , .	0.9	6
70	Bipolar disorders in the Arab world: a critical review. <i>Annals of the New York Academy of Sciences</i> , 2015, 1345, 59-66.	3.8	5
71	How Stable are Temperaments in the Clinical Setting: A Pilot Study. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2016, 12, 59-63.	1.2	4
72	Bipolar Spectrum Disorder. , 0, , 57-78.		3

#	ARTICLE	IF	CITATIONS
73	Perceived helpfulness of treatment for alcohol use disorders: Findings from the World Mental Health Surveys. Drug and Alcohol Dependence, 2021, 229, 109158.	3.2	3
74	Perceived helpfulness of service sectors used for mental and substance use disorders: Findings from the WHO World Mental Health Surveys. International Journal of Mental Health Systems, 2022, 16, 6.	2.7	3
75	Mass psychogenic illness (epidemic sociogenic attacks) in a village in Lebanon. Journal Medical Libanais, 2007, 55, 112-5.	0.0	3
76	The Bereavement Exclusion: Findings from a Field Study. Psychiatric Annals, 2013, 43, 267-271.	0.1	2
77	Transdiagnostic development of internalizing psychopathology throughout the life course up to age 45: a World Mental Health Surveys report. Psychological Medicine, 2020, , 1-10.	4.5	1
78	Mental Health in the Mediterranean Area. Clinical Practice and Epidemiology in Mental Health, 2020, 16, 67-69.	1.2	1
79	Predictors and severity of probable acute stress disorder following the Beirut Port Blast. European Journal of Psychotraumatology, 2022, 13, 2040232.	2.5	1
80	The boundaries of bipolarity: Comments on the epidemiology of bipolar disorder.. Clinical Psychology: Science and Practice, 2009, 16, 134-139.	0.9	0