

Elie G Karam

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4636986/publications.pdf>

Version: 2024-02-01

80
papers

13,124
citations

108046

37
h-index

73587

79
g-index

83
all docs

83
docs citations

83
times ranked

17032
citing authors

#	ARTICLE	IF	CITATIONS
1	Toward measuring effective treatment coverage: critical bottlenecks in quality- and user-adjusted coverage for major depressive disorder. <i>Psychological Medicine</i> , 2022, 52, 1948-1958.	2.7	23
2	Perceived helpfulness of service sectors used for mental and substance use disorders: Findings from the WHO World Mental Health Surveys. <i>International Journal of Mental Health Systems</i> , 2022, 16, 6.	1.1	3
3	Mental Health During the First Year of the COVID-19 Pandemic: A Review and Recommendations for Moving Forward. <i>Perspectives on Psychological Science</i> , 2022, 17, 915-936.	5.2	255
4	Perceived helpfulness of treatment for social anxiety disorder: findings from the WHO World Mental Health Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 2079-2095.	1.6	7
5	Predictors and severity of probable acute stress disorder following the Beirut Port Blast. <i>European Journal of Psychotraumatology</i> , 2022, 13, 2040232.	0.9	1
6	Patterns and correlates of patient-reported helpfulness of treatment for common mental and substance use disorders in the WHO World Mental Health Surveys. <i>World Psychiatry</i> , 2022, 21, 272-286.	4.8	16
7	In Memory of Hagop Akiskal. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2021, 17, 48-51.	0.6	9
8	Access to Care for Mental Health Problems in Afghanistan: A National Challenge. <i>International Journal of Health Policy and Management</i> , 2021, , .	0.5	6
9	A national survey on depressive and anxiety disorders in Afghanistan: A highly traumatized population. <i>BMC Psychiatry</i> , 2021, 21, 314.	1.1	37
10	Perceived helpfulness of treatment for specific phobia: Findings from the World Mental Health Surveys. <i>Journal of Affective Disorders</i> , 2021, 288, 199-209.	2.0	9
11	The role of epigenetics in psychological resilience. <i>Lancet Psychiatry</i> , the, 2021, 8, 620-629.	3.7	33
12	Perceived helpfulness of treatment for generalized anxiety disorder: a World Mental Health Surveys report. <i>BMC Psychiatry</i> , 2021, 21, 392.	1.1	10
13	Perceived helpfulness of treatment for alcohol use disorders: Findings from the World Mental Health Surveys. <i>Drug and Alcohol Dependence</i> , 2021, 229, 109158.	1.6	3
14	The epidemiology of alcohol use disorders cross-nationally: Findings from the World Mental Health Surveys. <i>Addictive Behaviors</i> , 2020, 102, 106128.	1.7	108
15	Transdiagnostic development of internalizing psychopathology throughout the life course up to age 45: a World Mental Health Surveys report. <i>Psychological Medicine</i> , 2020, , 1-10.	2.7	1
16	Findings From World Mental Health Surveys of the Perceived Helpfulness of Treatment for Patients With Major Depressive Disorder. <i>JAMA Psychiatry</i> , 2020, 77, 830.	6.0	53
17	Mental Health in the Mediterranean Area. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2020, 16, 67-69.	0.6	1
18	Concordance between the diagnostic guidelines for alcohol and cannabis use disorders in the draft ICD-11 and other classification systems: analysis of data from the WHO's World Mental Health Surveys. <i>Addiction</i> , 2019, 114, 534-552.	1.7	36

#	ARTICLE	IF	CITATIONS
19	Mental health research in the Arab region: challenges and call for action. <i>Lancet Psychiatry</i> , 2019, 6, 961-966.	3.7	58
20	The epidemiology of drug use disorders cross-nationally: Findings from the WHO's World Mental Health Surveys. <i>International Journal of Drug Policy</i> , 2019, 71, 103-112.	1.6	45
21	Childhood generalized specific phobia as an early marker of internalizing psychopathology across the lifespan: results from the World Mental Health Surveys. <i>BMC Medicine</i> , 2019, 17, 101.	2.3	24
22	Cross-national patterns of substance use disorder treatment and associations with mental disorder comorbidity in the WHO World Mental Health Surveys. <i>Addiction</i> , 2019, 114, 1446-1459.	1.7	27
23	Association of Cohort and Individual Substance Use With Risk of Transitioning to Drug Use, Drug Use Disorder, and Remission From Disorder. <i>JAMA Psychiatry</i> , 2019, 76, 708.	6.0	27
24	A comparison of DSM-5 and DSM-IV agoraphobia in the World Mental Health Surveys. <i>Depression and Anxiety</i> , 2019, 36, 499-510.	2.0	22
25	Psychotic experiences and general medical conditions: a cross-national analysis based on 28 002 respondents from 16 countries in the WHO World Mental Health Surveys. <i>Psychological Medicine</i> , 2018, 48, 2730-2739.	2.7	27
26	Civilians in World War II and DSM-IV mental disorders: results from the World Mental Health Survey Initiative. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 207-219.	1.6	17
27	Treatment gap for anxiety disorders is global: Results of the World Mental Health Surveys in 21 countries. <i>Depression and Anxiety</i> , 2018, 35, 195-208.	2.0	318
28	Suicidal thoughts and behaviors among college students and same-aged peers: results from the World Health Organization World Mental Health Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 279-288.	1.6	79
29	The associations between psychotic experiences and substance use and substance use disorders: findings from the World Health Organization World Mental Health surveys. <i>Addiction</i> , 2018, 113, 924-934.	1.7	56
30	The cross-national structure of mental disorders: results from the World Mental Health Surveys. <i>Psychological Medicine</i> , 2018, 48, 2073-2084.	2.7	46
31	The association between psychotic experiences and health-related quality of life: a cross-national analysis based on World Mental Health Surveys. <i>Schizophrenia Research</i> , 2018, 201, 46-53.	1.1	20
32	Cross-sectional Comparison of the Epidemiology of DSM-5 Generalized Anxiety Disorder Across the Globe. <i>JAMA Psychiatry</i> , 2017, 74, 465.	6.0	274
33	Undertreatment of people with major depressive disorder in 21 countries. <i>British Journal of Psychiatry</i> , 2017, 210, 119-124.	1.7	664
34	Posttraumatic stress disorder associated with unexpected death of a loved one: Cross-national findings from the world mental health surveys. <i>Depression and Anxiety</i> , 2017, 34, 315-326.	2.0	33
35	Association Between Psychotic Experiences and Subsequent Suicidal Thoughts and Behaviors. <i>JAMA Psychiatry</i> , 2017, 74, 1136.	6.0	75
36	Childhood adversities and post-traumatic stress disorder: evidence for stress sensitisation in the World Mental Health Surveys. <i>British Journal of Psychiatry</i> , 2017, 211, 280-288.	1.7	118

#	ARTICLE	IF	CITATIONS
37	Trauma and PTSD in the WHO World Mental Health Surveys. HÅrgrre Utbildning, 2017, 8, 1353383.	1.4	801
38	Lebanon: mental health system reform and the Syrian crisis. BJPsych International, 2016, 13, 87-89.	0.8	28
39	Post-traumatic stress disorder associated with life-threatening motor vehicle collisions in the WHO World Mental Health Surveys. BMC Psychiatry, 2016, 16, 257.	1.1	34
40	Prevalence, Correlates, and Treatment of Mental Disorders among Lebanese Older Adults: A National Study. American Journal of Geriatric Psychiatry, 2016, 24, 278-286.	0.6	17
41	Mental health reform in Lebanon and the Syrian crisis. Lancet Psychiatry,the, 2016, 3, 202-203.	3.7	55
42	How Stable are Temperaments in the Clinical Setting: A Pilot Study. Clinical Practice and Epidemiology in Mental Health, 2016, 12, 59-63.	0.6	4
43	Bipolar disorders in the Arab world: a critical review. Annals of the New York Academy of Sciences, 2015, 1345, 59-66.	1.8	5
44	Mental health research in the Arab world: an update. BJPsych International, 2015, 12, S-25-S-28.	0.8	8
45	Temperament and suicide: A national study. Journal of Affective Disorders, 2015, 184, 123-128.	2.0	46
46	Pediatric-Onset and Adult-Onset Separation Anxiety Disorder Across Countries in the World Mental Health Survey. American Journal of Psychiatry, 2015, 172, 647-656.	4.0	100
47	Subthreshold Posttraumatic Stress Disorder in the World Health Organization World Mental Health Surveys. Biological Psychiatry, 2015, 77, 375-384.	0.7	197
48	Childhood Adversities and Traumata in Lebanon: A National Study. Clinical Practice and Epidemiology in Mental Health, 2014, 10, 116-125.	0.6	20
49	Outcome of Depression and Anxiety After War: A Prospective Epidemiologic Study of Children and Adolescents. Journal of Traumatic Stress, 2014, 27, 192-199.	1.0	40
50	Under-reporting bipolar disorder in large-scale epidemiologic studies. Journal of Affective Disorders, 2014, 159, 147-154.	2.0	21
51	New Hyperekplexia Mutations Provide Insight into Glycine Receptor Assembly, Trafficking, and Activation Mechanisms. Journal of Biological Chemistry, 2013, 288, 33745-33759.	1.6	35
52	The Bereavement Exclusion: Findings from a Field Study. Psychiatric Annals, 2013, 43, 267-271.	0.1	2
53	Mental health research in the Arab world. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 1727-1731.	1.6	39
54	Mental health services in the Arab world. World Psychiatry, 2012, 11, 52-54.	4.8	163

#	ARTICLE	IF	CITATIONS
55	THE BEREAVEMENT EXCLUSION AND DSM-5. <i>Depression and Anxiety</i> , 2012, 29, 425-443.	2.0	80
56	Prevalence and Correlates of Bipolar Spectrum Disorder in the World Mental Health Survey Initiative. <i>Archives of General Psychiatry</i> , 2011, 68, 241.	13.8	1,931
57	Dissemination of an evidence-based intervention to parents of children with behavioral problems in a developing country. <i>European Child and Adolescent Psychiatry</i> , 2010, 19, 629-636.	2.8	37
58	The role of anxious and hyperthymic temperaments in mental disorders: a national epidemiologic study. <i>World Psychiatry</i> , 2010, 9, 103-110.	4.8	87
59	A rapid situation assessment (RSA) study of alcohol and drug use in Lebanon. <i>Journal Medical Libanais</i> , 2010, 58, 76-85.	0.0	11
60	Cross-National Analysis of the Associations among Mental Disorders and Suicidal Behavior: Findings from the WHO World Mental Health Surveys. <i>PLoS Medicine</i> , 2009, 6, e1000123.	3.9	592
61	Bereavement related and non-bereavement related depressions: A comparative field study. <i>Journal of Affective Disorders</i> , 2009, 112, 102-110.	2.0	56
62	Lifetime alcohol use, abuse and dependence among university students in Lebanon: exploring the role of religiosity in different religious faiths. <i>Addiction</i> , 2009, 104, 940-948.	1.7	100
63	The boundaries of bipolarity: Comments on the epidemiology of bipolar disorder.. <i>Clinical Psychology: Science and Practice</i> , 2009, 16, 134-139.	0.6	0
64	The epidemiology of anxiety disorders in the Arab world: A review. <i>Journal of Anxiety Disorders</i> , 2009, 23, 409-419.	1.5	46
65	Cross-national prevalence and risk factors for suicidal ideation, plans and attempts. <i>British Journal of Psychiatry</i> , 2008, 192, 98-105.	1.7	1,993
66	Duloxetine and suicide attempts: a possible relation. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2008, 4, 18.	0.6	7
67	Lifetime Prevalence of Mental Disorders in Lebanon: First Onset, Treatment, and Exposure to War. <i>PLoS Medicine</i> , 2008, 5, e61.	3.9	197
68	Effectiveness and specificity of a classroom-based group intervention in children and adolescents exposed to war in Lebanon. <i>World Psychiatry</i> , 2008, 7, 103-109.	4.8	95
69	Disability and treatment of specific mental and physical disorders across the world. <i>British Journal of Psychiatry</i> , 2008, 192, 368-375.	1.7	326
70	Alcohol use among college students: an international perspective. <i>Current Opinion in Psychiatry</i> , 2007, 20, 213-221.	3.1	222
71	Suitability of the TEMPS-A for population-based studies: Ease of administration and stability of affective temperaments in its Lebanese version. <i>Journal of Affective Disorders</i> , 2007, 98, 45-53.	2.0	27
72	Mass psychogenic illness (epidemic sociogenic attacks) in a village in Lebanon. <i>Journal Medical Libanais</i> , 2007, 55, 112-5.	0.0	3

#	ARTICLE	IF	CITATIONS
73	Prevalence and treatment of mental disorders in Lebanon: a national epidemiological survey. <i>Lancet, The</i> , 2006, 367, 1000-1006.	6.3	235
74	Psychometric properties of the Lebanese Arabic TEMPS-A: A national epidemiologic study. <i>Journal of Affective Disorders</i> , 2005, 87, 169-183.	2.0	76
75	Prevalence, Severity, and Unmet Need for Treatment of Mental Disorders in the World Health Organization World Mental Health Surveys. <i>JAMA - Journal of the American Medical Association</i> , 2004, 291, 2581.	3.8	2,696
76	Alcohol use among university students in Lebanon: prevalence, trends and covariates The IDRAC University Substance Use Monitoring Study (1991 and 1999). <i>Drug and Alcohol Dependence</i> , 2004, 76, 273-286.	1.6	44
77	Psychosocial consequences of war among civilian populations. <i>Current Opinion in Psychiatry</i> , 2003, 16, 413-419.	3.1	15
78	Use and Abuse of Licit and Illicit Substances: Prevalence and Risk Factors among Students in Lebanon. <i>European Addiction Research</i> , 2000, 6, 189-197.	1.3	45
79	The Nosological Status of Bereavement-Related Depressions. <i>British Journal of Psychiatry</i> , 1994, 165, 48-52.	1.7	36
80	Bipolar Spectrum Disorder. , 0, , 57-78.		3