

# Guilherme Janson

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/463994/publications.pdf>

Version: 2024-02-01

363  
papers

5,641  
citations

109137

35  
h-index

149479

56  
g-index

381  
all docs

381  
docs citations

381  
times ranked

2661  
citing authors

#	ARTICLE	IF	CITATIONS
1	Periodontal effects of rapid maxillary expansion with tooth-tissue-borne and tooth-borne expanders: A computed tomography evaluation. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2006, 129, 749-758.	0.8	250
2	Rapid maxillary expansion-tooth tissue-borne versus tooth-borne expanders: a computed tomography evaluation of dentoskeletal effects. <i>Angle Orthodontist</i> , 2005, 75, 548-57.	1.1	199
3	Accuracy and reproducibility of 3-dimensional digital model measurements. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2012, 142, 269-273.	0.8	150
4	Correction of Class II malocclusion with Class II elastics: A systematic review. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2013, 143, 383-392.	0.8	130
5	Upper and lower pharyngeal airways in subjects with Class I and Class II malocclusions and different growth patterns. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2006, 130, 742-745.	0.8	120
6	A radiographic comparison of apical root resorption after orthodontic treatment with 3 different fixed appliance techniques. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2000, 118, 262-273.	0.8	104
7	Influence of orthodontic treatment, midline position, buccal corridor and smile arc on smile attractiveness. <i>Angle Orthodontist</i> , 2011, 81, 153-161.	1.1	93
8	Variation in maxillary and mandibular molar and incisor vertical dimension in 12-year-old subjects with excess, normal, and short lower anterior face height. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 1994, 106, 409-418.	0.8	85
9	Stability of anterior open bite nonextraction treatment in the permanent dentition. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2003, 124, 265-276.	0.8	84
10	Stability of anterior open-bite extraction and nonextraction treatment in the permanent dentition. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2006, 129, 768-774.	0.8	79
11	Is there a consensus for CBCT use in Orthodontics?. <i>Dental Press Journal of Orthodontics</i> , 2014, 19, 136-149.	0.2	78
12	Sagittal, vertical, and transverse changes consequent to maxillary molar distalization with the pendulum appliance. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2006, 130, 502-510.	0.8	76
13	Nickel hypersensitivity reaction before, during, and after orthodontic therapy. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 1998, 113, 655-660.	0.8	71
14	Three-dimensional evaluation of skeletal and dental asymmetries in Class II subdivision malocclusions. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2001, 119, 406-418.	0.8	71
15	Comparative radiographic evaluation of the alveolar bone crest after orthodontic treatment. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2003, 124, 157-164.	0.8	70
16	Long-term stability of anterior open bite extraction treatment in the permanent dentition. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2004, 125, 78-87.	0.8	69
17	Intraoral distalizer effects with conventional and skeletal anchorage: A meta-analysis. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2013, 143, 602-615.	0.8	67
18	Class II treatment success rate in 2- and 4-premolar extraction protocols. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2004, 125, 472-479.	0.8	63

#	ARTICLE	IF	CITATIONS
19	Postretention relapse of mandibular anterior crowding in patients treated without mandibular premolar extraction. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2004, 125, 480-487.	0.8	59
20	Class II subdivision treatment success rate with symmetric and asymmetric extraction protocols. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2003, 124, 257-264.	0.8	53
21	Extreme dentoalveolar compensation in the treatment of Class III malocclusion. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2005, 128, 787-794.	0.8	52
22	Relationship between signs and symptoms of temporomandibular disorders and orthodontic treatment: a cross-sectional study. <i>Angle Orthodontist</i> , 2003, 73, 411-7.	1.1	52
23	Class II treatment efficiency in maxillary premolar extraction and nonextraction protocols. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2007, 132, 490-498.	0.8	51
24	Orthodontic treatment time in 2- and 4-premolar-extraction protocols. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2006, 129, 666-671.	0.8	49
25	Effect of mini-implant diameter on fracture risk and self-drilling efficacy. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2011, 140, e181-e192.	0.8	48
26	Evaluation of asymmetries between subjects with Class II subdivision and apparent facial asymmetry and those with normal occlusion. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2006, 129, 376-383.	0.8	46
27	Bone-anchored maxillary protraction therapy in patients with unilateral complete cleft lip and palate: 3-dimensional assessment of maxillary effects. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2017, 152, 327-335.	0.8	46
28	Class II subdivision malocclusion types and evaluation of their asymmetries. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2007, 131, 57-66.	0.8	45
29	Influence of the quality of the finished occlusion on postretention occlusal relapse. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2007, 132, 428.e9-428.e14.	0.8	45
30	Comparative distalization effects of Jones jig and pendulum appliances. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2009, 135, 336-342.	0.8	44
31	Effects of intrusion combined with anterior retraction on apical root resorption. <i>European Journal of Orthodontics</i> , 2012, 34, 170-175.	1.1	43
32	Maturational changes of the normal occlusion: A 40-year follow-up. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2018, 154, 188-200.	0.8	43
33	Frequency evaluation of different extraction protocols in orthodontic treatment during 35 years. <i>Progress in Orthodontics</i> , 2014, 15, 51.	1.3	41
34	Class II treatment effects of the Frankel appliance. <i>European Journal of Orthodontics</i> , 2003, 25, 301-309.	1.1	40
35	Buccolingual inclinations of posterior teeth in subjects with different facial patterns. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2004, 125, 316-322.	0.8	37
36	Soft-tissue changes in Class II malocclusion patients treated with extractions: a systematic review. <i>European Journal of Orthodontics</i> , 2016, 38, 631-637.	1.1	37

#	ARTICLE	IF	CITATIONS
37	Orthodontic movement in bone defects filled with xenogenic graft: An experimental study in minipigs. American Journal of Orthodontics and Dentofacial Orthopedics, 2007, 131, 302.e10-302.e17.	0.8	36
38	Precision, reproducibility, and accuracy of bone crest level measurements of CBCT cross sections using different resolutions. Angle Orthodontist, 2016, 86, 535-542.	1.1	36
39	Evaluation of root resorption after open bite treatment with and without extractions. American Journal of Orthodontics and Dentofacial Orthopedics, 2007, 132, 143.e15-143.e22.	0.8	35
40	Dental maturation in subjects with extreme vertical facial types. European Journal of Orthodontics, 1998, 20, 73-78.	1.1	34
41	A comparison of skeletal, dentoalveolar and soft tissue characteristics in white and black Brazilian subjects. Journal of Applied Oral Science, 2010, 18, 135-142.	0.7	33
42	Dental arch dimensions in the mixed dentition: a study of Brazilian children from 9 to 12 years of age. Journal of Applied Oral Science, 2011, 19, 169-174.	0.7	33
43	Slow versus rapid maxillary expansion in bilateral cleft lip and palate: a CBCT randomized clinical trial. Clinical Oral Investigations, 2017, 21, 1789-1799.	1.4	33
44	Eruption guidance appliance effects in the treatment of Class II, Division 1 malocclusions. American Journal of Orthodontics and Dentofacial Orthopedics, 2000, 117, 119-129.	0.8	32
45	Treatment effects of bonded spurs associated with high-pull chin cup therapy in the treatment of patients with anterior open bite. American Journal of Orthodontics and Dentofacial Orthopedics, 2012, 142, 487-493.	0.8	32
46	Influence of extraction and nonextraction orthodontic treatment in Japanese-Brazilians with class I and class II division 1 malocclusions. American Journal of Orthodontics and Dentofacial Orthopedics, 2005, 127, 30-36.	0.8	30
47	Long-term stability of surgical-orthodontic open-bite correction. American Journal of Orthodontics and Dentofacial Orthopedics, 2010, 138, 254.e1-254.e10.	0.8	30
48	Anterior open-bite treatment with bonded vs conventional lingual spurs: A comparative study. American Journal of Orthodontics and Dentofacial Orthopedics, 2016, 149, 847-855.	0.8	29
49	Stability of Class II, division 1 treatment with the headgear-activator combination followed by the edgewise appliance. Angle Orthodontist, 2004, 74, 594-604.	1.1	29
50	Comparison of the effects produced by headgear and pendulum appliances followed by fixed orthodontic treatment. European Journal of Orthodontics, 2008, 30, 572-579.	1.1	28
51	Effectiveness of 0.50% and 0.75% chlorhexidine dentifrices in orthodontic patients: A double-blind and randomized controlled trial. American Journal of Orthodontics and Dentofacial Orthopedics, 2009, 136, 651-656.	0.8	27
52	Smile attractiveness in patients with Class II division 1 subdivision malocclusions treated with different tooth extraction protocols. European Journal of Orthodontics, 2014, 36, 1-8.	1.1	27
53	Occlusal changes secondary to temporomandibular joint conditions: a critical review and implications for clinical practice. Journal of Applied Oral Science, 2016, 24, 411-419.	0.7	27
54	Effects of accentuated and reversed curve of Spee on apical root resorption. American Journal of Orthodontics and Dentofacial Orthopedics, 2008, 133, 261-268.	0.8	26

#	ARTICLE	IF	CITATIONS
55	Superimposition of maxillary digital models using the palatal rugae: Does ageing affect the reliability?. <i>Orthodontics and Craniofacial Research</i> , 2019, 22, 183-193.	1.2	26
56	Maxillary third molar position in Class II malocclusions: the effect of treatment with and without maxillary premolar extractions. <i>European Journal of Orthodontics</i> , 2006, 28, 573-579.	1.1	25
57	PAR Evaluation of Treated Class I Extraction Patients. <i>Angle Orthodontist</i> , 2008, 78, 270-274.	1.1	24
58	Treatment stability in patients with Class II malocclusion treated with 2 maxillary premolar extractions or without extractions. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2010, 138, 16-22.	0.8	24
59	Mandibular and glenoid fossa changes after bone-anchored maxillary protraction therapy in patients with UCLP: A 3-D preliminary assessment. <i>Angle Orthodontist</i> , 2017, 87, 423-431.	1.1	24
60	Evaluation of bone height and bone density after tooth extraction: an experimental study in minipigs. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2007, 104, e9-e16.	1.6	23
61	Interdisciplinary treatment of localized juvenile periodontitis: A new perspective to an old problem. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2007, 131, 268-276.	0.8	23
62	Dentoskeletal and soft-tissue changes with cervical headgear and mandibular protraction appliance therapy in the treatment of Class II malocclusions. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2007, 131, 447.e21-447.e30.	0.8	23
63	Editor's Summary, Q & A, Reviewer's Critique. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2008, 134, 10-11.	0.8	23
64	Prospective study of dentoskeletal changes in Class II division malocclusion treatment with twin force bite corrector. <i>Angle Orthodontist</i> , 2013, 83, 319-326.	1.1	23
65	Overjet, overbite, and anterior crowding relapses in extraction and nonextraction patients, and their correlations. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2014, 146, 67-72.	0.8	23
66	Effects of cervical headgear appliance: a systematic review. <i>Dental Press Journal of Orthodontics</i> , 2015, 20, 76-81.	0.2	23
67	Postretention stability after orthodontic closure of maxillary interincisor diastemas. <i>Journal of Applied Oral Science</i> , 2014, 22, 409-415.	0.7	22
68	Treatment stability with the eruption guidance appliance. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2007, 131, 717-728.	0.8	21
69	Soft-tissue treatment changes in Class II Division 1 malocclusion with and without extraction of maxillary premolars. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2007, 132, 729.e1-729.e8.	0.8	21
70	Craniofacial characteristics of Caucasian and Afro-Caucasian Brazilian subjects with normal occlusion. <i>Journal of Applied Oral Science</i> , 2011, 19, 118-124.	0.7	21
71	Influence of miniscrew dental root proximity on its degree of late stability. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2013, 42, 527-534.	0.7	21
72	Analysis of the maxillary dental arch after rapid maxillary expansion in patients with unilateral complete cleft lip and palate. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2016, 149, 705-715.	0.8	21

#	ARTICLE	IF	CITATIONS
73	Dentoskeletal outcomes of a rapid maxillary expander with differential opening in patients with bilateral cleft lip and palate: A prospective clinical trial. American Journal of Orthodontics and Dentofacial Orthopedics, 2016, 150, 564-574.	0.8	21
74	Changes consequent to maxillary molar distalization with the bone-anchored pendulum appliance. Journal of Orthodontic Science, 2017, 6, 141.	0.2	21
75	Influence of rapid palatal expansion on maxillary incisor alignment stability. American Journal of Orthodontics and Dentofacial Orthopedics, 2010, 137, 164.e1-164.e6.	0.8	20
76	Reprodutibilidade das mensurações da espessura das lâminas alveolares na tomografia computadorizada Cone-Beam utilizando diferentes protocolos de aquisição de imagem. Dental Press Journal of Orthodontics, 2010, 15, 143-149.	0.2	20
77	Cephalometric evaluation in different phases of Jasper jumper therapy. American Journal of Orthodontics and Dentofacial Orthopedics, 2011, 140, e77-e84.	0.8	20
78	Dentoskeletal changes induced by the Jasper jumper and the activator-headgear combination appliances followed by fixed orthodontic treatment. American Journal of Orthodontics and Dentofacial Orthopedics, 2013, 143, 684-694.	0.8	20
79	Facial height comparison in young white and black Brazilian subjects with normal occlusion. American Journal of Orthodontics and Dentofacial Orthopedics, 2007, 131, 706.e1-706.e6.	0.8	19
80	Cephalometric evaluation of Class II malocclusion treatment with cervical headgear and mandibular fixed appliances. European Journal of Orthodontics, 2008, 30, 477-482.	1.1	19
81	Predictable drill-free screw positioning with a graduated 3-dimensional radiographic-surgical guide: A preliminary report. American Journal of Orthodontics and Dentofacial Orthopedics, 2009, 136, 722-735.	0.8	19
82	Editor's Comment and Q&A. American Journal of Orthodontics and Dentofacial Orthopedics, 2010, 138, 254-256.	0.8	19
83	Posttreatment and physiologic occlusal changes comparison. Angle Orthodontist, 2013, 83, 239-245.	1.1	19
84	Relapse of anterior crowding 3 and 33 years postretention. American Journal of Orthodontics and Dentofacial Orthopedics, 2017, 152, 798-810.	0.8	19
85	Force level of small diameter nickel-titanium orthodontic wires ligated with different methods. Progress in Orthodontics, 2017, 18, 21.	1.3	19
86	Alignment stability in Class II malocclusion treated with 2- and 4-premolar extraction protocols. American Journal of Orthodontics and Dentofacial Orthopedics, 2006, 130, 189-195.	0.8	18
87	Cephalometric evaluation of symmetric and asymmetric extraction treatment for patients with Class II subdivision malocclusions. American Journal of Orthodontics and Dentofacial Orthopedics, 2007, 132, 28-35.	0.8	18
88	Influence of cephalometric characteristics on the occlusal success rate of Class II malocclusions treated with 2- and 4-premolar extraction protocols. American Journal of Orthodontics and Dentofacial Orthopedics, 2008, 133, 861-868.	0.8	18
89	Long-term stability of Class II malocclusion treated with 2- and 4-premolar extraction protocols. American Journal of Orthodontics and Dentofacial Orthopedics, 2009, 136, 154.e1-154.e10.	0.8	18
90	Tooth-wear patterns in subjects with Class II Division 1 malocclusion and normal occlusion. American Journal of Orthodontics and Dentofacial Orthopedics, 2010, 137, 14.e1-14.e7.	0.8	18

#	ARTICLE	IF	CITATIONS
91	Tooth-wear patterns in adolescents with normal occlusion and Class II Division 2 malocclusion. American Journal of Orthodontics and Dentofacial Orthopedics, 2010, 137, 730.e1-730.e5.	0.8	18
92	Cephalometric norms and esthetic profile preference for the Japanese: a systematic review. Dental Press Journal of Orthodontics, 2015, 20, 43-51.	0.2	18
93	Aging of the normal occlusion. European Journal of Orthodontics, 2019, 41, 196-203.	1.1	18
94	Dentoskeletal treatment changes in Class II subdivision malocclusions in submentovertex and posteroanterior radiographs. American Journal of Orthodontics and Dentofacial Orthopedics, 2004, 126, 450-462.	0.8	17
95	Class III subdivision malocclusion corrected with asymmetric intermaxillary elastics. American Journal of Orthodontics and Dentofacial Orthopedics, 2010, 138, 221-230.	0.8	17
96	Relationship between maxillary and mandibular base lengths and dental crowding in patients with complete Class II malocclusions. Angle Orthodontist, 2011, 81, 217-221.	1.1	17
97	Longitudinal stability of rapid and slow maxillary expansion. Dental Press Journal of Orthodontics, 2014, 19, 70-77.	0.2	17
98	Are there bone dehiscences in maxillary canines orthodontically moved into the grafted alveolar cleft?. American Journal of Orthodontics and Dentofacial Orthopedics, 2015, 147, 205-213.	0.8	17
99	External root resorption with the self-ligating Damon system—a retrospective study. Progress in Orthodontics, 2016, 17, 20.	1.3	17
100	Analysis of the dentoalveolar effects of slow and rapid maxillary expansion in complete bilateral cleft lip and palate patients: a randomized clinical trial. Clinical Oral Investigations, 2016, 20, 1837-1847.	1.4	17
101	Subjective facial analysis and its correlation with dental relationships. Dental Press Journal of Orthodontics, 2017, 22, 87-94.	0.2	17
102	Cephalometric characterization of skeletal Class II, division 1 malocclusion in white Brazilian subjects. Journal of Applied Oral Science, 2005, 13, 198-203.	0.7	16
103	Nonextraction treatment of a skeletal Class III malocclusion. American Journal of Orthodontics and Dentofacial Orthopedics, 2009, 136, 736-745.	0.8	16
104	Lateral open bite: Treatment and stability. American Journal of Orthodontics and Dentofacial Orthopedics, 2010, 137, 701-711.	0.8	16
105	Stability of Class II treatment with the Bionator followed by fixed appliances. Journal of Applied Oral Science, 2013, 21, 547-553.	0.7	16
106	Effect of Recycling Protocol on Mechanical Strength of Used Mini-Implants. International Journal of Dentistry, 2014, 2014, 1-5.	0.5	16
107	Stability of extraction space closure. American Journal of Orthodontics and Dentofacial Orthopedics, 2016, 149, 24-30.	0.8	16
108	Maxillary expander with differential opening vs Hyrax expander: A randomized clinical trial. American Journal of Orthodontics and Dentofacial Orthopedics, 2020, 157, 7-18.	0.8	16

#	ARTICLE	IF	CITATIONS
109	Occlusal changes of Class II malocclusion treatment between FrÃnkel and the eruption guidance appliances. <i>Angle Orthodontist</i> , 2004, 74, 521-5.	1.1	16
110	Occlusal and cephalometric Class II Division 1 malocclusion severity in patients treated with and without extraction of 2 maxillary premolars. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2006, 129, 759-767.	0.8	15
111	Class II Correction with the Cantilever Bite Jumper. <i>Angle Orthodontist</i> , 2009, 79, 221-229.	1.1	15
112	Stability of anterior open-bite treatment with occlusal adjustment. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2010, 138, 14.e1-14.e7.	0.8	15
113	Class II malocclusion occlusal severity description. <i>Journal of Applied Oral Science</i> , 2010, 18, 397-402.	0.7	15
114	Stability and relapse of maxillary anterior crowding treatment in Class I and Class II Division 1 malocclusions. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2011, 139, 768-774.	0.8	15
115	Influence of root parallelism on the stability of extraction-site closures. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2011, 139, e505-e510.	0.8	15
116	Influence of low-level laser on bone remodeling during induced tooth movement in rats. <i>Angle Orthodontist</i> , 2013, 83, 1015-1021.	1.1	15
117	Angle Class II correction with MARA appliance. <i>Dental Press Journal of Orthodontics</i> , 2013, 18, 35-44.	0.2	15
118	Treatment effects of the Jasper Jumper and the Bionator associated with fixed appliances. <i>Progress in Orthodontics</i> , 2014, 15, 54.	1.3	15
119	Mesial and distal alveolar bone morphology in maxillary canines moved into the grafted alveolar cleft: Computed tomography evaluation. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2017, 151, 869-877.	0.8	15
120	Comparative study of the maturation of permanent teeth in subjects with vertical and horizontal growth patterns. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2005, 128, 619-623.	0.8	14
121	Correlation between mandibular incisor crown morphologic index and postretention stability. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2006, 129, 559-561.	0.8	14
122	Prevalence of Upper Cervical Vertebrae Anomalies in Patients with Cleft Lip and/or Palate and Noncleft Patients. <i>Cleft Palate-Craniofacial Journal</i> , 2009, 46, 481-486.	0.5	14
123	Atypical extraction of maxillary central incisors. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2010, 138, 510-517.	0.8	14
124	Root resorption of maxillary incisors retracted with and without skeletal anchorage. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2017, 151, 397-406.	0.8	14
125	Expanding torque possibilities: A skeletally anchored torqued cantilever for uprighting "kissing molars": <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2018, 153, 588-598.	0.8	14
126	Short-term impact of rapid maxillary expansion on ectopically and normally erupting canines. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2018, 154, 524-534.	0.8	14



#	ARTICLE	IF	CITATIONS
127	Evaluation of root resorption following orthodontic intrusion: a systematic review and meta-analysis. <i>European Journal of Orthodontics</i> , 2021, 43, 432-441.	1.1	14
128	Relationship between malocclusion severity and treatment success rate in Class II nonextraction therapy. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2009, 135, 274-275.	0.8	13
129	Editor's Comment and Q&A. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2010, 138, 14-15.	0.8	13
130	Is the presence of Simonart's band in patients with complete unilateral cleft lip and palate associated with the prevalence of missing maxillary lateral incisors?. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2013, 144, 649-653.	0.8	13
131	Maxillary anterior alignment stability in Class I and Class II malocclusions treated with or without extraction. <i>Angle Orthodontist</i> , 2016, 86, 3-9.	1.1	13
132	Long-term stability of Class II treatment with the Jasper jumper appliance. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2017, 152, 663-671.	0.8	13
133	Orthopedic outcomes of hybrid and conventional Hyrax expanders:. <i>Angle Orthodontist</i> , 2021, 91, 178-186.	1.1	13
134	Occlusal changes in orthodontically treated subjects 40 years after treatment and comparison with untreated control subjects. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2021, 160, 671-685.	0.8	13
135	Unusual orthodontic retreatment. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2003, 123, 468-475.	0.8	12
136	Orthognathic treatment for a patient with Class III malocclusion and surgically restricted mandible. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2009, 136, 290-298.	0.8	12
137	Class I malocclusion treatment: Influence of a missing mandibular incisor on anterior guidance. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2010, 138, 109-117.	0.8	12
138	Comparative study of the soft tissue of young Japanese-Brazilian, Caucasian and Mongoloid patients. <i>Dental Press Journal of Orthodontics</i> , 2013, 18, 116-124.	0.2	12
139	Association between Dental Arch Widths and Interarch Relationships in Children with Operated Unilateral Complete Cleft Lip and Palate. <i>Cleft Palate-Craniofacial Journal</i> , 2015, 52, 196-200.	0.5	12
140	Mechanical strength of stainless steel and titanium alloy mini-implants with different diameters: an experimental laboratory study. <i>Progress in Orthodontics</i> , 2021, 22, 9.	1.3	12
141	Evaluation of anterior open-bite treatment with occlusal adjustment. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2008, 134, 10.e1-10.e9.	0.8	11
142	Editor's Summary and Q&A. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2010, 137, 164-165.	0.8	11
143	Orthodontic movement of a maxillary incisor through the midpalatal suture. <i>Angle Orthodontist</i> , 2012, 82, 370-379.	1.1	11
144	Comparative cephalometric study of Class II malocclusion treatment with Pendulum and Jones jig appliances followed by fixed corrective orthodontics. <i>Dental Press Journal of Orthodontics</i> , 2013, 18, 58-64.	0.2	11

#	ARTICLE	IF	CITATIONS
145	Root resorption in Class II malocclusion treatment with Class II elastics. American Journal of Orthodontics and Dentofacial Orthopedics, 2016, 150, 585-591.	0.8	11
146	Posterior tooth angulations in patients with anterior open bite and normal occlusion. American Journal of Orthodontics and Dentofacial Orthopedics, 2016, 150, 71-77.	0.8	11
147	Orthodontic brackets friction changes after clinical use: A systematic review. Journal of Clinical and Experimental Dentistry, 2019, 11, e482-e490.	0.5	11
148	Anterior tooth alignment and arch dimensions changes: 37-year follow-up in patients treated with and without premolar extraction. American Journal of Orthodontics and Dentofacial Orthopedics, 2020, 158, e5-e15.	0.8	11
149	Miniscrew-anchored maxillary protraction in growing Class III patients. Journal of Orthodontics, 2020, 47, 170-180.	0.4	11
150	Influence of orthopedic treatment on hard and soft facial structures of individuals presenting with Class II, Division 1 malocclusion: a comparative study. Journal of Applied Oral Science, 2004, 12, 164-170.	0.7	10
151	Orthodontic therapy in a patient with white sponge nevus. American Journal of Orthodontics and Dentofacial Orthopedics, 2004, 125, 497-499.	0.8	10
152	Occlusal outcomes and efficiency of 1- and 2-phase protocols in the treatment of Class II Division 1 malocclusion. American Journal of Orthodontics and Dentofacial Orthopedics, 2008, 133, 245-253.	0.8	10
153	An orthodontic-surgical approach to Class II subdivision malocclusion treatment. Journal of Applied Oral Science, 2009, 17, 266-273.	0.7	10
154	Evaluation of secondary alveolar bone grafting outcomes performed after canine eruption in complete unilateral cleft lip and palate. Clinical Oral Investigations, 2017, 21, 267-273.	1.4	10
155	Alveolar bone morphology of maxillary central incisors near grafted alveolar clefts after orthodontic treatment. American Journal of Orthodontics and Dentofacial Orthopedics, 2017, 152, 501-508.e1.	0.8	10
156	Prevalence of extraction space reopening in different orthodontic treatment protocols. American Journal of Orthodontics and Dentofacial Orthopedics, 2017, 152, 320-326.	0.8	10
157	Mandibular dental arch short and long-term spontaneous dentoalveolar changes after slow or rapid maxillary expansion: a systematic review. Dental Press Journal of Orthodontics, 2017, 22, 55-63.	0.2	10
158	Soft tissue treatment changes with fixed functional appliances and with maxillary premolar extraction in Class II division 1 malocclusion patients. European Journal of Orthodontics, 2018, 40, 214-222.	1.1	10
159	Class II malocclusion treatment effects with Jones Jig and Distal Jet followed by fixed appliances. Angle Orthodontist, 2018, 88, 10-19.	1.1	10
160	Comparison of deflection forces of esthetic archwires combined with ceramic brackets. Journal of Applied Oral Science, 2018, 26, e20170220.	0.7	10
161	Evaluation of the influence of mandibular third molars on mandibular anterior crowding relapse. Acta Odontologica Scandinavica, 2020, 78, 297-302.	0.9	10
162	Comparison of Profile Attractiveness between Class III Orthodontic Camouflage and Predictive Tracing of Orthognathic Surgery. International Journal of Dentistry, 2020, 2020, 1-9.	0.5	10

#	ARTICLE	IF	CITATIONS
163	Dentoskeletal comparison of miniscrew-anchored maxillary protraction with hybrid and conventional hyrax expanders: A randomized clinical trial. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2021, 160, 774-783.	0.8	10
164	Retrospective analysis of orthodontic treatment outcomes and its relation to postretention stability. <i>Journal of Applied Oral Science</i> , 2006, 14, 324-329.	0.7	9
165	Apical root resorption comparison between FrÃnkel and eruption guidance appliances. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2007, 131, 729-735.	0.8	9
166	Comparative efficiency of Class II malocclusion treatment with the pendulum appliance or two maxillary premolar extractions and edgewire appliances. <i>European Journal of Orthodontics</i> , 2009, 31, 333-340.	1.1	9
167	Editor's Summary and Q&A. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2009, 136, 154-155.	0.8	9
168	Evaluation of the force generated by gradual deflection of orthodontic wires in conventional metallic, esthetic, and self-ligating brackets. <i>Journal of Applied Oral Science</i> , 2016, 24, 496-502.	0.7	9
169	Movement of mandibular molar into edentulous alveolar ridge: A cone-beam computed tomography study. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2017, 151, 907-913.	0.8	9
170	Orthodontic treatment alternative to a class III subdivision malocclusion. <i>Journal of Applied Oral Science</i> , 2009, 17, 354-363.	0.7	8
171	Estudo biomÃ©trico em dentes de humanos. <i>Dental Press Journal of Orthodontics</i> , 2011, 16, 111-122.	0.2	8
172	Complications of misdiagnosis of maxillary canine ectopic eruption. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2012, 142, 256-263.	0.8	8
173	Influence of premolar extractions on long-term adult facial aesthetics and apparent age. <i>European Journal of Orthodontics</i> , 2016, 38, 272-280.	1.1	8
174	Changes in apical base sagittal relationship in Class II malocclusion treatment with and without premolar extractions: A systematic review and meta-analysis. <i>Angle Orthodontist</i> , 2017, 87, 338-355.	1.1	8
175	Facial profile esthetics in operated children with bilateral cleft lip and palate. <i>Dental Press Journal of Orthodontics</i> , 2017, 22, 41-46.	0.2	8
176	Time of maxillary molar distalization with non-compliance intraoral distalizing appliances: a meta-analysis. <i>European Journal of Orthodontics</i> , 2019, 41, 652-660.	1.1	8
177	Long-term profile attractiveness in Class II Division 1 malocclusion patients treated with and without extractions. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2019, 155, 362-371.	0.8	8
178	Long-term occlusal changes and patient satisfaction in patients treated with and without extractions: 37Ã¥years after treatment. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2020, 158, e17-e27.	0.8	8
179	Dentoskeletal changes in open bite treatment using spurs and posterior build-ups: A randomized clinical trial. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2021, 159, 10-20.	0.8	8
180	Nonsurgical treatment and stability of an adult with a severe anterior open-bite malocclusion. <i>Journal of Orthodontic Science</i> , 2018, 7, 2.	0.2	8

#	ARTICLE	IF	CITATIONS
181	Evaluation of the force generated by gradual deflection of 0.016-inch NiTi and stainless steel orthodontic wires in self-ligating metallic and esthetic brackets. <i>Journal of Clinical and Experimental Dentistry</i> , 2019, 11, e464-e469.	0.5	8
182	Third molar availability in Class II subdivision malocclusion. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2007, 132, 279.e15-279.e21.	0.8	7
183	Relationship between malocclusion severity and treatment success rate in Class II nonextraction therapy. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2009, 135, 274.e1-274.e8.	0.8	7
184	Orthodontic-surgical treatment of Class III malocclusion with extraction of an impacted canine and multi-segmented maxillary surgery. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2010, 137, 840-849.	0.8	7
185	Estudo comparativo de complicações durante o uso do aparelho de Herbst com cantilêver e com splint inferior de acrílico removível. <i>Dental Press Journal of Orthodontics</i> , 2011, 16, e1-e7.	0.2	7
186	Desmistificando os braquetes autoligáveis. <i>Dental Press Journal of Orthodontics</i> , 2011, 16, e1-e8.	0.2	7
187	Stability of class II subdivision malocclusion treatment with 3 and 4 premolar extractions. <i>Progress in Orthodontics</i> , 2014, 15, 67.	1.3	7
188	Factors influencing molar relationship behavior in the mixed dentition. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2015, 148, 782-792.	0.8	7
189	Posterior teeth angulation in non-extraction and extraction treatment of anterior open-bite patients. <i>Progress in Orthodontics</i> , 2017, 18, 13.	1.3	7
190	Evaluation of deflection forces of orthodontic wires with different ligation types. <i>Brazilian Oral Research</i> , 2017, 31, e49.	0.6	7
191	Dental arch changes comparison between expander with differential opening and fan-type expander: a randomized controlled trial. <i>European Journal of Orthodontics</i> , 2021, 43, 265-273.	1.1	7
192	Three-dimensional mandibular dental changes with aging. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2021, 159, 184-192.	0.8	7
193	Effects of Class II division 1 malocclusion treatment with three types of fixed functional appliances. <i>Dental Press Journal of Orthodontics</i> , 2019, 24, 30-39.	0.2	7
194	Segmental LeFort I osteotomy for treatment of a class III malocclusion with temporomandibular disorder. <i>Journal of Applied Oral Science</i> , 2008, 16, 302-309.	0.7	6
195	Variáveis relevantes no tratamento da má oclusão de Classe II. <i>Revista Dental Press De Ortodontia E Ortopedia Facial</i> , 2009, 14, 149-157.	0.2	6
196	Editor's Comment and Q&A. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2010, 137, 730-731.	0.8	6
197	Maxillary protraction after surgically assisted maxillary expansion. <i>Journal of Applied Oral Science</i> , 2010, 18, 308-315.	0.7	6
198	A modified orthodontic protocol for advanced periodontal disease in Class II division 1 malocclusion. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2011, 139, S133-S144.	0.8	6

#	ARTICLE	IF	CITATIONS
199	<b>Retracted:</b> Selective use of hand and forearm muscles during mini-implant insertion: a natural torquimeter. <i>Journal of Orthodontics</i> , 2012, 39, 270-278.	0.4	6
200	Effects of mandibular protraction appliance associated to fixed appliance in adults. <i>Dental Press Journal of Orthodontics</i> , 2013, 18, 46-52.	0.2	6
201	Influence of initial occlusal severity on time and efficiency of Class I malocclusion treatment carried out with and without premolar extractions. <i>Dental Press Journal of Orthodontics</i> , 2014, 19, 38-49.	0.2	6
202	Correction of Angle Class II division 1 malocclusion with a mandibular protraction appliances and multiloop edgewise archwire technique. <i>Korean Journal of Orthodontics</i> , 2014, 44, 268.	0.8	6
203	Efficiency of Class I and Class II malocclusion treatment with four premolar extractions. <i>Journal of Applied Oral Science</i> , 2014, 22, 522-527.	0.7	6
204	Evaluation of force released by deflection of orthodontic wires in conventional and self-ligating brackets. <i>Dental Press Journal of Orthodontics</i> , 2016, 21, 91-97.	0.2	6
205	Efficiency of Class II subdivision malocclusion treatment with 3 and 4 premolar extractions. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2016, 150, 499-503.	0.8	6
206	Stability of anterior open bite treatment with bonded spurs associated with high-€pull chin cup. <i>Orthodontics and Craniofacial Research</i> , 2018, 21, 104-111.	1.2	6
207	Diagnostic assessment of tooth maturation of the mandibular second molars as a skeletal maturation indicator: A retrospective longitudinal study. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2020, 158, 383-390.	0.8	6
208	Treatment Effects of the Herbst Appliance in Class II Malocclusion Patients after the Growth Peak. <i>European Journal of Dentistry</i> , 2021, 15, 039-046.	0.8	6
209	Maxillary dentoskeletal outcomes of the expander with differential opening and the fan-type expander: a randomized controlled trial. <i>Clinical Oral Investigations</i> , 2021, 25, 5247-5256.	1.4	6
210	Upper airway changes in Class III patients using miniscrew-anchored maxillary protraction with hybrid and hyrax expanders: a randomized controlled trial. <i>Clinical Oral Investigations</i> , 2022, 26, 183-195.	1.4	6
211	Dental arch changes after open bite treatment with spurs associated with posterior build-ups in the mixed dentition: A randomized clinical trial. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2021, 159, 714-723.e1.	0.8	6
212	Impact of the nutrition education Program Nutriamigos® on levels of awareness on healthy eating habits in school-aged children. <i>Journal of Human Growth and Development</i> , 2019, 29, 390-402.	0.2	6
213	Cephalometric changes during aging in subjects with normal occlusion. <i>Journal of Applied Oral Science</i> , 2021, 29, e20210199.	0.7	6
214	Estudo da correla~o do posicionamento dos incisivos superiores e inferiores com a rela~o ~ntero-posterior das bases ~sseas. <i>Revista Dental Press De Ortodontia E Ortopedia Facial</i> , 2005, 10, 59-74.	0.2	5
215	A utiliza~o do laser em Ortodontia. <i>Revista Dental Press De Ortodontia E Ortopedia Facial</i> , 2005, 10, 149-156.	0.2	5
216	Apinhamento ~ntero-superior: revis~o e an~lise cr~tica da literatura. <i>Revista Dental Press De Ortodontia E Ortopedia Facial</i> , 2007, 12, 105-114.	0.2	5

#	ARTICLE	IF	CITATIONS
217	Two-dimensional radiographic and clinical references of the tooth crown for orthodontic mini-implant insertion: A guide-free technique. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2010, 110, e8-e16.	1.6	5
218	Versatility and benefits of mini-implants for vertical and sagittal anchorage in a growing open bite class II patient. <i>Journal of Orthodontics</i> , 2012, 39, 43-53.	0.4	5
219	Class III Malocclusion Surgical-Orthodontic Treatment. <i>Case Reports in Dentistry</i> , 2014, 2014, 1-9.	0.2	5
220	Extreme skeletal open bite correction with vertical elastics. <i>Angle Orthodontist</i> , 2017, 87, 911-923.	1.1	5
221	Comparative effects of the Mandibular Protraction Appliance in adolescents and adults. <i>Dental Press Journal of Orthodontics</i> , 2018, 23, 63-72.	0.2	5
222	Cephalometric evaluation of rapid and slow maxillary expansion in patients with BCLP: Secondary data analysis from a randomized clinical trial. <i>Angle Orthodontist</i> , 2019, 89, 583-589.	1.1	5
223	Prevention of non-cavitated lesions with fluoride and xylitol varnishes during orthodontic treatment: a randomized clinical trial. <i>Clinical Oral Investigations</i> , 2021, 25, 3421-3430.	1.4	5
224	Dental, skeletal and soft tissue effects of the Distal Jet appliance: A prospective clinical study. <i>Dental Press Journal of Orthodontics</i> , 2019, 24, 56-64.	0.2	5
225	Influence of the growth pattern on cortical bone thickness and mini-implant stability. <i>Dental Press Journal of Orthodontics</i> , 2020, 25, 33-42.	0.2	5
226	Avaliação de um programa de traçado cefalométrico. <i>Revista Dental Press De Ortodontia E Ortopedia Facial</i> , 2006, 11, 44-54.	0.2	5
227	Incisor root length in individuals with and without anterior open bite: a comparative CBCT study. <i>Dental Press Journal of Orthodontics</i> , 2020, 25, 23e1-23e7.	0.2	5
228	Influence of the cephalometric characteristics on the occlusal success rate of Class II malocclusions treated with nonextraction or with two maxillary premolar extraction protocols. <i>World Journal of Orthodontics</i> , 2010, 11, e63-71.	0.2	5
229	Estudo cefalométrico comparativo dos espaços naso e bucofaríngeo nas máxilas oclusões Classe I e Classe II, Divisão 1, sem tratamento ortodântico, com diferentes padrões de crescimento. <i>Revista Dental Press De Ortodontia E Ortopedia Facial</i> , 2004, 9, 68-76.	0.2	4
230	Estudo cefalométrico das alterações das alturas faciais anterior e posterior em pacientes leucodermas, com máxila oclusão de classe II, 1ª divisão de Angle, tratados com e sem extração de quatro primeiros pré-molares. <i>Revista Dental Press De Ortodontia E Ortopedia Facial</i> , 2005, 10, 26-41.	0.2	4
231	Strategic maxillary second-molar extraction in Class II malocclusion. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2009, 136, 878-886.	0.8	4
232	Open-bite orthodontic-surgical treatment in the Klippel-Trenaunay-Weber syndrome: a case report. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2010, 109, e17-e25.	1.6	4
233	Treatment times of Class II malocclusion: four premolar and non-extraction protocols. <i>European Journal of Orthodontics</i> , 2012, 34, 182-187.	1.1	4
234	Mini-implant insertion based on tooth crown references: a guide-free technique. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2012, 41, 128-135.	0.7	4

#	ARTICLE	IF	CITATIONS
235	Stability of maxillary anterior crowding treatment. Dental Press Journal of Orthodontics, 2012, 17, 57-64.	0.2	4
236	Correlation of root resorption and infraocclusion in mandibular deciduous second molars without succedaneous permanent teeth. Journal of the World Federation of Orthodontists, 2014, 3, 110-113.	0.9	4
237	Association between tooth size and interarch relationships in children with operated complete unilateral cleft lip and palate. Progress in Orthodontics, 2015, 16, 13.	1.3	4
238	Impact of dentofacial development on early mandibular incisor crowding. American Journal of Orthodontics and Dentofacial Orthopedics, 2016, 150, 332-338.	0.8	4
239	Compensatory Class III malocclusion treatment associated with mandibular canine extractions. Dental Press Journal of Orthodontics, 2017, 22, 86-98.	0.2	4
240	Effect of posterior space discrepancy and third molar angulation on anterior overbite. American Journal of Orthodontics and Dentofacial Orthopedics, 2018, 154, 477-486.	0.8	4
241	Skeletal open bite cranial base characteristics in young Latin-American individuals with class I, II and III malocclusions: An observational study. International Orthodontics, 2020, 18, 237-245.	0.6	4
242	INFLUENCE OF LOW-LEVEL LASER IRRADIATION ON ORTHODONTIC MOVEMENT AND PAIN LEVEL - A RANDOMIZED CLINICAL TRIAL. Orthodontic Waves, 2020, 79, 105-112.	0.2	4
243	Evaluation of Mandibular First Molars'™ Axial Inclination and Alveolar Morphology in Different Facial Patterns: A CBCT Study. European Journal of Dentistry, 2020, 14, 250-259.	0.8	4
244	McNamara analysis cephalometric parameters in White-Brazilians, Japanese and Japanese-Brazilians with normal occlusion. Dental Press Journal of Orthodontics, 2021, 26, e2119133.	0.2	4
245	Two-phase orthodontic treatment of two different types of tooth transposition in the same patient. Journal of Orthodontics, 2021, 48, 426-434.	0.4	4
246	Estudo cefalométrico das alturas faciais anterior e posterior, em jovens brasileiros melanodermas, com "oclusão normal". Revista Dental Press De Ortodontia E Ortopedia Facial, 2006, 11, 114-129.	0.2	4
247	Stability of maxillary interincisor diastema closure after extraction orthodontic treatment. Angle Orthodontist, 2020, 90, 627-633.	1.1	4
248	Cephalometric and occlusal changes of Class III malocclusion treated with or without extractions. Dental Press Journal of Orthodontics, 2020, 25, 24-32.	0.2	4
249	Mandibular incisor inclination and gingival recession after treatment with the Jasper Jumper: a 10-year follow-up. Progress in Orthodontics, 2021, 22, 45.	1.3	4
250	Dentoskeletal treatment changes in Class II subdivision malocclusions in submentovertex and posteroanterior radiographs. American Journal of Orthodontics and Dentofacial Orthopedics, 2004, 126, 451-63.	0.8	4
251	Orthodontic therapy in patients with pericoronal hamartoma. American Journal of Orthodontics and Dentofacial Orthopedics, 2008, 133, 758-761.	0.8	3
252	Estudo cefalométrico do posicionamento dentário em jovens brasileiros feodermas com "oclusão normal". Dental Press Journal of Orthodontics, 2011, 16, 41-51.	0.2	3

#	ARTICLE	IF	CITATIONS
253	Maxillary incisors mesiodistal angulation changes in patients with orthodontically treated anterior superior diastemas. <i>Dental Press Journal of Orthodontics</i> , 2012, 17, 65-71.	0.2	3
254	Influence of treatment with and without extractions on the growth pattern of dolichofacial patients. <i>Dental Press Journal of Orthodontics</i> , 2012, 17, 69-75.	0.2	3
255	Class II malocclusion treatment using Jasper Jumper appliance associated to intermaxillary elastics: a case report. <i>Dental Press Journal of Orthodontics</i> , 2013, 18, 22-29.	0.2	3
256	Stability of molar relationship after non-extraction Class II malocclusion treatment. <i>Dental Press Journal of Orthodontics</i> , 2013, 18, 42-54.	0.2	3
257	Lateral cephalometric radiograph versus lateral nasopharyngeal radiograph for quantitative evaluation of nasopharyngeal airway space. <i>Dental Press Journal of Orthodontics</i> , 2014, 19, 89-93.	0.2	3
258	Mesiodistal dental movement toward remodeled edentulous alveolar ridge: Digital model assessment. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2017, 152, 58-65.	0.8	3
259	Dentoskeletal and soft tissue changes in class II subdivision treatment with asymmetric extraction protocols. <i>Progress in Orthodontics</i> , 2017, 18, 39.	1.3	3
260	Extreme maxillomandibular discrepancy in unilateral cleft lip and palate: Longitudinal follow-up in a patient with mandibular prognathism. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2018, 154, 294-304.	0.8	3
261	Comparison of dentoskeletal and soft tissue effects of Class II malocclusion treatment with Jones Jig appliance and with maxillary first premolar extractions. <i>Dental Press Journal of Orthodontics</i> , 2019, 24, 56-65.	0.2	3
262	Dentoalveolar changes in adults promoted by the use of auxiliary expansion arch: A cbct study. <i>Journal of Clinical and Experimental Dentistry</i> , 2019, 11, 0-0.	0.5	3
263	Smile attractiveness in cases treated with self-ligating and conventional appliances with and without rapid maxillary expansion. <i>Orthodontics and Craniofacial Research</i> , 2020, 23, 413-418.	1.2	3
264	Three-dimensional changes in root angulation of buccal versus palatal maxillary impacted canines after orthodontic traction: A retrospective before and after study. <i>International Orthodontics</i> , 2021, 19, 216-227.	0.6	3
265	Class II malocclusion treatment changes with the Jones jig, Distal jet and First Class appliances. <i>Journal of Applied Oral Science</i> , 2020, 28, e20190364.	0.7	3
266	Effects of modifying the bonding protocol on the shear bond strength of metallic and ceramic orthodontic brackets. <i>General Dentistry</i> , 2012, 60, 51-5.	0.4	3
267	Posttreatment stability in Class II nonextraction and maxillary premolar extraction protocols. <i>Orthodontics: the Art and Practice of Dentofacial Enhancement</i> , 2012, 13, 12-21.	0.1	3
268	Influência da cooperação no planejamento e tempo de tratamento da má oclusão de Classe II. <i>Revista Dental Press De Ortodontia E Ortopedia Facial</i> , 2005, 10, 44-53.	0.2	2
269	Estudo cefalométrico das alterações dentoesceléticas da má oclusão de Classe II, divisão 1 tratada com o aparelho de Herbst com cantilover. <i>Revista Dental Press De Ortodontia E Ortopedia Facial</i> , 2008, 13, 124-140.	0.2	2
270	Treatment of a Class II subdivision malocclusion with multiple congenitally missing teeth. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2009, 135, 663-670.	0.8	2



#	ARTICLE	IF	CITATIONS
271	Cephalometric effects of the use of 10-hour Force Theory for Class II treatment. Dental Press Journal of Orthodontics, 2012, 17, 31-40.	0.2	2
272	Interlabial gap behavior with time. Journal of the World Federation of Orthodontists, 2013, 2, e175-e179.	0.9	2
273	Facial height in Japanese-Brazilian descendants with normal occlusion. Dental Press Journal of Orthodontics, 2014, 19, 54-66.	0.2	2
274	Nasolabial Angle at Rest and Upon Smiling. Journal of Oral and Maxillofacial Surgery, 2014, 72, 2567.e1-2567.e5.	0.5	2
275	Comparison between full face and hemifacial CBCT cephalograms in clinically symmetrical patients: a pilot study. Dental Press Journal of Orthodontics, 2015, 20, 83-89.	0.2	2
276	Long-term changes of alveolar buccal bone after rapid maxillary expansion in an adolescent patient. Journal of the World Federation of Orthodontists, 2016, 5, 64-69.	0.9	2
277	Long-term stability of Class III malocclusion nonextraction treatment. Journal of the World Federation of Orthodontists, 2017, 6, 20-27.	0.9	2
278	Prophylaxis protocols and their impact on bracket friction force. Angle Orthodontist, 2019, 89, 883-888.	1.1	2
279	X-ray beam angulation can compromise 2-dimensional diagnosis of interradicular space for mini-implants. American Journal of Orthodontics and Dentofacial Orthopedics, 2019, 156, 593-602.	0.8	2
280	Dental anomaly pattern and multiple ectopic teeth. American Journal of Orthodontics and Dentofacial Orthopedics, 2020, 158, 102-113.	0.8	2
281	Effect of Class II camouflage treatment on anterior arch length ratio and canine relationship. American Journal of Orthodontics and Dentofacial Orthopedics, 2021, 159, e7-e16.	0.8	2
282	Pretreatment dentoskeletal comparison between individuals treated with extractions in the 1970s and in the new millennium. Clinical Oral Investigations, 2021, 25, 1997-2005.	1.4	2
283	Sagittal, rotational and transverse changes with three intraoral distalization force systems: Jones jig, distal jet and first class. Journal of Clinical and Experimental Dentistry, 2021, 13, e455-e462.	0.5	2
284	Comparison and reproducibility of three methods for maxillary digital dental model registration in open bite patients. Orthodontics and Craniofacial Research, 2021, , .	1.2	2
285	Changes in third molar position after Class II subdivision malocclusion treatment with asymmetric extractions. Orthodontics and Craniofacial Research, 2021, , .	1.2	2
286	Avaliação pelo Índice PAR dos resultados do tratamento ortodântico da má oclusão de Classe I tratada com extrações. Revista Dental Press De Ortodontia E Ortopedia Facial, 2008, 13, 94-104.	0.2	2
287	Applicability of Bolton's tooth size ratios among mediterranean, japanese and japanese-brazilian populations. Brazilian Journal of Oral Sciences, 2017, 15, 269.	0.1	2
288	Comparison of torque expression in esthetic brackets. Journal of Clinical and Experimental Dentistry, 2019, 11, 0-0.	0.5	2

#	ARTICLE	IF	CITATIONS
289	Open-bite treatment with aligners and selective posterior intrusion. Journal of Clinical Orthodontics: JCO, 2019, 53, 53-54.	0.1	2
290	Periodontal status of maxillary central incisors after orthodontic traction: a longitudinal follow-up. Journal of Applied Oral Science, 2022, 30, e20210492.	0.7	2
291	Correlação entre a assimetria clânica e a assimetria radiográfica na Classe II, subdivisão. Revista Dental Press De Ortodontia E Ortopedia Facial, 2004, 9, 85-94.	0.2	1
292	Avaliação da concordância entre a classificação dos tipos de Classe II, subdivisão, em fotografias e em radiografias pástero-anteriores. Revista Dental Press De Ortodontia E Ortopedia Facial, 2005, 10, 46-55.	0.2	1
293	Estabilidade pós-contenção das alterações da forma do arco inferior na má oclusão de Classe II de Angle tratada com e sem a extração de pré-molares. Revista Dental Press De Ortodontia E Ortopedia Facial, 2006, 11, 129-137.	0.2	1
294	Correlação entre o Índice morfológico das coroas dos incisivos inferiores e a estabilidade da correção do apinhamento antero-inferior. Revista Dental Press De Ortodontia E Ortopedia Facial, 2007, 12, 47-62.	0.2	1
295	Estudo das alterações decorrentes do uso do aparelho extrabucal de tração occipital na correção da má oclusão de Classe II, 1ª divisão. Revista Dental Press De Ortodontia E Ortopedia Facial, 2007, 12, 72-83.	0.2	1
296	Efeitos do aparelho Jasper Jumper no tratamento da má oclusão de Classe II. Revista Dental Press De Ortodontia E Ortopedia Facial, 2009, 14, 82-96.	0.2	1
297	A influência do protocolo de extração de dois pré-molares superiores na estabilidade oclusal do tratamento da Classe II. Dental Press Journal of Orthodontics, 2010, 15, 43-54.	0.2	1
298	Comparação entre os resultados oclusais e os tempos de tratamento da má oclusão de Classe II por meio da utilização do aparelho Pendulum e das extrações de dois pré-molares superiores. Dental Press Journal of Orthodontics, 2010, 15, 89-100.	0.2	1
299	Width of buccal and posterior corridors: differences between cases treated with asymmetric and symmetric extractions. Dental Press Journal of Orthodontics, 2012, 17, 138-144.	0.2	1
300	Influence of occlusal finishing on extraction-site closure stability. Journal of the World Federation of Orthodontists, 2014, 3, 106-109.	0.9	1
301	A 2-center comparison of maxillary incisor positioning with non-extraction, 2-maxillary premolar and 4-premolar extractions for Class II treatment. Orthodontic Waves, 2015, 74, 105-111.	0.2	1
302	Authors' response. American Journal of Orthodontics and Dentofacial Orthopedics, 2017, 151, 11.	0.8	1
303	Reliability of clinical crown center to predict marginal ridge leveling. Angle Orthodontist, 2017, 87, 556-562.	1.1	1
304	Users' perceptions and preferences towards maxillary removable orthodontic retainers: a crossover randomized clinical trial. Brazilian Oral Research, 2019, 33, e078.	0.6	1
305	Retreatment of a patient: Orthognathic surgery-first approach with customized lingual appliances combined with miniplate anchorage. American Journal of Orthodontics and Dentofacial Orthopedics, 2019, 156, 675-684.	0.8	1
306	Dental inclination with self-ligating and conventional fixed appliances, with and without rapid maxillary expansion. Orthodontics and Craniofacial Research, 2019, 22, 93-98.	1.2	1

#	ARTICLE	IF	CITATIONS
307	Transverse stability of Class II malocclusion correction with the pendulum appliance. American Journal of Orthodontics and Dentofacial Orthopedics, 2020, 158, 357-362.	0.8	1
308	Stability of class II treatment with Pendulum and Jones jig followed by fixed appliances. Orthodontics and Craniofacial Research, 2021, 24, 370-378.	1.2	1
309	Stability of Class II malocclusion treatment with the distal jet followed by fixed appliances. American Journal of Orthodontics and Dentofacial Orthopedics, 2020, 158, 363-370.	0.8	1
310	Low Intensity Laser Influence on Orthodontic Movement: A Randomized Clinical and Radiographic Trial. The Journal of Indian Orthodontic Society, 2020, 54, 127-134.	0.2	1
311	Comparison of the dentoskeletal and soft tissue changes with the cervical headgear and Jones Jig followed by fixed appliances in Class II malocclusion patients: A retrospective study. International Orthodontics, 2020, 18, 424-435.	0.6	1
312	Short-term efficacy of vacuum-formed maintainer for deciduous second molar space maintenance in the mixed dentition: A single-centre, randomized controlled clinical trial. Orthodontics and Craniofacial Research, 2021, 24, 502-510.	1.2	1
313	Factors affecting the stability of maxillary extraction site closure. Dental Press Journal of Orthodontics, 2021, 26, e2119187.	0.2	1
314	Treatment Time of Class II Malocclusion, with and without Mandibular Crowding, Treated with Four Premolar Extractions: A Retrospective Study. Turkish Journal of Orthodontics, 2021, 34, 122-126.	1.2	1
315	Análise cefalométrica comparativa das alturas faciais, anterior e posterior, em jovens brasileiros, descendentes de xantodermas e leucodermas, com oclusão normal. Revista Dental Press De Ortodontia E Ortopedia Facial, 2005, 10, 42-58.	0.2	1
316	Estudo comparativo entre técnicas de superposição cefalométricas totais. Revista Dental Press De Ortodontia E Ortopedia Facial, 2005, 10, 141-156.	0.2	1
317	Eficiência dos protocolos de tratamento em uma e duas fases da má oclusão de Classe II, divisão 1. Revista Dental Press De Ortodontia E Ortopedia Facial, 2009, 14, 61-79.	0.2	1
318	Three-dimensional pharyngeal airway space changes after bimaxillary advancement. Dental Press Journal of Orthodontics, 2021, 26, e2119364.	0.2	1
319	Avaliação cefalométrica das alterações dentoalveolares de jovens com má oclusão de Classe II dentária tratados com distalizadores Jones jig. Revista Dental Press De Ortodontia E Ortopedia Facial, 2009, 14, 83-93.	0.2	1
320	Effects of Mandibular Protraction Appliance and Jasper Jumper in Class II Malocclusion Treatment. Open Dentistry Journal, 2019, 13, 53-60.	0.2	1
321	An interview with Daniela Garib. Dental Press Journal of Orthodontics, 2019, 24, 16-26.	0.2	1
322	Elastic deflection study of nickel-titanium orthodontic wires: 3-point bending test X clinical simulation device. Journal of Interdisciplinary Dentistry, 2020, 10, 29.	0.1	1
323	Evaluation of signs and symptoms of temporomandibular disorders in children and adolescents, before and after rapid maxillary expansion. Journal of Interdisciplinary Dentistry, 2021, 11, 108.	0.1	1
324	Late alveolar bone grafting in complete unilateral cleft lip and palate (UCLP): Biomechanical considerations for the success of orthodontic finishing. Journal of Orthodontics, 2022, 49, 457-462.	0.4	1

#	ARTICLE	IF	CITATIONS
325	Concerns of orthodontic patients during the COVID-19 quarantine period. Dental Press Journal of Orthodontics, 2022, 27, e2220229.	0.2	1
326	Authors' response. American Journal of Orthodontics and Dentofacial Orthopedics, 2022, 161, 614-615.	0.8	1
327	Letters to the editor. American Journal of Orthodontics and Dentofacial Orthopedics, 2003, 124, A17.	0.8	0
328	Letters to the editor*. American Journal of Orthodontics and Dentofacial Orthopedics, 2004, 126, A16-A17.	0.8	0
329	Avaliação da expansão rápida da maxila por meio da tomografia computadorizada: relato de um caso. Revista Dental Press De Ortodontia E Ortopedia Facial, 2005, 10, 34-46.	0.2	0
330	Características oclusais de pacientes com Classe II, divisão 1, tratados sem e com extrações de dois pré-molares superiores. Dental Press Journal of Orthodontics, 2010, 15, 88-92.	0.2	0
331	Influência da largura do septo inter-radicular sobre a estabilidade dos mini-implantes. Dental Press Journal of Orthodontics, 2011, 16, e1-e11.	0.2	0
332	Recidiva do apinhamento anterossuperior nas máxilas oclusões de Classe I e Classe II tratadas ortodonticamente sem extrações. Dental Press Journal of Orthodontics, 2011, 16, 1-16.	0.2	0
333	REMOVED: Selective Use of Hand and Forearm Muscles During Bone Screw Insertion: A Natural Torque Meter. Journal of Oral and Maxillofacial Surgery, 2013, 71, 981.	0.5	0
334	Authors' response. American Journal of Orthodontics and Dentofacial Orthopedics, 2013, 143, 2-3.	0.8	0
335	Authors' response. American Journal of Orthodontics and Dentofacial Orthopedics, 2016, 149, 777-779.	0.8	0
336	Authors' response. American Journal of Orthodontics and Dentofacial Orthopedics, 2017, 152, 14-15.	0.8	0
337	Stability of orthodontic treatment and dental extractions. Dental Press Journal of Orthodontics, 2017, 22, 9-10.	0.2	0
338	Authors' response. American Journal of Orthodontics and Dentofacial Orthopedics, 2018, 154, 322-324.	0.8	0
339	Authors' response. American Journal of Orthodontics and Dentofacial Orthopedics, 2019, 155, 614-615.	0.8	0
340	Treatment time of Class I malocclusion four-premolar extraction protocol, with and without crowding: A retrospective study. Journal of the World Federation of Orthodontists, 2019, 8, 159-164.	0.9	0
341	Adult orthodontic retreatment of severe root resorption by skeletal anchorage: A case report. International Orthodontics, 2020, 18, 863-873.	0.6	0
342	Dissipating tooth-mass discrepancy caused by a set of mandibular incisor anomalies. American Journal of Orthodontics and Dentofacial Orthopedics, 2020, 158, 738-751.	0.8	0

#	ARTICLE	IF	CITATIONS
343	Dentoskeletal and soft-tissue changes comparison between the Jasper Jumper and Twin Force Bite Corrector in Class II malocclusion patients: A retrospective study. <i>International Orthodontics</i> , 2020, 18, 286-296.	0.6	0
344	Authors' response. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2020, 157, 734-735.	0.8	0
345	Authors' response. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2020, 157, 733-734.	0.8	0
346	Authors' response. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2021, 159, 6-7.	0.8	0
347	Authors'™ response. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2021, 159, e91.	0.8	0
348	Authors' response. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2021, 159, e189.	0.8	0
349	Mesioangulation of mandibular second molars: A case report. <i>Journal of Orthodontics</i> , 2021, , 146531252110171.	0.4	0
350	Class II malocclusion treatment with a customized dual force distalizer. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2021, 160, 743-756.	0.8	0
351	Cephalometric radiographic comparison of alveolar bone height changes between adolescent and adult patients treated with premolar extractions: A retrospective study. <i>International Orthodontics</i> , 2021, 19, 633-640.	0.6	0
352	Guilherme Janson. <i>Revista Dental Press De Ortodontia E Ortopedia Facial</i> , 2006, 11, 13-23.	0.2	0
353	An interview with Ajalmar Maia. <i>Dental Press Journal of Orthodontics</i> , 2013, 18, 8-16.	0.2	0
354	DETERMINANTES DO TRATAMENTO ORTODÔNTICO-CIRÚRGICO. <i>Orthodontic Science and Practice</i> , 2017, 10, 174-183.	0.0	0
355	Force magnitude of nickel-titanium orthodontic wires. <i>Journal of Interdisciplinary Dentistry</i> , 2019, 9, 19.	0.1	0
356	Teeth angulations after class II treatment with the Jones Jig followed by fixed appliances: A retrospective panoramic analysis. <i>International Orthodontics</i> , 2020, 18, 436-442.	0.6	0
357	Orthodontic-surgical treatment of Class III malocclusion with extraction of an impacted canine and multi-segmented maxillary surgery: An 8-year follow-up. <i>AJO-DO Clinical Companion</i> , 2022, , .	0.1	0
358	Cephalometric Changes Produced by the Distal Jet and Pendulum Appliances in Class II Malocclusion Treatment. <i>Journal of Contemporary Dental Practice</i> , 2019, 20, 32-39.	0.2	0
359	Bone Formation and Gingival Improvement After Correction of Orthodontic Relapse. <i>Journal of Clinical Orthodontics: JCO</i> , 2019, 53, 615-619.	0.1	0
360	Strategies for compensatory orthodontic treatment of adult skeletal open bite. <i>Journal of Clinical Orthodontics: JCO</i> , 2021, 55, 419-428.	0.1	0

#	ARTICLE	IF	CITATIONS
361	Age estimation through third molar analysis using the Kullman method among Brazilians. Forensic Imaging, 2022, 28, 200492.	0.4	0
362	Authors'™ response. American Journal of Orthodontics and Dentofacial Orthopedics, 2022, 161, 616-617.	0.8	0
363	Stability of first and second premolars extraction space closure. American Journal of Orthodontics and Dentofacial Orthopedics, 2022, , .	0.8	0