

# Giorgio Bonmassar

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4643235/publications.pdf>

Version: 2024-02-01

34  
papers

1,730  
citations

567144

15  
h-index

526166

27  
g-index

36  
all docs

36  
docs citations

36  
times ranked

2072  
citing authors

#	ARTICLE	IF	CITATIONS
1	Numerical Simulation of the Radiofrequency Safety of 128-Channel hd-EEG Nets on a 29-Month-Old Whole-Body Model in a 3 Tesla MRI. IEEE Transactions on Electromagnetic Compatibility, 2021, 63, 1748-1756.	1.4	4
2	Development, validation, and pilot MRI safety study of a high-resolution, open source, whole body pediatric numerical simulation model. PLoS ONE, 2021, 16, e0241682.	1.1	12
3	Miniaturized coils for noninvasive magnetic stimulation: a numerical comparison in terms of focality and penetration depth. , 2021, , .		1
4	Planar figure-8 coils for ultra-focal and directional micromagnetic brain stimulation. Journal of Vacuum Science and Technology B:Nanotechnology and Microelectronics, 2021, 39, 063202.	0.6	5
5	Numerical estimation of the B1 transmit field distortion in a copper EEG trace comparison with the thin-film based resistive trace "NeoNet". , 2021, 2021, 4099-4103.		2
6	MRI-Induced Heating of Coils for Microscopic Magnetic Stimulation at 1.5 Tesla: An Initial Study. Frontiers in Human Neuroscience, 2020, 14, 53.	1.0	17
7	Changes in the specific absorption rate (SAR) of radiofrequency energy in patients with retained cardiac leads during MRI at 1.5T and 3T. Magnetic Resonance in Medicine, 2019, 81, 653-669.	1.9	42
8	Coupled electrophysiological, hemodynamic, and cerebrospinal fluid oscillations in human sleep. Science, 2019, 366, 628-631.	6.0	584
9	A Study on the Feasibility of the Deep Brain Stimulation (DBS) Electrode Localization Based on Scalp Electric Potential Recordings. Frontiers in Physiology, 2019, 9, 1788.	1.3	10
10	Numerical and Experimental Analysis of Radiofrequency-Induced Heating Versus Lead Conductivity During EEG-MRI at 3 T. IEEE Transactions on Electromagnetic Compatibility, 2019, 61, 852-859.	1.4	12
11	RF-induced heating in tissue near bilateral DBS implants during MRI at 1.5T and 3T: The role of surgical lead management. NeuroImage, 2019, 184, 566-576.	2.1	92
12	Enhancing Coil Design for Micromagnetic Brain Stimulation. MRS Advances, 2018, 3, 1635-1640.	0.5	9
13	Solenoidal Micromagnetic Stimulation Enables Activation of Axons With Specific Orientation. Frontiers in Physiology, 2018, 9, 724.	1.3	29
14	Feasibility of using linearly polarized rotating birdcage transmitters and close-fitting receive arrays in MRI to reduce SAR in the vicinity of deep brain stimulation implants. Magnetic Resonance in Medicine, 2017, 77, 1701-1712.	1.9	70
15	Polymer thick film technology for improved simultaneous dEEG/MRI recording: Safety and MRI data quality. Magnetic Resonance in Medicine, 2017, 77, 895-903.	1.9	16
16	Construction and modeling of a reconfigurable MRI coil for lowering SAR in patients with deep brain stimulation implants. NeuroImage, 2017, 147, 577-588.	2.1	58
17	Local SAR near deep brain stimulation (DBS) electrodes at 64 and 127 MHz: A simulation study of the effect of extracranial loops. Magnetic Resonance in Medicine, 2017, 78, 1558-1565.	1.9	81
18	Direct electromagnetic source tomographic imaging neurotechnology (DESTIN). , 2017, , .		0

#	ARTICLE	IF	CITATIONS
19	Intracranial hemorrhage alters scalp potential distribution in bioimpedance cerebral monitoring: Preliminary results from FEM simulation on a realistic head model and human subjects. <i>Medical Physics</i> , 2016, 43, 675-686.	1.6	6
20	An Electroencephalography Grid with Conductive Nanoparticles in a Polymer Thick Film on an Organic Substrate Improves CT and MR Imaging. <i>Radiology</i> , 2016, 280, 595-601.	3.6	11
21	Intracortical depth analyses of frequency-sensitive regions of human auditory cortex using 7T fMRI. <i>NeuroImage</i> , 2016, 143, 116-127.	2.1	46
22	Variability and anatomical specificity of the orbitofrontothalamic fibers of passage in the ventral capsule/ventral striatum (VC/VS): precision care for patient-specific tractography-guided targeting of deep brain stimulation (DBS) in obsessive compulsive disorder (OCD). <i>Brain Imaging and Behavior</i> , 2016, 10, 1054-1067.	1.1	115
23	Reference-free removal of EEG-fMRI ballistocardiogram artifacts with harmonic regression. <i>NeuroImage</i> , 2016, 128, 398-412.	2.1	28
24	A Novel Brain Stimulation Technology Provides Compatibility with MRI. <i>Scientific Reports</i> , 2015, 5, 9805.	1.6	61
25	A Virtual Patient Simulator Based on Human Connectome and 7 T MRI for Deep Brain Stimulation. <i>International Journal on Advances in Life Sciences</i> , 2014, 6, 364-372.	1.0	6
26	Specific absorption rate in a standard phantom containing a Deep Brain Stimulation lead at 3 Tesla MRI. , 2013, , .		8
27	Dual energy pulses for Electrical Impedance Spectroscopy with the stochastic Gabor function. , 2012, 2012, 138-41.		1
28	Microscopic magnetic stimulation of neural tissue. <i>Nature Communications</i> , 2012, 3, 921.	5.8	149
29	PTFOS: Flexible and Absorbable Intracranial Electrodes for Magnetic Resonance Imaging. <i>PLoS ONE</i> , 2012, 7, e41187.	1.1	15
30	On the Measurement of Electrical Impedance Spectroscopy (EIS) of the Human Head. <i>International Journal of Bioelectromagnetism</i> , 2010, 12, 32-46.	0.0	17
31	Neural dynamics of 3-D object perception assessed by combined MEG/fMRI imaging technique. , 2009, , .		1
32	Brain Activities during 3-D Structure Perception from 2-D Motion as Assessed by Combined MEG/fMRI Techniques. , 2007, , .		0
33	The Shape of Electrical Impedance Spectroscopy (EIS) is altered in Stroke Patients. , 2004, 2004, 3443-6.		12
34	Motion and Ballistocardiogram Artifact Removal for Interleaved Recording of EEG and EPs during MRI. <i>NeuroImage</i> , 2002, 16, 1127-1141.	2.1	205