

Vincent Chouraki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4644730/publications.pdf>

Version: 2024-02-01

55
papers

14,016
citations

94433

37
h-index

214800

47
g-index

63
all docs

63
docs citations

63
times ranked

20319
citing authors

#	ARTICLE	IF	CITATIONS
1	Meta-analysis of 74,046 individuals identifies 11 new susceptibility loci for Alzheimer's disease. <i>Nature Genetics</i> , 2013, 45, 1452-1458.	21.4	3,741
2	Genetic meta-analysis of diagnosed Alzheimer's disease identifies new risk loci and implicates A β , tau, immunity and lipid processing. <i>Nature Genetics</i> , 2019, 51, 414-430.	21.4	1,962
3	Common variants at ABCA7, MS4A6A/MS4A4E, EPHA1, CD33 and CD2AP are associated with Alzheimer's disease. <i>Nature Genetics</i> , 2011, 43, 429-435.	21.4	1,708
4	Incidence of Dementia over Three Decades in the Framingham Heart Study. <i>New England Journal of Medicine</i> , 2016, 374, 523-532.	27.0	788
5	Rare coding variants in PLCG2, ABI3, and TREM2 implicate microglial-mediated innate immunity in Alzheimer's disease. <i>Nature Genetics</i> , 2017, 49, 1373-1384.	21.4	783
6	Genetic associations at 53 loci highlight cell types and biological pathways relevant for kidney function. <i>Nature Communications</i> , 2016, 7, 10023.	12.8	412
7	Genetic contributions to variation in general cognitive function: a meta-analysis of genome-wide association studies in the CHARGE consortium (N=53,949). <i>Molecular Psychiatry</i> , 2015, 20, 183-192.	7.9	344
8	A common haplotype lowers PU.1 expression in myeloid cells and delays onset of Alzheimer's disease. <i>Nature Neuroscience</i> , 2017, 20, 1052-1061.	14.8	330
9	A novel Alzheimer disease locus located near the gene encoding tau protein. <i>Molecular Psychiatry</i> , 2016, 21, 108-117.	7.9	260
10	Novel genetic loci associated with hippocampal volume. <i>Nature Communications</i> , 2017, 8, 13624.	12.8	250
11	Novel genetic loci underlying human intracranial volume identified through genome-wide association. <i>Nature Neuroscience</i> , 2016, 19, 1569-1582.	14.8	213
12	Common variants at 12q14 and 12q24 are associated with hippocampal volume. <i>Nature Genetics</i> , 2012, 44, 545-551.	21.4	212
13	Association of branched-chain amino acids and other circulating metabolites with risk of incident dementia and Alzheimer's disease: A prospective study in eight cohorts. <i>Alzheimer's and Dementia</i> , 2018, 14, 723-733.	0.8	182
14	Convergent genetic and expression data implicate immunity in Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2015, 11, 658-671.	0.8	173
15	Genome-Wide Association and Functional Follow-Up Reveals New Loci for Kidney Function. <i>PLoS Genetics</i> , 2012, 8, e1002584.	3.5	166
16	Multiethnic Genome-Wide Association Study of Cerebral White Matter Hyperintensities on MRI. Circulation: Cardiovascular Genetics, 2015, 8, 398-409.	5.1	162
17	Genetics of Alzheimer's Disease. <i>Advances in Genetics</i> , 2014, 87, 245-294.	1.8	159
18	Gene-Wide Analysis Detects Two New Susceptibility Genes for Alzheimer's Disease. <i>PLoS ONE</i> , 2014, 9, e94661.	2.5	155

#	ARTICLE	IF	CITATIONS
19	Implication of the Immune System in Alzheimer's Disease: Evidence from Genome-Wide Pathway Analysis. <i>Journal of Alzheimer's Disease</i> , 2010, 20, 1107-1118.	2.6	152
20	Circulating metabolites and general cognitive ability and dementia: Evidence from 11 cohort studies. <i>Alzheimer's and Dementia</i> , 2018, 14, 707-722.	0.8	143
21	The changing pattern of Crohn's disease incidence in northern France: a continuing increase in the 10- to 19-year-old age bracket (1988-2007). <i>Alimentary Pharmacology and Therapeutics</i> , 2011, 33, 1133-1142.	3.7	138
22	GWAS for executive function and processing speed suggests involvement of the CADM2 gene. <i>Molecular Psychiatry</i> , 2016, 21, 189-197.	7.9	134
23	Genome-wide Association Studies Identify Genetic Loci Associated With Albuminuria in Diabetes. <i>Diabetes</i> , 2016, 65, 803-817.	0.6	131
24	Genome-wide association study of kidney function decline in individuals of European descent. <i>Kidney International</i> , 2015, 87, 1017-1029.	5.2	113
25	Genome-wide haplotype association study identifies the FRMD4A gene as a risk locus for Alzheimer's disease. <i>Molecular Psychiatry</i> , 2013, 18, 461-470.	7.9	103
26	Plasma amyloid β and risk of Alzheimer's disease in the Framingham Heart Study. <i>Alzheimer's and Dementia</i> , 2015, 11, 249.	0.8	101
27	Follow-up of loci from the International Genomics of Alzheimer's Disease Project identifies TRIP4 as a novel susceptibility gene. <i>Translational Psychiatry</i> , 2014, 4, e358-e358.	4.8	98
28	1000 Genomes-based meta-analysis identifies 10 novel loci for kidney function. <i>Scientific Reports</i> , 2017, 7, 45040.	3.3	98
29	Association of amine biomarkers with incident dementia and Alzheimer's disease in the Framingham Study. <i>Alzheimer's and Dementia</i> , 2017, 13, 1327-1336.	0.8	93
30	Evidence of the association of BIN1 and PICALM with the AD risk in contrasting European populations. <i>Neurobiology of Aging</i> , 2011, 32, 756.e11-756.e15.	3.1	82
31	Evaluation of a Genetic Risk Score to Improve Risk Prediction for Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2016, 53, 921-932.	2.6	77
32	Genome-wide Studies of Verbal Declarative Memory in Nondemented Older People: The Cohorts for Heart and Aging Research in Genomic Epidemiology Consortium. <i>Biological Psychiatry</i> , 2015, 77, 749-763.	1.3	67
33	Systematic Analysis of Candidate Genes for Alzheimer's Disease in a French, Genome-Wide Association Study. <i>Journal of Alzheimer's Disease</i> , 2010, 20, 1181-1188.	2.6	63
34	Shared genetic contribution to ischemic stroke and Alzheimer's disease. <i>Annals of Neurology</i> , 2016, 79, 739-747.	5.3	56
35	PLD3 variants in population studies. <i>Nature</i> , 2015, 520, E2-E3.	27.8	49
36	Rare Functional Variant in TM2D3 is Associated with Late-Onset Alzheimer's Disease. <i>PLoS Genetics</i> , 2016, 12, e1006327.	3.5	47

#	ARTICLE	IF	CITATIONS
37	SUCLG2 identified as both a determinant of CSF A β 1-42 levels and an attenuator of cognitive decline in Alzheimer's disease. <i>Human Molecular Genetics</i> , 2014, 23, 6644-6658.	2.9	45
38	PLCG2 protective variant p.P522R modulates tau pathology and disease progression in patients with mild cognitive impairment. <i>Acta Neuropathologica</i> , 2020, 139, 1025-1044.	7.7	40
39	A genome-wide association meta-analysis of plasma A β 2 peptides concentrations in the elderly. <i>Molecular Psychiatry</i> , 2014, 19, 1326-1335.	7.9	36
40	Plasma clusterin levels and risk of dementia, Alzheimer's disease, and stroke. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2016, 3, 103-109.	2.4	32
41	Genetic and lifestyle risk factors for MRI-defined brain infarcts in a population-based setting. <i>Neurology</i> , 2019, 92, .	1.1	30
42	Plasma amyloid β levels are driven by genetic variants near <i>APOE</i> , <i>BACE1</i> , <i>APP</i> , <i>PSEN2</i> : A genome-wide association study in over 12,000 non-demented participants. <i>Alzheimer's and Dementia</i> , 2021, 17, 1663-1674.	0.8	20
43	Whole exome sequence-based association analyses of plasma amyloid- β in African and European Americans; the Atherosclerosis Risk in Communities-Neurocognitive Study. <i>PLoS ONE</i> , 2017, 12, e0180046.	2.5	18
44	Smoking habits, waist circumference and coronary artery disease risk relationship: the PRIME study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008, 15, 625-630.	2.8	15
45	Meta-analysis of genome-wide association studies identifies ancestry-specific associations underlying circulating total tau levels. <i>Communications Biology</i> , 2022, 5, 336.	4.4	6
46	Genetically elevated high-density lipoprotein cholesterol through the cholesteryl ester transfer protein gene does not associate with risk of Alzheimer's disease. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2018, 10, 595-598.	2.4	2
47	O4-05-03: Whole exome sequence analysis of white matter hyperintensities on cranial MRI. , 2015, 11, P278-P279.		1
48	DT-02-02: Low-frequency variant imputation identifies rare variant candidate loci in a gwas of late-onset Alzheimer's disease in the igap consortium. , 2015, 11, P333-P334.		1
49	Genome-wide meta-analysis of late-onset Alzheimer's disease using rare variant imputation in 65,602 subjects identifies risk loci with roles in memory, neurodevelopment, and cardiometabolic traits: The international genomics of Alzheimer's project (IGAP). <i>Alzheimer's and Dementia</i> , 2020, 16, e044193.	0.8	1
50	The changing epidemiology of paediatric inflammatory bowel disease: authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2011, 33, 1381-1382.	3.7	0
51	O4-02-01: Plasma clusterin levels and risk of dementia and Alzheimer's disease: The Framingham Heart Study. , 2013, 9, P681-P681.		0
52	O4-05-02: Genome-wide association study of lobar brain volumes. , 2015, 11, P278-P278.		0
53	O1-04-06: Association of plasma biomarkers with risk of incident dementia in the framingham heart study: A metabolomics approach. , 2015, 11, P134-P135.		0
54	O2-10-06: A Common Allele in <i>SPI1</i> Lowers Risk and Delays Age at Onset for Alzheimer's Disease. <i>Alzheimer's and Dementia</i> , 2016, 12, P253.	0.8	0

#	ARTICLE	IF	CITATIONS
55	Identification of hippocampal volume as a mediator of the association between APOE4 and dementia. <i>Alzheimer's and Dementia</i> , 2020, 16, e047425.	0.8	0