

Vincent Chouraki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4644730/publications.pdf>

Version: 2024-02-01

55
papers

14,016
citations

94433

37
h-index

214800

47
g-index

63
all docs

63
docs citations

63
times ranked

20319
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Meta-analysis of genome-wide association studies identifies ancestry-specific associations underlying circulating total tau levels. <i>Communications Biology</i> , 2022, 5, 336. | 4.4 | 6 |
| 2 | Plasma amyloid β levels are driven by genetic variants near <i>APOE, BACE1, APP, PSEN2</i> : A genome-wide association study in over 12,000 non-demented participants. <i>Alzheimer's and Dementia</i> , 2021, 17, 1663-1674. | 0.8 | 20 |
| 3 | Genome-wide meta-analysis of late-onset Alzheimer's disease using rare variant imputation in 65,602 subjects identifies risk loci with roles in memory, neurodevelopment, and cardiometabolic traits: The international genomics of Alzheimer's project (IGAP). <i>Alzheimer's and Dementia</i> , 2020, 16, e044193. | 0.8 | 1 |
| 4 | Identification of hippocampal volume as a mediator of the association between APOE4 and dementia. <i>Alzheimer's and Dementia</i> , 2020, 16, e047425. | 0.8 | 0 |
| 5 | PLCG2 protective variant p.P522R modulates tau pathology and disease progression in patients with mild cognitive impairment. <i>Acta Neuropathologica</i> , 2020, 139, 1025-1044. | 7.7 | 40 |
| 6 | Genetic meta-analysis of diagnosed Alzheimer's disease identifies new risk loci and implicates β , tau, immunity and lipid processing. <i>Nature Genetics</i> , 2019, 51, 414-430. | 21.4 | 1,962 |
| 7 | Genetic and lifestyle risk factors for MRI-defined brain infarcts in a population-based setting. <i>Neurology</i> , 2019, 92, . | 1.1 | 30 |
| 8 | Association of branched-chain amino acids and other circulating metabolites with risk of incident dementia and Alzheimer's disease: A prospective study in eight cohorts. <i>Alzheimer's and Dementia</i> , 2018, 14, 723-733. | 0.8 | 182 |
| 9 | Circulating metabolites and general cognitive ability and dementia: Evidence from 11 cohort studies. <i>Alzheimer's and Dementia</i> , 2018, 14, 707-722. | 0.8 | 143 |
| 10 | Genetically elevated high-density lipoprotein cholesterol through the cholesteryl ester transfer protein gene does not associate with risk of Alzheimer's disease. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2018, 10, 595-598. | 2.4 | 2 |
| 11 | Novel genetic loci associated with hippocampal volume. <i>Nature Communications</i> , 2017, 8, 13624. | 12.8 | 250 |
| 12 | 1000 Genomes-based meta-analysis identifies 10 novel loci for kidney function. <i>Scientific Reports</i> , 2017, 7, 45040. | 3.3 | 98 |
| 13 | A common haplotype lowers PU.1 expression in myeloid cells and delays onset of Alzheimer's disease. <i>Nature Neuroscience</i> , 2017, 20, 1052-1061. | 14.8 | 330 |
| 14 | Association of amine biomarkers with incident dementia and Alzheimer's disease in the Framingham Study. <i>Alzheimer's and Dementia</i> , 2017, 13, 1327-1336. | 0.8 | 93 |
| 15 | Rare coding variants in PLCG2, ABI3, and TREM2 implicate microglial-mediated innate immunity in Alzheimer's disease. <i>Nature Genetics</i> , 2017, 49, 1373-1384. | 21.4 | 783 |
| 16 | Whole exome sequence-based association analyses of plasma amyloid- β in African and European Americans; the Atherosclerosis Risk in Communities-Neurocognitive Study. <i>PLoS ONE</i> , 2017, 12, e0180046. | 2.5 | 18 |
| 17 | <i>OLIG2</i> : A Common Allele in <i>SPI1</i> Lowers Risk and Delays Age at Onset for Alzheimer's Disease. <i>Alzheimer's and Dementia</i> , 2016, 12, P253. | 0.8 | 0 |
| 18 | Evaluation of a Genetic Risk Score to Improve Risk Prediction for Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2016, 53, 921-932. | 2.6 | 77 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Novel genetic loci underlying human intracranial volume identified through genome-wide association. <i>Nature Neuroscience</i> , 2016, 19, 1569-1582. | 14.8 | 213 |
| 20 | Plasma clusterin levels and risk of dementia, Alzheimer's disease, and stroke. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2016, 3, 103-109. | 2.4 | 32 |
| 21 | Shared genetic contribution to ischemic stroke and Alzheimer's disease. <i>Annals of Neurology</i> , 2016, 79, 739-747. | 5.3 | 56 |
| 22 | Genome-wide Association Studies Identify Genetic Loci Associated With Albuminuria in Diabetes. <i>Diabetes</i> , 2016, 65, 803-817. | 0.6 | 131 |
| 23 | Incidence of Dementia over Three Decades in the Framingham Heart Study. <i>New England Journal of Medicine</i> , 2016, 374, 523-532. | 27.0 | 788 |
| 24 | Genetic associations at 53 loci highlight cell types and biological pathways relevant for kidney function. <i>Nature Communications</i> , 2016, 7, 10023. | 12.8 | 412 |
| 25 | GWAS for executive function and processing speed suggests involvement of the CADM2 gene. <i>Molecular Psychiatry</i> , 2016, 21, 189-197. | 7.9 | 134 |
| 26 | A novel Alzheimer disease locus located near the gene encoding tau protein. <i>Molecular Psychiatry</i> , 2016, 21, 108-117. | 7.9 | 260 |
| 27 | Rare Functional Variant in TM2D3 is Associated with Late-Onset Alzheimer's Disease. <i>PLoS Genetics</i> , 2016, 12, e1006327. | 3.5 | 47 |
| 28 | O4-05-02: Genome-wide association study of lobar brain volumes. , 2015, 11, P278-P278. | | 0 |
| 29 | O1-04-06: Association of plasma biomarkers with risk of incident dementia in the framingham heart study: A metabolomics approach. , 2015, 11, P134-P135. | | 0 |
| 30 | O4-05-03: Whole exome sequence analysis of white matter hyperintensities on cranial MRI. , 2015, 11, P278-P279. | | 1 |
| 31 | DT-02-02: Low-frequency variant imputation identifies rare variant candidate loci in a gwas of late-onset Alzheimer's disease in the igap consortium. , 2015, 11, P333-P334. | | 1 |
| 32 | Genetic contributions to variation in general cognitive function: a meta-analysis of genome-wide association studies in the CHARGE consortium (N=53,949). <i>Molecular Psychiatry</i> , 2015, 20, 183-192. | 7.9 | 344 |
| 33 | Multiethnic Genome-Wide Association Study of Cerebral White Matter Hyperintensities on MRI. <i>Circulation: Cardiovascular Genetics</i> , 2015, 8, 398-409. | 5.1 | 162 |
| 34 | Plasma amyloid β and risk of Alzheimer's disease in the Framingham Heart Study. <i>Alzheimer's and Dementia</i> , 2015, 11, 249. | 0.8 | 101 |
| 35 | PLD3 variants in population studies. <i>Nature</i> , 2015, 520, E2-E3. | 27.8 | 49 |
| 36 | Convergent genetic and expression data implicate immunity in Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2015, 11, 658-671. | 0.8 | 173 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Genome-wide association study of kidney function decline in individuals of European descent. <i>Kidney International</i> , 2015, 87, 1017-1029. | 5.2 | 113 |
| 38 | Genome-wide Studies of Verbal Declarative Memory in Nondemented Older People: The Cohorts for Heart and Aging Research in Genomic Epidemiology Consortium. <i>Biological Psychiatry</i> , 2015, 77, 749-763. | 1.3 | 67 |
| 39 | SUCLG2 identified as both a determinant of CSF A β 1-42 levels and an attenuator of cognitive decline in Alzheimer's disease. <i>Human Molecular Genetics</i> , 2014, 23, 6644-6658. | 2.9 | 45 |
| 40 | Follow-up of loci from the International Genomics of Alzheimer's Disease Project identifies TRIP4 as a novel susceptibility gene. <i>Translational Psychiatry</i> , 2014, 4, e358-e358. | 4.8 | 98 |
| 41 | Genetics of Alzheimer's Disease. <i>Advances in Genetics</i> , 2014, 87, 245-294. | 1.8 | 159 |
| 42 | A genome-wide association meta-analysis of plasma A β 2 peptides concentrations in the elderly. <i>Molecular Psychiatry</i> , 2014, 19, 1326-1335. | 7.9 | 36 |
| 43 | Gene-Wide Analysis Detects Two New Susceptibility Genes for Alzheimer's Disease. <i>PLoS ONE</i> , 2014, 9, e94661. | 2.5 | 155 |
| 44 | Meta-analysis of 74,046 individuals identifies 11 new susceptibility loci for Alzheimer's disease. <i>Nature Genetics</i> , 2013, 45, 1452-1458. | 21.4 | 3,741 |
| 45 | O4-02-01: Plasma clusterin levels and risk of dementia and Alzheimer's disease: The Framingham Heart Study. , 2013, 9, P681-P681. | | 0 |
| 46 | Genome-wide haplotype association study identifies the FRMD4A gene as a risk locus for Alzheimer's disease. <i>Molecular Psychiatry</i> , 2013, 18, 461-470. | 7.9 | 103 |
| 47 | Genome-Wide Association and Functional Follow-Up Reveals New Loci for Kidney Function. <i>PLoS Genetics</i> , 2012, 8, e1002584. | 3.5 | 166 |
| 48 | Common variants at 12q14 and 12q24 are associated with hippocampal volume. <i>Nature Genetics</i> , 2012, 44, 545-551. | 21.4 | 212 |
| 49 | Evidence of the association of BIN1 and PICALM with the AD risk in contrasting European populations. <i>Neurobiology of Aging</i> , 2011, 32, 756.e11-756.e15. | 3.1 | 82 |
| 50 | The changing pattern of Crohn's disease incidence in northern France: a continuing increase in the 10- to 19-year-old age bracket (1988-2007). <i>Alimentary Pharmacology and Therapeutics</i> , 2011, 33, 1133-1142. | 3.7 | 138 |
| 51 | The changing epidemiology of paediatric inflammatory bowel disease: authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2011, 33, 1381-1382. | 3.7 | 0 |
| 52 | Common variants at ABCA7, MS4A6A/MS4A4E, EPHA1, CD33 and CD2AP are associated with Alzheimer's disease. <i>Nature Genetics</i> , 2011, 43, 429-435. | 21.4 | 1,708 |
| 53 | Implication of the Immune System in Alzheimer's Disease: Evidence from Genome-Wide Pathway Analysis. <i>Journal of Alzheimer's Disease</i> , 2010, 20, 1107-1118. | 2.6 | 152 |
| 54 | Systematic Analysis of Candidate Genes for Alzheimer's Disease in a French, Genome-Wide Association Study. <i>Journal of Alzheimer's Disease</i> , 2010, 20, 1181-1188. | 2.6 | 63 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Smoking habits, waist circumference and coronary artery disease risk relationship: the PRIME study. European Journal of Cardiovascular Prevention and Rehabilitation, 2008, 15, 625-630. | 2.8 | 15 |