

Mika Kivimaki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4645404/publications.pdf>

Version: 2024-02-01

1,442
papers

177,544
citations

106

164
h-index

85

361
g-index

1506
all docs

1506
docs citations

1506
times ranked

146766
citing authors

#	ARTICLE	IF	CITATIONS
1	Trajectories of Worktime Control From Midlife to Retirement and Working Beyond Retirement Age. <i>Work, Aging and Retirement</i> , 2022, 8, 273-281.	1.4	4
2	Plasma proteins, cognitive decline, and 20-year risk of dementia in the Whitehall II and Atherosclerosis Risk in Communities studies. <i>Alzheimer's and Dementia</i> , 2022, 18, 612-624.	0.4	24
3	Association of changes in work due to COVID-19 pandemic with psychosocial work environment and employee health: a cohort study of 24 299 Finnish public sector employees. <i>Occupational and Environmental Medicine</i> , 2022, 79, 233-241.	1.3	19
4	Organizational Justice and Long-term Metabolic Trajectories: A 25-Year Follow-up of the Whitehall II Cohort. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, 398-409.	1.8	5
5	Neighborhood Socioeconomic Disadvantage and Childhood Body Mass Index Trajectories From Birth to 7 Years of Age. <i>Epidemiology</i> , 2022, 33, 121-130.	1.2	13
6	Association of cerebral small vessel disease burden with brain structure and cognitive and vascular risk trajectories in mid-to-late life. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2022, 42, 600-612.	2.4	9
7	Association of working hour characteristics and on-call work with risk of short sickness absence among hospital physicians: A longitudinal cohort study. <i>Chronobiology International</i> , 2022, 39, 233-240.	0.9	6
8	Characteristics of Workplace Psychosocial Resources and Risk of Diabetes: A Prospective Cohort Study. <i>Diabetes Care</i> , 2022, 45, 59-66.	4.3	6
9	Prevalence of type 2 diabetes in psychiatric disorders: an umbrella review with meta-analysis of 245 observational studies from 32 systematic reviews. <i>Diabetologia</i> , 2022, 65, 440-456.	2.9	35
10	Association between kidney function and incidence of dementia: 10-year follow-up of the Whitehall II cohort study. <i>Age and Ageing</i> , 2022, 51, .	0.7	29
11	Estimation of the global prevalence of dementia in 2019 and forecasted prevalence in 2050: an analysis for the Global Burden of Disease Study 2019. <i>Lancet Public Health</i> , The, 2022, 7, e105-e125.	4.7	1,199
12	Aortic Pulse Wave Velocity as Adjunct Risk Marker for Assessing Cardiovascular Disease Risk: Prospective Study. <i>Hypertension</i> , 2022, 79, 836-843.	1.3	9
13	Working hours, on-call shifts, and risk of occupational injuries among hospital physicians: A case-crossover study. <i>Journal of Occupational Health</i> , 2022, 64, e12322.	1.0	4
14	Association of social isolation, loneliness and genetic risk with incidence of dementia: UK Biobank Cohort Study. <i>BMJ Open</i> , 2022, 12, e053936.	0.8	16
15	Concurrent changes in physical activity and body mass index among 66%852 public sector employees over a 16-year follow-up: multitrajectory analysis of a cohort study in Finland. <i>BMJ Open</i> , 2022, 12, e057692.	0.8	1
16	Work stress and loss of years lived without chronic disease: an 18-year follow-up of 1.5 million employees in Denmark. <i>European Journal of Epidemiology</i> , 2022, 37, 389-400.	2.5	7
17	Neighborhood disadvantage, greenness and population density as predictors of breastfeeding practices: a population cohort study from Finland. <i>Journal of Nutrition</i> , 2022, , .	1.3	0
18	Frailty and multimorbidity are independent and additive prognostic factors. <i>Journal of the American Geriatrics Society</i> , 2022, 70, 1881-1882.	1.3	1

#	ARTICLE	IF	CITATIONS
19	Health conditions linked to heightened risk of Alzheimer's disease. <i>The Lancet Digital Health</i> , 2022, 4, e150-e151.	5.9	2
20	Comment on: "What is aging-related disease? An epidemiological perspective" by Le Couteur and Thillainadesan. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2022, , .	1.7	0
21	Effectiveness of a workplace intervention to reduce workplace bullying and violence at work: study protocol for a two-wave quasi-experimental intervention study. <i>BMJ Open</i> , 2022, 12, e053664.	0.8	1
22	Body-mass index and risk of obesity-related complex multimorbidity: an observational multicohort study. <i>Lancet Diabetes and Endocrinology</i> , 2022, 10, 253-263.	5.5	160
23	Why do men extend their employment beyond pensionable age more often than women? a cohort study. <i>European Journal of Ageing</i> , 2022, 19, 599-608.	1.2	3
24	Association between alexithymia and substance use: A systematic review and meta-analysis. <i>Scandinavian Journal of Psychology</i> , 2022, 63, 427-438.	0.8	16
25	Clustering of social disadvantage with attention-deficit/hyperactivity disorder in young adults: A register-based study in Sweden. <i>Scandinavian Journal of Psychology</i> , 2022, , .	0.8	1
26	Association of plasma gelsolin with frailty phenotype and mortality among octogenarian community-dwelling men: a cohort study. <i>Aging Clinical and Experimental Research</i> , 2022, , 1.	1.4	0
27	Association of neighbourhood disadvantage and individual socioeconomic position with all-cause mortality: a longitudinal multicohort analysis. <i>Lancet Public Health</i> , 2022, 7, e447-e457.	4.7	13
28	Inter- and intra-individual variation in brain structural-cognition relationships in aging. <i>NeuroImage</i> , 2022, 257, 119254.	2.1	12
29	Associations between exploratory dietary patterns and incident type 2 diabetes: a federated meta-analysis of individual participant data from 25 cohort studies. <i>European Journal of Nutrition</i> , 2022, 61, 3649-3667.	1.8	6
30	State care in childhood and adult mortality: a systematic review and meta-analysis of prospective cohort studies. <i>Lancet Public Health</i> , 2022, 7, e504-e514.	4.7	10
31	Association of alcohol use with years lived without major chronic diseases: A multicohort study from the IPD-Work consortium and UK Biobank. <i>Lancet Regional Health - Europe</i> , 2022, 19, 100417.	3.0	4
32	Plasma ceramides independently predict all-cause mortality in men aged 85+. <i>Age and Ageing</i> , 2022, 51, .	0.7	1
33	Cross-Sectional Blood Metabolite Markers of Hypertension: A Multicohort Analysis of 44,306 Individuals from the Consortium of METabolomics Studies. <i>Metabolites</i> , 2022, 12, 601.	1.3	6
34	Overweight, obesity, and individual symptoms of depression: A multicohort study with replication in UK Biobank. <i>Brain, Behavior, and Immunity</i> , 2022, 105, 192-200.	2.0	26
35	Association of Metabolic Syndrome With Incident Dementia: Role of Number and Age at Measurement of Components in a 28-Year Follow-up of the Whitehall II Cohort Study. <i>Diabetes Care</i> , 2022, 45, 2127-2135.	4.3	8
36	Metabolic profiles of socio-economic position: a multi-cohort analysis. <i>International Journal of Epidemiology</i> , 2021, 50, 768-782.	0.9	15

#	ARTICLE	IF	CITATIONS
37	Associations of sleep quality, quantity and nutrition in oldest-old men The Helsinki Businessmen Study (HBS). <i>European Geriatric Medicine</i> , 2021, 12, 117-122.	1.2	10
38	Subjective Cognitive Complaints Given in Questionnaire: Relationship With Brain Structure, Cognitive Performance and Self-Reported Depressive Symptoms in a 25-Year Retrospective Cohort Study. <i>American Journal of Geriatric Psychiatry</i> , 2021, 29, 217-226.	0.6	14
39	Associations of coffee drinking with physical performance in the oldest-old community-dwelling men The Helsinki Businessmen Study (HBS). <i>Aging Clinical and Experimental Research</i> , 2021, 33, 1371-1375.	1.4	5
40	Association of Circulating Metabolites in Plasma or Serum and Risk of Stroke. <i>Neurology</i> , 2021, 96, .	1.5	24
41	Life-course socioeconomic disadvantage and lung function: a multicohort study of 70â€š496 individuals. <i>European Respiratory Journal</i> , 2021, 57, 2001600.	3.1	17
42	Establishing reference intervals for triglyceride-containing lipoprotein subfraction metabolites measured using nuclear magnetic resonance spectroscopy in a UK population. <i>Annals of Clinical Biochemistry</i> , 2021, 58, 47-53.	0.8	2
43	Internal consistency and factor structure of Jenkins Sleep Scale: cross-sectional cohort study among 80â€š000 adults. <i>BMJ Open</i> , 2021, 11, e043276.	0.8	15
44	Adverse childhood experiences and adult health: the need for stronger study designs to evaluate impact. <i>Journal of Epidemiology and Community Health</i> , 2021, 75, 485-488.	2.0	9
45	Intraindividual association between shift work and risk of drinking problems: data from the Finnish Public Sector Cohort. <i>Occupational and Environmental Medicine</i> , 2021, 78, 465-471.	1.3	4
46	Sex-dimorphic genetic effects and novel loci for fasting glucose and insulin variability. <i>Nature Communications</i> , 2021, 12, 24.	5.8	87
47	The association of APOE Î¼4 with cognitive function over the adult life course and incidence of dementia: 20â€šyears follow-up of the Whitehall II study. <i>Alzheimer's Research and Therapy</i> , 2021, 13, 5.	3.0	60
48	Global mortality from dementia: Application of a new method and results from the Global Burden of Disease Study 2019. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2021, 7, e12200.	1.8	53
49	Genome-wide association study of circulating interleukin 6 levels identifies novel loci. <i>Human Molecular Genetics</i> , 2021, 30, 393-409.	1.4	32
50	Association of shift work with mood disorders and sleep problems according to chronotype: a 17-year cohort study. <i>Chronobiology International</i> , 2021, 38, 518-525.	0.9	14
51	Heart Rate and Heart Rate Variability Changes Are Not Related to Future Cardiovascular Disease and Death in People With and Without Dysglycemia: A Downfall of Risk Markers? The Whitehall II Cohort Study. <i>Diabetes Care</i> , 2021, 44, 1012-1019.	4.3	5
52	Sex differences and the role of education in cognitive ageing: analysis of two UK-based prospective cohort studies. <i>Lancet Public Health</i> , The, 2021, 6, e106-e115.	4.7	45
53	Cognitive and social activities and long-term dementia risk: the prospective UK Million Women Study. <i>Lancet Public Health</i> , The, 2021, 6, e116-e123.	4.7	36
54	Gene regulation contributes to explain the impact of early life socioeconomic disadvantage on adult inflammatory levels in two cohort studies. <i>Scientific Reports</i> , 2021, 11, 3100.	1.6	15

#	ARTICLE	IF	CITATIONS
55	Patterns of working hour characteristics and risk of sickness absence among shift-working hospital employees: a data-mining cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021, 47, 395-403.	1.7	7
56	Serum transthyretin and risk of cognitive decline and dementia: 22-year longitudinal study. <i>Neurological Sciences</i> , 2021, 42, 5093-5100.	0.9	5
57	Social network ties before and after retirement: a cohort study. <i>European Journal of Ageing</i> , 2021, 18, 503-512.	1.2	14
58	Phenotypic frailty and multimorbidity are independent 18-year mortality risk indicators in older men. <i>European Geriatric Medicine</i> , 2021, 12, 953-961.	1.2	12
59	Study Protocol: The Heart and Brain Study. <i>Frontiers in Physiology</i> , 2021, 12, 643725.	1.3	2
60	Heterogeneity of Associations between Total and Types of Fish Intake and the Incidence of Type 2 Diabetes: Federated Meta-Analysis of 28 Prospective Studies Including 956,122 Participants. <i>Nutrients</i> , 2021, 13, 1223.	1.7	8
61	â€œReturn to Workâ€™ Coordinator Model and Work Participation of Employees: A Natural Intervention Study in Finland. <i>Journal of Occupational Rehabilitation</i> , 2021, 31, 831-839.	1.2	6
62	Association Between Age at Diabetes Onset and Subsequent Risk of Dementia. <i>JAMA - Journal of the American Medical Association</i> , 2021, 325, 1640.	3.8	135
63	Association of sleep duration in middle and old age with incidence of dementia. <i>Nature Communications</i> , 2021, 12, 2289.	5.8	254
64	Does life satisfaction reduce risk of incident hypertension and stroke? Evidence from the Whitehall II cohort. <i>Journal of Psychosomatic Research</i> , 2021, 144, 110414.	1.2	6
65	Increased mortality risk associated with statins in the CORONADO study. <i>Diabetes and Metabolism</i> , 2021, 47, 101250.	1.4	3
66	Trajectories of work ability from mid-life to pensionable age and their association with retirement timing. <i>Journal of Epidemiology and Community Health</i> , 2021, 75, 1098-1103.	2.0	5
67	Adverse Childhood Experiences and the Risk of Coronary Heart Disease in Adulthood: Examining Potential Psychological, Biological, and Behavioral Mediators in the Whitehall II Cohort Study. <i>Journal of the American Heart Association</i> , 2021, 10, e019013.	1.6	20
68	Spatial, temporal, and demographic patterns in prevalence of chewing tobacco use in 204 countries and territories, 1990â€“2019: a systematic analysis from the Global Burden of Disease Study 2019. <i>Lancet Public Health</i> , The, 2021, 6, e482-e499.	4.7	38
69	The trans-ancestral genomic architecture of glycemic traits. <i>Nature Genetics</i> , 2021, 53, 840-860.	9.4	341
70	Association of rotating shift work schedules and the use of prescribed sleep medication: A prospective cohort study. <i>Journal of Sleep Research</i> , 2021, 30, e13349.	1.7	11
71	Alternative duty work as workplace-initiated procedure to reduce sickness absence. <i>BMC Public Health</i> , 2021, 21, 1154.	1.2	3
72	Hospital-treated infectious diseases and the risk of dementia: a large, multicohort, observational study with a replication cohort. <i>Lancet Infectious Diseases</i> , The, 2021, 21, 1557-1567.	4.6	65

#	ARTICLE	IF	CITATIONS
73	Modifications to residential neighbourhood characteristics and risk of 79 common health conditions: a prospective cohort study. <i>Lancet Public Health, The</i> , 2021, 6, e396-e407.	4.7	32
74	Psychiatric disorders as risk factors for type 2 diabetes: An umbrella review of systematic reviews with and without meta-analyses. <i>Diabetes Research and Clinical Practice</i> , 2021, 176, 108855.	1.1	29
75	Spatial, temporal, and demographic patterns in prevalence of smoking tobacco use and attributable disease burden in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2021, 397, 2337-2360.	6.3	609
76	Association between change in cardiovascular risk scores and future cardiovascular disease: analyses of data from the Whitehall II longitudinal, prospective cohort study. <i>The Lancet Digital Health</i> , 2021, 3, e434-e444.	5.9	14
77	Comparison of the predictive accuracy of multiple definitions of cognitive impairment for incident dementia: a 20-year follow-up of the Whitehall II cohort study. <i>The Lancet Healthy Longevity</i> , 2021, 2, e407-e416.	2.0	2
78	Return to work after lumbar disc herniation surgery: an occupational cohort study. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021, 92, 638-643.	1.2	4
79	Sex Difference in Serious Infections. <i>Epidemiology</i> , 2021, 32, e26-e27.	1.2	5
80	Terminal decline in objective and self-reported measures of motor function before death: 10 year follow-up of Whitehall II cohort study. <i>BMJ, The</i> , 2021, 374, n1743.	3.0	17
81	Cognitive stimulation in the workplace, plasma proteins, and risk of dementia: three analyses of population cohort studies. <i>BMJ, The</i> , 2021, 374, n1804.	3.0	28
82	Integrating large-scale neuroimaging research datasets: Harmonisation of white matter hyperintensity measurements across Whitehall and UK Biobank datasets. <i>NeuroImage</i> , 2021, 237, 118189.	2.1	10
83	Workplace discrimination as risk factor for long-term sickness absence: Longitudinal analyses of onset and changes in workplace adversity. <i>PLoS ONE</i> , 2021, 16, e0255697.	1.1	6
84	Use of multidimensional item response theory methods for dementia prevalence prediction: an example using the Health and Retirement Survey and the Aging, Demographics, and Memory Study. <i>BMC Medical Informatics and Decision Making</i> , 2021, 21, 241.	1.5	2
85	1491 Impact of COVID19 on years of life lost with and without disability across 18 European-countries. <i>International Journal of Epidemiology</i> , 2021, 50, .	0.9	0
86	Long working hours and risk of 50 health conditions and mortality outcomes: a multicohort study in four European countries. <i>Lancet Regional Health - Europe, The</i> , 2021, 11, 100212.	3.0	21
87	1175 Work stress and loss of years lived without chronic disease; an 18-year prospective cohort study. <i>International Journal of Epidemiology</i> , 2021, 50, .	0.9	1
88	Contribution of 20-year body mass index and waist circumference history to poor cardiometabolic health in overweight/obese and normal weight adults: A cohort study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 2851-2859.	1.1	4
89	Genome-Wide Association Study Identifies Two Novel Loci Associated with Female Stress and Urgency Urinary Incontinence. <i>Journal of Urology</i> , 2021, 206, 679-687.	0.2	5
90	Emotional demands at work and risk of long-term sickness absence in 1.5 million employees in Denmark: a prospective cohort study on effect modifiers. <i>Lancet Public Health, The</i> , 2021, 6, e752-e759.	4.7	13

#	ARTICLE	IF	CITATIONS
91	Global, regional, and national burden of stroke and its risk factors, 1990â€“2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet Neurology</i> , The, 2021, 20, 795-820.	4.9	2,308
92	Diurnal pattern of salivary cortisol and progression of aortic stiffness: Longitudinal study. <i>Psychoneuroendocrinology</i> , 2021, 133, 105372.	1.3	5
93	Social relationships as predictors of extended employment beyond the pensionable age: a cohort study. <i>European Journal of Ageing</i> , 2021, 18, 491-501.	1.2	2
94	White matter hyperintensities classified according to intensity and spatial location reveal specific associations with cognitive performance. <i>NeuroImage: Clinical</i> , 2021, 30, 102616.	1.4	13
95	Appetite disinhibition rather than hunger explains genetic effects on adult BMI trajectory. <i>International Journal of Obesity</i> , 2021, 45, 758-765.	1.6	8
96	Prediction of brain age and cognitive age: Quantifying brain and cognitive maintenance in aging. <i>Human Brain Mapping</i> , 2021, 42, 1626-1640.	1.9	74
97	Timeline of pain before dementia diagnosis: a 27-year follow-up study. <i>Pain</i> , 2021, 162, 1578-1585.	2.0	13
98	Cholesteryl ester transfer protein (CETP) as a drug target for cardiovascular disease. <i>Nature Communications</i> , 2021, 12, 5640.	5.8	57
99	The Effect of Using Participatory Working Time Scheduling Software on Employee Well-Being and Workability: A Cohort Study Analysed as a Pseudo-Experiment. <i>Healthcare (Switzerland)</i> , 2021, 9, 1385.	1.0	7
100	Validation of lipid-related therapeutic targets for coronary heart disease prevention using human genetics. <i>Nature Communications</i> , 2021, 12, 6120.	5.8	13
101	Association of changes in lifestyle with changes in sleep difficulties: an analysis of 38â€™400 participants over a 16-year follow-up. <i>BMJ Open</i> , 2021, 11, e050046.	0.8	3
102	Association Between Systemic Inflammation and Individual Symptoms of Depression: A Pooled Analysis of 15 Population-Based Cohort Studies. <i>American Journal of Psychiatry</i> , 2021, 178, 1107-1118.	4.0	72
103	Sleep duration and sleep difficulties as predictors of occupational injuries: a cohort study. <i>Occupational and Environmental Medicine</i> , 2021, , oemed-2021-107516.	1.3	1
104	Associations between race, APOE genotype, cognition, and mortality among urban middle-aged white and African American adults. <i>Scientific Reports</i> , 2021, 11, 19849.	1.6	11
105	Length of exposure to long working hours and night work and risk of sickness absence: a register-based cohort study. <i>BMC Health Services Research</i> , 2021, 21, 1199.	0.9	3
106	Shift work, work time control, and informal caregiving as risk factors for sleep disturbances in an ageing municipal workforce. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021, 47, 181-190.	1.7	1
107	Persistence of sleep difficulties for over 16 years amongst 66,948 working-aged adults. <i>PLoS ONE</i> , 2021, 16, e0259500.	1.1	5
108	Shift work, work time control, and informal caregiving as risk factors for sleep disturbances in an ageing municipal workforce. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021, 47, 181-190.	1.7	6

#	ARTICLE	IF	CITATIONS
109	The power of genetic diversity in genome-wide association studies of lipids. <i>Nature</i> , 2021, 600, 675-679.	13.7	353
110	Psychotropic medication before and after disability retirement by pre-retirement perceived work-related stress. <i>European Journal of Public Health</i> , 2020, 30, 158-163.	0.1	2
111	Associations of overweight and metabolic health with successful aging: 32-year follow-up of the Helsinki Businessmen Study. <i>Clinical Nutrition</i> , 2020, 39, 1491-1496.	2.3	2
112	Childhood Socioeconomic Disadvantage and Risk of Fatty Liver in Adulthood: The Cardiovascular Risk in Young Finns Study. <i>Hepatology</i> , 2020, 71, 67-75.	3.6	9
113	Associations between long-term adherence to healthy diet and recurrent depressive symptoms in Whitehall II Study. <i>European Journal of Nutrition</i> , 2020, 59, 1031-1041.	1.8	14
114	Life Events, Emotions, and Immune Function: Evidence from Whitehall II Cohort Study. <i>Behavioral Medicine</i> , 2020, 46, 153-160.	1.0	2
115	Comparison of risk factors for coronary heart disease morbidity versus mortality. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 2232-2234.	0.8	8
116	Personality, disability-free life years, and life expectancy: Individual participant meta-analysis of 131,195 individuals from 10 cohort studies. <i>Journal of Personality</i> , 2020, 88, 596-605.	1.8	14
117	Psychological distress and sickness absence: Within- versus between-individual analysis. <i>Journal of Affective Disorders</i> , 2020, 264, 333-339.	2.0	6
118	Health inequalities: Embodied evidence across biological layers. <i>Social Science and Medicine</i> , 2020, 246, 112781.	1.8	34
119	The contribution of sleep to social inequalities in cardiovascular disorders: a multi-cohort study. <i>Cardiovascular Research</i> , 2020, 116, 1514-1524.	1.8	9
120	Reducing socio-economic inequalities in all-cause mortality: a counterfactual mediation approach. <i>International Journal of Epidemiology</i> , 2020, 49, 497-510.	0.9	29
121	Mechanisms of life-course socioeconomic inequalities in adult systemic inflammation: Findings from two cohort studies. <i>Social Science and Medicine</i> , 2020, 245, 112685.	1.8	18
122	Statin treatment, phenotypic frailty and mortality among community-dwelling octogenarian men: the HBS cohort. <i>Age and Ageing</i> , 2020, 49, 258-263.	0.7	6
123	Sleep duration over 28 years, cognition, gray matter volume, and white matter microstructure: a prospective cohort study. <i>Sleep</i> , 2020, 43, .	0.6	37
124	Social inequalities in multimorbidity, frailty, disability, and transitions to mortality: a 24-year follow-up of the Whitehall II cohort study. <i>Lancet Public Health</i> , The, 2020, 5, e42-e50.	4.7	147
125	Association of moderate and vigorous physical activity with incidence of type 2 diabetes and subsequent mortality: 27-year follow-up of the Whitehall II study. <i>Diabetologia</i> , 2020, 63, 537-548.	2.9	19
126	Association of aortic stiffness with cognitive decline: Whitehall II longitudinal cohort study. <i>European Journal of Epidemiology</i> , 2020, 35, 861-869.	2.5	19

#	ARTICLE	IF	CITATIONS
127	Contribution of income and job strain to the association between education and cardiovascular disease in 1.6 million Danish employees. <i>European Heart Journal</i> , 2020, 41, 1164-1178.	1.0	33
128	BLOOD PRESSURE TRAJECTORIES IN YOUTH AND HYPERTENSION RISK IN ADULTHOOD: THE 1970 BRITISH COHORT STUDY. <i>American Journal of Epidemiology</i> , 2020, 189, 162-163.	1.6	4
129	Long working hours and change in body weight: analysis of individual-participant data from 19 cohort studies. <i>International Journal of Obesity</i> , 2020, 44, 1368-1375.	1.6	29
130	Midlife obesity, related behavioral factors, and the risk of dementia in later life. <i>Neurology</i> , 2020, 94, 53-54.	1.5	8
131	An Example of How Immortal Time Bias Can Reverse the Results of an Observational Study. <i>Epidemiology</i> , 2020, 31, e19-e20.	1.2	4
132	Association of anthropometry and weight change with risk of dementia and its major subtypes: A meta-analysis consisting 2.8 million adults with 57 294 cases of dementia. <i>Obesity Reviews</i> , 2020, 21, e12989.	3.1	62
133	Association of nutritional components with falls in oldest-old men. <i>Experimental Gerontology</i> , 2020, 142, 111105.	1.2	2
134	The effects of using participatory working time scheduling software on working hour characteristics and wellbeing: A quasi-experimental study of irregular shift work. <i>International Journal of Nursing Studies</i> , 2020, 112, 103696.	2.5	18
135	Association of trajectories of depressive symptoms with vascular risk, cognitive function and adverse brain outcomes: The Whitehall II MRI sub-study. <i>Journal of Psychiatric Research</i> , 2020, 131, 85-93.	1.5	19
136	Response. <i>Chest</i> , 2020, 158, 834-835.	0.4	0
137	Onset of Workplace Bullying and Risk of Weight Gain: A Multicohort Longitudinal Study. <i>Obesity</i> , 2020, 28, 2216-2223.	1.5	1
138	Global burden of 369 diseases and injuries in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1204-1222.	6.3	7,664
139	Global burden of 87 risk factors in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1223-1249.	6.3	3,928
140	Global age-sex-specific fertility, mortality, healthy life expectancy (HALE), and population estimates in 204 countries and territories, 1950–2019: a comprehensive demographic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1160-1203.	6.3	890
141	Five insights from the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1135-1159.	6.3	335
142	Weight Management and Healthy Lifestyles—Reply. <i>JAMA Internal Medicine</i> , 2020, 180, 1404.	2.6	0
143	Multimodal brain-age prediction and cardiovascular risk: The Whitehall II MRI sub-study. <i>NeuroImage</i> , 2020, 222, 117292.	2.1	85
144	Development and validation of two SCORE-based cardiovascular risk prediction models for Eastern Europe: a multicohort study. <i>European Heart Journal</i> , 2020, 41, 3325-3333.	1.0	17

#	ARTICLE	IF	CITATIONS
145	Comparison between recent and long-term physical activity levels as predictors of cardiometabolic risk: a cohort study. <i>BMJ Open</i> , 2020, 10, e033797.	0.8	8
146	Psychological Wellbeing and Aortic Stiffness. <i>Hypertension</i> , 2020, 76, 675-682.	1.3	12
147	Education, biological ageing, all-cause and cause-specific mortality and morbidity: UK biobank cohort study. <i>EClinicalMedicine</i> , 2020, 29-30, 100658.	3.2	22
148	Association of Antioxidant Vitamins A, C, E and Carotenoids with Cognitive Performance over Time: A Cohort Study of Middle-Aged Adults. <i>Nutrients</i> , 2020, 12, 3558.	1.7	21
149	Dementia prevention, intervention, and care: 2020 report of the Lancet Commission. <i>Lancet, The</i> , 2020, 396, 413-446.	6.3	4,658
150	Overweight, obesity, and risk of hospitalization for COVID-19: A community-based cohort study of adults in the United Kingdom. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 21011-21013.	3.3	171
151	Working time dimensions and well-being: a cross-national study of Finnish and German health care employees. <i>Chronobiology International</i> , 2020, 37, 1312-1324.	0.9	11
152	Cross-sectional associations of neighbourhood socioeconomic disadvantage and greenness with accelerometer-measured leisure-time physical activity in a cohort of ageing workers. <i>BMJ Open</i> , 2020, 10, e038673.	0.8	11
153	Leisure activity participation and risk of dementia. <i>Neurology</i> , 2020, 95, e2803-e2815.	1.5	34
154	Long-term risk of dementia following hospitalization due to physical diseases: A multicohort study. <i>Alzheimer's and Dementia</i> , 2020, 16, 1686-1695.	0.4	14
155	Association of midlife stroke risk with structural brain integrity and memory performance at older ages: a longitudinal cohort study. <i>Brain Communications</i> , 2020, 2, fcaa026.	1.5	9
156	Measuring universal health coverage based on an index of effective coverage of health services in 204 countries and territories, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1250-1284.	6.3	330
157	Association of midlife body composition with old-age health-related quality of life, mortality, and reaching 90 years of age: a 32-year follow-up of a male cohort. <i>American Journal of Clinical Nutrition</i> , 2020, 112, 1287-1294.	2.2	11
158	Association of Alcohol-Induced Loss of Consciousness and Overall Alcohol Consumption With Risk for Dementia. <i>JAMA Network Open</i> , 2020, 3, e2016084.	2.8	18
159	Associations Between Longitudinal Trajectories of Cognitive and Social Activities and Brain Health in Old Age. <i>JAMA Network Open</i> , 2020, 3, e2013793.	2.8	13
160	Neighbourhood characteristics as a predictor of adherence to dietary recommendations: A population-based cohort study of Finnish adults. <i>Scandinavian Journal of Public Health</i> , 2020, , 140349482097149.	1.2	1
161	Patterning of educational attainment across inflammatory markers: Findings from a multi-cohort study. <i>Brain, Behavior, and Immunity</i> , 2020, 90, 303-310.	2.0	15
162	Does working beyond the statutory retirement age have an impact on health and functional capacity? The Finnish Retirement and Aging cohort study. <i>Occupational and Environmental Medicine</i> , 2020, , oemed-2020-106964.	1.3	1

#	ARTICLE	IF	CITATIONS
163	Diet quality as a predictor of healthy and cardiometabolic disease-free life expectancy between ages 50 to 85. <i>Proceedings of the Nutrition Society</i> , 2020, 79, .	0.4	0
164	Personality Traits and Mental Disorders. , 2020, , 183-192.		0
165	The WHO/ILO report on long working hours and ischaemic heart disease â€œ Conclusions are not supported by the evidence. <i>Environment International</i> , 2020, 144, 106048.	4.8	11
166	Job Strain as a Risk Factor for Peripheral Artery Disease: A Multiâ€™Cohort Study. <i>Journal of the American Heart Association</i> , 2020, 9, e013538.	1.6	13
167	Risk prediction models for dementia: role of age and cardiometabolic risk factors. <i>BMC Medicine</i> , 2020, 18, 107.	2.3	38
168	Special Report: The Biology of Inequalities in Health: The Lifepath Consortium. <i>Frontiers in Public Health</i> , 2020, 8, 118.	1.3	44
169	Labor Market Participation Before and After Long-Term Part-Time Sickness Absence in Finland. <i>Journal of Occupational and Environmental Medicine</i> , 2020, 62, e142-e148.	0.9	3
170	Comparison of risk factor associations in UK Biobank against representative, general population based studies with conventional response rates: prospective cohort study and individual participant meta-analysis. <i>BMJ, The</i> , 2020, 368, m131.	3.0	363
171	Associations of protein source, distribution and healthy dietary pattern with appendicular lean mass in oldest-old men: the Helsinki Businessmen Study (HBS). <i>European Geriatric Medicine</i> , 2020, 11, 699-704.	1.2	2
172	Psychosocial factors and hospitalisations for COVID-19: Prospective cohort study based on a community sample. <i>Brain, Behavior, and Immunity</i> , 2020, 89, 569-578.	2.0	92
173	Circulating Fatty Acids and Risk of Coronary Heart Disease and Stroke: Individual Participant Data Metaâ€™Analysis in Up to 16â€™126 Participants. <i>Journal of the American Heart Association</i> , 2020, 9, e013131.	1.6	36
174	Vascular and Alzheimer Disease in Dementia. <i>Annals of Neurology</i> , 2020, 87, 788-788.	2.8	6
175	Association of attrition with mortality: findings from 11 waves over three decades of the Whitehall II study. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, jech-2019-213175.	2.0	2
176	Healthy behaviors at age 50 years and frailty at older ages in a 20-year follow-up of the UK Whitehall II cohort: A longitudinal study. <i>PLoS Medicine</i> , 2020, 17, e1003147.	3.9	34
177	Long-Term Greenspace Exposure and Progression of Arterial Stiffness: The Whitehall II Cohort Study. <i>Environmental Health Perspectives</i> , 2020, 128, 67014.	2.8	20
178	Connectivity of depression symptoms before and after diagnosis of a chronic disease: A network analysis in the U.S. Health and Retirement Study. <i>Journal of Affective Disorders</i> , 2020, 266, 230-234.	2.0	12
179	Trajectories of self-rated health before and after retirement: evidence from two cohort studies. <i>Occupational and Environmental Medicine</i> , 2020, 77, 70-76.	1.3	19
180	Respiratory Disease and Lower Pulmonary Function as Risk Factors for Dementia. <i>Chest</i> , 2020, 157, 1538-1558.	0.4	45

#	ARTICLE	IF	CITATIONS
181	Association between socioeconomic status and the development of mental and physical health conditions in adulthood: a multi-cohort study. <i>Lancet Public Health</i> , The, 2020, 5, e140-e149.	4.7	332
182	Diet quality as a predictor of cardiometabolic disease-free life expectancy: the Whitehall II cohort study. <i>American Journal of Clinical Nutrition</i> , 2020, 111, 787-794.	2.2	28
183	Association of Healthy Lifestyle With Years Lived Without Major Chronic Diseases. <i>JAMA Internal Medicine</i> , 2020, 180, 760.	2.6	140
184	The Contribution of Neighborhood Socioeconomic Disadvantage to Depressive Symptoms Over the Course of Adult Life: A 32-Year Prospective Cohort Study. <i>American Journal of Epidemiology</i> , 2020, 189, 679-689.	1.6	12
185	The Dementias Platform UK (DPUK) Data Portal. <i>European Journal of Epidemiology</i> , 2020, 35, 601-611.	2.5	45
186	Macronutrient composition and sarcopenia in the oldest-old men. <i>Clinical Nutrition</i> , 2020, 39, 3839-3841.	2.3	19
187	Zinc acetate lozenges for the treatment of the common cold: a randomised controlled trial. <i>BMJ Open</i> , 2020, 10, e031662.	0.8	17
188	Association of big-5 personality traits with cognitive impairment and dementia: a longitudinal study. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, jech-2019-213014.	2.0	5
189	Lifestyle risk factors, inflammatory mechanisms, and COVID-19 hospitalization: A community-based cohort study of 387,109 adults in UK. <i>Brain, Behavior, and Immunity</i> , 2020, 87, 184-187.	2.0	423
190	Job insecurity and risk of coronary heart disease: Mediation analyses of health behaviors, sleep problems, physiological and psychological factors. <i>Psychoneuroendocrinology</i> , 2020, 118, 104706.	1.3	11
191	Lifestyle Changes in Relation to Initiation of Antihypertensive and Lipid-Lowering Medication: A Cohort Study. <i>Journal of the American Heart Association</i> , 2020, 9, e014168.	1.6	24
192	Triglyceride-containing lipoprotein sub-fractions and risk of coronary heart disease and stroke: A prospective analysis in 11,560 adults. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 1617-1626.	0.8	19
193	Associations between arterial stiffening and brain structure, perfusion, and cognition in the Whitehall II Imaging Sub-study: A retrospective cohort study. <i>PLoS Medicine</i> , 2020, 17, e1003467.	3.9	19
194	Neurodevelopmental disorders among young adults and the risk of sickness absence and disability pension: a nationwide register linkage study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020, 46, 410-416.	1.7	10
195	Persistent and changing job strain and risk of coronary heart disease. A population-based cohort study of 1.6 million employees in Denmark. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020, 46, 498-507.	1.7	13
196	OP69...Association of attrition with mortality: findings from 11 waves over three decades of the Whitehall II study. , 2020, , .		0
197	Life-course socioeconomic disadvantage and respiratory-related functioning lost in older adults: a multi-cohort study of 53 788 individuals. , 2020, , .		1
198	Title is missing!. , 2020, 17, e1003147.		0

#	ARTICLE	IF	CITATIONS
199	Title is missing!. , 2020, 17, e1003147.		0
200	Title is missing!. , 2020, 17, e1003147.		0
201	Title is missing!. , 2020, 17, e1003147.		0
202	Title is missing!. , 2020, 17, e1003147.		0
203	Predictors of employment in young adults with psychiatric work disability. <i>Microbial Biotechnology</i> , 2019, 13, 1083-1089.	0.9	6
204	Natural Course of Frailty Components in People Who Develop Frailty Syndrome: Evidence From Two Cohort Studies. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019, 74, 667-674.	1.7	59
205	Do worse baseline risk factors explain the association of healthy obesity with increased mortality risk? Whitehall II Study. <i>International Journal of Obesity</i> , 2019, 43, 1578-1589.	1.6	10
206	Does Poorer Pulmonary Function Accelerate Arterial Stiffening?. <i>Hypertension</i> , 2019, 74, 929-935.	1.3	15
207	Association of ideal cardiovascular health at age 50 with incidence of dementia: 25 year follow-up of Whitehall II cohort study. <i>BMJ: British Medical Journal</i> , 2019, 366, l4414.	2.4	117
208	The association between accelerometer-assessed physical activity and respiratory function in older adults differs between smokers and non-smokers. <i>Scientific Reports</i> , 2019, 9, 10270.	1.6	7
209	Phenome-wide association analysis of LDL-cholesterol lowering genetic variants in PCSK9. <i>BMC Cardiovascular Disorders</i> , 2019, 19, 240.	0.7	22
210	The association between vaccination confidence, vaccination behavior, and willingness to recommend vaccines among Finnish healthcare workers. <i>PLoS ONE</i> , 2019, 14, e0224330.	1.1	124
211	Assessment of Relative Utility of Underlying vs Contributory Causes of Death. <i>JAMA Network Open</i> , 2019, 2, e198024.	2.8	18
212	Long-term exposure to greenspace and metabolic syndrome: A Whitehall II study. <i>Environmental Pollution</i> , 2019, 255, 113231.	3.7	57
213	Underestimating the true impact of obesity â€œ Authors' reply. <i>Lancet Public Health</i> , The, 2019, 4, e17.	4.7	0
214	Work Stress and Satisfaction with Leadership Among Nurses Encountering Patient Aggression in Psychiatric Care: A Cross-Sectional Survey Study. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2019, 46, 368-379.	1.2	17
215	A Comparative Analysis of the Status Anxiety Hypothesis of Socio-economic Inequalities in Health Based on 18,349 individuals in Four Countries and Five Cohort Studies. <i>Scientific Reports</i> , 2019, 9, 796.	1.6	21
216	Does inflammation provide a link between psychosocial work characteristics and diabetes? Analysis of the role of interleukin-6 and C-reactive protein in the Whitehall II cohort study. <i>Brain, Behavior, and Immunity</i> , 2019, 78, 153-160.	2.0	15

#	ARTICLE	IF	CITATIONS
217	Reversion from prediabetes to normoglycaemia and risk of cardiovascular disease and mortality: the Whitehall II cohort study. <i>Diabetologia</i> , 2019, 62, 1385-1390.	2.9	55
218	Neighbourhood socioeconomic deprivation and allostatic load: a multi-cohort study. <i>Scientific Reports</i> , 2019, 9, 8790.	1.6	35
219	Association of Midlife Cardiovascular Risk Profiles With Cerebral Perfusion at Older Ages. <i>JAMA Network Open</i> , 2019, 2, e195776.	2.8	36
220	Psychiatric disorders as risk factors for the development of type 2 diabetes mellitus: an umbrella review protocol. <i>BMJ Open</i> , 2019, 9, e024981.	0.8	4
221	Are patient-related pre-operative factors influencing return to work after total knee arthroplasty. <i>Knee</i> , 2019, 26, 853-860.	0.8	12
222	Does removal of work stress explain improved sleep following retirement? The Finnish Retirement and Aging study. <i>Sleep</i> , 2019, 42, .	0.6	14
223	Maternal educational inequalities in measured body mass index trajectories in three European countries. <i>Paediatric and Perinatal Epidemiology</i> , 2019, 33, 226-237.	0.8	17
224	Physical activity and peripheral artery disease: Two prospective cohort studies and a systematic review. <i>Atherosclerosis</i> , 2019, 286, 114-120.	0.4	13
225	Physical inactivity, cardiometabolic disease, and risk of dementia: an individual-participant meta-analysis. <i>BMJ: British Medical Journal</i> , 2019, 365, l1495.	2.4	168
226	Prospective association between late evening food consumption and risk of prediabetes and diabetes: the Whitehall II cohort study. <i>Diabetic Medicine</i> , 2019, 36, 1256-1260.	1.2	3
227	The effect of smoking cessation on work disability risk: a longitudinal study analysing observational data as non-randomized nested pseudo-trials. <i>International Journal of Epidemiology</i> , 2019, 48, 415-422.	0.9	8
228	Dysregulation of the hypothalamic pituitary adrenal (HPA) axis and cognitive capability at older ages: individual participant meta-analysis of five cohorts. <i>Scientific Reports</i> , 2019, 9, 4555.	1.6	26
229	Return to work after primary total hip arthroplasty: a nationwide cohort study. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2019, 90, 209-213.	1.2	23
230	Association of Midlife Diet With Subsequent Risk for Dementia. <i>JAMA - Journal of the American Medical Association</i> , 2019, 321, 957.	3.8	66
231	Global, regional, and national burden of stroke, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology</i> , The, 2019, 18, 439-458.	4.9	2,005
232	Antidepressant treatment among social workers, human service professionals, and non-human service professionals: A multi-cohort study in Finland, Sweden and Denmark. <i>Journal of Affective Disorders</i> , 2019, 250, 153-162.	2.0	5
233	Predicting cognitive resilience from midlife lifestyle and multi-modal MRI: A 30-year prospective cohort study. <i>PLoS ONE</i> , 2019, 14, e0211273.	1.1	9
234	Carotid artery wave intensity in mid- to late-life predicts cognitive decline: the Whitehall II study. <i>European Heart Journal</i> , 2019, 40, 2300-2309.	1.0	57

#	ARTICLE	IF	CITATIONS
235	Chronic diseases and social risk factors in relation to specific symptoms of depression: Evidence from the U.S. national health and nutrition examination surveys. <i>Journal of Affective Disorders</i> , 2019, 251, 242-247.	2.0	22
236	The Consortium of Metabolomics Studies (COMETS): Metabolomics in 47 Prospective Cohort Studies. <i>American Journal of Epidemiology</i> , 2019, 188, 991-1012.	1.6	81
237	Heart Rate, Autonomic Function, and Future Changes in Glucose Metabolism in Individuals Without Diabetes: The Whitehall II Cohort Study. <i>Diabetes Care</i> , 2019, 42, 867-874.	4.3	24
238	5-year versus risk-category-specific screening intervals for cardiovascular disease prevention: a cohort study. <i>Lancet Public Health</i> , The, 2019, 4, e189-e199.	4.7	23
239	Multi-cohort study identifies social determinants of systemic inflammation over the life course. <i>Nature Communications</i> , 2019, 10, 773.	5.8	70
240	Early life socioeconomic position and adult systemic inflammation: the role of gene regulation. <i>European Journal of Public Health</i> , 2019, 29, .	0.1	0
241	Multicohort study of change in job strain, poor mental health and incident cardiometabolic disease. <i>Occupational and Environmental Medicine</i> , 2019, 76, 785-792.	1.3	13
242	F6. Longitudinal Mid-Life Stroke Risk Predicts Brain Structure in the Aging Whitehall II Cohort. <i>Biological Psychiatry</i> , 2019, 85, S215.	0.7	0
243	Labor market outcomes before and after first episode of part-time sickness absence. <i>European Journal of Public Health</i> , 2019, 29, .	0.1	0
244	Individual and Combined Effects of Job Strain Components on Subsequent Morbidity and Mortality. <i>Epidemiology</i> , 2019, 30, e27-e29.	1.2	12
245	Plasma protein patterns as comprehensive indicators of health. <i>Nature Medicine</i> , 2019, 25, 1851-1857.	15.2	261
246	Psychological distress and infectious disease mortality in the general population. <i>Brain, Behavior, and Immunity</i> , 2019, 76, 280-283.	2.0	28
247	Equalization of four cardiovascular risk algorithms after systematic recalibration: individual-participant meta-analysis of 86 prospective studies. <i>European Heart Journal</i> , 2019, 40, 621-631.	1.0	97
248	Neighborhood socioeconomic status and adherence to dietary recommendations among Finnish adults: A retrospective follow-up study. <i>Health and Place</i> , 2019, 55, 43-50.	1.5	24
249	Socioeconomic differences in healthy and disease-free life expectancy between ages 50 and 75: a multi-cohort study. <i>European Journal of Public Health</i> , 2019, 29, 267-272.	0.1	28
250	Global, regional, and national burden of Alzheimer's disease and other dementias, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology</i> , The, 2019, 18, 88-106.	4.9	1,512
251	Workplace bullying and workplace violence as risk factors for cardiovascular disease: a multi-cohort study. <i>European Heart Journal</i> , 2019, 40, 1124-1134.	1.0	82
252	Changes in Smoking During Retirement Transition: A Longitudinal Cohort Study. <i>Scandinavian Journal of Public Health</i> , 2019, 47, 876-884.	1.2	3

#	ARTICLE	IF	CITATIONS
253	Long working hours, anthropometry, lung function, blood pressure and blood-based biomarkers: cross-sectional findings from the CONSTANCES study. <i>Journal of Epidemiology and Community Health</i> , 2019, 73, 130-135.	2.0	16
254	Employee control over scheduling of shifts and objectively measured working hour characteristics: a cross-sectional analysis of linked register and survey data. <i>Chronobiology International</i> , 2019, 36, 85-95.	0.9	11
255	Informal caregiving and diurnal patterns of salivary cortisol: Results from the Whitehall II cohort study. <i>Psychoneuroendocrinology</i> , 2019, 100, 41-47.	1.3	9
256	Healthy dietary indices and risk of depressive outcomes: a systematic review and meta-analysis of observational studies. <i>Molecular Psychiatry</i> , 2019, 24, 965-986.	4.1	427
257	Sleep Duration and Sleep Disturbances as Predictors of Healthy and Chronic Disease-Free Life Expectancy Between Ages 50 and 75: A Pooled Analysis of Three Cohorts. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019, 74, 204-210.	1.7	32
258	Shift work with and without night work as a risk factor for fatigue and changes in sleep length: A cohort study with linkage to records on daily working hours. <i>Journal of Sleep Research</i> , 2019, 28, e12658.	1.7	57
259	Association of 10-Year C-Reactive Protein Trajectories With Markers of Healthy Aging: Findings From the English Longitudinal Study of Aging. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019, 74, 195-203.	1.7	60
260	Socioeconomic position, lifestyle habits and biomarkers of epigenetic aging: a multi-cohort analysis. <i>Aging</i> , 2019, 11, 2045-2070.	1.4	137
261	Does increasing physical activity reduce the excess risk of work disability among overweight individuals?. <i>Scandinavian Journal of Work, Environment and Health</i> , 2019, 45, 376-385.	1.7	9
262	Associations between shift work and use of prescribed medications for the treatment of hypertension, diabetes, and dyslipidemia: a prospective cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2019, 45, 465-474.	1.7	7
263	Sociodemographic Differences Between Alcohol Use and Sickness Absence: Pooled Analysis of Four Cohort Studies. <i>Alcohol and Alcoholism</i> , 2018, 53, 95-103.	0.9	7
264	Association of branched-chain amino acids and other circulating metabolites with risk of incident dementia and Alzheimer's disease: A prospective study in eight cohorts. <i>Alzheimer's and Dementia</i> , 2018, 14, 723-733.	0.4	182
265	Socioeconomic inequality in recovery from poor physical and mental health in mid-life and early old age: prospective Whitehall II cohort study. <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 309-313.	2.0	12
266	Prevention of dementia by targeting risk factors. <i>Lancet, The</i> , 2018, 391, 1574-1575.	6.3	25
267	Allostatic load as a predictor of grey matter volume and white matter integrity in old age: The Whitehall II MRI study. <i>Scientific Reports</i> , 2018, 8, 6411.	1.6	31
268	Changes in non-occupational sedentary behaviours across the retirement transition: the Finnish Retirement and Aging (FIREA) study. <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 695-701.	2.0	52
269	Change in physical activity and accumulation of cardiometabolic risk factors. <i>Preventive Medicine</i> , 2018, 112, 31-37.	1.6	27
270	Association between changes in lifestyle and all-cause mortality: the Health and Lifestyle Survey. <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 711-714.	2.0	14

#	ARTICLE	IF	CITATIONS
271	Risk of Cardiovascular Disease and Death in Individuals With Prediabetes Defined by Different Criteria: The Whitehall II Study. <i>Diabetes Care</i> , 2018, 41, 899-906.	4.3	116
272	Biomarker assessment of tobacco smoking exposure and risk of dementia death: pooling of individual participant data from 14 cohort studies. <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 513-515.	2.0	15
273	Changes in Sleep Difficulties During the Transition to Statutory Retirement. <i>Sleep</i> , 2018, 41, .	0.6	30
274	Exploring variability in basal ganglia connectivity with functional MRI in healthy aging. <i>Brain Imaging and Behavior</i> , 2018, 12, 1822-1827.	1.1	16
275	Cardiometabolic dysregulation and cognitive decline: potential role of depressive symptoms. <i>British Journal of Psychiatry</i> , 2018, 212, 96-102.	1.7	25
276	Psychosocial characteristics as potential predictors of suicide in adults: an overview of the evidence with new results from prospective cohort studies. <i>Translational Psychiatry</i> , 2018, 8, 22.	2.4	93
277	Effect of retirement on cognitive function: the Whitehall II cohort study. <i>European Journal of Epidemiology</i> , 2018, 33, 989-1001.	2.5	43
278	Self-Rated Health of the Temporary Employees in a Nordic Welfare State. <i>Journal of Occupational and Environmental Medicine</i> , 2018, 60, e106-e111.	0.9	8
279	Weekly hours of informal caregiving and paid work, and the risk of cardiovascular disease. <i>European Journal of Public Health</i> , 2018, 28, 743-747.	0.1	23
280	Circulating metabolites and general cognitive ability and dementia: Evidence from 11 cohort studies. <i>Alzheimer's and Dementia</i> , 2018, 14, 707-722.	0.4	143
281	Socioeconomic status, non-communicable disease risk factors, and walking speed in older adults: multi-cohort population based study. <i>BMJ: British Medical Journal</i> , 2018, 360, k1046.	2.4	87
282	Peripheral DNA methylation, cognitive decline and brain aging: pilot findings from the Whitehall II imaging study. <i>Epigenomics</i> , 2018, 10, 585-595.	1.0	50
283	Are changes in objective working hour characteristics associated with changes in work-life conflict among hospital employees working shifts? A 7-year follow-up. <i>Occupational and Environmental Medicine</i> , 2018, 75, 407-411.	1.3	23
284	Does addressing prediabetes help to improve population health?. <i>Lancet Diabetes and Endocrinology</i> , 2018, 6, 354-356.	5.5	7
285	Relationship transitions and change in health behavior: A four-phase, twelve-year longitudinal study. <i>Social Science and Medicine</i> , 2018, 209, 152-159.	1.8	8
286	Social isolation and loneliness as risk factors for myocardial infarction, stroke and mortality: UK Biobank cohort study of 479 054 men and women. <i>Heart</i> , 2018, 104, 1536-1542.	1.2	194
287	Changes in Health Behaviors and Longevity. <i>Epidemiology</i> , 2018, 29, e26-e27.	1.2	2
288	The Authors Respond. <i>Epidemiology</i> , 2018, 29, e35-e36.	1.2	1

#	ARTICLE	IF	CITATIONS
289	Physical activity level as a predictor of healthy and chronic disease-free life expectancy between ages 50 and 75. <i>Age and Ageing</i> , 2018, 47, 423-429.	0.7	37
290	Classification and characterization of periventricular and deep white matter hyperintensities on MRI: A study in older adults. <i>NeuroImage</i> , 2018, 170, 174-181.	2.1	191
291	Informal caregiving as a risk factor for type 2 diabetes in individuals with favourable and unfavourable psychosocial work environments: A longitudinal multi-cohort study. <i>Diabetes and Metabolism</i> , 2018, 44, 38-44.	1.4	9
292	Obesity trajectories and risk of dementia: 28 years of follow-up in the Whitehall II Study. <i>Alzheimer's and Dementia</i> , 2018, 14, 178-186.	0.4	240
293	Characteristics of Social Networks and Mortality Risk: Evidence From 2 Prospective Cohort Studies. <i>American Journal of Epidemiology</i> , 2018, 187, 746-753.	1.6	20
294	Job strain and clinical depression – authors' reply. <i>Psychological Medicine</i> , 2018, 48, 349-350.	2.7	0
295	Psychotherapeutic and vocational interventions among young adults with work disability due to mental disorders in Finland. <i>Scandinavian Journal of Occupational Therapy</i> , 2018, 25, 213-222.	1.1	2
296	Changes in drinking as predictors of changes in sickness absence: a case-crossover study. <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 61-67.	2.0	8
297	Body mass index and risk of dementia: Analysis of individual-level data from 1.3 million individuals. <i>Alzheimer's and Dementia</i> , 2018, 14, 601-609.	0.4	284
298	Effects of stress on the development and progression of cardiovascular disease. <i>Nature Reviews Cardiology</i> , 2018, 15, 215-229.	6.1	625
299	Use of pain medication before and after inpatient musculoskeletal rehabilitation: longitudinal analysis of a nationwide cohort. <i>International Journal of Rehabilitation Research</i> , 2018, 41, 159-165.	0.7	1
300	Workplace bullying and violence as risk factors for type 2 diabetes: a multicohort study and meta-analysis. <i>Diabetologia</i> , 2018, 61, 75-83.	2.9	74
301	Socio-economic trajectories and cardiovascular disease mortality in older people: the English Longitudinal Study of Ageing. <i>International Journal of Epidemiology</i> , 2018, 47, 36-46.	0.9	61
302	Long Working Hours and Risk of Venous Thromboembolism. <i>Epidemiology</i> , 2018, 29, e42-e44.	1.2	7
303	Is an unhealthy lifestyle more harmful for poor people?. <i>Lancet Public Health</i> , The, 2018, 3, e558-e559.	4.7	4
304	Reader response: Midlife cardiovascular fitness and dementia: A 44-year longitudinal population study in women. <i>Neurology</i> , 2018, 91, 762-763.	1.5	0
305	OP10...Worse baseline risk factors explain the association of healthy obesity with increased mortality risk: whitehall II study. , 2018, , .		0
306	CHANGES IN COGNITION DURING RETIREMENT TRANSITION: THE WHITEHALL II COHORT STUDY. <i>Innovation in Aging</i> , 2018, 2, 388-389.	0.0	0

#	ARTICLE	IF	CITATIONS
307	The Authors Respond. <i>Epidemiology</i> , 2018, 29, e13.	1.2	3
308	Global, regional, and national age-sex-specific mortality and life expectancy, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet</i> , The, 2018, 392, 1684-1735.	6.3	716
309	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet</i> , The, 2018, 392, 1736-1788.	6.3	4,989
310	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet</i> , The, 2018, 392, 1923-1994.	6.3	3,269
311	Population and fertility by age and sex for 195 countries and territories, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet</i> , The, 2018, 392, 1995-2051.	6.3	294
312	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet</i> , The, 2018, 392, 1789-1858.	6.3	8,569
313	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet</i> , The, 2018, 392, 2091-2138.	6.3	335
314	Lifestyle factors and risk of sickness absence from work: a multicohort study. <i>Lancet Public Health</i> , The, 2018, 3, e545-e554.	4.7	88
315	Global, Regional, and Country-Specific Lifetime Risks of Stroke, 1990 and 2016. <i>New England Journal of Medicine</i> , 2018, 379, 2429-2437.	13.9	959
316	CHANGES IN HEALTH AND HEALTH BEHAVIOURS DURING RETIREMENT TRANSITION BY SOCIOECONOMIC STATUS. <i>Innovation in Aging</i> , 2018, 2, 389-389.	0.0	0
317	GWAS and colocalization analyses implicate carotid intima-media thickness and carotid plaque loci in cardiovascular outcomes. <i>Nature Communications</i> , 2018, 9, 5141.	5.8	119
318	Interethnic analyses of blood pressure loci in populations of East Asian and European descent. <i>Nature Communications</i> , 2018, 9, 5052.	5.8	75
319	Long Working Hours and Risk of Cardiovascular Disease. <i>Current Cardiology Reports</i> , 2018, 20, 123.	1.3	67
320	Work stress and mortality in people with cardiometabolic disease – Authors' reply. <i>Lancet Diabetes and Endocrinology</i> , 2018, 6, 767-768.	5.5	1
321	Does pattern mixture modelling reduce bias due to informative attrition compared to fitting a mixed effects model to the available cases or data imputed using multiple imputation?: a simulation study. <i>BMC Medical Research Methodology</i> , 2018, 18, 89.	1.4	4
322	Increased Mortality Despite Successful Multifactorial Cardiovascular Risk Reduction in Healthy Men: 40-Year Follow-Up of the Helsinki Businessmen Study Intervention Trial. <i>Journal of Nutrition, Health and Aging</i> , 2018, 22, 885-891.	1.5	4
323	Personality traits and risk of suicide mortality: findings from a multi-cohort study in the general population. <i>World Psychiatry</i> , 2018, 17, 371-372.	4.8	14
324	P15-TRIGLYCERIDE-CONTAINING LIPOPROTEIN SUB-FRACTIONS AND CORONARY HEART DISEASE AND STROKE RISK. <i>Cardiovascular Research</i> , 2018, 114, S4-S5.	1.8	0

#	ARTICLE	IF	CITATIONS
325	Obesity and loss of disease-free years owing to major non-communicable diseases: a multicohort study. <i>Lancet Public Health, The</i> , 2018, 3, e490-e497.	4.7	241
326	Estimating sleep parameters using an accelerometer without sleep diary. <i>Scientific Reports</i> , 2018, 8, 12975.	1.6	269
327	Permanent night workers' sleep and psychosocial factors in hospital work. A comparison to day and shift work. <i>Chronobiology International</i> , 2018, 35, 785-794.	0.9	24
328	Trajectories of Antidepressant Use before and after the Loss of a Family Member: Evidence from the Finnish Public Sector Study. <i>Psychotherapy and Psychosomatics</i> , 2018, 87, 246-248.	4.0	1
329	Coffee Drinking and Mortality in 10 European Countries. <i>Annals of Internal Medicine</i> , 2018, 168, 380.	2.0	0
330	Alcohol consumption and risk of dementia: 23 year follow-up of Whitehall II cohort study. <i>BMJ: British Medical Journal</i> , 2018, 362, k2927.	2.4	150
331	Association of Long-Term Diet Quality with Hippocampal Volume: Longitudinal Cohort Study. <i>American Journal of Medicine</i> , 2018, 131, 1372-1381.e4.	0.6	42
332	Personality and Type 2 Diabetes. , 2018, , 69-82.		3
333	Association between gait and cognition in an elderly population based sample. <i>Gait and Posture</i> , 2018, 65, 240-245.	0.6	26
334	Clinical, socioeconomic, and behavioural factors at age 50 years and risk of cardiometabolic multimorbidity and mortality: A cohort study. <i>PLoS Medicine</i> , 2018, 15, e1002571.	3.9	107
335	Adverse Childhood Experiences and the Risk of Diabetes: Examining the Roles of Depressive Symptoms and Cardiometabolic Dysregulations in the Whitehall II Cohort Study. <i>Diabetes Care</i> , 2018, 41, 2120-2126.	4.3	40
336	Neighbourhood socioeconomic disadvantage, risk factors, and diabetes from childhood to middle age in the Young Finns Study: a cohort study. <i>Lancet Public Health, The</i> , 2018, 3, e365-e373.	4.7	100
337	Unfavorable and favorable changes in modifiable risk factors and incidence of coronary heart disease: The Whitehall II cohort study. <i>International Journal of Cardiology</i> , 2018, 269, 7-12.	0.8	16
338	The contribution of health behaviors to socioeconomic inequalities in health: A systematic review. <i>Preventive Medicine</i> , 2018, 113, 15-31.	1.6	271
339	Alcohol use and burden for 195 countries and territories, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2018, 392, 1015-1035.	6.3	2,005
340	Work stress and risk of death in men and women with and without cardiometabolic disease: a multicohort study. <i>Lancet Diabetes and Endocrinology, the</i> , 2018, 6, 705-713.	5.5	100
341	Association of circulating metabolites with healthy diet and risk of cardiovascular disease: analysis of two cohort studies. <i>Scientific Reports</i> , 2018, 8, 8620.	1.6	61
342	Sickness absence diagnoses among abstainers, low-risk drinkers and at-risk drinkers: consideration of the U-shaped association between alcohol use and sickness absence in four cohort studies. <i>Addiction</i> , 2018, 113, 1633-1642.	1.7	16

#	ARTICLE	IF	CITATIONS
343	Association between systolic blood pressure and dementia in the Whitehall II cohort study: role of age, duration, and threshold used to define hypertension. <i>European Heart Journal</i> , 2018, 39, 3119-3125.	1.0	165
344	Will biomarker-based diagnosis of Alzheimer's disease maximize scientific progress? Evaluating proposed diagnostic criteria. <i>European Journal of Epidemiology</i> , 2018, 33, 607-612.	2.5	31
345	Midlife contributors to socioeconomic differences in frailty during later life: a prospective cohort study. <i>Lancet Public Health</i> , The, 2018, 3, e313-e322.	4.7	56
346	Job strain and loss of healthy life years between ages 50 and 75 by sex and occupational position: analyses of 64 934 individuals from four prospective cohort studies. <i>Occupational and Environmental Medicine</i> , 2018, 75, 486-493.	1.3	26
347	Swap outdated authorship listings for contributorship credit. <i>Nature</i> , 2018, 561, 464-464.	13.7	2
348	Structural social relations and cognitive ageing trajectories: evidence from the Whitehall II cohort study. <i>International Journal of Epidemiology</i> , 2018, 47, 701-708.	0.9	17
349	Long working hours and depressive symptoms: systematic review and meta-analysis of published studies and unpublished individual participant data. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018, 44, 239-250.	1.7	135
350	Prediction of long-term absence due to sickness in employees: development and validation of a multifactorial risk score in two cohort studies. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018, 44, 274-282.	1.7	34
351	Association of changes in work shifts and shift intensity with change in fatigue and disturbed sleep: a within-subject study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018, 44, 394-402.	1.7	42
352	Night work and risk of common mental disorders: analyzing observational data as a non-randomized pseudo trial. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018, 44, 512-520.	1.7	12
353	Clustering of job strain, effort-reward imbalance, and organizational injustice and the risk of work disability: a cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018, 44, 485-495.	1.7	45
354	Sickness absence in a re-employment program as a predictor of labor market attachment among long-term unemployed individuals: A 6-year cohort study in Finland. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018, 44, 496-502.	1.7	5
355	Use of pain medication before and after lumbar discectomy: longitudinal analysis of a nation-wide cohort. <i>Minerva Surgery</i> , 2018, 73, 280-287.	0.1	0
356	Work disability and mortality in early onset neuropsychiatric and behavioural disorders in Sweden. <i>European Journal of Public Health</i> , 2018, 28, .	0.1	0
357	Social determinants of systemic inflammation over the life course: a multi-cohort study. <i>European Journal of Public Health</i> , 2018, 28, .	0.1	0
358	Social determinants of systemic inflammation over the life course: a multi-cohort study. <i>European Journal of Public Health</i> , 2018, 28, .	0.1	0
359	What happens to work capacity after coronary revascularization?. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2017, 3, qcw052.	1.8	0
360	Dietary pattern, inflammation and cognitive decline: The Whitehall II prospective cohort study. <i>Clinical Nutrition</i> , 2017, 36, 506-512.	2.3	119

#	ARTICLE	IF	CITATIONS
361	The joint contribution of cardiovascular disease and socioeconomic status to disability retirement: A register linkage study. <i>International Journal of Cardiology</i> , 2017, 230, 222-227.	0.8	22
362	Socioeconomic status and the 25 th –25 th risk factors as determinants of premature mortality: a multicohort study and meta-analysis of 1.7 million men and women. <i>Lancet</i> , The, 2017, 389, 1229-1237.	6.3	825
363	Body mass index as a predictor of healthy and disease-free life expectancy between ages 50 and 75: a multicohort study. <i>International Journal of Obesity</i> , 2017, 41, 769-775.	1.6	83
364	Job strain as a risk factor for clinical depression: systematic review and meta-analysis with additional individual participant data. <i>Psychological Medicine</i> , 2017, 47, 1342-1356.	2.7	314
365	Change in organizational justice as a predictor of insomnia symptoms: longitudinal study analysing observational data as a non-randomized pseudo-trial. <i>International Journal of Epidemiology</i> , 2017, 46, dyw293.	0.9	12
366	Midlife Risk Factors for Impaired Physical and Cognitive Functioning at Older Ages: A Cohort Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017, 72, 237-242.	1.7	29
367	Nondiabetic Glucometabolic Status and Progression of Aortic Stiffness: The Whitehall II Study. <i>Diabetes Care</i> , 2017, 40, 599-606.	4.3	33
368	Healthy obesity and risk of accelerated functional decline and disability. <i>International Journal of Obesity</i> , 2017, 41, 866-872.	1.6	36
369	Organizational Justice and Collaboration Among Nurses as Correlates of Violent Assaults by Patients in Psychiatric Care. <i>Psychiatric Services</i> , 2017, 68, 490-496.	1.1	21
370	Validity of self-reported exposure to shift work. <i>Occupational and Environmental Medicine</i> , 2017, 74, 228-230.	1.3	44
371	Trajectories of risky drinking around the time of statutory retirement: a longitudinal latent class analysis. <i>Addiction</i> , 2017, 112, 1163-1170.	1.7	28
372	Coronary heart disease and risk factors as predictors of trajectories of psychological distress from midlife to old age. <i>Heart</i> , 2017, 103, 659-665.	1.2	14
373	Accelerometer assessed moderate-to-vigorous physical activity and successful ageing: results from the Whitehall II study. <i>Scientific Reports</i> , 2017, 7, 45772.	1.6	110
374	Trajectories of glycaemia, insulin sensitivity and insulin secretion in South Asian and white individuals before diagnosis of type 2 diabetes: a longitudinal analysis from the Whitehall II cohort study. <i>Diabetologia</i> , 2017, 60, 1252-1260.	2.9	64
375	Effort–Reward Imbalance at Work and Incident Coronary Heart Disease. <i>Epidemiology</i> , 2017, 28, 619-626.	1.2	224
376	Causal Associations of Adiposity and Body Fat Distribution With Coronary Heart Disease, Stroke Subtypes, and Type 2 Diabetes Mellitus. <i>Circulation</i> , 2017, 135, 2373-2388.	1.6	304
377	Trajectories of Depressive Symptoms Before Diagnosis of Dementia. <i>JAMA Psychiatry</i> , 2017, 74, 712.	6.0	361
378	Predictors of Depression and Musculoskeletal Disorder Related Work Disability Among Young, Middle-Aged, and Aging Employees. <i>Journal of Occupational and Environmental Medicine</i> , 2017, 59, 114-119.	0.9	21

#	ARTICLE	IF	CITATIONS
379	Atrial fibrillation as a risk factor for cognitive decline and dementia. <i>European Heart Journal</i> , 2017, 38, 2612-2618.	1.0	147
380	Identifying low density lipoprotein cholesterol associated variants in the Annexin A2 (ANXA2) gene. <i>Atherosclerosis</i> , 2017, 261, 60-68.	0.4	18
381	Genome-wide meta-analysis of 241,258 adults accounting for smoking behaviour identifies novel loci for obesity traits. <i>Nature Communications</i> , 2017, 8, 14977.	5.8	169
382	Association between inflammatory biomarkers and all-cause, cardiovascular and cancer-related mortality. <i>Cmaj</i> , 2017, 189, E384-E390.	0.9	59
383	PCSK9 genetic variants and risk of type 2 diabetes: a mendelian randomisation study. <i>Lancet Diabetes and Endocrinology</i> , 2017, 5, 97-105.	5.5	298
384	Genetic loci associated with heart rate variability and their effects on cardiac disease risk. <i>Nature Communications</i> , 2017, 8, 15805.	5.8	95
385	Objective working hour characteristics and work-life conflict among hospital employees in the Finnish public sector study. <i>Chronobiology International</i> , 2017, 34, 876-885.	0.9	32
386	Do predictors of return to work and recurrence of work disability due to mental disorders vary by age? A cohort study. <i>Scandinavian Journal of Public Health</i> , 2017, 45, 178-184.	1.2	24
387	Overweight, obesity, and risk of cardiometabolic multimorbidity: pooled analysis of individual-level data for 120 813 adults from 16 cohort studies from the USA and Europe. <i>Lancet Public Health</i> , 2017, 2, e277-e285.	4.7	375
388	Social networks and patterns of health risk behaviours over two decades: A multi-cohort study. <i>Journal of Psychosomatic Research</i> , 2017, 99, 45-58.	1.2	4
389	Validity of Cardiovascular Disease Event Ascertainment Using Linkage to UK Hospital Records. <i>Epidemiology</i> , 2017, 28, 735-739.	1.2	69
390	Effect of age and the APOE gene on metabolite concentrations in the posterior cingulate cortex. <i>NeuroImage</i> , 2017, 152, 509-516.	2.1	36
391	Organisational justice protects against the negative effect of workplace violence on teachers' sleep: a longitudinal cohort study. <i>Occupational and Environmental Medicine</i> , 2017, 74, 511-516.	1.3	31
392	Chronic diseases as predictors of labour market attachment after participation in subsidised re-employment programme: a 6-year follow-up study. <i>Journal of Epidemiology and Community Health</i> , 2017, 71, jech-2017-209271.	2.0	1
393	Vitamin D and cognitive function: A Mendelian randomisation study. <i>Scientific Reports</i> , 2017, 7, 13230.	1.6	50
394	Development and validation of a risk prediction model for work disability: multicohort study. <i>Scientific Reports</i> , 2017, 7, 13578.	1.6	26
395	Alternative Healthy Eating Index 2010, Dietary Inflammatory Index and risk of mortality: results from the Whitehall II cohort study and meta-analysis of previous Dietary Inflammatory Index and mortality studies. <i>British Journal of Nutrition</i> , 2017, 118, 210-221.	1.2	75
396	Repeated exposure to systemic inflammation and risk of new depressive symptoms among older adults. <i>Translational Psychiatry</i> , 2017, 7, e1208-e1208.	2.4	48

#	ARTICLE	IF	CITATIONS
397	Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1084-1150.	6.3	573
398	Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1260-1344.	6.3	1,589
399	Global, regional, and national age-sex specific mortality for 264 causes of death, 1980â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1151-1210.	6.3	3,565
400	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1211-1259.	6.3	5,578
401	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1345-1422.	6.3	1,879
402	Global, regional, and national burden of neurological disorders during 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet Neurology, The</i> , 2017, 16, 877-897.	4.9	1,521
403	Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1423-1459.	6.3	284
404	Change in Î² 2 -agonist use after severe life events in adults with asthma: A population-based cohort study. <i>Journal of Psychosomatic Research</i> , 2017, 100, 46-52.	1.2	1
405	Associations between self-reported sleep quality and white matter in community-dwelling older adults: A prospective cohort study. <i>Human Brain Mapping</i> , 2017, 38, 5465-5473.	1.9	87
406	Distinct resting-state functional connections associated with episodic and visuospatial memory in older adults. <i>NeuroImage</i> , 2017, 159, 122-130.	2.1	22
407	Diabetes and risk of occupational injury: a cohort study. <i>Diabetic Medicine</i> , 2017, 34, 1629-1636.	1.2	5
408	Prognostic factors for return to work after depression-related work disability: A systematic review and meta-analysis. <i>Journal of Psychiatric Research</i> , 2017, 95, 28-36.	1.5	68
409	Work disability before and after a major cardiovascular event: a ten-year study using nationwide medical and insurance registers. <i>Scientific Reports</i> , 2017, 7, 1142.	1.6	18
410	Physical Activity and Improvement of Glycemia in Prediabetes by Different Diagnostic Criteria. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 3712-3721.	1.8	14
411	Physical Activity, Sedentary Behavior, and Long-Term Changes in Aortic Stiffness: The Whitehall II Study. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	61
412	Socioeconomic differences in childrenâ€™s growth trajectories from infancy to early adulthood: evidence from four European countries. <i>Journal of Epidemiology and Community Health</i> , 2017, 71, 981-989.	2.0	19
413	Childhood adversity, adult socioeconomic status and risk of work disability: a prospective cohort study. <i>Occupational and Environmental Medicine</i> , 2017, 74, 659-666.	1.3	27
414	Change in Job Strain as a Predictor of Change in Insomnia Symptoms: Analyzing Observational Data as a Non-randomized Pseudo-Trial. <i>Sleep</i> , 2017, 40, .	0.6	30

#	ARTICLE	IF	CITATIONS
415	Social adversity and epigenetic aging: a multi-cohort study on socioeconomic differences in peripheral blood DNA methylation. <i>Scientific Reports</i> , 2017, 7, 16266.	1.6	181
416	Impact of tobacco smoking prevalence on cardiovascular and non-cardiovascular deaths in England and Wales, 2017â€“40: a modelling study. <i>Lancet, The</i> , 2017, 390, S16.	6.3	2
417	Salivary cortisol and alpha-amylase: Is there consistency between psychosocial stress test and burdensome work shifts?. <i>Journal of Occupational and Environmental Hygiene</i> , 2017, 14, 1003-1010.	0.4	2
418	Forecasted trends in disability and life expectancy in England and Wales up to 2025: a modelling study. <i>Lancet Public Health, The</i> , 2017, 2, e307-e313.	4.7	116
419	Investigating the causal effect of smoking on hay fever and asthma: a Mendelian randomization meta-analysis in the CARTA consortium. <i>Scientific Reports</i> , 2017, 7, 2224.	1.6	35
420	Change in body mass index during transition to statutory retirement: an occupational cohort study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 85.	2.0	18
421	Association of inflammation with specific symptoms of depression in a general population of older people: The English Longitudinal Study of Ageing. <i>Brain, Behavior, and Immunity</i> , 2017, 61, 27-30.	2.0	69
422	Associations of night-time road traffic noise with carotid intima-media thickness and blood pressure: The Whitehall II and SABRE study cohorts. <i>Environment International</i> , 2017, 98, 54-61.	4.8	28
423	Trends in work disability with mental diagnoses among social workers in Finland and Sweden in 2005â€“2012. <i>Epidemiology and Psychiatric Sciences</i> , 2017, 26, 644-654.	1.8	19
424	Distance From Home to the Nearest Tobacco Outlet May Not Reflect the True Accessibilityâ€“Reply. <i>JAMA Internal Medicine</i> , 2017, 177, 287.	2.6	3
425	[F3â€“02â€“03]: IMPACT OF REVERSE CAUSALITY ON DEMENTIA RESEARCH. <i>Alzheimer's and Dementia</i> , 2017, 13, P880.	0.4	0
426	Common Genetic Variation Near Melatonin Receptor 1A Gene Linked to Job-Related Exhaustion in Shift Workers. <i>Sleep</i> , 2017, 40, .	0.6	30
427	Metabolic Profiling of Adiponectin Levels in Adults. <i>Circulation: Cardiovascular Genetics</i> , 2017, 10, .	5.1	26
428	Physical activity, cognitive decline, and risk of dementia: 28 year follow-up of Whitehall II cohort study. <i>BMJ: British Medical Journal</i> , 2017, 357, j2709.	2.4	248
429	Moderate alcohol consumption as risk factor for adverse brain outcomes and cognitive decline: longitudinal cohort study. <i>BMJ: British Medical Journal</i> , 2017, 357, j2353.	2.4	279
430	Long working hours as a risk factor for atrial fibrillation: a multi-cohort study. <i>European Heart Journal</i> , 2017, 38, 2621-2628.	1.0	76
431	Changes in risky alcohol use and sickness absence. <i>European Journal of Public Health</i> , 2017, 27, .	0.1	0
432	TRAJECTORIES OF UNHEALTHY BEHAVIORS IN MIDLIFE AND RISK OF DISABILITY AT OLDER AGES. <i>Innovation in Aging</i> , 2017, 1, 75-75.	0.0	1

#	ARTICLE	IF	CITATIONS
433	P22â€¦Childhood adversity, adult socioeconomic status and risk of work disability â€œ a prospective cohort study. , 2017, , .		0
434	Patient Aggression and the Wellbeing of Nurses: A Cross-Sectional Survey Study in Psychiatric and Non-Psychiatric Settings. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 1245.	1.2	69
435	Associations between Mobility, Cognition, and Brain Structure in Healthy Older Adults. <i>Frontiers in Aging Neuroscience</i> , 2017, 9, 155.	1.7	44
436	Functional Analysis of the Coronary Heart Disease Risk Locus on Chromosome 21q22. <i>Disease Markers</i> , 2017, 2017, 1-10.	0.6	6
437	Impact of common genetic determinants of Hemoglobin A1c on type 2 diabetes risk and diagnosis in ancestrally diverse populations: A transethnic genome-wide meta-analysis. <i>PLoS Medicine</i> , 2017, 14, e1002383.	3.9	341
438	Contribution of cognitive performance and cognitive decline to associations between socioeconomic factors and dementia: A cohort study. <i>PLoS Medicine</i> , 2017, 14, e1002334.	3.9	56
439	Psychological distress in relation to site specific cancer mortality: pooling of unpublished data from 16 prospective cohort studies. <i>BMJ: British Medical Journal</i> , 2017, 356, j108.	2.4	245
440	Discovery and replication of SNP-SNP interactions for quantitative lipid traits in over 60,000 individuals. <i>BioData Mining</i> , 2017, 10, 25.	2.2	7
441	Adiponectin, biomarkers of inflammation and changes in cardiac autonomic function: Whitehall II study. <i>Cardiovascular Diabetology</i> , 2017, 16, 153.	2.7	36
442	Temporal trend in dementia incidence since 2002 and projections for prevalence in England and Wales to 2040: modelling study. <i>BMJ: British Medical Journal</i> , 2017, 358, j2856.	2.4	170
443	Work stress, anthropometry, lung function, blood pressure, and blood-based biomarkers: a cross-sectional study of 43,593 French men and women. <i>Scientific Reports</i> , 2017, 7, 9282.	1.6	38
444	Contribution of risk factors to excess mortality in isolated and lonely individuals: an analysis of data from the UK Biobank cohort study. <i>Lancet Public Health</i> , The, 2017, 2, e260-e266.	4.7	256
445	Changes in Sleep Duration During Transition to Statutory Retirement: A Longitudinal Cohort Study. <i>Sleep</i> , 2017, 40, .	0.6	30
446	Genome-wide physical activity interactions in adiposity â€• A meta-analysis of 200,452 adults. <i>PLoS Genetics</i> , 2017, 13, e1006528.	1.5	158
447	Psychosocial and socioeconomic determinants of cardiovascular mortality in Eastern Europe: A multicentre prospective cohort study. <i>PLoS Medicine</i> , 2017, 14, e1002459.	3.9	40
448	Socioeconomic indicators in epidemiologic research: A practical example from the LIFEPAATH study. <i>PLoS ONE</i> , 2017, 12, e0178071.	1.1	40
449	The level of cognitive function and recognition of emotions in older adults. <i>PLoS ONE</i> , 2017, 12, e0185513.	1.1	27
450	The biology of inequalities in health: the LIFEPAATH project. <i>Longitudinal and Life Course Studies</i> , 2017, 8, .	0.3	21

#	ARTICLE	IF	CITATIONS
451	Metabolic Syndrome and Symptom Resolution in Depression. <i>Journal of Clinical Psychiatry</i> , 2017, 78, e1-e7.	1.1	29
452	Job strain and informal caregiving as predictors of long-term sickness absence: A longitudinal multi-cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017, 43, 5-14.	1.7	34
453	Length of sickness absence and sustained return-to-work in mental disorders and musculoskeletal diseases: a cohort study of public sector employees. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017, 43, 358-366.	1.7	43
454	Occupational class and working beyond the retirement age: a cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017, 43, 426-435.	1.7	43
455	Uncoupling protein 2 haplotype does not affect human brain structure and function in a sample of community-dwelling older adults. <i>PLoS ONE</i> , 2017, 12, e0181392.	1.1	4
456	Psychosocial epidemiology. , 2017, , 3-20.		0
457	P37â€...A Latent Growth Curve Analysis of Child Height Trajectory: Differentials by Maternal Education in Four EU Countries. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, A69.3-A70.	2.0	1
458	Why do people with high occupational class extend their work career beyond the pensionable age? Findings from the Finnish Public Sector study. <i>European Journal of Public Health</i> , 2016, 26, .	0.1	0
459	6 psychosocial and socioeconomic factors independently predict CVD, but not health inequalities. <i>European Journal of Public Health</i> , 2016, 26, .	0.1	0
460	Socioeconomic differences in healthy life expectancy: Evidence from four prospective cohort studies. <i>European Journal of Public Health</i> , 2016, 26, .	0.1	1
461	Trajectories of Unhealthy Behaviors in Midlife and Risk of Disability at Older Ages in the Whitehall II Cohort Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016, 71, 1500-1506.	1.7	41
462	OP25â€...Dementia prevalence projections to 2030 for England and Wales: IMPACT-Better Ageing Model. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, A18.2-A18.	2.0	0
463	P111â€...Insulin-like Growth Factor 1 and risk of depression in older people. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, A102.1-A102.	2.0	0
464	Organisational justice and insomnia: using observational data as non-randomized pseudo-trials. <i>European Journal of Public Health</i> , 2016, 26, .	0.1	0
465	Dynapenic obesity and the risk of incident Type 2 diabetes: the English Longitudinal Study of Ageing. <i>Diabetic Medicine</i> , 2016, 33, 1052-1059.	1.2	57
466	Childhood Psychosocial Cumulative Risks and Carotid Intima-Media Thickness in Adulthood. <i>Psychosomatic Medicine</i> , 2016, 78, 171-181.	1.3	27
467	Psychosocial factors associated with work disability in men and women with diabetes: a pooled analysis of three occupational cohort studies. <i>Diabetic Medicine</i> , 2016, 33, 208-217.	1.2	11
468	Socioeconomic gradient in work disability in diabetes: evidence from three occupational cohorts. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, 125-131.	2.0	8

#	ARTICLE	IF	CITATIONS
469	Marginal role for 53 common genetic variants in cardiovascular disease prediction. <i>Heart</i> , 2016, 102, 1640-1647.	1.2	27
470	Smoking, physical inactivity and obesity as predictors of healthy and disease-free life expectancy between ages 50 and 75: a multicohort study. <i>International Journal of Epidemiology</i> , 2016, 45, 1260-1270.	0.9	114
471	Lifecourse socioeconomic status and type 2 diabetes: the role of chronic inflammation in the English Longitudinal Study of Ageing. <i>Scientific Reports</i> , 2016, 6, 24780.	1.6	40
472	Body Mass Index and Depressive Symptoms: Testing for Adverse and Protective Associations in Two Twin Cohort Studies. <i>Twin Research and Human Genetics</i> , 2016, 19, 306-311.	0.3	13
473	Blood Pressure and Fibrinogen Responses to Mental Stress as Predictors of Incident Hypertension over an 8-Year Period. <i>Annals of Behavioral Medicine</i> , 2016, 50, 898-906.	1.7	43
474	Leisure time physical activity and subsequent physical and mental health functioning among midlife Finnish, British and Japanese employees: a follow-up study in three occupational cohorts. <i>BMJ Open</i> , 2016, 6, e009788.	0.8	15
475	Pulse rate reactivity in childhood as a risk factor for adult hypertension. <i>Journal of Hypertension</i> , 2016, 34, 1804-1807.	0.3	6
476	Mendelian Randomisation study of the influence of eGFR on coronary heart disease. <i>Scientific Reports</i> , 2016, 6, 28514.	1.6	14
477	Little Change in Diet After Onset of Type 2 Diabetes, Metabolic Syndrome, and Obesity in Middle-Aged Adults: 11-Year Follow-up Study. <i>Diabetes Care</i> , 2016, 39, e29-e30.	4.3	3
478	Poor Adherence to Statin and Antihypertensive Therapies as Risk Factors for Fatal Stroke. <i>Journal of the American College of Cardiology</i> , 2016, 67, 1507-1515.	1.2	41
479	Childhood Infections, Socioeconomic Status, and Adult Cardiometabolic Risk. <i>Pediatrics</i> , 2016, 137, .	1.0	30
480	Antidepressant use and work-related injuries. <i>Psychological Medicine</i> , 2016, 46, 1391-1399.	2.7	2
481	Long working hours and cancer risk: a multi-cohort study. <i>British Journal of Cancer</i> , 2016, 114, 813-818.	2.9	17
482	Duration of depressive symptoms and mortality risk: The English Longitudinal Study of Ageing (ELSA). <i>British Journal of Psychiatry</i> , 2016, 208, 337-342.	1.7	59
483	Healthy obesity is not safe obesity. <i>International Journal of Obesity</i> , 2016, 40, 1333-1333.	1.6	3
484	Examining the Long-Term Association of Personality With Cause-Specific Mortality in London: Four Decades of Mortality Surveillance in the Original Whitehall Smoking Cessation Trial. <i>American Journal of Epidemiology</i> , 2016, 184, 436-441.	1.6	11
485	Cystatin C and Cardiovascular Disease. <i>Journal of the American College of Cardiology</i> , 2016, 68, 934-945.	1.2	109
486	Dietary Inflammatory Index and Recurrence of Depressive Symptoms. <i>Clinical Psychological Science</i> , 2016, 4, 1125-1134.	2.4	78

#	ARTICLE	IF	CITATIONS
487	Job insecurity and risk of diabetes: a meta-analysis of individual participant data. <i>Cmaj</i> , 2016, 188, E447-E455.	0.9	47
488	Evidence-based prevention and treatment of dementia. <i>Lancet Neurology</i> , The, 2016, 15, 1005.	4.9	1
489	Authors' reply. <i>British Journal of Psychiatry</i> , 2016, 208, 593-594.	1.7	0
490	Assessing cortisol from hair samples in a large observational cohort: The Whitehall II study. <i>Psychoneuroendocrinology</i> , 2016, 73, 148-156.	1.3	114
491	Variant rs10911021 that associates with coronary heart disease in type 2 diabetes, is associated with lower concentrations of circulating HDL cholesterol and large HDL particles but not with amino acids. <i>Cardiovascular Diabetology</i> , 2016, 15, 115.	2.7	14
492	Depressive symptoms and obesity: instrumental variable analysis using mother-offspring pairs in the 1970 British Cohort Study. <i>International Journal of Obesity</i> , 2016, 40, 1789-1793.	1.6	6
493	Association Between Distance From Home to Tobacco Outlet and Smoking Cessation and Relapse. <i>JAMA Internal Medicine</i> , 2016, 176, 1512.	2.6	50
494	Biomarkers of subclinical inflammation and increases in glycaemia, insulin resistance and beta-cell function in non-diabetic individuals: the Whitehall II study. <i>European Journal of Endocrinology</i> , 2016, 175, 367-377.	1.9	52
495	Association of Systemic Inflammation With Risk of Completed Suicide in the General Population. <i>JAMA Psychiatry</i> , 2016, 73, 993.	6.0	60
496	Insulin-like growth factor 1 and risk of depression in older people: the English Longitudinal Study of Ageing. <i>Translational Psychiatry</i> , 2016, 6, e898-e898.	2.4	31
497	The genetics of blood pressure regulation and its target organs from association studies in 342,415 individuals. <i>Nature Genetics</i> , 2016, 48, 1171-1184.	9.4	362
498	Effectiveness of legislative changes obligating notification of prolonged sickness absence and assessment of remaining work ability on return to work and work participation: a natural experiment in Finland. <i>Occupational and Environmental Medicine</i> , 2016, 73, 42-50.	1.3	20
499	OP49 Trends in disability and life expectancies in England and Wales, 2012-2025: a modelling study. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, A30.1-A30.	2.0	0
500	Onset of Impaired Sleep and Cardiovascular Disease Risk Factors: A Longitudinal Study. <i>Sleep</i> , 2016, 39, 1709-1718.	0.6	68
501	Mid-life psychosocial working conditions and mental health as predictors of transitions out of paid employment: a 20-year follow-up of the Whitehall II study. <i>European Journal of Public Health</i> , 2016, 26, .	0.1	1
502	Change in Neighborhood Disadvantage and Change in Smoking Behaviors in Adults. <i>Epidemiology</i> , 2016, 27, 803-809.	1.2	19
503	Changes in physical activity during transition to retirement: a cohort study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, 51.	2.0	73
504	Sub-threshold depressive symptoms and brain structure: A magnetic resonance imaging study within the Whitehall II cohort. <i>Journal of Affective Disorders</i> , 2016, 204, 219-225.	2.0	26

#	ARTICLE	IF	CITATIONS
505	Somatic symptoms of anxiety and nonadherence to statin therapy. <i>International Journal of Cardiology</i> , 2016, 214, 493-499.	0.8	19
506	Predictors of first-year statin medication discontinuation: A cohort study. <i>Journal of Clinical Lipidology</i> , 2016, 10, 987-995.	0.6	25
507	Recurrent short sleep, chronic insomnia symptoms and salivary cortisol: A 10-year follow-up in the Whitehall II study. <i>Psychoneuroendocrinology</i> , 2016, 68, 91-99.	1.3	79
508	Response to letter "Do all hypnotic drugs and sedatives have risk for cancer?" <i>Sleep Medicine</i> , 2016, 20, 171.	0.8	0
509	Clustering of adversity in young adults on disability pension due to mental disorders: a latent class analysis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 281-287.	1.6	14
510	Job Demands and Job Control as Predictors of Depressive Symptoms: Moderating Effects of Negative Childhood Socioemotional Experiences. <i>Stress and Health</i> , 2016, 32, 383-394.	1.4	8
511	Selecting instruments for Mendelian randomization in the wake of genome-wide association studies. <i>International Journal of Epidemiology</i> , 2016, 45, 1600-1616.	0.9	232
512	Structural and functional aspects of social support as predictors of mental and physical health trajectories: Whitehall II cohort study. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, 710-715.	2.0	80
513	Changes Over Time in Absolute and Relative Socioeconomic Differences in Smoking: A Comparison of Cohort Studies From Britain, Finland, and Japan. <i>Nicotine and Tobacco Research</i> , 2016, 18, 1697-1704.	1.4	23
514	Plasma urate concentration and risk of coronary heart disease: a Mendelian randomisation analysis. <i>Lancet Diabetes and Endocrinology</i> , 2016, 4, 327-336.	5.5	122
515	Adult height, coronary heart disease and stroke: a multi-locus Mendelian randomization meta-analysis. <i>International Journal of Epidemiology</i> , 2016, 45, 1927-1937.	0.9	94
516	Rare variant in scavenger receptor BI raises HDL cholesterol and increases risk of coronary heart disease. <i>Science</i> , 2016, 351, 1166-1171.	6.0	438
517	New loci for body fat percentage reveal link between adiposity and cardiometabolic disease risk. <i>Nature Communications</i> , 2016, 7, 10495.	5.8	245
518	A study of common Mendelian disease carriers across ageing British cohorts: meta-analyses reveal heterozygosity for alpha 1-antitrypsin deficiency increases respiratory capacity and height. <i>Journal of Medical Genetics</i> , 2016, 53, 280-288.	1.5	9
519	Obesity, Metabolic Health, and History of Cytomegalovirus Infection in the General Population. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 1680-1685.	1.8	15
520	Health- and work-related predictors of work disability among employees with a cardiometabolic disease – A cohort study. <i>Journal of Psychosomatic Research</i> , 2016, 82, 41-47.	1.2	19
521	Innate and adaptive immunity in the development of depression: An update on current knowledge and technological advances. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 66, 63-72.	2.5	116
522	Diurnal Cortisol Patterns, Future Diabetes, and Impaired Glucose Metabolism in the Whitehall II Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 619-625.	1.8	100

#	ARTICLE	IF	CITATIONS
523	Association of chronic insomnia symptoms and recurrent extreme sleep duration over 10 years with well-being in older adults: a cohort study. <i>BMJ Open</i> , 2016, 6, e009501.	0.8	14
524	Metabolomic Profiling of Statin Use and Genetic Inhibition of HMG-CoA Reductase. <i>Journal of the American College of Cardiology</i> , 2016, 67, 1200-1210.	1.2	173
525	Underweight as a risk factor for respiratory death in the Whitehall cohort study: exploring reverse causality using a 45-year follow-up. <i>Thorax</i> , 2016, 71, 84-85.	2.7	15
526	Inflammation and Specific Symptoms of Depression. <i>JAMA Psychiatry</i> , 2016, 73, 87.	6.0	179
527	Association of Job Strain With Cortisol and Alpha-Amylase Among Shift-Working Health Care Professionals in Laboratory and Field. <i>Biological Research for Nursing</i> , 2016, 18, 101-112.	1.0	11
528	Comorbidity and work disability among employees with diabetes: Associations with risk factors in a pooled analysis of three cohort studies. <i>Scandinavian Journal of Public Health</i> , 2016, 44, 84-90.	1.2	10
529	Trajectories of self-rated health in the last 15 years of life by cause of death. <i>European Journal of Epidemiology</i> , 2016, 31, 177-185.	2.5	56
530	Work Stress and Cardiovascular Disease: Reviewing Research Evidence with a Focus on Effort-Reward Imbalance at Work. <i>Aligning Perspectives on Health, Safety and Well-being</i> , 2016, , 89-101.	0.2	4
531	Depression as a Risk Factor for the Initial Presentation of Twelve Cardiac, Cerebrovascular, and Peripheral Arterial Diseases: Data Linkage Study of 1.9 Million Women and Men. <i>PLoS ONE</i> , 2016, 11, e0153838.	1.1	121
532	Replication and Characterization of Association between ABO SNPs and Red Blood Cell Traits by Meta-Analysis in Europeans. <i>PLoS ONE</i> , 2016, 11, e0156914.	1.1	22
533	Organizational justice and disability pension from all-causes, depression and musculoskeletal diseases: A Finnish cohort study of public sector employees. <i>Scandinavian Journal of Work, Environment and Health</i> , 2016, 42, 395-404.	1.7	24
534	Abstract P165: Future Burden of Morbidity and Disability in England and Wales: A Modelling Study. <i>Circulation</i> , 2016, 133, .	1.6	0
535	Severity of depressive symptoms as a predictor of mortality: the English longitudinal study of ageing. <i>Psychological Medicine</i> , 2015, 45, 2771-2779.	2.7	35
536	Lifestyle-related risk factors and trajectories of work disability over 5 years in employees with diabetes: findings from two prospective cohort studies. <i>Diabetic Medicine</i> , 2015, 32, 1335-1341.	1.2	11
537	The prospective association between positive psychological well-being and diabetes.. <i>Health Psychology</i> , 2015, 34, 1013-1021.	1.3	54
538	Stressful work environment and wellbeing: What comes first?. <i>Journal of Occupational Health Psychology</i> , 2015, 20, 289-300.	2.3	47
539	Commentary: Antidepressants and diabetes risk: why are there discrepant findings from cohort studies based on patient records and those based on serial phenotyping?. <i>International Journal of Epidemiology</i> , 2015, 44, 1940-1942.	0.9	5
540	Is There a Two-Way Relationship Between Cynicism and Job Strain? Evidence From a Prospective Population-Based Study. <i>Journal of Occupational and Environmental Medicine</i> , 2015, 57, 479-484.	0.9	5

#	ARTICLE	IF	CITATIONS
541	Personality and smoking: individual participant meta-analysis of nine cohort studies. <i>Addiction</i> , 2015, 110, 1844-1852.	1.7	205
542	Independent and combined effects of physical activity and body mass index on the development of Type 2 Diabetes – a meta-analysis of 9 prospective cohort studies. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, 147.	2.0	50
543	PERSONALITY AND DEPRESSIVE SYMPTOMS: INDIVIDUAL PARTICIPANT META-ANALYSIS OF 10 COHORT STUDIES. <i>Depression and Anxiety</i> , 2015, 32, 461-470.	2.0	288
544	The Effect of Renin Angiotensin System Genetic Variants in Acute Pancreatitis. <i>Annals of Surgery</i> , 2015, 261, 180-188.	2.1	11
545	Is the Relationship between Common Mental Disorder and Adiposity Bidirectional? Prospective Analyses of a UK General Population-Based Study. <i>PLoS ONE</i> , 2015, 10, e0119970.	1.1	9
546	The Influence of Age and Sex on Genetic Associations with Adult Body Size and Shape: A Large-Scale Genome-Wide Interaction Study. <i>PLoS Genetics</i> , 2015, 11, e1005378.	1.5	331
547	Childhood Adversity as a Predictor of Non-Adherence to Statin Therapy in Adulthood. <i>PLoS ONE</i> , 2015, 10, e0127638.	1.1	17
548	Influence of Retirement on Adherence to Statins in the Insurance Medicine All-Sweden Total Population Data Base. <i>PLoS ONE</i> , 2015, 10, e0130901.	1.1	11
549	Detection of Outliers Due to Participants' Non-Adherence to Protocol in a Longitudinal Study of Cognitive Decline. <i>PLoS ONE</i> , 2015, 10, e0132110.	1.1	5
550	A Novel, Open Access Method to Assess Sleep Duration Using a Wrist-Worn Accelerometer. <i>PLoS ONE</i> , 2015, 10, e0142533.	1.1	432
551	Work Disability among Employees with Diabetes: Latent Class Analysis of Risk Factors in Three Prospective Cohort Studies. <i>PLoS ONE</i> , 2015, 10, e0143184.	1.1	14
552	Onset of impaired sleep as a predictor of change in health-related behaviours; analysing observational data as a series of non-randomized pseudo-trials. <i>International Journal of Epidemiology</i> , 2015, 44, 1027-1037.	0.9	29
553	Adiposity, Obesity, and Arterial Aging. <i>Hypertension</i> , 2015, 66, 294-300.	1.3	98
554	Job Strain and the Risk of Stroke. <i>Stroke</i> , 2015, 46, 557-559.	1.0	97
555	Job demands and job strain as risk factors for employee wellbeing in elderly care: an instrumental-variables analysis. <i>European Journal of Public Health</i> , 2015, 25, 103-108.	0.1	28
556	Dose-Response Association Between Psychological Distress and Risk of Completed Suicide in the General Population. <i>JAMA Psychiatry</i> , 2015, 72, 1254.	6.0	41
557	Resilience and MRI correlates of cognitive impairment in community-dwelling elders. <i>British Journal of Psychiatry</i> , 2015, 207, 435-439.	1.7	8
558	Heavier smoking may lead to a relative increase in waist circumference: evidence for a causal relationship from a Mendelian randomisation meta-analysis. The CARTA consortium: Table 1. <i>BMJ Open</i> , 2015, 5, e008808.	0.8	53

#	ARTICLE	IF	CITATIONS
559	Effect of smoking on physical and cognitive capability in later life: a multicohort study using observational and genetic approaches. <i>BMJ Open</i> , 2015, 5, e008393.	0.8	35
560	The Link Between Sauna Bathing and Mortality May Be Noncausal. <i>JAMA Internal Medicine</i> , 2015, 175, 1718.	2.6	5
561	Social class inequalities in health among occupational cohorts from Finland, Britain and Japan: A follow up study. <i>Health and Place</i> , 2015, 31, 173-179.	1.5	12
562	The Natural Course of Healthy Obesity Over 20 Years. <i>Journal of the American College of Cardiology</i> , 2015, 65, 101-102.	1.2	150
563	New genetic loci link adipose and insulin biology to body fat distribution. <i>Nature</i> , 2015, 518, 187-196.	13.7	1,328
564	Genetic studies of body mass index yield new insights for obesity biology. <i>Nature</i> , 2015, 518, 197-206.	13.7	3,823
565	Is change in availability of sports facilities associated with change in physical activity? A prospective cohort study. <i>Preventive Medicine</i> , 2015, 73, 10-14.	1.6	33
566	Association Between Psychological Distress and Liver Disease Mortality: A Meta-analysis of Individual Study Participants. <i>Gastroenterology</i> , 2015, 148, 958-966.e4.	0.6	85
567	Would raising the total cholesterol diagnostic cut-off from 7.5 mmol/L to 9.3 mmol/L improve detection rate of patients with monogenic familial hypercholesterolaemia?. <i>Atherosclerosis</i> , 2015, 239, 295-298.	0.4	13
568	Long-term Adherence to Healthy Dietary Guidelines and Chronic Inflammation in the Prospective Whitehall II Study. <i>American Journal of Medicine</i> , 2015, 128, 152-160.e4.	0.6	55
569	Subgroup analysis as a source of spurious findings: an illustration using new data on alcohol intake and coronary heart disease. <i>Addiction</i> , 2015, 110, 183-184.	1.7	7
570	Long working hours and alcohol use: systematic review and meta-analysis of published studies and unpublished individual participant data. <i>BMJ</i> , 2015, 350, g7772-g7772.	3.0	152
571	Long working hours, socioeconomic status, and the risk of incident type 2 diabetes: a meta-analysis of published and unpublished data from 222,120 individuals. <i>Lancet Diabetes and Endocrinology</i> , 2015, 3, 27-34.	5.5	197
572	Pulmonary function as a risk factor for dementia death: an individual participant meta-analysis of six UK general population cohort studies. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 550-556.	2.0	34
573	Comorbidity and Functional Trajectories From Midlife to Old Age: The Health and Retirement Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2015, 70, 332-338.	1.7	128
574	Personality and alcohol consumption: Pooled analysis of 72,949 adults from eight cohort studies. <i>Drug and Alcohol Dependence</i> , 2015, 151, 110-114.	1.6	173
575	Use of sleep medications and risk of cancer: a matched case-control study. <i>Sleep Medicine</i> , 2015, 16, 1552-1555.	0.8	20
576	Interleukin-6 as a predictor of symptom resolution in psychological distress: a cohort study. <i>Psychological Medicine</i> , 2015, 45, 2137-2144.	2.7	16

#	ARTICLE	IF	CITATIONS
577	Cumulative meta-analysis of interleukins 6 and IL^{12} , tumour necrosis factor IL^{15} and C-reactive protein in patients with major depressive disorder. <i>Brain, Behavior, and Immunity</i> , 2015, 49, 206-215.	2.0	830
578	Does midlife obesity really lower dementia risk?. <i>Lancet Diabetes and Endocrinology</i> , 2015, 3, 498.	5.5	17
579	Change in Sleep Duration and Type 2 Diabetes: The Whitehall II Study. <i>Diabetes Care</i> , 2015, 38, 1467-1472.	4.3	56
580	The widening BMI distribution in the United States. <i>American Journal of Clinical Nutrition</i> , 2015, 101, 1307-1308.	2.2	3
581	Comment on Vimalananda et al. Depressive Symptoms, Antidepressant Use, and the Incidence of Diabetes in the Black Women's Health Study. <i>Diabetes Care</i> 2014;37:2211-2217. <i>Diabetes Care</i> , 2015, 38, 4.3 e22-e23.		1
582	Is the adiposity-associated <i>FTO</i> gene variant related to all-cause mortality independent of adiposity? Meta-analysis of data from 169,551 Caucasian adults. <i>Obesity Reviews</i> , 2015, 16, 327-340.	3.1	8
583	Sleep Complaints and Metabolic Syndrome in an Elderly Population: The Three-City Study. <i>American Journal of Geriatric Psychiatry</i> , 2015, 23, 818-828.	0.6	31
584	Age trajectories of glycaemic traits in non-diabetic South Asian and white individuals: the Whitehall II cohort study. <i>Diabetologia</i> , 2015, 58, 534-542.	2.9	29
585	Length of sick leave as a risk marker of hip fracture: a nationwide cohort study from Sweden. <i>Osteoporosis International</i> , 2015, 26, 943-949.	1.3	4
586	Physical Activity and Adiposity Markers at Older Ages: Accelerometer Vs Questionnaire Data. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 438.e7-438.e13.	1.2	40
587	Mendelian randomization of blood lipids for coronary heart disease. <i>European Heart Journal</i> , 2015, 36, 539-550.	1.0	567
588	Return to Work After Depression-Related Absence by Employees With and Without Other Health Conditions. <i>Psychosomatic Medicine</i> , 2015, 77, 126-135.	1.3	28
589	Patterns of Weight Gain in Middle-Aged and Older US Adults, 1992-2010. <i>Epidemiology</i> , 2015, 26, 165-168.	1.2	37
590	Trans-ancestry genome-wide association study identifies 12 genetic loci influencing blood pressure and implicates a role for DNA methylation. <i>Nature Genetics</i> , 2015, 47, 1282-1293.	9.4	294
591	Sarcopenic obesity and risk of new onset depressive symptoms in older adults: English Longitudinal Study of Ageing. <i>International Journal of Obesity</i> , 2015, 39, 1717-1720.	1.6	63
592	Sex-specific Effects of Adiponectin on Carotid Intima-media Thickness and Incident Cardiovascular Disease. <i>Journal of the American Heart Association</i> , 2015, 4, e001853.	1.6	33
593	Healthy obesity and objective physical activity. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 268-275.	2.2	68
594	Effect of Smoking on Blood Pressure and Resting Heart Rate. <i>Circulation: Cardiovascular Genetics</i> , 2015, 8, 832-841.	5.1	105

#	ARTICLE	IF	CITATIONS
595	Childhood Psychosocial Adversity and Adult Neighborhood Disadvantage as Predictors of Cardiovascular Disease. <i>Circulation</i> , 2015, 132, 371-379.	1.6	63
596	Incidence of Metabolic Risk Factors Among Healthy Obese Adults. <i>Journal of the American College of Cardiology</i> , 2015, 66, 871-873.	1.2	46
597	Long working hours and risk of coronary heart disease and stroke: a systematic review and meta-analysis of published and unpublished data for 603 838 individuals. <i>Lancet, The</i> , 2015, 386, 1739-1746.	6.3	529
598	Functional Analysis of a Carotid Intima-Media Thickness Locus Implicates <i>BCAR1</i> and Suggests a Causal Variant. <i>Circulation: Cardiovascular Genetics</i> , 2015, 8, 696-706.	5.1	17
599	Fast-food outlets and grocery stores near school and adolescents' eating habits and overweight in Finland. <i>European Journal of Public Health</i> , 2015, 25, 650-655.	0.1	48
600	Stability of metabolically healthy obesity over 8 years: the English Longitudinal Study of Ageing. <i>European Journal of Endocrinology</i> , 2015, 173, 703-708.	1.9	107
601	Work Stress as a Risk Factor for Cardiovascular Disease. <i>Current Cardiology Reports</i> , 2015, 17, 630.	1.3	311
602	How can we reduce the global burden of disease?. <i>Lancet, The</i> , 2015, 386, 2235-2237.	6.3	11
603	Pointing the FINGER at multimodal dementia prevention. <i>Lancet, The</i> , 2015, 386, 1626-1627.	6.3	1
604	Activated immune-inflammatory pathways are associated with long-standing depressive symptoms: Evidence from gene-set enrichment analyses in the Young Finns Study. <i>Journal of Psychiatric Research</i> , 2015, 71, 120-125.	1.5	19
605	Job strain and risk of obesity: systematic review and meta-analysis of cohort studies. <i>International Journal of Obesity</i> , 2015, 39, 1597-1600.	1.6	50
606	Lifetime hypertension as a predictor of brain structure in older adults: cohort study with a 28-year follow-up. <i>British Journal of Psychiatry</i> , 2015, 206, 308-315.	1.7	40
607	School neighbourhood socio-economic status and teachers' work commitment in Finland: longitudinal survey with register linkage. <i>Teachers and Teaching: Theory and Practice</i> , 2015, 21, 131-149.	0.9	7
608	Sixty-Five Common Genetic Variants and Prediction of Type 2 Diabetes. <i>Diabetes</i> , 2015, 64, 1830-1840.	0.3	91
609	Socioeconomic and Psychosocial Adversity in Midlife and Depressive Symptoms Post Retirement: A 21-year Follow-up of the Whitehall II Study. <i>American Journal of Geriatric Psychiatry</i> , 2015, 23, 99-109.e1.	0.6	26
610	Metabolically healthy obesity and the risk of cardiovascular disease and type 2 diabetes: the Whitehall II cohort study. <i>European Heart Journal</i> , 2015, 36, 551-559.	1.0	283
611	Long term risk factors for coronary heart disease and stroke: influence of duration of follow-up over four decades of mortality surveillance. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 1139-1145.	0.8	13
612	HMG-coenzyme A reductase inhibition, type 2 diabetes, and bodyweight: evidence from genetic analysis and randomised trials. <i>Lancet, The</i> , 2015, 385, 351-361.	6.3	562

#	ARTICLE	IF	CITATIONS
613	Job Contract at Birth of the First Child as a Predictor of Women's Labor Market Attachment: Trajectory Analyses over 11 Years. <i>Nordic Journal of Working Life Studies</i> , 2015, 5, 9.	0.5	6
614	IPD-Work consortium: pre-defined meta-analyses of individual-participant data strengthen evidence base for a link between psychosocial factors and health. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015, 41, 312-321.	1.7	14
615	Developing register-based measures for assessment of working time patterns for epidemiologic studies. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015, 41, 268-279.	1.7	98
616	Authors' reply: Calculation of population attributable risk should to be based on robust estimates. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015, 41, 506-507.	1.7	4
617	Psychological Changes following Weight Loss in Overweight and Obese Adults: A Prospective Cohort Study. <i>PLoS ONE</i> , 2014, 9, e104552.	1.1	31
618	Socioeconomic Deprivation and the Incidence of 12 Cardiovascular Diseases in 1.9 Million Women and Men: Implications for Risk Prediction and Prevention. <i>PLoS ONE</i> , 2014, 9, e104671.	1.1	106
619	Vertical and Horizontal Trust at Work as Predictors of Retirement Intentions: The Finnish Public Sector Study. <i>PLoS ONE</i> , 2014, 9, e106956.	1.1	8
620	Non-Consent to a Wrist-Worn Accelerometer in Older Adults: The Role of Socio-Demographic, Behavioural and Health Factors. <i>PLoS ONE</i> , 2014, 9, e110816.	1.1	21
621	Nine-year trajectory of purchases of prescribed pain medications before and after in-patient interdisciplinary rehabilitation for chronic musculoskeletal disorders: A prospective, cohort, register-based study of 4,365 subjects. <i>Journal of Rehabilitation Medicine</i> , 2014, 46, 283-286.	0.8	1
622	Work Time Control and Sleep Disturbances: Prospective Cohort Study of Finnish Public Sector Employees. <i>Sleep</i> , 2014, 37, 1217-1225.	0.6	47
623	Short- and long-term changes in perceived work ability after interdisciplinary rehabilitation of chronic musculoskeletal disorders: prospective cohort study among 854 rehabilitants. <i>Clinical Rehabilitation</i> , 2014, 28, 592-603.	1.0	6
624	Personality change associated with chronic diseases: pooled analysis of four prospective cohort studies. <i>Psychological Medicine</i> , 2014, 44, 2629-2640.	2.7	117
625	Age-related trajectories of physical functioning in work and retirement: the role of sociodemographic factors, lifestyle and disease. <i>Journal of Epidemiology and Community Health</i> , 2014, 68, 503-509.	2.0	61
626	Long-term inflammation increases risk of common mental disorder: a cohort study. <i>Molecular Psychiatry</i> , 2014, 19, 149-150.	4.1	95
627	Investigating the possible causal association of smoking with depression and anxiety using Mendelian randomisation meta-analysis: the CARTA consortium. <i>BMJ Open</i> , 2014, 4, e006141.	0.8	150
628	Interleukin-6 and C-reactive protein as predictors of cognitive decline in late midlife. <i>Neurology</i> , 2014, 83, 486-493.	1.5	167
629	Job strain and vagal recovery during sleep in shift working health care professionals. <i>Chronobiology International</i> , 2014, 31, 1179-1189.	0.9	12
630	Stratification by Smoking Status Reveals an Association of CHRNA5-A3-B4 Genotype with Body Mass Index in Never Smokers. <i>PLoS Genetics</i> , 2014, 10, e1004799.	1.5	45

#	ARTICLE	IF	CITATIONS
631	Metabolic Syndrome and Disability: Findings From the Prospective Three-City Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2014, 69, 79-86.	1.7	47
632	Patterns of Obesity Development before the Diagnosis of Type 2 Diabetes: The Whitehall II Cohort Study. <i>PLoS Medicine</i> , 2014, 11, e1001602.	3.9	77
633	Association of physical activity with future mental health in older, mid-life and younger women. <i>European Journal of Public Health</i> , 2014, 24, 813-818.	0.1	32
634	Interarm differences in systolic blood pressure and mortality among US army veterans: aetiological associations and risk prediction in the Vietnam experience study. <i>European Journal of Preventive Cardiology</i> , 2014, 21, 1394-1400.	0.8	26
635	Job strain and COPD exacerbations: an individual-participant meta-analysis. <i>European Respiratory Journal</i> , 2014, 44, 247-251.	3.1	11
636	Alcohol consumption and cognitive decline in early old age. <i>Neurology</i> , 2014, 82, 332-339.	1.5	125
637	Genetic Determinants of Circulating Interleukin-1 Receptor Antagonist Levels and Their Association With Glycemic Traits. <i>Diabetes</i> , 2014, 63, 4343-4359.	0.3	40
638	Job strain and the risk of severe asthma exacerbations: a meta-analysis of individual-participant data from 100 000 European men and women. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2014, 69, 775-783.	2.7	18
639	Metabolically healthy obesity and risk of incident type 2 diabetes: a meta-analysis of prospective cohort studies. <i>Obesity Reviews</i> , 2014, 15, 504-515.	3.1	352
640	Is personality associated with cancer incidence and mortality? An individual-participant meta-analysis of 2156 incident cancer cases among 42%843 men and women. <i>British Journal of Cancer</i> , 2014, 110, 1820-1824.	2.9	62
641	THE ROLE OF PSYCHIATRIC, CARDIOMETABOLIC, AND MUSCULOSKELETAL COMORBIDITY IN THE RECURRENCE OF DEPRESSION-RELATED WORK DISABILITY. <i>Depression and Anxiety</i> , 2014, 31, 796-803.	2.0	21
642	Green and blue areas as predictors of overweight and obesity in an 8-year follow-up study. <i>Obesity</i> , 2014, 22, 1910-1917.	1.5	46
643	Job strain and obesity: authors' reply to C. . <i>Journal of Internal Medicine</i> , 2014, 275, 437-437.	2.7	0
644	Association of the Availability of Beer, Wine, and Liquor Outlets with Beverage-Specific Alcohol Consumption: A Cohort Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2014, 38, 1086-1093.	1.4	14
645	Alcohol consumption and cognitive performance: a Mendelian randomization study. <i>Addiction</i> , 2014, 109, 1462-1471.	1.7	27
646	Association of body mass index and waist circumference with successful aging. <i>Obesity</i> , 2014, 22, 1172-1178.	1.5	24
647	Assessing Risk Prediction Models Using Individual Participant Data From Multiple Studies. <i>American Journal of Epidemiology</i> , 2014, 179, 621-632.	1.6	47
648	Effect of secular trends on age-related trajectories of cardiovascular risk factors: the Whitehall II longitudinal study 1985-2009. <i>International Journal of Epidemiology</i> , 2014, 43, 866-877.	0.9	27

#	ARTICLE	IF	CITATIONS
649	Negative Aspects of Close Relationships as Risk Factors for Cognitive Aging. <i>American Journal of Epidemiology</i> , 2014, 180, 1118-1125.	1.6	22
650	The Authors Reply. <i>American Journal of Epidemiology</i> , 2014, 179, 792-793.	1.6	1
651	Lifestyle factors as predictors of nonadherence to statin therapy among patients with and without cardiovascular comorbidities. <i>Cmaj</i> , 2014, 186, E449-E456.	0.9	29
652	Taking the tension out of hypertension. <i>Journal of Hypertension</i> , 2014, 32, 1222-1228.	0.3	48
653	Cumulative Meta-analysis of Job Strain and CHD. <i>Epidemiology</i> , 2014, 25, 464-465.	1.2	17
654	Association Between Questionnaire- and Accelerometer-Assessed Physical Activity: The Role of Sociodemographic Factors. <i>American Journal of Epidemiology</i> , 2014, 179, 781-790.	1.6	225
655	Don't Let the Truth Get in the Way of a Good Story: An Illustration of Citation Bias in Epidemiologic Research. <i>American Journal of Epidemiology</i> , 2014, 180, 446-448.	1.6	23
656	Adverse experiences in childhood, adulthood neighbourhood disadvantage and health behaviours. <i>Journal of Epidemiology and Community Health</i> , 2014, 68, 741-746.	2.0	17
657	The healthy populationâ€™high disability paradox. <i>Occupational and Environmental Medicine</i> , 2014, 71, 232-233.	1.3	4
658	Depressive disorder, coronary heart disease, and stroke: doseâ€™response and reverse causation effects in the Whitehall II cohort study. <i>European Journal of Preventive Cardiology</i> , 2014, 21, 340-346.	0.8	57
659	Proximity to a tobacco store and smoking cessation: a cohort study. <i>Tobacco Control</i> , 2014, 23, 146-151.	1.8	70
660	Optimism and pessimism as predictors of initiating and ending an antidepressant medication treatment. <i>Nordic Journal of Psychiatry</i> , 2014, 68, 1-7.	0.7	6
661	Association Between Exposure to Work Stressors and Cognitive Performance. <i>Journal of Occupational and Environmental Medicine</i> , 2014, 56, 354-360.	0.9	17
662	Cumulative Associations Between Midlife Health Behaviors and Physical Functioning in Early Old Age: A 17â€™Year Prospective Cohort Study. <i>Journal of the American Geriatrics Society</i> , 2014, 62, 1860-1868.	1.3	30
663	Trajectories of the Framingham general cardiovascular risk profile in midlife and poor motor function later in life: The Whitehall II study. <i>International Journal of Cardiology</i> , 2014, 172, 96-102.	0.8	33
664	Depression and type 2 diabetes: a causal association?. <i>Lancet Diabetes and Endocrinology</i> , 2014, 2, 236-245.	5.5	140
665	Midlife type 2 diabetes and poor glycaemic control as risk factors for cognitive decline in early old age: a post-hoc analysis of the Whitehall II cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2014, 2, 228-235.	5.5	150
666	Sex differences in glucose and insulin trajectories prior to diabetes diagnosis: the Whitehall II study. <i>Acta Diabetologica</i> , 2014, 51, 315-319.	1.2	19

#	ARTICLE	IF	CITATIONS
667	Validating abbreviated measures of effort-reward imbalance at work in European cohort studies: the IPD-Work consortium. <i>International Archives of Occupational and Environmental Health</i> , 2014, 87, 249-256.	1.1	46
668	Conflicts Between Work and Family Life and Subsequent Sleep Problems Among Employees from Finland, Britain, and Japan. <i>International Journal of Behavioral Medicine</i> , 2014, 21, 310-318.	0.8	21
669	Response: Letter to the Editor of IAOEH by BonKyoo Choi et al. (10.1007/s00420-013-0908-3). <i>International Archives of Occupational and Environmental Health</i> , 2014, 87, 113-114.	1.1	0
670	Personality traits as risk factors for stroke and coronary heart disease mortality: pooled analysis of three cohort studies. <i>Journal of Behavioral Medicine</i> , 2014, 37, 881-889.	1.1	197
671	Is temporary employment a risk factor for work disability due to depressive disorders and delayed return to work? The Finnish Public Sector Study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014, 40, 343-352.	1.7	31
672	Sleep duration and sleep disturbances partly explain the association between depressive symptoms and cardiovascular mortality: the Whitehall II cohort study. <i>Journal of Sleep Research</i> , 2014, 23, 94-97.	1.7	30
673	Height in relation to dementia death: individual participant meta-analysis of 18 UK prospective cohort studies. <i>British Journal of Psychiatry</i> , 2014, 205, 348-354.	1.7	49
674	Job Strain as a Risk Factor for Type 2 Diabetes: A Pooled Analysis of 124,808 Men and Women. <i>Diabetes Care</i> , 2014, 37, 2268-2275.	4.3	185
675	Psychological Distress and Incidence of Type 2 Diabetes in High-Risk and Low-Risk Populations: The Whitehall II Cohort Study. <i>Diabetes Care</i> , 2014, 37, 2091-2097.	4.3	45
676	Novel Genetic Approach to Investigate the Role of Plasma Secretory Phospholipase A2 (sPLA) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 387 144-150.	5.1	22
677	Components of job control and mortality: the Finnish Public Sector Study. <i>Occupational and Environmental Medicine</i> , 2014, 71, 536-542.	1.3	16
678	A non-linear association between self-reported negative emotional response to stress and subsequent allostatic load: Prospective results from the Whitehall II cohort study. <i>Psychoneuroendocrinology</i> , 2014, 49, 54-61.	1.3	12
679	Associations between APOE and low-density lipoprotein cholesterol genotypes and cognitive and physical capability: the HALCyon programme. <i>Age</i> , 2014, 36, 9673.	3.0	23
680	Combined effect of physical activity and leisure time sitting on long-term risk of incident obesity and metabolic risk factor clustering. <i>Diabetologia</i> , 2014, 57, 2048-2056.	2.9	45
681	Defining the role of common variation in the genomic and biological architecture of adult human height. <i>Nature Genetics</i> , 2014, 46, 1173-1186.	9.4	1,818
682	Association between alcohol and cardiovascular disease: Mendelian randomisation analysis based on individual participant data. <i>BMJ</i> , The, 2014, 349, g4164-g4164.	3.0	528
683	Study protocol: the Whitehall II imaging sub-study. <i>BMC Psychiatry</i> , 2014, 14, 159.	1.1	82
684	Modifiable cardiovascular disease risk factors as predictors of dementia death: pooling of ten general population-based cohort studies. <i>Journal of Negative Results in BioMedicine</i> , 2014, 13, 8.	1.4	22

#	ARTICLE	IF	CITATIONS
685	Association of vitamin D status with arterial blood pressure and hypertension risk: a mendelian randomisation study. <i>Lancet Diabetes and Endocrinology</i> , 2014, 2, 719-729.	5.5	319
686	Genetic association study of QT interval highlights role for calcium signaling pathways in myocardial repolarization. <i>Nature Genetics</i> , 2014, 46, 826-836.	9.4	281
687	Psychological distress and risk of peripheral vascular disease, abdominal aortic aneurysm, and heart failure: Pooling of sixteen cohort studies. <i>Atherosclerosis</i> , 2014, 236, 385-388.	0.4	37
688	Metabolically healthy obesity: What is the role of sedentary behaviour?. <i>Preventive Medicine</i> , 2014, 62, 35-37.	1.6	19
689	Subjective cognitive complaints and mortality: Does the type of complaint matter?. <i>Journal of Psychiatric Research</i> , 2014, 48, 73-78.	1.5	63
690	No evidence of a longitudinal association between diurnal cortisol patterns and cognition. <i>Neurobiology of Aging</i> , 2014, 35, 2239-2245.	1.5	34
691	Association of metabolically healthy obesity with depressive symptoms: pooled analysis of eight studies. <i>Molecular Psychiatry</i> , 2014, 19, 910-914.	4.1	89
692	Personality and risk of diabetes in adults: Pooled analysis of 5 cohort studies.. <i>Health Psychology</i> , 2014, 33, 1618-1621.	1.3	123
693	Generalizability of Occupational Cohort Study Findings. <i>Epidemiology</i> , 2014, 25, 932-933.	1.2	86
694	Heikkilä et al. Respond. <i>American Journal of Public Health</i> , 2014, 104, e4-e5.	1.5	1
695	Extending Employment beyond the Pensionable Age: A Cohort Study of the Influence of Chronic Diseases, Health Risk Factors, and Working Conditions. <i>PLoS ONE</i> , 2014, 9, e88695.	1.1	73
696	Job Strain and the Risk of Inflammatory Bowel Diseases: Individual-Participant Meta-Analysis of 95 000 Men and Women. <i>PLoS ONE</i> , 2014, 9, e88711.	1.1	17
697	The Joint Effect of Sleep Duration and Disturbed Sleep on Cause-Specific Mortality: Results from the Whitehall II Cohort Study. <i>PLoS ONE</i> , 2014, 9, e91965.	1.1	85
698	Self-Rated Health in the Last 12 Years of Life Compared to Matched Surviving Controls: The Health and Retirement Study. <i>PLoS ONE</i> , 2014, 9, e107879.	1.1	34
699	Effort-reward imbalance as a risk factor for disability pension: the Finnish Public Sector Study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014, 40, 266-277.	1.7	69
700	Associations of traffic noise with self-rated health and psychotropic medication use. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014, 40, 235-243.	1.7	30
701	Measures of frailty in population-based studies: an overview. <i>BMC Geriatrics</i> , 2013, 13, 64.	1.1	352
702	Effect of time of day and fasting duration on measures of glycaemia: analysis from the Whitehall II Study. <i>Diabetologia</i> , 2013, 56, 294-297.	2.9	19

#	ARTICLE	IF	CITATIONS
703	Validating a widely used measure of frailty: are all sub-components necessary? Evidence from the Whitehall II cohort study. <i>Age</i> , 2013, 35, 1457-1465.	3.0	32
704	Association of walking speed in late midlife with mortality: results from the Whitehall II cohort study. <i>Age</i> , 2013, 35, 943-952.	3.0	52
705	Meta-analysis of Gene-Level Associations for Rare Variants Based on Single-Variant Statistics. <i>American Journal of Human Genetics</i> , 2013, 93, 236-248.	2.6	60
706	Association between protein signals and type 2 diabetes incidence. <i>Acta Diabetologica</i> , 2013, 50, 697-704.	1.2	9
707	Association of personality with the development and persistence of obesity: a meta-analysis based on individual participant data. <i>Obesity Reviews</i> , 2013, 14, 315-323.	3.1	176
708	A gene-centric study of common carotid artery remodelling. <i>Atherosclerosis</i> , 2013, 226, 440-446.	0.4	9
709	Diabetes Risk Factors, Diabetes Risk Algorithms, and the Prediction of Future Frailty: The Whitehall II Prospective Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2013, 14, 851.e1-851.e6.	1.2	61
710	Influence of maternal and paternal IQ on offspring health and health behaviours: Evidence for some trans-generational associations using the 1958 British birth cohort study. <i>European Psychiatry</i> , 2013, 28, 219-224.	0.1	11
711	Job strain and coronary heart disease – Authors' reply. <i>Lancet</i> , The, 2013, 381, 448-449.	6.3	5
712	Discovery and refinement of loci associated with lipid levels. <i>Nature Genetics</i> , 2013, 45, 1274-1283.	9.4	2,641
713	Common variants associated with plasma triglycerides and risk for coronary artery disease. <i>Nature Genetics</i> , 2013, 45, 1345-1352.	9.4	754
714	Secretory Phospholipase A2-IIA and Cardiovascular Disease. <i>Journal of the American College of Cardiology</i> , 2013, 62, 1966-1976.	1.2	115
715	Genome-wide scan of job-related exhaustion with three replication studies implicate a susceptibility variant at the UST gene locus. <i>Human Molecular Genetics</i> , 2013, 22, 3363-3372.	1.4	13
716	Perceived organizational justice as a predictor of long-term sickness absence due to diagnosed mental disorders: Results from the prospective longitudinal Finnish Public Sector Study. <i>Social Science and Medicine</i> , 2013, 91, 39-47.	1.8	57
717	Physical Activity Patterns Over 10 Years in Relation to Body Mass Index and Waist Circumference: The Whitehall II Cohort Study. <i>Obesity</i> , 2013, 21, E755-61.	1.5	30
718	Dysregulation of the hypothalamic pituitary adrenal (HPA) axis and physical performance at older ages: An individual participant meta-analysis. <i>Psychoneuroendocrinology</i> , 2013, 38, 40-49.	1.3	60
719	Body-image dissatisfaction is strongly associated with chronic dysphoria. <i>Journal of Affective Disorders</i> , 2013, 150, 253-260.	2.0	25
720	The Benefits of Using Genetic Information to Design Prevention Trials. <i>American Journal of Human Genetics</i> , 2013, 92, 547-557.	2.6	16

#	ARTICLE	IF	CITATIONS
721	Job insecurity and incident coronary heart disease: The Whitehall II prospective cohort study. <i>Atherosclerosis</i> , 2013, 227, 178-181.	0.4	44
722	Proximity of off-premise alcohol outlets and heavy alcohol consumption: A cohort study. <i>Drug and Alcohol Dependence</i> , 2013, 132, 295-300.	1.6	29
723	Trajectories of cardiometabolic risk factors before diagnosis of three subtypes of type 2 diabetes: a post-hoc analysis of the longitudinal Whitehall II cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2013, 1, 43-51.	5.5	87
724	Midlife stroke risk and cognitive decline: A 10-year follow-up of the Whitehall II cohort study. <i>Alzheimer's and Dementia</i> , 2013, 9, 572-579.	0.4	49
725	Does the Framingham cardiovascular disease risk score also have predictive utility for dementia death? An individual participant meta-analysis of 11,887 men and women. <i>Atherosclerosis</i> , 2013, 228, 256-258.	0.4	21
726	Living in proximity of a bar and risky alcohol behaviours: a longitudinal study. <i>Addiction</i> , 2013, 108, 320-328.	1.7	30
727	A non-exercise testing method for estimating cardiorespiratory fitness: associations with all-cause and cardiovascular mortality in a pooled analysis of eight population-based cohorts. <i>European Heart Journal</i> , 2013, 34, 750-758.	1.0	116
728	Stress and Cardiovascular Disease: An Update on Current Knowledge. <i>Annual Review of Public Health</i> , 2013, 34, 337-354.	7.6	573
729	Does Overall Diet in Midlife Predict Future Aging Phenotypes? A Cohort Study. <i>American Journal of Medicine</i> , 2013, 126, 411-419.e3.	0.6	60
730	Genome-wide meta-analysis identifies 11 new loci for anthropometric traits and provides insights into genetic architecture. <i>Nature Genetics</i> , 2013, 45, 501-512.	9.4	578
731	Use of low-density lipoprotein cholesterol gene score to distinguish patients with polygenic and monogenic familial hypercholesterolaemia: a case-control study. <i>Lancet</i> , 2013, 381, 1293-1301.	6.3	485
732	Metabolically Healthy Obesity and Risk of Mortality. <i>Diabetes Care</i> , 2013, 36, 2294-2300.	4.3	278
733	Identification of heart rate-associated loci and their effects on cardiac conduction and rhythm disorders. <i>Nature Genetics</i> , 2013, 45, 621-631.	9.4	282
734	Perceived job insecurity as a risk factor for incident coronary heart disease: systematic review and meta-analysis. <i>BMJ</i> , 2013, 347, f4746-f4746.	3.0	181
735	Adherence to antihypertensive therapy prior to the first presentation of stroke in hypertensive adults: population-based study. <i>European Heart Journal</i> , 2013, 34, 2933-2939.	1.0	68
736	Job strain and supervisor support in primary care health centres and glycaemic control among patients with type 2 diabetes: a cross-sectional study. <i>BMJ Open</i> , 2013, 3, e002297.	0.8	8
737	Cardiovascular disease risk scores in identifying future frailty: the Whitehall II prospective cohort study. <i>Heart</i> , 2013, 99, 737-742.	1.2	53
738	Adherence to healthy dietary guidelines and future depressive symptoms: evidence for sex differentials in the Whitehall II study. <i>American Journal of Clinical Nutrition</i> , 2013, 97, 419-427.	2.2	117

#	ARTICLE	IF	CITATIONS
739	Socioeconomic status as a risk factor for dementia death: individual participant meta-analysis of 86 508 men and women from the UK. <i>British Journal of Psychiatry</i> , 2013, 203, 10-17.	1.7	96
740	Work stress and risk of cancer: meta-analysis of 5700 incident cancer events in 116 000 European men and women. <i>BMJ</i> , The, 2013, 346, f165-f165.	3.0	112
741	Genetic Variants Influencing Biomarkers of Nutrition Are Not Associated with Cognitive Capability in Middle-Aged and Older Adults. <i>Journal of Nutrition</i> , 2013, 143, 606-612.	1.3	8
742	Increased risk of coronary heart disease among individuals reporting adverse impact of stress on their health: the Whitehall II prospective cohort study. <i>European Heart Journal</i> , 2013, 34, 2697-2705.	1.0	103
743	Social Capital in Schools. , 2013, , 65-85.		10
744	Associations Between Change in Sleep Duration and Inflammation: Findings on C-reactive Protein and Interleukin 6 in the Whitehall II Study. <i>American Journal of Epidemiology</i> , 2013, 178, 956-961.	1.6	139
745	Influence of common genetic variation on blood lipid levels, cardiovascular risk, and coronary events in two British prospective cohort studies. <i>European Heart Journal</i> , 2013, 34, 972-981.	1.0	33
746	Informal Caregiving and the Risk for Coronary Heart Disease: The Whitehall II Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2013, 68, 1316-1323.	1.7	54
747	Association of Lifecourse Socioeconomic Status with Chronic Inflammation and Type 2 Diabetes Risk: The Whitehall II Prospective Cohort Study. <i>PLoS Medicine</i> , 2013, 10, e1001479.	3.9	158
748	Sex-stratified Genome-wide Association Studies Including 270,000 Individuals Show Sexual Dimorphism in Genetic Loci for Anthropometric Traits. <i>PLoS Genetics</i> , 2013, 9, e1003500.	1.5	371
749	Need for More Individual-level Meta-Analyses in Social Epidemiology: Example of Job Strain and Coronary Heart Disease. <i>American Journal of Epidemiology</i> , 2013, 177, 1-2.	1.6	18
750	Associations of job strain and lifestyle risk factors with risk of coronary artery disease: a meta-analysis of individual participant data. <i>Cmaj</i> , 2013, 185, 763-769.	0.9	95
751	Trait Anxiety Levels Before and After Antidepressant Treatment. <i>Journal of Clinical Psychopharmacology</i> , 2013, 33, 371-377.	0.7	6
752	Influence of retirement on nonadherence to medication for hypertension and diabetes. <i>Cmaj</i> , 2013, 185, E784-E790.	0.9	23
753	The Authors Reply. <i>American Journal of Epidemiology</i> , 2013, 178, 1009-1010.	1.6	2
754	The Authors Reply. <i>American Journal of Epidemiology</i> , 2013, 178, 154-155.	1.6	3
755	Association of job strain with working hours, shift-dependent perceived workload, sleepiness and recovery. <i>Ergonomics</i> , 2013, 56, 1640-1651.	1.1	35
756	Apolipoprotein E genotype, cardiovascular biomarkers and risk of stroke: Systematic review and meta-analysis of 14 015 stroke cases and pooled analysis of primary biomarker data from up to 60 883 individuals. <i>International Journal of Epidemiology</i> , 2013, 42, 475-492.	0.9	145

#	ARTICLE	IF	CITATIONS
757	Personality and All-Cause Mortality: Individual-Participant Meta-Analysis of 3,947 Deaths in 76,150 Adults. <i>American Journal of Epidemiology</i> , 2013, 178, 667-675.	1.6	257
758	Causal Relevance of Blood Lipid Fractions in the Development of Carotid Atherosclerosis. <i>Circulation: Cardiovascular Genetics</i> , 2013, 6, 63-72.	5.1	36
759	Glycemia, Insulin Resistance, Insulin Secretion, and Risk of Depressive Symptoms in Middle Age. <i>Diabetes Care</i> , 2013, 36, 928-934.	4.3	25
760	Does transfer of work from a public sector organisation to a commercial enterprise without staff reductions increase risk of long-term sickness absence among the staff? A cohort study of laboratory and radiology employees: Table A1. <i>Occupational and Environmental Medicine</i> , 2013, 70, 585-587.	1.3	6
761	Post hoc decision-making in observational epidemiology—”is there need for better research standards?”. <i>International Journal of Epidemiology</i> , 2013, 42, 367-370.	0.9	16
762	Ageing and the prevalence and treatment of mental health problems. <i>Psychological Medicine</i> , 2013, 43, 2037-2045.	2.7	32
763	Use of self-administered instruments to assess psychiatric disorders in older people: validity of the General Health Questionnaire, the Center for Epidemiologic Studies Depression Scale and the self-completion version of the revised Clinical Interview Schedule. <i>Psychological Medicine</i> , 2013, 43, 2649-2656.	2.7	67
764	Association of C-reactive protein and interleukin-6 with new-onset fatigue in the Whitehall II prospective cohort study. <i>Psychological Medicine</i> , 2013, 43, 1773-1783.	2.7	44
765	Psychosocial factors and well-being among Finnish GPs and specialists: a 10-year follow-up. <i>Occupational and Environmental Medicine</i> , 2013, 70, 246-251.	1.3	19
766	Organizational justice, sickness absence and employee age. <i>Journal of Managerial Psychology</i> , 2013, 28, 805-825.	1.3	38
767	Work-related stress and the risk of type 2 diabetes mellitus. <i>Nature Reviews Endocrinology</i> , 2013, 9, 449-450.	4.3	15
768	Socioeconomic characteristics of residential areas and risk of death: is variation in spatial units for analysis a source of heterogeneity in observed associations?. <i>BMJ Open</i> , 2013, 3, e002474.	0.8	25
769	Chronic workplace stress and insufficient physical activity: a cohort study. <i>Occupational and Environmental Medicine</i> , 2013, 70, 3-8.	1.3	68
770	Evaluation of common genetic variants identified by GWAS for early onset and morbid obesity in population-based samples. <i>International Journal of Obesity</i> , 2013, 37, 191-196.	1.6	16
771	Maternal separation in childhood and diurnal cortisol patterns in mid-life: findings from the Whitehall II study. <i>Psychological Medicine</i> , 2013, 43, 633-643.	2.7	36
772	Gene-Centric Analysis Identifies Variants Associated With Interleukin-6 Levels and Shared Pathways With Other Inflammation Markers. <i>Circulation: Cardiovascular Genetics</i> , 2013, 6, 163-170.	5.1	44
773	Chronic inflammation as a determinant of future aging phenotypes. <i>Cmaj</i> , 2013, 185, E763-E770.	0.9	65
774	Predicting cognitive decline. <i>Neurology</i> , 2013, 80, 1300-1306.	1.5	169

#	ARTICLE	IF	CITATIONS
775	OP18â€¦Does Dementia Risk Begin in Early Life? Examining the Relationship Between Height and Dementia Mortality in an Individual Participant Meta-analysis of 181,800 People from Eighteen Prospective Cohort Studies. <i>Journal of Epidemiology and Community Health</i> , 2013, 67, A11.2-A11.	2.0	0
776	Socioeconomic inequalities in common mental disorders and psychotherapy treatment in the UK between 1991 and 2009. <i>British Journal of Psychiatry</i> , 2013, 202, 115-120.	1.7	45
777	Combined impact of smoking and heavy alcohol use on cognitive decline in early old age: Whitehall II prospective cohort study. <i>British Journal of Psychiatry</i> , 2013, 203, 120-125.	1.7	62
778	Job Strain and Health-Related Lifestyle: Findings From an Individual-Participant Meta-Analysis of 118â€‰%000 Working Adults. <i>American Journal of Public Health</i> , 2013, 103, 2090-2097.	1.5	114
779	Effect of depression onset on adherence to medication among hypertensive patients. <i>Journal of Hypertension</i> , 2013, 31, 1477-1484.	0.3	24
780	Gene-centric association signals for haemostasis and thrombosis traits identified with the HumanCVD BeadChip. <i>Thrombosis and Haemostasis</i> , 2013, 110, 995-1003.	1.8	8
781	Job Strain, Sleep and Alertness in Shift Working Health Care Professionals â€”A Field Study. <i>Industrial Health</i> , 2013, 51, 406-416.	0.4	31
782	Workplace Determinants of Social Capital: Cross-Sectional and Longitudinal Evidence from a Finnish Cohort Study. <i>PLoS ONE</i> , 2013, 8, e65846.	1.1	27
783	Quantifying Policy Options for Reducing Future Coronary Heart Disease Mortality in England: A Modelling Study. <i>PLoS ONE</i> , 2013, 8, e69935.	1.1	12
784	Associations between a Polymorphism in the Pleiotropic GCKR and Age-Related Phenotypes: The HALCyon Programme. <i>PLoS ONE</i> , 2013, 8, e70045.	1.1	6
785	Obesity and Occupational Injury: A Prospective Cohort Study of 69,515 Public Sector Employees. <i>PLoS ONE</i> , 2013, 8, e77178.	1.1	50
786	Depression-Related Work Disability: Socioeconomic Inequalities in Onset, Duration and Recurrence. <i>PLoS ONE</i> , 2013, 8, e79855.	1.1	55
787	Work Characteristics and Personal Social Support as Determinants of Subjective Well-Being. <i>PLoS ONE</i> , 2013, 8, e81115.	1.1	60
788	A follow-up study of physical activity and changes in health functioning among middle-aged Finnish, British and Japanese women and men. <i>European Journal of Public Health</i> , 2013, 23, .	0.1	0
789	Workplace Social Capital and Health. , 2013, , 23-63.		20
790	Study protocol for examining job strain as a risk factor for severe unipolar depression in an individual participant meta-analysis of 14 European cohorts. <i>F1000Research</i> , 2013, 2, 233.	0.8	3
791	Job Strain and Cardiovascular Disease Risk Factors: Meta-Analysis of Individual-Participant Data from 47,000 Men and Women. <i>PLoS ONE</i> , 2013, 8, e67323.	1.1	144
792	Risk Models to Predict Hypertension: A Systematic Review. <i>PLoS ONE</i> , 2013, 8, e67370.	1.1	106

#	ARTICLE	IF	CITATIONS
793	Population Genomics of Cardiometabolic Traits: Design of the University College London-London School of Hygiene and Tropical Medicine-Edinburgh-Bristol (UCLEB) Consortium. PLoS ONE, 2013, 8, e71345.	1.1	39
794	Does perceived work ability improve after a multidisciplinary preventive program in a population with no severe medical problems – the Finnish Public Sector Study. Scandinavian Journal of Work, Environment and Health, 2013, 39, 57-65.	1.7	18
795	Do obesity and sleep problems cluster in the workplace? A multivariate, multilevel study. Scandinavian Journal of Work, Environment and Health, 2013, 39, 276-283.	1.7	5
796	Change in economic difficulties and physical and mental functioning: Evidence from British and Finnish employee cohorts. Scandinavian Journal of Work, Environment and Health, 2013, 39, 521-530.	1.7	7
797	Influence of individual and combined healthy behaviours on successful aging. Cmaj, 2012, 184, 1985-1992.	0.9	136
798	Nutritional privation in utero and adult cardiovascular disease risk: famine studies as natural experiments. Heart, 2012, 98, 1613-1615.	1.2	0
799	Data Resource Profile: Cardiovascular disease research using linked bespoke studies and electronic health records (CALIBER). International Journal of Epidemiology, 2012, 41, 1625-1638.	0.9	208
800	Associations between Nighttime Traffic Noise and Sleep: The Finnish Public Sector Study. Environmental Health Perspectives, 2012, 120, 1391-1396.	2.8	72
801	Longitudinal patterns in physical activity and sedentary behaviour from mid-life to early old age: a substudy of the Whitehall II cohort. Journal of Epidemiology and Community Health, 2012, 66, 1110-1115.	2.0	74
802	The association between waist circumference and risk of mortality considering body mass index in 65- to 74-year-olds: a meta-analysis of 29 cohorts involving more than 58 000 elderly persons. International Journal of Epidemiology, 2012, 41, 805-817.	0.9	123
803	Organisational justice and cognitive function in middle-aged employees: the Whitehall II study. Journal of Epidemiology and Community Health, 2012, 66, 552-556.	2.0	21
804	Effect of a multidisciplinary rehabilitation programme on perceived health among employees at increased risk of incapacity for work: a controlled study. Clinical Rehabilitation, 2012, 26, 513-522.	1.0	6
805	Impact of Smoking on Cognitive Decline in Early Old Age. Archives of General Psychiatry, 2012, 69, 627-35.	13.8	176
806	Psychological distress as a risk factor for death from cerebrovascular disease. Cmaj, 2012, 184, 1461-1466.	0.9	32
807	Job strain and the risk of disability pension due to musculoskeletal disorders, depression or coronary heart disease: a prospective cohort study of 69 842 employees. Occupational and Environmental Medicine, 2012, 69, 574-581.	1.3	70
808	OP60 – Risk of Future Depression in People who Are Obese but Metabolically Healthy: The English Longitudinal Study of Ageing. Journal of Epidemiology and Community Health, 2012, 66, A23.2-A24.	2.0	1
809	Consent to DNA collection in epidemiological studies: findings from the Whitehall II cohort and the English Longitudinal Study of Ageing. Genetics in Medicine, 2012, 14, 201-206.	1.1	5
810	Saved by the bell: does working too much increase the likelihood of depression?. Expert Review of Neurotherapeutics, 2012, 12, 497-499.	1.4	21

#	ARTICLE	IF	CITATIONS
811	C-Reactive Protein, Fibrinogen, and Cardiovascular Disease Prediction. <i>New England Journal of Medicine</i> , 2012, 367, 1310-1320.	13.9	909
812	Association between psychological distress and mortality: individual participant pooled analysis of 10 prospective cohort studies. <i>BMJ</i> , The, 2012, 345, e4933-e4933.	3.0	457
813	Risk of future depression in people who are obese but metabolically healthy: the English longitudinal study of ageing. <i>Molecular Psychiatry</i> , 2012, 17, 940-945.	4.1	105
814	Sleep loss due to worry and future risk of cardiovascular disease and all-cause mortality: the Scottish Health Survey. <i>European Journal of Preventive Cardiology</i> , 2012, 19, 1437-1443.	0.8	16
815	Bidirectional Association Between Depression and Metabolic Syndrome. <i>Diabetes Care</i> , 2012, 35, 1171-1180.	4.3	576
816	Large-scale association analyses identify new loci influencing glycemic traits and provide insight into the underlying biological pathways. <i>Nature Genetics</i> , 2012, 44, 991-1005.	9.4	746
817	Sleep is unlikely to be the key mediator between stress and CVD. <i>Nature Reviews Cardiology</i> , 2012, 9, 598-598.	6.1	4
818	Gene-Targeted Analysis of Copy Number Variants Identifies 3 Novel Associations With Coronary Heart Disease Traits. <i>Circulation: Cardiovascular Genetics</i> , 2012, 5, 555-560.	5.1	9
819	Socioeconomic Status, Cardiovascular Risk Factors, and Subclinical Atherosclerosis in Young Adults. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012, 32, 815-821.	1.1	37
820	Comparative analysis of genome-wide association studies signals for lipids, diabetes, and coronary heart disease: Cardiovascular Biomarker Genetics Collaboration. <i>European Heart Journal</i> , 2012, 33, 393-407.	1.0	93
821	Authors' response to: Can information on life stress improve CHD risk prediction in clinical practice?. <i>International Journal of Epidemiology</i> , 2012, 41, 324-326.	0.9	0
822	Adiponectin Trajectories Before Type 2 Diabetes Diagnosis. <i>Diabetes Care</i> , 2012, 35, 2540-2547.	4.3	48
823	Diagnosis-specific sick leave as a long-term predictor of disability pension: a 13-year follow-up of the GAZEL cohort study. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, 155-159.	2.0	59
824	Identification of the <i>BCAR1-CFDP1-TMEM170A</i> Locus as a Determinant of Carotid Intima-Media Thickness and Coronary Artery Disease Risk. <i>Circulation: Cardiovascular Genetics</i> , 2012, 5, 656-665.	5.1	47
825	Differential Associations of Job Control Components With Mortality: A Cohort Study, 1986-2005. <i>American Journal of Epidemiology</i> , 2012, 175, 609-619.	1.6	20
826	Social Participation and Maintaining Recommended Waist Circumference. <i>Journal of Aging and Health</i> , 2012, 24, 250-268.	0.9	11
827	Integration of Genetics into a Systems Model of Electrocardiographic Traits Using HumanCVD BeadChip. <i>Circulation: Cardiovascular Genetics</i> , 2012, 5, 630-638.	5.1	12
828	Physical Activity and Inflammatory Markers Over 10 Years. <i>Circulation</i> , 2012, 126, 928-933.	1.6	213

#	ARTICLE	IF	CITATIONS
829	Socioeconomic Status, Structural and Functional Measures of Social Support, and Mortality. <i>American Journal of Epidemiology</i> , 2012, 175, 1275-1283.	1.6	166
830	Diabetes and raised blood glucose as risk factors for future suicide: cohort study of 1â€³234â€³927 Korean men and women: Table 1. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, 650-652.	2.0	32
831	Job Strain as a Risk Factor for Leisure-Time Physical Inactivity: An Individual-Participant Meta-Analysis of Up to 170,000 Men and Women: The IPD-Work Consortium. <i>American Journal of Epidemiology</i> , 2012, 176, 1078-1089.	1.6	198
832	Joensuu et al. Respond to "Structure and Context Matters". <i>American Journal of Epidemiology</i> , 2012, 175, 625-626.	1.6	4
833	No Interactions Between Previously Associated 2-Hour Glucose Gene Variants and Physical Activity or BMI on 2-Hour Glucose Levels. <i>Diabetes</i> , 2012, 61, 1291-1296.	0.3	23
834	Non-response in a nationwide follow-up postal survey in Finland: a register-based mortality analysis of respondents and non-respondents of the Health and Social Support (HeSSup) Study. <i>BMJ Open</i> , 2012, 2, e000657.	0.8	46
835	Rising adiposity curbing decline in the incidence of myocardial infarction: 20-year follow-up of British men and women in the Whitehall II cohort. <i>European Heart Journal</i> , 2012, 33, 478-485.	1.0	28
836	Students' school satisfaction as predictor of teachers' sickness absence: a prospective cohort study. <i>European Journal of Public Health</i> , 2012, 22, 215-219.	0.1	18
837	Social support and the likelihood of maintaining and improving levels of physical activity: the Whitehall II Study. <i>European Journal of Public Health</i> , 2012, 22, 514-518.	0.1	87
838	Socio-economic position and mental disorders in a working-age Finnish population: the health 2000 study. <i>European Journal of Public Health</i> , 2012, 22, 327-332.	0.1	38
839	Limitations to functioning and independent living after the onset of coronary heart disease: what is the role of lifestyle factors and obesity?. <i>European Journal of Public Health</i> , 2012, 22, 831-835.	0.1	12
840	SABIA ET AL. RESPOND. <i>American Journal of Public Health</i> , 2012, 102, S165-S166.	1.5	0
841	Trajectories of Sleep Complaints From Early Midlife to Old Age: Longitudinal Modeling Study. <i>Sleep</i> , 2012, 35, 1559-68.	0.6	15
842	Organizational Justice in Primary-Care Health Centers and Glycemic Control in Patients With Type 2 Diabetes. <i>Medical Care</i> , 2012, 50, 831-835.	1.1	16
843	Workplace social capital and risk of chronic and severe hypertension. <i>Journal of Hypertension</i> , 2012, 30, 1129-1136.	0.3	42
844	Personality Traits of the Five-Factor Model Are Associated With Effortâ€“Reward Imbalance at Work. <i>Journal of Occupational and Environmental Medicine</i> , 2012, 54, 875-880.	0.9	17
845	Indoleamine 2,3-Dioxygenase Activation and Depressive Symptoms. <i>Psychosomatic Medicine</i> , 2012, 74, 675-681.	1.3	35
846	Effect of Intensity and Type of Physical Activity on Mortality: Results From the Whitehall II Cohort Study. <i>American Journal of Public Health</i> , 2012, 102, 698-704.	1.5	93

#	ARTICLE	IF	CITATIONS
847	Change in physical activity and weight in relation to retirement: the French GAZEL Cohort Study. <i>BMJ Open</i> , 2012, 2, e000522.	0.8	45
848	OP17â€¦Do Low Levels of Psychological Distress Predict Mortality? Evidence from an Individual Participant Meta-Analysis of ten Prospective Cohort Studies. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, A7.2-A7.	2.0	0
849	Does the Framingham Stroke Risk Profile predict white-matter changes in late-life depression?. <i>International Psychogeriatrics</i> , 2012, 24, 524-531.	0.6	26
850	The interleukin-6 receptor as a target for prevention of coronary heart disease: a mendelian randomisation analysis. <i>Lancet</i> , The, 2012, 379, 1214-1224.	6.3	886
851	Prediabetes: a high-risk state for diabetes development. <i>Lancet</i> , The, 2012, 379, 2279-2290.	6.3	1,950
852	Contribution of modifiable risk factors to social inequalities in type 2 diabetes: prospective Whitehall II cohort study. <i>BMJ</i> , The, 2012, 345, e5452-e5452.	3.0	121
853	Job strain as a risk factor for coronary heart disease: a collaborative meta-analysis of individual participant data. <i>Lancet</i> , The, 2012, 380, 1491-1497.	6.3	786
854	Prediabetes and the risk of diabetes â€œ Authors' reply. <i>Lancet</i> , The, 2012, 380, 1226.	6.3	0
855	When and how to start prevention of atherosclerosis? Lessons from the Cardiovascular Risk in the Young Finns Study and the Special Turku Coronary Risk Factor Intervention Project. <i>Pediatric Nephrology</i> , 2012, 27, 1441-1452.	0.9	37
856	Childhood adversities and adult-onset asthma: a cohort study. <i>BMJ Open</i> , 2012, 2, e001625.	0.8	9
857	Bidirectional association between physical activity and symptoms of anxiety and depression: the Whitehall II study. <i>European Journal of Epidemiology</i> , 2012, 27, 537-546.	2.5	233
858	Long Working Hours and Coronary Heart Disease: A Systematic Review and Meta-Analysis. <i>American Journal of Epidemiology</i> , 2012, 176, 586-596.	1.6	230
859	The Beck Depression Inventory and General Health Questionnaire as measures of depression in the general population: A validation study using the Composite International Diagnostic Interview as the gold standard. <i>Psychiatry Research</i> , 2012, 197, 163-171.	1.7	181
860	Insomnia symptoms as a predictor of incident treatment for depression: Prospective cohort study of 40,791 men and women. <i>Sleep Medicine</i> , 2012, 13, 278-284.	0.8	51
861	Economic difficulties and subsequent sleep problems: Evidence from British and Finnish occupational cohorts. <i>Sleep Medicine</i> , 2012, 13, 680-685.	0.8	34
862	Low conscientiousness and risk of all-cause, cardiovascular and cancer mortality over 17years: Whitehall II cohort study. <i>Journal of Psychosomatic Research</i> , 2012, 73, 98-103.	1.2	41
863	Association of pupil vandalism, bullying and truancy with teachers' absence due to illness: A multilevel analysis. <i>Journal of School Psychology</i> , 2012, 50, 347-361.	1.5	13
864	Obesity phenotypes in midlife and cognition in early old age. <i>Neurology</i> , 2012, 79, 755-762.	1.5	94

#	ARTICLE	IF	CITATIONS
865	Living alone and antidepressant medication use: a prospective study in a working-age population. BMC Public Health, 2012, 12, 236.	1.2	48
866	School environment as predictor of teacher sick leave: data-linked prospective cohort study. BMC Public Health, 2012, 12, 770.	1.2	32
867	Stress and cardiovascular disease. Nature Reviews Cardiology, 2012, 9, 360-370.	6.1	935
868	Can usefulness of performance appraisal interviews change organizational justice perceptions? A 4-year longitudinal study among public sector employees. International Journal of Human Resource Management, 2012, 23, 1360-1375.	3.3	34
869	Body mass index and depressive symptoms: instrumental variables regression with genetic risk score. Genes, Brain and Behavior, 2012, 11, 942-948.	1.1	31
870	Timing of onset of cognitive decline: results from Whitehall II prospective cohort study. BMJ: British Medical Journal, 2012, 344, d7622-d7622.	2.4	610
871	Large-Scale Gene-Centric Meta-analysis across 32 Studies Identifies Multiple Lipid Loci. American Journal of Human Genetics, 2012, 91, 823-838.	2.6	227
872	Vascular Risk Status as a Predictor of Later-Life Depressive Symptoms: A Cohort Study. Biological Psychiatry, 2012, 72, 324-330.	0.7	34
873	IRS1 gene variants, dysglycaemic metabolic changes and type-2 diabetes risk. Nutrition, Metabolism and Cardiovascular Diseases, 2012, 22, 1024-1030.	1.1	20
874	Bidirectional association between depression and obesity in middle-aged and older women. International Journal of Obesity, 2012, 36, 595-602.	1.6	198
875	Overtime Work as a Predictor of Major Depressive Episode: A 5-Year Follow-Up of the Whitehall II Study. PLoS ONE, 2012, 7, e30719.	1.1	136
876	Quantifying Neighbourhood Socioeconomic Effects in Clustering of Behaviour-Related Risk Factors: A Multilevel Analysis. PLoS ONE, 2012, 7, e32937.	1.1	71
877	Job Strain and Tobacco Smoking: An Individual-Participant Data Meta-Analysis of 166 130 Adults in 15 European Studies. PLoS ONE, 2012, 7, e35463.	1.1	102
878	Determinants of Aortic Stiffness: 16-Year Follow-Up of the Whitehall II Study. PLoS ONE, 2012, 7, e37165.	1.1	78
879	Why Do Males in Scotland Die Younger than Those in England? Evidence from Three Prospective Cohort Studies. PLoS ONE, 2012, 7, e38860.	1.1	11
880	Work-Related Exhaustion and Telomere Length: A Population-Based Study. PLoS ONE, 2012, 7, e40186.	1.1	72
881	Environmental Stress Affects DNA Methylation of a CpG Rich Promoter Region of Serotonin Transporter Gene in a Nurse Cohort. PLoS ONE, 2012, 7, e45813.	1.1	89
882	Effectiveness of multidisciplinary early rehabilitation in reducing behaviour-related risk factors. Journal of Rehabilitation Medicine, 2012, 44, 370-377.	0.8	4

#	ARTICLE	IF	CITATIONS
883	Using Repeated Measures of Sleep Disturbances to Predict Future Diagnosis-Specific Work Disability: A Cohort Study. <i>Sleep</i> , 2012, 35, 559-69.	0.6	20
884	A genome-wide approach accounting for body mass index identifies genetic variants influencing fasting glycemic traits and insulin resistance. <i>Nature Genetics</i> , 2012, 44, 659-669.	9.4	762
885	Cross-cultural comparison of correlates of quality of life and health status: the Whitehall II Study (UK) and the Western New York Health Study (US). <i>European Journal of Epidemiology</i> , 2012, 27, 255-265.	2.5	32
886	A genetic instrument for Mendelian randomization of fibrinogen. <i>European Journal of Epidemiology</i> , 2012, 27, 267-279.	2.5	14
887	Large-Scale Gene-Centric Meta-Analysis across 39 Studies Identifies Type 2 Diabetes Loci. <i>American Journal of Human Genetics</i> , 2012, 90, 410-425.	2.6	239
888	Large-Scale Gene-Centric Meta-Analysis across 39 Studies Identifies Type 2 Diabetes Loci. <i>American Journal of Human Genetics</i> , 2012, 90, 753.	2.6	4
889	Meta-analysis of Dense Genecentric Association Studies Reveals Common and Uncommon Variants Associated with Height. <i>American Journal of Human Genetics</i> , 2012, 90, 1116-1117.	2.6	0
890	Childhood socioeconomic position, adult sense of coherence and tooth retention. <i>Community Dentistry and Oral Epidemiology</i> , 2012, 40, 46-52.	0.9	18
891	Job strain in relation to body mass index: pooled analysis of 160 000 adults from 13 cohort studies. <i>Journal of Internal Medicine</i> , 2012, 272, 65-73.	2.7	132
892	Work-Related Violence, Lifestyle, and Health Among Special Education Teachers Working in Finnish Basic Education. <i>Journal of School Health</i> , 2012, 82, 336-343.	0.8	24
893	Socioeconomic status and the development of depressive symptoms from childhood to adulthood: A longitudinal analysis across 27 years of follow-up in the Young Finns study. <i>Social Science and Medicine</i> , 2012, 74, 923-929.	1.8	72
894	Comparison of alternative versions of the job demand-control scales in 17 European cohort studies: the IPD-Work consortium. <i>BMC Public Health</i> , 2012, 12, 62.	1.2	137
895	Antidepressant drug use and future diabetes risk. <i>Diabetologia</i> , 2012, 55, 10-12.	2.9	10
896	Waterborne Outbreak of Gastroenteritis: Effects on Sick Leaves and Cost of Lost Workdays. <i>PLoS ONE</i> , 2012, 7, e33307.	1.1	16
897	Job Strain and Alcohol Intake: A Collaborative Meta-Analysis of Individual-Participant Data from 140 000 Men and Women. <i>PLoS ONE</i> , 2012, 7, e40101.	1.1	93
898	Implementation of Workplace-Based Smoking Cessation Support Activities and Smoking Cessation Among Employees: The Finnish Public Sector Study. <i>American Journal of Public Health</i> , 2012, 102, e56-e62.	1.5	16
899	Effectiveness of multidisciplinary primary prevention in decreasing the risk of work disability in a low-risk population. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012, 38, 27-37.	1.7	18
900	Health risk behaviors and morbidity among hospital staff – comparison across hospital ward medical specialties in a study of 21 Finnish hospitals. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012, 38, 228-237.	1.7	17

#	ARTICLE	IF	CITATIONS
901	Pupils with special educational needs in basic education schools and teachersâ€™ sickness absences â€“ a register-linkage study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012, 38, 209-217.	1.7	16
902	Socio-economic differences in long-term psychiatric work disability: prospective cohort study of onset, recovery and recurrence. <i>Occupational and Environmental Medicine</i> , 2011, 68, 791-798.	1.3	76
903	Differences in the association between sickness absence and long-term sub-optimal health by occupational position: a 14-year follow-up in the GAZEL cohort. <i>Occupational and Environmental Medicine</i> , 2011, 68, 729-733.	1.3	17
904	Hostility in adolescents and adults: a genome-wide association study of the Young Finns. <i>Translational Psychiatry</i> , 2011, 1, e11-e11.	2.4	23
905	Antidepressant Medication Use and Risk of Hyperglycemia and Diabetes Mellitusâ€”A Noncausal Association?. <i>Biological Psychiatry</i> , 2011, 70, 978-984.	0.7	54
906	Genetic variation near IRS1 associates with reduced adiposity and an impaired metabolic profile. <i>Nature Genetics</i> , 2011, 43, 753-760.	9.4	289
907	Genetic variants in novel pathways influence blood pressure and cardiovascular disease risk. <i>Nature</i> , 2011, 478, 103-109.	13.7	1,855
908	Sibling Analysis of Adolescent Intelligence and Chronic Diseases in Older Adulthood. <i>Annals of Epidemiology</i> , 2011, 21, 489-496.	0.9	13
909	Hostility, metabolic syndrome, inflammation and cardiac control in young adults: The Young Finns Study. <i>Biological Psychology</i> , 2011, 87, 234-240.	1.1	31
910	Anti-depressant medication use and C-reactive protein: Results from two population-based studies. <i>Brain, Behavior, and Immunity</i> , 2011, 25, 168-173.	2.0	59
911	Response to: Depression, inflammation and therapy: Which way is right?. <i>Brain, Behavior, and Immunity</i> , 2011, 25, 801.	2.0	0
912	Educational attainment but not measures of current socioeconomic circumstances are associated with leukocyte telomere length in healthy older men and women. <i>Brain, Behavior, and Immunity</i> , 2011, 25, 1292-1298.	2.0	107
913	Negative emotionality, activity, and sociability temperaments predicting long-term job strain and effortâ€“reward imbalance: A 15-year prospective follow-up study. <i>Journal of Psychosomatic Research</i> , 2011, 71, 90-96.	1.2	30
914	A genome-wide association study of aging. <i>Neurobiology of Aging</i> , 2011, 32, 2109.e15-2109.e28.	1.5	127
915	Early retirement from work among employees with a diagnosis of personality disorder compared to anxiety and depressive disorders. <i>European Psychiatry</i> , 2011, 26, 18-22.	0.1	15
916	Socioeconomic and ethnic differences in use of lipid-lowering drugs after deregulation of simvastatin in the UK: The Whitehall II prospective cohort study. <i>Atherosclerosis</i> , 2011, 215, 223-228.	0.4	18
917	A longitudinal analysis on associations of adiponectin levels with metabolic syndrome and carotid artery intima-media thickness. <i>The Cardiovascular Risk in Young Finns Study. Atherosclerosis</i> , 2011, 217, 234-239.	0.4	46
918	Meta analysis of candidate gene variants outside the LPA locus with Lp(a) plasma levels in 14,500 participants of six White European cohorts. <i>Atherosclerosis</i> , 2011, 217, 447-451.	0.4	20

#	ARTICLE	IF	CITATIONS
919	Comparison of risk factors for fatal stroke and ischemic heart disease: A prospective follow up of the health survey for England. <i>Atherosclerosis</i> , 2011, 219, 807-810.	0.4	10
920	Physical Functional Health and Risk of Future Cardiovascular Disease: The Scottish Health Survey. <i>Archives of Internal Medicine</i> , 2011, 171, 593.	4.3	3
921	Predictive factors of future participation in rehabilitation in the working population: The Finnish public sector study. <i>Journal of Rehabilitation Medicine</i> , 2011, 43, 404-410.	0.8	18
922	Association of Maternal and Paternal IQ With Offspring Conduct, Emotional, and Attention Problem Scores. <i>Archives of General Psychiatry</i> , 2011, 68, 1032.	13.8	28
923	Change in Sleep Duration and Cognitive Function: Findings from the Whitehall II Study. <i>Sleep</i> , 2011, 34, 565-573.	0.6	227
924	P2-291 Structural and functional measures of social support, socioeconomic position and mortality. The British Whitehall II Study. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, A302-A302.	2.0	0
925	Negative Aspects of Close Relationships as a Predictor of Increased Body Mass Index and Waist Circumference: The Whitehall II Study. <i>American Journal of Public Health</i> , 2011, 101, 1474-1480.	1.5	37
926	Workplace Social Capital and All-Cause Mortality: A Prospective Cohort Study of 28 043 Public-Sector Employees in Finland. <i>American Journal of Public Health</i> , 2011, 101, 1742-1748.	1.5	57
927	Is Retirement Beneficial for Mental Health?. <i>Epidemiology</i> , 2011, 22, 553-559.	1.2	135
928	Change in job strain and progression of atherosclerosis: The Cardiovascular Risk in Young Finns study.. <i>Journal of Occupational Health Psychology</i> , 2011, 16, 139-150.	2.3	8
929	A prospective study of positive psychological well-being and coronary heart disease.. <i>Health Psychology</i> , 2011, 30, 259-267.	1.3	146
930	Using Additional Information on Working Hours to Predict Coronary Heart Disease. <i>Annals of Internal Medicine</i> , 2011, 154, 457.	2.0	79
931	Decline in low-density lipoprotein cholesterol concentration: lipid-lowering drugs, diet, or physical activity? Evidence from the Whitehall II study. <i>Heart</i> , 2011, 97, 923-930.	1.2	37
932	Overcrowding in psychiatric wards and physical assaults on staff: data-linked longitudinal study. <i>British Journal of Psychiatry</i> , 2011, 198, 149-155.	1.7	57
933	Patients With Infectious Diseases, Overcrowding, and Health in Hospital Staff. <i>Archives of Internal Medicine</i> , 2011, 171, 1296.	4.3	14
934	Persistent asthma, comorbid conditions and the risk of work disability: a prospective cohort study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2011, 66, 1598-1603.	2.7	45
935	Does obesity really protect against psychological distress? Examining the "fat-jolly" versus "fat-sad" hypotheses using Mendelian randomization. <i>Journal of Internal Medicine</i> , 2011, 269, 519-520.	2.7	8
936	Selenium status and blood lipids: the cardiovascular risk in young finns study. <i>Journal of Internal Medicine</i> , 2011, 270, 469-477.	2.7	31

#	ARTICLE	IF	CITATIONS
937	Absence of association of a single-nucleotide polymorphism in the TERT-CLPTM1L locus with age-related phenotypes in a large multicohort study: the HALCyon programme. <i>Aging Cell</i> , 2011, 10, 520-532.	3.0	8
938	Genetic Variants Associated with von Willebrand Factor Levels in Healthy Men and Women Identified Using the HumanCVD BeadChip. <i>Annals of Human Genetics</i> , 2011, 75, 456-467.	0.3	28
939	Childhood behavior problems and health at midlife: 35-year follow-up of a Scottish birth cohort. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2011, 52, 992-1001.	3.1	67
940	Education level and oral health in Finnish adults: evidence from different lifecourse models. <i>Journal of Clinical Periodontology</i> , 2011, 38, 25-32.	2.3	64
941	Organizational justice at school and its associations with pupils' psychosocial school environment, health, and wellbeing. <i>Social Science and Medicine</i> , 2011, 73, 1675-1682.	1.8	39
942	Genetics of cortisol secretion and depressive symptoms: A candidate gene and genome wide association approach. <i>Psychoneuroendocrinology</i> , 2011, 36, 1053-1061.	1.3	85
943	Optimism and pessimism as predictors of work disability with a diagnosis of depression: A prospective cohort study of onset and recovery. <i>Journal of Affective Disorders</i> , 2011, 130, 294-299.	2.0	28
944	Natural course of recurrent psychological distress in adulthood. <i>Journal of Affective Disorders</i> , 2011, 130, 454-461.	2.0	24
945	Moderating effect of indoleamine 2,3-dioxygenase (IDO) activation in the association between depressive symptoms and carotid atherosclerosis: Evidence from the Young Finns study. <i>Journal of Affective Disorders</i> , 2011, 133, 611-614.	2.0	14
946	Meta-analysis of Dense Genecentric Association Studies Reveals Common and Uncommon Variants Associated with Height. <i>American Journal of Human Genetics</i> , 2011, 88, 6-18.	2.6	122
947	Blood Pressure Loci Identified with a Gene-Centric Array. <i>American Journal of Human Genetics</i> , 2011, 89, 688-700.	2.6	159
948	Association of CRP and IL-6 with lung function in a middle-aged population initially free from self-reported respiratory problems: the Whitehall II study. <i>European Journal of Epidemiology</i> , 2011, 26, 135-144.	2.5	44
949	Modifiable risk factors for prostate cancer mortality in London: forty years of follow-up in the Whitehall study. <i>Cancer Causes and Control</i> , 2011, 22, 311-318.	0.8	67
950	Development of sense of coherence in adulthood: a person-centered approach. The population-based HeSSup cohort study. <i>Quality of Life Research</i> , 2011, 20, 69-79.	1.5	64
951	Variants of ADRA2A are associated with fasting glucose, blood pressure, body mass index and type 2 diabetes risk: meta-analysis of four prospective studies. <i>Diabetologia</i> , 2011, 54, 1710-1719.	2.9	34
952	Association of lung function with physical, mental and cognitive function in early old age. <i>Age</i> , 2011, 33, 385-392.	3.0	45
953	Does cognitive reserve shape cognitive decline?. <i>Annals of Neurology</i> , 2011, 70, 296-304.	2.8	121
954	Alternative Healthy Eating Index and mortality over 18 y of follow-up: results from the Whitehall II cohort. <i>American Journal of Clinical Nutrition</i> , 2011, 94, 247-253.	2.2	151

#	ARTICLE	IF	CITATIONS
955	O1-4.4 Framingham stroke risk profile and cognitive decline in middle age: the Whitehall II study. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, A14-A15.	2.0	0
956	Association between C reactive protein and coronary heart disease: mendelian randomisation analysis based on individual participant data. <i>BMJ: British Medical Journal</i> , 2011, 342, d548-d548.	2.4	530
957	Childhood Environmental and Genetic Predictors of Adulthood Obesity: The Cardiovascular Risk in Young Finns Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, E1542-E1549.	1.8	66
958	Does adding information on job strain improve risk prediction for coronary heart disease beyond the standard Framingham risk score? The Whitehall II study. <i>International Journal of Epidemiology</i> , 2011, 40, 1577-1584.	0.9	20
959	Sickness absence among Finnish special and general education teachers. <i>Occupational Medicine</i> , 2011, 61, 465-471.	0.8	14
960	Height loss and future coronary heart disease in London: the Whitehall II study. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, 461-464.	2.0	8
961	Validation of the Phenotype of Frailty measurement in the Whitehall II study. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, A27-A28.	2.0	0
962	Risk factors for colonic and rectal cancer mortality: evidence from 40 years' follow-up in the Whitehall I study. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, 1053-1058.	2.0	36
963	Low Level of Optimism Predicts Initiation of Psychotherapy for Depression: Results from the Finnish Public Sector Study. <i>Psychotherapy and Psychosomatics</i> , 2011, 80, 238-244.	4.0	14
964	Associations of Common Genetic Variants With Age-Related Changes in Fasting and Postload Glucose. <i>Diabetes</i> , 2011, 60, 1617-1623.	0.3	17
965	Do different measures of early life socioeconomic circumstances predict adult mortality? Evidence from the British Whitehall II and French GAZEL studies. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, 1097-1103.	2.0	19
966	Sleep epidemiology—a rapidly growing field. <i>International Journal of Epidemiology</i> , 2011, 40, 1431-1437.	0.9	214
967	Long working hours and symptoms of anxiety and depression: a 5-year follow-up of the Whitehall II study. <i>Psychological Medicine</i> , 2011, 41, 2485-2494.	2.7	205
968	Haemoglobin A1c, fasting glucose and future risk of elevated depressive symptoms over 2 years of follow-up in the English Longitudinal Study of Ageing. <i>Psychological Medicine</i> , 2011, 41, 1889-1896.	2.7	35
969	Impact of Smoking Cessation Advice on Future Smoking Behavior, Morbidity, and Mortality: Up to 40 Years of Follow-up of the First Randomized Controlled Trial of a General Population Sample. <i>Archives of Internal Medicine</i> , 2011, 171, 1950.	4.3	9
970	Socioeconomic Differences in Cardiometabolic Factors: Social Causation or Health-related Selection? Evidence From the Whitehall II Cohort Study, 1991–2004. <i>American Journal of Epidemiology</i> , 2011, 174, 779-789.	1.6	116
971	Antidepressant medication use and future risk of cardiovascular disease: the Scottish Health Survey. <i>European Heart Journal</i> , 2011, 32, 437-442.	1.0	123
972	Predictive utility of the Framingham general cardiovascular disease risk profile for cognitive function: evidence from the Whitehall II study. <i>European Heart Journal</i> , 2011, 32, 2326-2332.	1.0	93

#	ARTICLE	IF	CITATIONS
973	Heart health when life is satisfying: evidence from the Whitehall II cohort study. <i>European Heart Journal</i> , 2011, 32, 2672-2677.	1.0	79
974	Cardiovascular disease risk factors in relation to suicide mortality in Asia: prospective cohort study of over one million Korean men and women. <i>European Heart Journal</i> , 2011, 32, 2773-2780.	1.0	69
975	Arterial Stiffness, Physical Function, and Functional Limitation. <i>Hypertension</i> , 2011, 57, 1003-1009.	1.3	92
976	Influence of retirement and work stress on headache prevalence: A longitudinal modelling study from the GAZEL Cohort Study. <i>Cephalalgia</i> , 2011, 31, 696-705.	1.8	34
977	Epidemiology of healthy ageing and the idea of more refined outcome measures. <i>International Journal of Epidemiology</i> , 2011, 40, 845-847.	0.9	25
978	Covert coping with unfair treatment at work and risk of incident myocardial infarction and cardiac death among men: prospective cohort study. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, 420-425.	2.0	10
979	Effect of participative intervention on organisational justice perceptions: a quasi-experimental study on Finnish public sector employees. <i>International Journal of Human Resource Management</i> , 2011, 22, 706-721.	3.3	13
980	Examining Overweight and Obesity as Risk Factors for Common Mental Disorders Using Fat Mass and Obesity-Associated (FTO) Genotype-Instrumented Analysis: The Whitehall II Study, 1985-2004. <i>American Journal of Epidemiology</i> , 2011, 173, 421-429.	1.6	66
981	Four Genetic Loci Influencing Electrocardiographic Indices of Left Ventricular Hypertrophy. Circulation: <i>Cardiovascular Genetics</i> , 2011, 4, 626-635.	5.1	28
982	Health Behaviours, Socioeconomic Status, and Mortality: Further Analyses of the British Whitehall II and the French GAZEL Prospective Cohorts. <i>PLoS Medicine</i> , 2011, 8, e1000419.	3.9	255
983	Life Course Trajectories of Systolic Blood Pressure Using Longitudinal Data from Eight UK Cohorts. <i>PLoS Medicine</i> , 2011, 8, e1000440.	3.9	190
984	A gene-centric association scan for Coagulation Factor VII levels in European and African Americans: the Candidate Gene Association Resource (CARE) Consortium. <i>Human Molecular Genetics</i> , 2011, 20, 3525-3534.	1.4	19
985	Conventional and Mendelian randomization analyses suggest no association between lipoprotein(a) and early atherosclerosis: the Young Finns Study. <i>International Journal of Epidemiology</i> , 2011, 40, 470-478.	0.9	43
986	Stressful life events and the onset of asthma. <i>European Respiratory Journal</i> , 2011, 37, 1360-1365.	3.1	62
987	Metabolic Syndrome and Onset of Depressive Symptoms in the Elderly. <i>Diabetes Care</i> , 2011, 34, 904-909.	4.3	56
988	Shift Work as a Risk Factor for Future Type 2 Diabetes: Evidence, Mechanisms, Implications, and Future Research Directions. <i>PLoS Medicine</i> , 2011, 8, e1001138.	3.9	89
989	Association of Diurnal Patterns in Salivary Cortisol with All-Cause and Cardiovascular Mortality: Findings from the Whitehall II Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, 1478-1485.	1.8	302
990	Sleep Disturbances and Cause-Specific Mortality: Results From the GAZEL Cohort Study. <i>American Journal of Epidemiology</i> , 2011, 173, 300-309.	1.6	145

#	ARTICLE	IF	CITATIONS
991	Trajectories of Depressive Episodes and Hypertension Over 24 Years. <i>Hypertension</i> , 2011, 57, 710-716.	1.3	81
992	Psychosocial Factors at Work: The Epidemiological Perspective. , 2011, , 195-209.		1
993	Living Alone and Alcohol-Related Mortality: A Population-Based Cohort Study from Finland. <i>PLoS Medicine</i> , 2011, 8, e1001094.	3.9	38
994	Workplace Social Capital and Adherence to Antihypertensive Medication: A Cohort Study. <i>PLoS ONE</i> , 2011, 6, e24732.	1.1	16
995	Effect of Retirement on Alcohol Consumption: Longitudinal Evidence from the French Gazel Cohort Study. <i>PLoS ONE</i> , 2011, 6, e26531.	1.1	55
996	Combined Effects of Depressive Symptoms and Resting Heart Rate on Mortality. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 1199-1206.	1.1	10
997	Association of Contractual and Subjective Job Insecurity With Sickness Presenteeism Among Public Sector Employees. <i>Journal of Occupational and Environmental Medicine</i> , 2010, 52, 830-835.	0.9	58
998	Psychological Distress, Glycated Hemoglobin, and Mortality in Adults With and Without Diabetes. <i>Psychosomatic Medicine</i> , 2010, 72, 882-886.	1.3	36
999	From Midlife to Early Old Age. <i>Epidemiology</i> , 2010, 21, 284-290.	1.2	144
1000	Lipid trajectories as predictors of depressive symptoms: The Young Finns Study.. <i>Health Psychology</i> , 2010, 29, 237-245.	1.3	24
1001	Sleep Disturbances as a Predictor of Cause-Specific Work Disability and Delayed Return to Work. <i>Sleep</i> , 2010, 33, 1323-1331.	0.6	105
1002	The importance of cognitive ageing for understanding dementia. <i>Age</i> , 2010, 32, 509-512.	3.0	25
1003	Psychosocial work environment and hospital admissions due to mental disorders: A 15-year prospective study of industrial employees. <i>Journal of Affective Disorders</i> , 2010, 124, 118-125.	2.0	35
1004	Childhood adversities, adulthood life events and depression. <i>Journal of Affective Disorders</i> , 2010, 127, 130-138.	2.0	71
1005	Trends in the association between height and socioeconomic indicators in France, 1970â€“2003. <i>Economics and Human Biology</i> , 2010, 8, 396-404.	0.7	39
1006	Effect of Apolipoprotein E epsilon4 on the association between health behaviors and cognitive function in late midlife. <i>Molecular Neurodegeneration</i> , 2010, 5, 23.	4.4	19
1007	Haplotype and genotype effects of the F7 gene on circulating factor VII, coagulation activation markers and incident coronary heart disease in UK men. <i>Journal of Thrombosis and Haemostasis</i> , 2010, 8, 2394-2403.	1.9	18
1008	Sense of coherence and oral health in dentate adults: findings from the Finnish Health 2000 survey. <i>Journal of Clinical Periodontology</i> , 2010, 37, 981-987.	2.3	42

#	ARTICLE	IF	CITATIONS
1009	Sleep disturbances as a predictor of occupational injuries among public sector workers. <i>Journal of Sleep Research</i> , 2010, 19, 207-213.	1.7	85
1010	Genetic variation in GIPR influences the glucose and insulin responses to an oral glucose challenge. <i>Nature Genetics</i> , 2010, 42, 142-148.	9.4	591
1011	Do the Joint British Society (JBS2) guidelines on prevention of cardiovascular disease with respect to plasma glucose improve risk stratification in the general population? Prospective cohort study. <i>Diabetic Medicine</i> , 2010, 27, 550-555.	1.2	7
1012	Cardiovascular risk scores in the prediction of subclinical atherosclerosis in young adults: evidence from the cardiovascular risk in a young Finns study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010, 17, 549-555.	3.1	18
1013	The combined influence of hypertension and common mental disorder on all-cause and cardiovascular disease mortality. <i>Journal of Hypertension</i> , 2010, 28, 2401-2406.	0.3	45
1014	Body Mass Index and Attempted Suicide: Cohort Study of 1,133,019 Swedish Men. <i>American Journal of Epidemiology</i> , 2010, 172, 890-899.	1.6	49
1015	Do socioeconomic factors shape weight and obesity trajectories over the transition from midlife to old age? Results from the French GAZEL cohort study. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 16-23.	2.2	28
1016	Antidepressant Medication Use, Weight Gain, and Risk of Type 2 Diabetes. <i>Diabetes Care</i> , 2010, 33, 2611-2616.	4.3	165
1017	<i>PLA2G7</i> Genotype, Lipoprotein-Associated Phospholipase A ₂ Activity, and Coronary Heart Disease Risk in 10 494 Cases and 15 624 Controls of European Ancestry. <i>Circulation</i> , 2010, 121, 2284-2293.	1.6	111
1018	Batty et al. Respond to "BMI and Suicide--Untangling an Unlikely Association". <i>American Journal of Epidemiology</i> , 2010, 172, 905-906.	1.6	3
1019	Hypertension Awareness and Psychological Distress. <i>Hypertension</i> , 2010, 56, 547-550.	1.3	119
1020	Metabolic Syndrome Over 10 Years and Cognitive Functioning in Late Midlife. <i>Diabetes Care</i> , 2010, 33, 84-89.	4.3	67
1021	Response to Knowing Hypertension Awareness and Psychological Distress in Primary Prevention. <i>Hypertension</i> , 2010, 56, .	1.3	0
1022	Childhood adversities as predictors of incident coronary heart disease and cerebrovascular disease. <i>Heart</i> , 2010, 96, 298-303.	1.2	108
1023	Separating the Mechanism-Based and Off-Target Actions of Cholesteryl Ester Transfer Protein Inhibitors With <i>CETP</i> Gene Polymorphisms. <i>Circulation</i> , 2010, 121, 52-62.	1.6	96
1024	School Neighborhood Disadvantage as a Predictor of Long-Term Sick Leave Among Teachers: Prospective Cohort Study. <i>American Journal of Epidemiology</i> , 2010, 171, 785-792.	1.6	23
1025	The Relationship Between Plasma Angiotensin-like Protein 4 Levels, Angiotensin-like Protein 4 Genotype, and Coronary Heart Disease Risk. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010, 30, 2277-2282.	1.1	64
1026	Organisational justice and markers of inflammation: the Whitehall II study. <i>Occupational and Environmental Medicine</i> , 2010, 67, 78-83.	1.3	57

#	ARTICLE	IF	CITATIONS
1027	Employee control over working times and risk of cause-specific disability pension: the Finnish Public Sector Study. <i>Occupational and Environmental Medicine</i> , 2010, 67, 479-485.	1.3	67
1028	Justice at work and metabolic syndrome: the Whitehall II study. <i>Occupational and Environmental Medicine</i> , 2010, 67, 256-262.	1.3	50
1029	Do stressful working conditions cause psychiatric disorders?. <i>Occupational Medicine</i> , 2010, 60, 86-87.	0.8	23
1030	A prospective cohort study of deficient maternal nurturing attitudes predicting adulthood work stress independent of adulthood hostility and depressive symptoms. <i>Stress</i> , 2010, 13, 425-434.	0.8	18
1031	Incremental Predictive Value of Adding Past Blood Pressure Measurements to the Framingham Hypertension Risk Equation. <i>Hypertension</i> , 2010, 55, 1058-1062.	1.3	28
1032	Do pre-employment influences explain the association between psychosocial factors at work and coronary heart disease? The Whitehall II study. <i>Occupational and Environmental Medicine</i> , 2010, 67, 330-334.	1.3	20
1033	Is shift work a risk factor for rheumatoid arthritis? The Finnish Public Sector study. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 679-680.	0.5	53
1034	The association of cognitive performance with mental health and physical functioning strengthens with age: the Whitehall II cohort study. <i>Psychological Medicine</i> , 2010, 40, 837-845.	2.7	26
1035	Hostility and depressive mood: results from the Whitehall II prospective cohort study. <i>Psychological Medicine</i> , 2010, 40, 405-413.	2.7	30
1036	Changes in C-reactive protein levels before type 2 diabetes and cardiovascular death: the Whitehall II study. <i>European Journal of Endocrinology</i> , 2010, 163, 89-95.	1.9	34
1037	Prospective study of workplace social capital and depression: are vertical and horizontal components equally important?. <i>Journal of Epidemiology and Community Health</i> , 2010, 64, 684-689.	2.0	104
1038	Psychosocial Work Environment as a Risk Factor for Absence With a Psychiatric Diagnosis: An Instrumental-Variables Analysis. <i>American Journal of Epidemiology</i> , 2010, 172, 167-172.	1.6	54
1039	Antidepressant Use Before and After the Diagnosis of Type 2 Diabetes. <i>Diabetes Care</i> , 2010, 33, 1471-1476.	4.3	45
1040	Pediatric Metabolic Syndrome Predicts Adulthood Metabolic Syndrome, Subclinical Atherosclerosis, and Type 2 Diabetes Mellitus but Is No Better Than Body Mass Index Alone. <i>Circulation</i> , 2010, 122, 1604-1611.	1.6	241
1041	Accelerated Increase in Serum Interleukin-1 Receptor Antagonist Starts 6 Years Before Diagnosis of Type 2 Diabetes. <i>Diabetes</i> , 2010, 59, 1222-1227.	0.3	117
1042	All-cause and diagnosis-specific sickness absence as a predictor of sustained suboptimal health: a 14-year follow-up in the GAZEL cohort. <i>Journal of Epidemiology and Community Health</i> , 2010, 64, 311-317.	2.0	50
1043	Overall Diet History and Reversibility of the Metabolic Syndrome Over 5 Years. <i>Diabetes Care</i> , 2010, 33, 2339-2341.	4.3	42
1044	Sense of coherence and psychiatric morbidity: a 19-year register-based prospective study. <i>Journal of Epidemiology and Community Health</i> , 2010, 64, 255-261.	2.0	31

#	ARTICLE	IF	CITATIONS
1045	Does Sickness Absence Due to Psychiatric Disorder Predict Cause-specific Mortality? A 16-Year Follow-up of the GAZEL Occupational Cohort Study. <i>American Journal of Epidemiology</i> , 2010, 172, 700-707.	1.6	36
1046	Why Does Lung Function Predict Mortality? Results From the Whitehall II Cohort Study. <i>American Journal of Epidemiology</i> , 2010, 172, 1415-1423.	1.6	57
1047	Utility of genetic and non-genetic risk factors in prediction of type 2 diabetes: Whitehall II prospective cohort study. <i>BMJ: British Medical Journal</i> , 2010, 340, b4838-b4838.	2.4	248
1048	Does organisational justice protect from sickness absence following a major life event? A Finnish public sector study. <i>Journal of Epidemiology and Community Health</i> , 2010, 64, 470-472.	2.0	20
1049	Work disability following major organisational change: the Whitehall II study. <i>Journal of Epidemiology and Community Health</i> , 2010, 64, 461-464.	2.0	25
1050	Overtime work and incident coronary heart disease: the Whitehall II prospective cohort study. <i>European Heart Journal</i> , 2010, 31, 1737-1744.	1.0	136
1051	Life-time risk factors and progression of carotid atherosclerosis in young adults: the Cardiovascular Risk in Young Finns study. <i>European Heart Journal</i> , 2010, 31, 1745-1751.	1.0	171
1052	Walking speed and subclinical atherosclerosis in healthy older adults: the Whitehall II study. <i>Heart</i> , 2010, 96, 380-384.	1.2	59
1053	Low Pessimism Protects Against Stroke. <i>Stroke</i> , 2010, 41, 187-190.	1.0	45
1054	Association of Socioeconomic Position With Health Behaviors and Mortality. <i>JAMA - Journal of the American Medical Association</i> , 2010, 303, 1159.	3.8	783
1055	Intelligence, education, and mortality. <i>BMJ: British Medical Journal</i> , 2010, 340, c563-c563.	2.4	24
1056	Effect of retirement on major chronic conditions and fatigue: French GAZEL occupational cohort study. <i>BMJ: British Medical Journal</i> , 2010, 341, c6149-c6149.	2.4	179
1057	Effects of depressive symptoms and coronary heart disease and their interactive associations on mortality in middle-aged adults: the Whitehall II cohort study. <i>Heart</i> , 2010, 96, 1645-1650.	1.2	53
1058	A Nonlinear Relationship of Generalized and Central Obesity with Diurnal Cortisol Secretion in the Whitehall II Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 4415-4423.	1.8	116
1059	Metabolic Syndrome, Its Components, and Mortality in the Elderly. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, E327-E332.	1.8	28
1060	Association between Change in Body Composition and Change in Inflammatory Markers: An 11-Year Follow-Up in the Whitehall II Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 5370-5374.	1.8	40
1061	Objectively Measured Secondhand Smoke Exposure and Risk of Cardiovascular Disease. <i>Journal of the American College of Cardiology</i> , 2010, 56, 18-23.	1.2	55
1062	Psychological and Somatic Symptoms of Anxiety and Risk of Coronary Heart Disease: The Health and Social Support Prospective Cohort Study. <i>Biological Psychiatry</i> , 2010, 67, 378-385.	0.7	87

#	ARTICLE	IF	CITATIONS
1063	Fasting Glucose, Diagnosis of Type 2 Diabetes, and Depression: The Vietnam Experience Study. <i>Biological Psychiatry</i> , 2010, 67, 189-192.	0.7	39
1064	Allergic rhinitis alone or with asthma is associated with an increased risk of sickness absences. <i>Respiratory Medicine</i> , 2010, 104, 1654-1658.	1.3	22
1065	Walking Pace, Leisure Time Physical Activity, and Resting Heart Rate in Relation to Disease-Specific Mortality in London: 40 Years Follow-Up of the Original Whitehall Study. An Update of Our Work with Professor Jerry N. Morris (1910-2009). <i>Annals of Epidemiology</i> , 2010, 20, 661-669.	0.9	45
1066	Self-Report as an Indicator of Incident Disease. <i>Annals of Epidemiology</i> , 2010, 20, 547-554.	0.9	130
1067	New genetic loci implicated in fasting glucose homeostasis and their impact on type 2 diabetes risk. <i>Nature Genetics</i> , 2010, 42, 105-116.	9.4	1,982
1068	P9.01 DETERMINANTS OF ARTERIAL STIFFNESS: A 16-YEAR FOLLOW-UP FROM THE WHITEHALL II STUDY. <i>Artery Research</i> , 2010, 4, 171.	0.3	1
1069	Persistent cognitive depressive symptoms are associated with coronary artery calcification. <i>Atherosclerosis</i> , 2010, 210, 209-213.	0.4	58
1070	Lost work days in the 6 years leading to premature death from cardiovascular disease in men and women. <i>Atherosclerosis</i> , 2010, 211, 689-693.	0.4	6
1071	Genetic variation in complement factor H and risk of coronary heart disease: Eight new studies and a meta-analysis of around 48,000 individuals. <i>Atherosclerosis</i> , 2010, 213, 184-190.	0.4	27
1072	Triglyceride-mediated pathways and coronary disease: collaborative analysis of 101 studies. <i>Lancet</i> , The, 2010, 375, 1634-1639.	6.3	606
1073	Does depression predict coronary heart disease and cerebrovascular disease equally well? The Health and Social Support Prospective Cohort Study. <i>International Journal of Epidemiology</i> , 2010, 39, 1016-1024.	0.9	56
1074	Sleep and death. , 2010, , 50-82.		2
1075	Patient Overcrowding in Hospital Wards as a Predictor of Diagnosis-Specific Mental Disorders Among Staff. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 1308-1312.	1.1	21
1076	A comparison of two multidisciplinary inpatient rehabilitation programmes for fibromyalgia: A register linkage study on work disability. <i>Journal of Rehabilitation Medicine</i> , 2009, 41, 66-72.	0.8	23
1077	Hyperglycemia, Type 2 Diabetes, and Depressive Symptoms. <i>Diabetes Care</i> , 2009, 32, 1867-1869.	4.3	42
1078	Associations of C-reactive protein and interleukin-6 with cognitive symptoms of depression: 12-year follow-up of the Whitehall II study. <i>Psychological Medicine</i> , 2009, 39, 413-423.	2.7	480
1079	Physical and cognitive function in midlife: reciprocal effects? A 5-year follow-up of the Whitehall II study. <i>Journal of Epidemiology and Community Health</i> , 2009, 63, 468-473.	2.0	25
1080	The association between team climate at work and mental health in the Finnish Health 2000 Study. <i>Occupational and Environmental Medicine</i> , 2009, 66, 523-528.	1.3	21

#	ARTICLE	IF	CITATIONS
1081	Workplace social capital and co-occurrence of lifestyle risk factors: the Finnish Public Sector Study. <i>Occupational and Environmental Medicine</i> , 2009, 66, 432-437.	1.3	45
1082	Socioeconomic position, psychosocial work environment and cerebrovascular disease among women: the Finnish public sector study. <i>International Journal of Epidemiology</i> , 2009, 38, 1265-1271.	0.9	48
1083	Socioeconomic position and cognitive decline using data from two waves: what is the role of the wave 1 cognitive measure?. <i>Journal of Epidemiology and Community Health</i> , 2009, 63, 675-680.	2.0	17
1084	Low Childhood IQ and Early Adult Mortality: The Role of Explanatory Factors in the 1958 British Birth Cohort. <i>Pediatrics</i> , 2009, 124, e380-e388.	1.0	46
1085	Risk Factors for Pancreatic Cancer Mortality: Extended Follow-up of the Original Whitehall Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 673-675.	1.1	58
1086	Cumulative exposure to high-strain and active jobs as predictors of cognitive function: the Whitehall II study. <i>Occupational and Environmental Medicine</i> , 2009, 66, 32-37.	1.3	43
1087	Maternal Glycemia and Risk of Large-for-Gestational-Age Babies in a Population-Based Screening. <i>Diabetes Care</i> , 2009, 32, 2200-2205.	4.3	46
1088	Sickness Absence Trends during and after Long-Term Psychotherapy and Antidepressant Medication among Depressive Employees. <i>Psychotherapy and Psychosomatics</i> , 2009, 78, 130-132.	4.0	6
1089	Social inequalities in mortality: a problem of cognitive function?. <i>European Heart Journal</i> , 2009, 30, 1819-1820.	1.0	17
1090	Increased Risk of Lost Workdays Prior to the Diagnosis of Sleep Apnea. <i>Chest</i> , 2009, 136, 130-136.	0.4	57
1091	Association Between Metabolic Syndrome and Depressive Symptoms in Middle-Aged Adults. <i>Diabetes Care</i> , 2009, 32, 499-504.	4.3	129
1092	Common mental disorder and obesity: insight from four repeat measures over 19 years: prospective Whitehall II cohort study. <i>BMJ: British Medical Journal</i> , 2009, 339, b3765-b3765.	2.4	100
1093	Staff reports of psychosocial climate at school and adolescents' health, truancy and health education in Finland. <i>European Journal of Public Health</i> , 2009, 19, 554-560.	0.1	47
1094	Association between passive jobs and low levels of leisure-time physical activity: the Whitehall II cohort study. <i>Occupational and Environmental Medicine</i> , 2009, 66, 772-776.	1.3	40
1095	Evaluating the causal relevance of diverse risk markers: horizontal systematic review. <i>BMJ: British Medical Journal</i> , 2009, 339, b4265-b4265.	2.4	40
1096	Job strain as a predictor of disability pension: the Finnish Public Sector Study. <i>Journal of Epidemiology and Community Health</i> , 2009, 63, 24-30.	2.0	96
1097	Diagnosis-specific sickness absence and all-cause mortality in the GAZEL study. <i>Journal of Epidemiology and Community Health</i> , 2009, 63, 50-55.	2.0	84
1098	Socio-economic differences in the association between sickness absence and mortality: the prospective DREAM study of Danish private sector employees. <i>Occupational and Environmental Medicine</i> , 2009, 66, 150-153.	1.3	19

#	ARTICLE	IF	CITATIONS
1099	Validating the Framingham Hypertension Risk Score. <i>Hypertension</i> , 2009, 54, 496-501.	1.3	81
1100	Body mass index over the adult life course and cognition in late midlife: the Whitehall II Cohort Study. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 601-607.	2.2	238
1101	Relationship between job strain and smoking cessation: the Finnish Public Sector Study. <i>Tobacco Control</i> , 2009, 18, 108-114.	1.8	24
1102	Health Behaviors From Early to Late Midlife as Predictors of Cognitive Function: The Whitehall II Study. <i>American Journal of Epidemiology</i> , 2009, 170, 428-437.	1.6	134
1103	Non-response to baseline, non-response to follow-up and mortality in the Whitehall II cohort. <i>International Journal of Epidemiology</i> , 2009, 38, 831-837.	0.9	60
1104	Cardiorespiratory risk factors as predictors of 40-year mortality in women and men. <i>Heart</i> , 2009, 95, 1250-1257.	1.2	36
1105	EAS temperaments as predictors of unemployment in young adults: A 9-year follow-up of the Cardiovascular Risk in Young Finns Study. <i>Journal of Research in Personality</i> , 2009, 43, 618-623.	0.9	11
1106	Cortisol secretion and fatigue: Associations in a community based cohort. <i>Psychoneuroendocrinology</i> , 2009, 34, 1476-1485.	1.3	109
1107	Urban/rural differences in body weight: Evidence for social selection and causation hypotheses in Finland. <i>Social Science and Medicine</i> , 2009, 68, 867-875.	1.8	28
1108	Contribution of parental and school personnel smoking to health risk behaviours among Finnish adolescents. <i>BMC Public Health</i> , 2009, 9, 382.	1.2	19
1109	The association of social support at work and in private life with mental health and antidepressant use: The Health 2000 Study. <i>Journal of Affective Disorders</i> , 2009, 115, 36-45.	2.0	50
1110	Obesity, unexplained weight loss and suicide: The original Whitehall study. <i>Journal of Affective Disorders</i> , 2009, 116, 218-221.	2.0	39
1111	Structure of the sense of coherence scale in a nationally representative sample: the Finnish Health 2000 survey. <i>Quality of Life Research</i> , 2009, 18, 629-636.	1.5	26
1112	Childhood problem behaviors and injury risk over the life course. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2009, 50, 1541-1549.	3.1	37
1113	The relationship among sense of coherence, socio-economic status, and oral health-related behaviours among Finnish dentate adults. <i>European Journal of Oral Sciences</i> , 2009, 117, 413-418.	0.7	55
1114	The influence of sense of coherence on the relationship between childhood socioeconomic status and adult oral health-related behaviours. <i>Community Dentistry and Oral Epidemiology</i> , 2009, 37, 357-365.	0.9	32
1115	517 A COMPARISON OF TWO MULTIDISCIPLINARY INPATIENT REHABILITATION PROGRAMMES FOR FIBROMYALGIA: A REGISTER LINKAGE STUDY ON WORK DISABILITY. <i>European Journal of Pain</i> , 2009, 13, S153.	1.4	0
1116	Height, wealth, and health: An overview with new data from three longitudinal studies. <i>Economics and Human Biology</i> , 2009, 7, 137-152.	0.7	205

#	ARTICLE	IF	CITATIONS
1117	Gene-centric Association Signals for Lipids and Apolipoproteins Identified via the HumanCVD BeadChip. <i>American Journal of Human Genetics</i> , 2009, 85, 628-642.	2.6	183
1118	Managerial leadership and ischaemic heart disease among employees: the Swedish WOLF study. <i>Occupational and Environmental Medicine</i> , 2009, 66, 51-55.	1.3	106
1119	Obstructive sleep apnoea syndrome as a predictor of work disability. <i>Respiratory Medicine</i> , 2009, 103, 1047-1055.	1.3	45
1120	Engagement in cultural activities and cause-specific mortality: Prospective cohort study. <i>Preventive Medicine</i> , 2009, 49, 142-147.	1.6	72
1121	Cognition and incident coronary heart disease in late midlife: The Whitehall II study. <i>Intelligence</i> , 2009, 37, 529-534.	1.6	25
1122	Social Inequality in Walking Speed in Early Old Age in the Whitehall II Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2009, 64A, 1082-1089.	1.7	48
1123	Dietary pattern and depressive symptoms in middle age. <i>British Journal of Psychiatry</i> , 2009, 195, 408-413.	1.7	454
1124	Shift work in young adults and carotid artery intima-media thickness: The Cardiovascular Risk in Young Finns study. <i>Atherosclerosis</i> , 2009, 205, 608-613.	0.4	95
1125	EXPLORING THE GENETIC ARCHITECTURE OF LIPID TRAITS IN WHITEHALL II HEALTHY MEN AND WOMEN USING THE 50K-SNP CARDIO-METABOLIC CHIP. <i>Atherosclerosis</i> , 2009, 207, 306.	0.4	0
1126	Trajectories of glycaemia, insulin sensitivity, and insulin secretion before diagnosis of type 2 diabetes: an analysis from the Whitehall II study. <i>Lancet, The</i> , 2009, 373, 2215-2221.	6.3	692
1127	Self-rated health before and after retirement in France (GAZEL): a cohort study. <i>Lancet, The</i> , 2009, 374, 1889-1896.	6.3	269
1128	Childhood Problem Behaviors and Death by Midlife: The British National Child Development Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2009, 48, 19-24.	0.3	124
1129	Depression and C-Reactive Protein: Population-Based Health 2000 Study. <i>Psychosomatic Medicine</i> , 2009, 71, 423-430.	1.3	130
1130	Does Working While Ill Trigger Serious Coronary Events? The Whitehall II Study. <i>Journal of Occupational and Environmental Medicine</i> , 2009, 51, 1099-1104.	0.9	9
1131	IQ, Socioeconomic Status, and Early Death: The US National Longitudinal Survey of Youth. <i>Psychosomatic Medicine</i> , 2009, 71, 322-328.	1.3	43
1132	Using Sickness Absence Records to Predict Future Depression in a Working Population: Prospective Findings From the GAZEL Cohort. <i>American Journal of Public Health</i> , 2009, 99, 1417-1422.	1.5	29
1133	Association between common mental disorder and obesity over the adult life course. <i>British Journal of Psychiatry</i> , 2009, 195, 149-155.	1.7	61
1134	Depressive symptoms and the metabolic syndrome in childhood and adulthood: A prospective cohort study.. <i>Health Psychology</i> , 2009, 28, 108-116.	1.3	93

#	ARTICLE	IF	CITATIONS
1135	Personality and having children: A two-way relationship.. Journal of Personality and Social Psychology, 2009, 96, 218-230.	2.6	126
1136	The association of distress and sleeping problems with physiciansâ€™ intentions to change profession: The moderating effect of job control.. Journal of Occupational Health Psychology, 2009, 14, 365-373.	2.3	27
1137	Reliability and Validity of the Japanese Version of the Organizational Justice Questionnaire. Journal of Occupational Health, 2009, 51, 74-83.	1.0	47
1138	Long Working Hours and Sleep Disturbances: The Whitehall II Prospective Cohort Study. Sleep, 2009, 32, 737-745.	0.6	238
1139	Effect of Retirement on Sleep Disturbances: the GAZEL Prospective Cohort Study. Sleep, 2009, 32, 1459-1466.	0.6	96
1140	Work Hours, Work Stress, and Collaboration Among Ward Staff in Relation to Risk of Hospital-Associated Infection Among Patients. Medical Care, 2009, 47, 310-318.	1.1	78
1141	Organizational Justice and Sleeping Problems: The Whitehall II Study. Psychosomatic Medicine, 2009, 71, 334-340.	1.3	71
1142	Workplace and mental well-being: the Whitehall II study. , 2009, , 270-286.		0
1143	Gender differences in the cross-sectional relationships between sleep duration and markers of inflammation: Whitehall II study. Sleep, 2009, 32, 857-64.	0.6	143
1144	Post-challenge blood glucose concentration and stroke mortality rates in non-diabetic men in London: 38-year follow-up of the original Whitehall prospective cohort study. Diabetologia, 2008, 51, 1123-1126.	2.9	9
1145	Association of hostility with sleep duration and sleep disturbances in an employee population. International Journal of Behavioral Medicine, 2008, 15, 73-80.	0.8	63
1146	Obesity and overweight in relation to liver disease mortality in men: 38 year follow-up of the original Whitehall study. International Journal of Obesity, 2008, 32, 1741-1744.	1.6	12
1147	Optimal Form of Operationalizing BMI in Relation to All-cause and Cause-specific Mortality: The Original Whitehall Study. Obesity, 2008, 16, 1926-1932.	1.5	30
1148	Work Stress and New-Onset Migraine in a Female Employee Population. Cephalalgia, 2008, 28, 18-25.	1.8	35
1149	Sickness Absence Among Female Employees With Migraine and Co-Existing Conditions. Cephalalgia, 2008, 28, 1136-1144.	1.8	12
1150	Workplace social capital and smoking cessation: the Finnish Public Sector Study. Addiction, 2008, 103, 1857-1865.	1.7	60
1151	Trends in self-reported sleep duration and insomnia-related symptoms in Finland from 1972 to 2005: a comparative review and re-analysis of Finnish population samples. Journal of Sleep Research, 2008, 17, 54-62.	1.7	216
1152	Sense of coherence and attrition during four-year follow-up in cohorts of permanent and non-permanent Finnish employees. BMC Public Health, 2008, 8, 88.	1.2	2

#	ARTICLE	IF	CITATIONS
1153	Temporary employment and antidepressant medication: A register linkage study. <i>Journal of Psychiatric Research</i> , 2008, 42, 221-229.	1.5	52
1154	Social capital at work as a predictor of employee health: Multilevel evidence from work units in Finland. <i>Social Science and Medicine</i> , 2008, 66, 637-649.	1.8	141
1155	Change in reciprocity as a predictor of depressive symptoms: A prospective cohort study of Finnish women and men. <i>Social Science and Medicine</i> , 2008, 67, 1907-1916.	1.8	16
1156	Occupational burnout and medically certified sickness absence: A population-based study of Finnish employees. <i>Journal of Psychosomatic Research</i> , 2008, 64, 185-193.	1.2	130
1157	Temperament, health-related behaviors, and autonomic cardiac regulation: The cardiovascular risk in young Finns study. <i>Biological Psychology</i> , 2008, 78, 204-210.	1.1	30
1158	C-reactive protein genetics is associated with carotid artery compliance in men in The Cardiovascular Risk in Young Finns Study. <i>Atherosclerosis</i> , 2008, 196, 841-848.	0.4	39
1159	Socioeconomic status moderates the association between carotid intima-media thickness and cognition in midlife: Evidence from the Whitehall II study. <i>Atherosclerosis</i> , 2008, 197, 541-548.	0.4	32
1160	Best-practice interventions to reduce socioeconomic inequalities of coronary heart disease mortality in UK: a prospective occupational cohort study. <i>Lancet</i> , The, 2008, 372, 1648-1654.	6.3	96
1161	Does personality explain social inequalities in mortality? The French GAZEL cohort study. <i>International Journal of Epidemiology</i> , 2008, 37, 591-602.	0.9	38
1162	Cigarette smoking and site-specific cancer mortality: testing uncertain associations using extended follow-up of the original Whitehall study. <i>Annals of Oncology</i> , 2008, 19, 996-1002.	0.6	77
1163	Low organisational justice and heavy drinking: a prospective cohort study. <i>Occupational and Environmental Medicine</i> , 2008, 65, 44-50.	1.3	53
1164	Job strain and ischaemic disease: does the inclusion of older employees in the cohort dilute the association? The WOLF Stockholm Study. <i>Journal of Epidemiology and Community Health</i> , 2008, 62, 372-374.	2.0	42
1165	Do Psychological Factors Affect Inflammation and Incident Coronary Heart Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008, 28, 1398-1406.	1.1	49
1166	Longitudinal Study on Poor Sleep and Life Dissatisfaction in a Nationwide Cohort of Twins. <i>American Journal of Epidemiology</i> , 2008, 169, 206-213.	1.6	88
1167	The Role of Work Group in Individual Sickness Absence Behavior. <i>Journal of Health and Social Behavior</i> , 2008, 49, 452-467.	2.7	11
1168	Association of the Apolipoprotein E Gene, Its Promoter Polymorphisms and Haplotypes with Depressive Symptoms. <i>Neuropsychobiology</i> , 2008, 58, 91-96.	0.9	4
1169	Work stress and coronary heart disease: what are the mechanisms?. <i>European Heart Journal</i> , 2008, 29, 640-648.	1.0	507
1170	Lifetime body mass index and later atherosclerosis risk in young adults: examining causal links using Mendelian randomization in the Cardiovascular Risk in Young Finns study. <i>European Heart Journal</i> , 2008, 29, 2552-2560.	1.0	61

#	ARTICLE	IF	CITATIONS
1171	Employment trajectory as determinant of change in health-related lifestyle: the prospective HeSSup study. <i>European Journal of Public Health</i> , 2008, 18, 504-508.	0.1	82
1172	Reducing sickness absence in occupational settings. <i>Occupational and Environmental Medicine</i> , 2008, 65, 219-220.	1.3	7
1173	Low Workplace Social Capital as a Predictor of Depression: The Finnish Public Sector Study. <i>American Journal of Epidemiology</i> , 2008, 167, 1143-1151.	1.6	175
1174	Work stress and health in primary health care physicians and hospital physicians. <i>Occupational and Environmental Medicine</i> , 2008, 65, 364-366.	1.3	50
1175	Temperament and Migration Patterns in Finland. <i>Psychological Science</i> , 2008, 19, 831-837.	1.8	93
1176	Health, psychosocial factors and retirement intentions among Finnish physicians. <i>Occupational Medicine</i> , 2008, 58, 406-412.	0.8	58
1177	Using administrative sickness absence data as a marker of future disability pension: the prospective DREAM study of Danish private sector employees. <i>Occupational and Environmental Medicine</i> , 2008, 65, 28-31.	1.3	134
1178	When do social inequalities in C-reactive protein start? A life course perspective from conception to adulthood in the Cardiovascular Risk in Young Finns Study. <i>International Journal of Epidemiology</i> , 2008, 37, 290-298.	0.9	44
1179	The effectiveness of vocationally oriented multidisciplinary intervention on sickness absence and early retirement among employees at risk: an observational study. <i>Occupational and Environmental Medicine</i> , 2008, 66, 235-242.	1.3	28
1180	Inflammation, Insulin Resistance, and Diabetes—Mendelian Randomization Using CRP Haplotypes Points Upstream. <i>PLoS Medicine</i> , 2008, 5, e155.	3.9	136
1181	Does personality predict mortality? Results from the GAZEL French prospective cohort study. <i>International Journal of Epidemiology</i> , 2008, 37, 386-396.	0.9	48
1182	Effects of multidisciplinary inpatient rehabilitation for chronic back or neck pain: a register-linkage study of sickness absences and analgesic purchases in an occupational cohort. <i>Occupational and Environmental Medicine</i> , 2008, 65, 179-184.	1.3	10
1183	Explaining the social gradient in long-term sickness absence: a prospective study of Danish employees. <i>Journal of Epidemiology and Community Health</i> , 2008, 62, 181-183.	2.0	77
1184	Long Working Hours and Cognitive Function: The Whitehall II Study. <i>American Journal of Epidemiology</i> , 2008, 169, 596-605.	1.6	109
1185	Is the association between job strain and carotid intima-media thickness attributable to pre-employment environmental and dispositional factors? The Cardiovascular Risk in Young Finns Study. <i>Occupational and Environmental Medicine</i> , 2008, 65, 676-682.	1.3	13
1186	Hostility and Trajectories of Body Mass Index Over 19 Years: The Whitehall II Study. <i>American Journal of Epidemiology</i> , 2008, 169, 347-354.	1.6	11
1187	Contribution of non-work and work-related risk factors to the association between income and mental disorders in a working population: the Health 2000 Study. <i>Occupational and Environmental Medicine</i> , 2008, 65, 171-178.	1.3	49
1188	Low medically certified sickness absence among employees with poor health status predicts future health improvement: the Whitehall II study. <i>Occupational and Environmental Medicine</i> , 2008, 65, 208-210.	1.3	7

#	ARTICLE	IF	CITATIONS
1189	Sickness absence as a prognostic marker for common chronic conditions: analysis of mortality in the GAZEL study. <i>Occupational and Environmental Medicine</i> , 2008, 65, 820-826.	1.3	34
1190	Low HDL Cholesterol Is a Risk Factor for Deficit and Decline in Memory in Midlife. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008, 28, 1556-1562.	1.1	115
1191	Social Support, Network Heterogeneity, and Smoking Behavior in Women: The 10-Town Study. <i>American Journal of Health Promotion</i> , 2008, 22, 246-255.	0.9	32
1192	Overcrowding in Hospital Wards as a Predictor of Antidepressant Treatment Among Hospital Staff. <i>American Journal of Psychiatry</i> , 2008, 165, 1482-1486.	4.0	77
1193	Socioeconomic Inequalities in Health in 22 European Countries. <i>New England Journal of Medicine</i> , 2008, 359, 1290-1291.	13.9	25
1194	The Role of Conventional Risk Factors in Explaining Social Inequalities in Coronary Heart Disease. <i>Epidemiology</i> , 2008, 19, 599-605.	1.2	39
1195	Work-family characteristics as determinants of sickness absence: A large-scale cohort study of three occupational grades.. <i>Journal of Occupational Health Psychology</i> , 2008, 13, 181-196.	2.3	51
1196	Lack of Predictability at Work and Risk of Acute Myocardial Infarction: An 18-Year Prospective Study of Industrial Employees. <i>American Journal of Public Health</i> , 2008, 98, 2264-2271.	1.5	46
1197	Do psychological attributes matter for adherence to antihypertensive medication? The Finnish Public Sector Cohort Study. <i>Journal of Hypertension</i> , 2008, 26, 2236-2243.	0.3	35
1198	Positive and negative affect and risk of coronary heart disease: Whitehall II prospective cohort study. <i>BMJ: British Medical Journal</i> , 2008, 337, a118-a118.	2.4	82
1199	Diagnosis-specific sickness absence as a predictor of mortality: the Whitehall II prospective cohort study. <i>BMJ: British Medical Journal</i> , 2008, 337, a1469-a1469.	2.4	118
1200	Association of age at menarche with cardiovascular risk factors, vascular structure, and function in adulthood: the Cardiovascular Risk in Young Finns study. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 1876-1882.	2.2	133
1201	Lower fertility associated with obesity and underweight: the US National Longitudinal Survey of Youth. <i>American Journal of Clinical Nutrition</i> , 2008, 88, 886-893.	2.2	69
1202	Work-Related Sleep Disturbances and Sickness Absence in the Swedish Working Population, 1993-1999. <i>Sleep</i> , 2008, , .	0.6	12
1203	Effects on Blood Pressure Do Not Explain the Association Between Organizational Justice and Coronary Heart Disease in the Whitehall II Study. <i>Psychosomatic Medicine</i> , 2008, 70, 1-6.	1.3	26
1204	Val/Met Polymorphism of the COMT Gene Moderates the Association Between Job Strain and Early Atherosclerosis in Young Men. <i>Journal of Occupational and Environmental Medicine</i> , 2008, 50, 649-657.	0.9	15
1205	The Association of C-Reactive Protein and CRP Genotype with Coronary Heart Disease: Findings from Five Studies with 4,610 Cases amongst 18,637 Participants. <i>PLoS ONE</i> , 2008, 3, e3011.	1.1	90
1206	Does High C-reactive Protein Concentration Increase Atherosclerosis? The Whitehall II Study. <i>PLoS ONE</i> , 2008, 3, e3013.	1.1	39

#	ARTICLE	IF	CITATIONS
1207	Reply to TJ Cole et al. American Journal of Clinical Nutrition, 2008, 87, 1536-1537.	2.2	5
1208	Sick leaves in four factoriesâ€™ do characteristics of employees and work conditions explain differences in sickness absence between workplaces?. Scandinavian Journal of Work, Environment and Health, 2008, 34, 260-266.	1.7	34
1209	Effects of active on-call hours on physiciansâ€™ turnover intentions and well-being. Scandinavian Journal of Work, Environment and Health, 2008, 34, 356-363.	1.7	35
1210	Work-related sleep disturbances and sickness absence in the Swedish working population, 1993-1999. Sleep, 2008, 31, 1169-77.	0.6	39
1211	Mendelian Randomization Suggests No Causal Association Between C-reactive Protein and Carotid Intima-media Thickness in the Young Finns Study. Arteriosclerosis, Thrombosis, and Vascular Biology, 2007, 27, 978-979.	1.1	35
1212	Variants in the CRP Gene as a Measure of Lifelong Differences in Average C-Reactive Protein Levels: The Cardiovascular Risk in Young Finns Study, 1980-2001. American Journal of Epidemiology, 2007, 166, 760-764.	1.6	32
1213	Serotonin Receptor 2A Gene and the Influence of Childhood Maternal Nurture on Adulthood Depressive Symptoms. Archives of General Psychiatry, 2007, 64, 356.	13.8	76
1214	Organisational justice and employee perceptions on hospital management. Journal of Health Organization and Management, 2007, 21, 320-332.	0.6	9
1215	Relationship between Leptin and C-Reactive Protein in Young Finnish Adults. Journal of Clinical Endocrinology and Metabolism, 2007, 92, 4753-4758.	1.8	30
1216	Effort-reward imbalance, procedural injustice and relational injustice as psychosocial predictors of health: complementary or redundant models?. Occupational and Environmental Medicine, 2007, 64, 659-665.	1.3	184
1217	Diagnosis-specific sick leave as a risk marker for disability pension in a Swedish population. Journal of Epidemiology and Community Health, 2007, 61, 915-920.	2.0	83
1218	Organisational justice and smoking: the Finnish public sector study. Journal of Epidemiology and Community Health, 2007, 61, 427-433.	2.0	36
1219	Organisational downsizing and increased use of psychotropic drugs among employees who remain in employment. Journal of Epidemiology and Community Health, 2007, 61, 154-158.	2.0	83
1220	Outcome of stable angina in a working population: the burden of sickness absence. European Journal of Cardiovascular Prevention and Rehabilitation, 2007, 14, 373-379.	3.1	24
1221	Neighbourhood socioeconomic status, health and working conditions of school teachers. Journal of Epidemiology and Community Health, 2007, 61, 326-330.	2.0	26
1222	Unfairness and health: evidence from the Whitehall II Study. Journal of Epidemiology and Community Health, 2007, 61, 513-518.	2.0	150
1223	Childhood adversities as a predictor of disability retirement. Journal of Epidemiology and Community Health, 2007, 61, 479-484.	2.0	93
1224	Temperamental Activity and Epidermal Growth Factor A61G Polymorphism in Finnish Adults. Neuropsychobiology, 2007, 56, 208-212.	0.9	4

#	ARTICLE	IF	CITATIONS
1225	Type A Eagerness-Energy Across Developmental Periods Predicts Adulthood Carotid Intima-Media Thickness. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007, 27, 1638-1644.	1.1	19
1226	Obesity and Overweight in Relation to Mortality in Men With and Without Type 2 Diabetes/Impaired Glucose Tolerance. <i>Diabetes Care</i> , 2007, 30, 2388-2391.	4.3	16
1227	Liability to Anxiety and Severe Life Events as Predictors of New-Onset Sleep Disturbances. <i>Sleep</i> , 2007, 30, 1537-1546.	0.6	80
1228	Preemployment Family Factors as Predictors of Effort/Reward Imbalance in Adulthood: A Prospective 18-year Follow-Up in the Cardiovascular Risk in Young Finns Study. <i>Journal of Occupational and Environmental Medicine</i> , 2007, 49, 659-666.	0.9	10
1229	Interventions in Relation to Occupational Burnout: The Population-Based Health 2000 Study. <i>Journal of Occupational and Environmental Medicine</i> , 2007, 49, 943-952.	0.9	29
1230	Socioeconomic Position, Co-Occurrence of Behavior-Related Risk Factors, and Coronary Heart Disease: the Finnish Public Sector Study. <i>American Journal of Public Health</i> , 2007, 97, 874-879.	1.5	153
1231	Job Strain and Adverse Health Behaviors: The Finnish Public Sector Study. <i>Journal of Occupational and Environmental Medicine</i> , 2007, 49, 68-74.	0.9	83
1232	Body Mass Index in Adolescence and Number of Children in Adulthood. <i>Epidemiology</i> , 2007, 18, 599-606.	1.2	51
1233	Early Risk Factors, Job Strain, and Atherosclerosis Among Men in Their 30s: The Cardiovascular Risk in Young Finns Study. <i>American Journal of Public Health</i> , 2007, 97, 450-452.	1.5	26
1234	KIVIMÄKI ET AL. RESPOND. <i>American Journal of Public Health</i> , 2007, 97, 1928-1929.	1.5	0
1235	Genetic Variants in the DRD2 Gene Moderate the Relationship Between Stressful Life Events and Depressive Symptoms in Adults: Cardiovascular Risk in Young Finns Study. <i>Psychosomatic Medicine</i> , 2007, 69, 391-395.	1.3	62
1236	Meta-analysis urges the development of new strategies to treat depression in order to improve cardiac prognosis: reply. <i>European Heart Journal</i> , 2007, 28, 1661-1662.	1.0	1
1237	Job Strain, Life Events, and Sickness Absence: A Longitudinal Cohort Study in a Random Population Sample. <i>Journal of Occupational and Environmental Medicine</i> , 2007, 49, 990-996.	0.9	31
1238	Social inequalities in antidepressant treatment and mortality: a longitudinal register study. <i>Psychological Medicine</i> , 2007, 37, 373.	2.7	115
1239	Job Strain and Psychologic Distress. <i>American Journal of Preventive Medicine</i> , 2007, 33, 182-187.	1.6	109
1240	Relationship between unemployment and health among health care professionals: Health selection or health effect?. <i>Journal of Psychosomatic Research</i> , 2007, 63, 425-431.	1.2	42
1241	Effort-reward imbalance and relational injustice at work predict sickness absence: The Whitehall II study. <i>Journal of Psychosomatic Research</i> , 2007, 63, 433-440.	1.2	124
1242	Structural validity and temporal stability of the 13-item sense of coherence scale: Prospective evidence from the population-based HeSSup study. <i>Quality of Life Research</i> , 2007, 16, 483-493.	1.5	142

#	ARTICLE	IF	CITATIONS
1243	Dopamine Receptor D2 Gene Taq1A (C32806T) Polymorphism Modifies the Relationship Between Birth Weight and Educational Attainment in Adulthood: 21-Year Follow-up of the Cardiovascular Risk in Young Finns Study. <i>Pediatrics</i> , 2007, 120, 756-761.	1.0	30
1244	Hypertension Is Not the Link Between Job Strain and Coronary Heart Disease in the Whitehall II Study. <i>American Journal of Hypertension</i> , 2007, 20, 1146-53.	1.0	27
1245	Substantial intergenerational increases in body mass index are not explained by the fetal overnutrition hypothesis: the Cardiovascular Risk in Young Finns Study. <i>American Journal of Clinical Nutrition</i> , 2007, 86, 1509-1514.	2.2	85
1246	Allocation of rehabilitation measures provided by the Social Insurance Institution in Finland: a register linkage study. <i>Acta Dermato-Venereologica</i> , 2007, 39, 198-204.	0.6	14
1247	BMI, Obesity, and Sickness Absence in the Whitehall II Study. <i>Obesity</i> , 2007, 15, 1554-1564.	1.5	64
1248	Impulsivity as a predictor of newly diagnosed depression. <i>Scandinavian Journal of Psychology</i> , 2007, 48, 173-179.	0.8	56
1249	Increased sickness absence in diabetic employees: what is the role of co-morbid conditions?. <i>Diabetic Medicine</i> , 2007, 24, 1043-1048.	1.2	44
1250	What degree of work overload is likely to cause increased sickness absenteeism among nurses? Evidence from the RAFAELA patient classification system. <i>Journal of Advanced Nursing</i> , 2007, 57, 286-295.	1.5	84
1251	Tryptophan hydroxylase 1 gene haplotypes modify the effect of a hostile childhood environment on adulthood harm avoidance. <i>Genes, Brain and Behavior</i> , 2007, 6, 305-313.	1.1	18
1252	Serotonin receptor genes 5HT1A and 5HT2A modify the relation between childhood temperament and adulthood hostility. <i>Genes, Brain and Behavior</i> , 2007, 7, 070514070132006-???	1.1	20
1253	Team climate, intention to leave and turnover among hospital employees: Prospective cohort study. <i>BMC Health Services Research</i> , 2007, 7, 170.	0.9	64
1254	Work stress, mental health and antidepressant medication findings from the Health 2000 Study. <i>Journal of Affective Disorders</i> , 2007, 98, 189-197.	2.0	120
1255	Association of impulsivity with sleep duration and insomnia in an employee population. <i>Personality and Individual Differences</i> , 2007, 43, 307-318.	1.6	18
1256	CRP gene is involved in the regulation of human longevity: A follow-up study in Finnish nonagenarians. <i>Mechanisms of Ageing and Development</i> , 2007, 128, 574-576.	2.2	17
1257	Average household income, crime, and smoking behaviour in a local area: The Finnish 10-Town study. <i>Social Science and Medicine</i> , 2007, 64, 1904-1913.	1.8	41
1258	The effect of pre-employment factors on job control, job strain and psychological distress: A 31-year longitudinal study. <i>Social Science and Medicine</i> , 2007, 65, 187-199.	1.8	29
1259	Neuregulin-1 genotype moderates the association between job strain and early atherosclerosis in young men. <i>Annals of Behavioral Medicine</i> , 2007, 33, 148-155.	1.7	29
1260	Effort-reward imbalance, heart rate, and heart rate variability: the cardiovascular risk in young finns study. <i>International Journal of Behavioral Medicine</i> , 2007, 14, 202-212.	0.8	65

#	ARTICLE	IF	CITATIONS
1261	Employment status, mental disorders and service use in the working age population. <i>Scandinavian Journal of Work, Environment and Health</i> , 2007, 33, 29-36.	1.7	64
1262	Injustice at work and health: causation, correlation or cause for action?. <i>Occupational and Environmental Medicine</i> , 2007, 64, 428.	1.3	6
1263	Work stress, weight gain and weight loss: evidence for bidirectional effects of job strain on body mass index in the Whitehall II study. <i>International Journal of Obesity</i> , 2006, 30, 982-987.	1.6	292
1264	Justice at work and cardiovascular mortality: a prospective cohort study. <i>Journal of Psychosomatic Research</i> , 2006, 61, 271-274.	1.2	101
1265	Innovation in Healthcare: A Systematic Review of Recent Research. <i>Nursing Science Quarterly</i> , 2006, 19, 66-72.	0.3	179
1266	Socioeconomic Circumstances in Childhood and Blood Pressure in Adulthood: The Cardiovascular Risk in Young Finns Study. <i>Annals of Epidemiology</i> , 2006, 16, 737-742.	0.9	30
1267	Parental socioeconomic position and parental life satisfaction as predictors of job strain in adulthood: 18-year follow-up of the Cardiovascular Risk in Young Finns Study. <i>Journal of Psychosomatic Research</i> , 2006, 61, 243-249.	1.2	16
1268	Sleep Disturbances as a Predictor of Long-Term Increase in Sickness Absence Among Employees After Family Death or Illness. <i>Sleep</i> , 2006, 29, 673-682.	0.6	55
1269	Personality, Work Career, and Health. , 2006, , 328-342.		1
1270	Depressive symptoms and C-reactive protein: The Cardiovascular Risk in Young Finns Study. <i>Psychological Medicine</i> , 2006, 36, 797-805.	2.7	86
1271	Predictors of Sustained Organizational Commitment Among Nurses With Temporary Job Contracts. <i>Journal of Nursing Administration</i> , 2006, 36, 268-276.	0.7	25
1272	Contribution of Burnout to the Association Between Job Strain and Depression: the Health 2000 Study. <i>Journal of Occupational and Environmental Medicine</i> , 2006, 48, 1023-1030.	0.9	97
1273	Is Incomplete Recovery From Work a Risk Marker of Cardiovascular Death? Prospective Evidence From Industrial Employees. <i>Psychosomatic Medicine</i> , 2006, 68, 402-407.	1.3	103
1274	Sleep Disturbances as Predictors of Hospitalization for Back Disorders—A 28-Year Follow-up of Industrial Employees. <i>Spine</i> , 2006, 31, 51-56.	1.0	61
1275	Sex Differences in Health Effects of Family Death or Illness: Are Women More Vulnerable Than Men?. <i>Psychosomatic Medicine</i> , 2006, 68, 283-291.	1.3	22
1276	Why Is Evidence on Job Strain and Coronary Heart Disease Mixed? An Illustration of Measurement Challenges in the Whitehall II Study. <i>Psychosomatic Medicine</i> , 2006, 68, 398-401.	1.3	73
1277	Psychosocial Approach to Occupational Health. , 2006, , 801-817.		3
1278	The longitudinal effects of social support and hostility on depressive tendencies. <i>Social Science and Medicine</i> , 2006, 63, 1374-1382.	1.8	54

#	ARTICLE	IF	CITATIONS
1279	Impulsivity as a predictor of newly-diagnosed peptic ulcer disease: A prospective cohort study. <i>Personality and Individual Differences</i> , 2006, 41, 1539-1550.	1.6	1
1280	Effort-reward imbalance at work and the co-occurrence of lifestyle risk factors: cross-sectional survey in a sample of 36,127 public sector employees. <i>BMC Public Health</i> , 2006, 6, 24.	1.2	65
1281	Psychometric evaluation of a short measure of social capital at work. <i>BMC Public Health</i> , 2006, 6, 251.	1.2	152
1282	Employment status and differences in the one-year coverage of physician visits: different needs or unequal access to services?. <i>BMC Health Services Research</i> , 2006, 6, 123.	0.9	36
1283	Early Socioeconomic Position and Blood Pressure in Childhood and Adulthood. <i>Hypertension</i> , 2006, 47, 39-44.	1.3	85
1284	Organisational injustice and impaired cardiovascular regulation among female employees. <i>Occupational and Environmental Medicine</i> , 2006, 63, 141-144.	1.3	60
1285	Effort/reward imbalance and sedentary lifestyle: an observational study in a large occupational cohort. <i>Occupational and Environmental Medicine</i> , 2006, 63, 422-427.	1.3	32
1286	The Working Conditions and Health of Non-Permanent Employees: Are There Differences between Private and Public Labour Markets?. <i>Economic and Industrial Democracy</i> , 2006, 27, 39-65.	1.2	16
1287	Injustice at work and incidence of psychiatric morbidity: the Whitehall II study. <i>Occupational and Environmental Medicine</i> , 2006, 63, 443-450.	1.3	188
1288	Sickness absence as a risk factor for job termination, unemployment, and disability pension among temporary and permanent employees. <i>Occupational and Environmental Medicine</i> , 2006, 63, 212-217.	1.3	116
1289	Increased absence due to sickness among employees with fibromyalgia. <i>Annals of the Rheumatic Diseases</i> , 2006, 66, 65-69.	0.5	41
1290	Long hours in paid and domestic work and subsequent sickness absence: does control over daily working hours matter?. <i>Occupational and Environmental Medicine</i> , 2006, 63, 608-616.	1.3	86
1291	Influence of change in psychosocial work characteristics on sickness absence: the Whitehall II study. <i>Journal of Epidemiology and Community Health</i> , 2006, 60, 55-61.	2.0	106
1292	Prevalent cardiovascular disease, risk factors and selection out of shift work. <i>Scandinavian Journal of Work, Environment and Health</i> , 2006, 32, 204-208.	1.7	44
1293	Work stress in the etiology of coronary heart disease—a meta-analysis. <i>Scandinavian Journal of Work, Environment and Health</i> , 2006, 32, 431-442.	1.7	698
1294	Job Strain and Early Atherosclerosis: The Cardiovascular Risk in Young Finns Study. <i>Psychosomatic Medicine</i> , 2005, 67, 740-747.	1.3	84
1295	Working While Ill as a Risk Factor for Serious Coronary Events: The Whitehall II Study. <i>American Journal of Public Health</i> , 2005, 95, 98-102.	1.5	236
1296	Job Strain, Effort???Reward Imbalance, and Heavy Drinking: A Study in 40,851 Employees. <i>Journal of Occupational and Environmental Medicine</i> , 2005, 47, 503-513.	0.9	66

#	ARTICLE	IF	CITATIONS
1297	Relationship Between Work Stress and Body Mass Index Among 45,810 Female and Male Employees. <i>Psychosomatic Medicine</i> , 2005, 67, 577-583.	1.3	177
1298	Depressive Symptoms and Carotid Artery Intima-Media Thickness in Young Adults: The Cardiovascular Risk in Young Finns Study. <i>Psychosomatic Medicine</i> , 2005, 67, 561-567.	1.3	75
1299	Justice at Work and Reduced Risk of Coronary Heart Disease Among Employees. <i>Archives of Internal Medicine</i> , 2005, 165, 2245.	4.3	230
1300	Temperament in Childhood Predicts Body Mass in Adulthood: The Cardiovascular Risk in Young Finns Study.. <i>Health Psychology</i> , 2005, 24, 307-315.	1.3	70
1301	When It Is Better to Give Than to Receive: Long-Term Health Effects of Perceived Reciprocity in Support Exchange.. <i>Journal of Personality and Social Psychology</i> , 2005, 89, 176-193.	2.6	126
1302	Optimism and Pessimism as Predictors of Change in Health After Death or Onset of Severe Illness in Family.. <i>Health Psychology</i> , 2005, 24, 413-421.	1.3	104
1303	Associations of social support and sex life â€” the HeSSup Study. <i>Patient Education and Counseling</i> , 2005, 58, 71-81.	1.0	5
1304	Job demands and job control as correlates of early retirement thoughts in Finnish social and health care employees. <i>Work and Stress</i> , 2005, 19, 84-92.	2.8	135
1305	Alcohol and coronary heart disease risk-is there an unknown confounder?. <i>Addiction</i> , 2005, 100, 1150-1157.	1.7	15
1306	Cloninger's temperament dimensions and epidermal growth factor A61G polymorphism in Finnish adults. <i>Genes, Brain and Behavior</i> , 2005, 5, 11-18.	1.1	12
1307	Psychosocial work characteristics and incidence of newly diagnosed depression: a prospective cohort study of three different models. <i>Social Science and Medicine</i> , 2005, 61, 111-122.	1.8	192
1308	Mental health and hostility as predictors of temporary employment: Evidence from two prospective studies. <i>Social Science and Medicine</i> , 2005, 61, 2084-2095.	1.8	43
1309	Combined effects of uncertainty and organizational justice on employee health: Testing the uncertainty management model of fairness judgments among Finnish public sector employees. <i>Social Science and Medicine</i> , 2005, 61, 2501-2512.	1.8	120
1310	The mediating role of novelty seeking in the association between the type 4 dopamine receptor gene polymorphism and cigarette-smoking behavior. <i>Personality and Individual Differences</i> , 2005, 38, 639-645.	1.6	7
1311	Childhood adversities, adult risk factors and depressiveness. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 700-706.	1.6	62
1312	Research Companion to Organizational Health Psychology. Edited by A.-S. G. Antoniou and C. L. Cooper. (Pp. 720; Â£150; ISBN 18437766248 hb.) Edward Elgar Publishing: Cheltenham. 2005.. <i>Psychological Medicine</i> , 2005, 35, 1677-1678.	2.7	0
1313	Organisational downsizing as a predictor of disability pension: the 10-town prospective cohort study. <i>Journal of Epidemiology and Community Health</i> , 2005, 59, 238-242.	2.0	41
1314	Labor Market Trajectories and Health: A Four-Year Follow-up Study of Initially Fixed-Term Employees. <i>American Journal of Epidemiology</i> , 2005, 161, 840-846.	1.6	67

#	ARTICLE	IF	CITATIONS
1315	Are intrinsic motivational factors of work associated with functional incapacity similarly regardless of the country?. <i>Journal of Epidemiology and Community Health</i> , 2005, 59, 858-863.	2.0	11
1316	A comparison of self-reported sickness absence with absences recorded in employers' registers: evidence from the Whitehall II study. <i>Occupational and Environmental Medicine</i> , 2005, 62, 74-79.	1.3	187
1317	The Double Burden of and Negative Spillover Between Paid and Domestic Work: Associations with Health Among Men and Women. <i>Women and Health</i> , 2005, 40, 1-18.	0.4	101
1318	Lifecourse Socioeconomic Position, C-Reactive Protein, and Carotid Intima-Media Thickness in Young Adults. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005, 25, 2197-2202.	1.1	79
1319	Relationship between DRD4 Polymorphism and Lipid Metabolism: What Is the Role of Novelty Seeking?. <i>Neuropsychobiology</i> , 2005, 51, 53-58.	0.9	9
1320	Socioeconomic position in childhood and adult cardiovascular risk factors, vascular structure, and function: cardiovascular risk in young Finns study. <i>Heart</i> , 2005, 92, 474-480.	1.2	68
1321	Work stress, smoking status, and smoking intensity: an observational study of 46 190 employees. <i>Journal of Epidemiology and Community Health</i> , 2005, 59, 63-69.	2.0	228
1322	Local economy and sickness absence: prospective cohort study. <i>Journal of Epidemiology and Community Health</i> , 2005, 59, 973-978.	2.0	35
1323	Are sickness absence frequencies in the study of EU countries underestimates?. <i>Occupational and Environmental Medicine</i> , 2005, 62, 133-133.	1.3	1
1324	Employee worktime control moderates the effects of job strain and effort-reward imbalance on sickness absence: the 10-town study. <i>Journal of Epidemiology and Community Health</i> , 2005, 59, 851-857.	2.0	136
1325	Associations between stress at work and attitudes towards retirement in hospital physicians. <i>Work and Stress</i> , 2005, 19, 177-185.	2.8	52
1326	Sources of social support as determinants of psychiatric morbidity after severe life events. <i>Journal of Psychosomatic Research</i> , 2005, 58, 459-467.	1.2	33
1327	Does the level of LDL cholesterol moderate a relationship between DRD4 and novelty seeking?. <i>Biological Psychology</i> , 2005, 68, 79-86.	1.1	3
1328	Epidermal growth factor A61G polymorphism and cardiac autonomic control in adults. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2005, 29, 702-707.	2.5	3
1329	Job strain and leisure-time physical activity in female and male public sector employees. <i>Preventive Medicine</i> , 2005, 41, 532-539.	1.6	104
1330	Temporary employment and health: a review. <i>International Journal of Epidemiology</i> , 2005, 34, 610-622.	0.9	620
1331	Is Underutilization of Knowledge, Skills, and Abilities a Major Barrier to Innovation?. <i>Psychological Reports</i> , 2004, 94, 739-750.	0.9	16
1332	Role clarity, fairness, and organizational climate as predictors of sickness absence. <i>Scandinavian Journal of Public Health</i> , 2004, 32, 426-434.	1.2	59

#	ARTICLE	IF	CITATIONS
1333	Sickness absence as a risk marker of future disability pension: the 10-town study. <i>Journal of Epidemiology and Community Health</i> , 2004, 58, 710-711.	2.0	168
1334	Effect of employee worktime control on health: a prospective cohort study. <i>Occupational and Environmental Medicine</i> , 2004, 61, 254-261.	1.3	92
1335	Is the effect of work stress on cardiovascular mortality confounded by socioeconomic factors in the Valmet study?. <i>Journal of Epidemiology and Community Health</i> , 2004, 58, 1019-1020.	2.0	54
1336	Sickness absence as a predictor of mortality among male and female employees. <i>Journal of Epidemiology and Community Health</i> , 2004, 58, 321-326.	2.0	208
1337	Organisational downsizing, sickness absence, and mortality: 10-town prospective cohort study. <i>BMJ: British Medical Journal</i> , 2004, 328, 555.	2.4	251
1338	Social capital in working life and the health of employees. <i>Social Science and Medicine</i> , 2004, 59, 2447-2458.	1.8	81
1339	Impulsivity as a predictor of smoking and alcohol consumption. <i>Personality and Individual Differences</i> , 2004, 37, 1693-1700.	1.6	69
1340	Economy and job contract as contexts of sickness absence practices: revisiting locality and habitus. <i>Social Science and Medicine</i> , 2004, 58, 1219-1229.	1.8	39
1341	Job decision latitude, organizational justice and health: multilevel covariance structure analysis. <i>Social Science and Medicine</i> , 2004, 58, 1659-1669.	1.8	93
1342	Temperament and depressive symptoms: a population-based longitudinal study on Cloninger's psychobiological temperament model. <i>Journal of Affective Disorders</i> , 2004, 83, 227-232.	2.0	106
1343	Sense of coherence and work characteristics: A cross-lagged structural equation model among managers. <i>Journal of Occupational and Organizational Psychology</i> , 2004, 77, 323-342.	2.6	63
1344	Childhood adversities, parent-child relationships and dispositional optimism in adulthood. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 286-292.	1.6	49
1345	Organisational justice and change in justice as predictors of employee health: the Whitehall II study. <i>Journal of Epidemiology and Community Health</i> , 2004, 58, 931-937.	2.0	107
1346	Work stress and incidence of newly diagnosed fibromyalgia. <i>Journal of Psychosomatic Research</i> , 2004, 57, 417-422.	1.2	73
1347	Psychosocial Factors at Work as Predictors of Hospitalization for Back Disorders. <i>Spine</i> , 2004, 29, 1823-1830.	1.0	33
1348	Contribution of Early and Adult Factors to Socioeconomic Variation in Blood Pressure: Thirty-Four-Year Follow-up Study of School Children. <i>Psychosomatic Medicine</i> , 2004, 66, 184-189.	1.3	23
1349	Work stress and incidence of newly diagnosed fibromyalgia Prospective cohort study. <i>Journal of Psychosomatic Research</i> , 2004, 57, 417-422.	1.2	104
1350	Contribution of Early and Adult Factors to Socioeconomic Variation in Blood Pressure: Thirty-Four-Year Follow-up Study of School Children. <i>Psychosomatic Medicine</i> , 2004, 66, 184-189.	1.3	23

#	ARTICLE	IF	CITATIONS
1351	Sickness absence and the organization of nursing care among hospital nurses. <i>Scandinavian Journal of Work, Environment and Health</i> , 2004, 30, 468-476.	1.7	12
1352	Human Costs of Organizational Downsizing: Comparing Health Trends Between Leavers and Stayers. <i>American Journal of Community Psychology</i> , 2003, 32, 57-67.	1.2	77
1353	Hostility, unemployment and health status: testing three theoretical models. <i>Social Science and Medicine</i> , 2003, 56, 2139-2152.	1.8	30
1354	Personality as a moderator in the relations between perceptions of organizational justice and sickness absence. <i>Journal of Vocational Behavior</i> , 2003, 63, 379-395.	1.9	41
1355	Parental practices, self-esteem and adult temperament: 17-year follow-up study of four population-based age cohorts. <i>Personality and Individual Differences</i> , 2003, 34, 431-447.	1.6	13
1356	Stress factors predicting injuries of hospital personnel. <i>American Journal of Industrial Medicine</i> , 2003, 44, 32-36.	1.0	64
1357	Organization of nursing care and stressful work characteristics. <i>Journal of Advanced Nursing</i> , 2003, 43, 197-205.	1.5	40
1358	Organization of nursing care as a determinant of job satisfaction among hospital nurses. <i>Journal of Nursing Management</i> , 2003, 11, 299-306.	1.4	45
1359	Novelty seeking as a mediator in relationships between type 4 dopamine receptor gene polymorphism and predisposition to higher education. <i>Learning and Individual Differences</i> , 2003, 14, 23-30.	1.5	6
1360	Organisational justice and health of employees: prospective cohort study * COMMENTARY. <i>Occupational and Environmental Medicine</i> , 2003, 60, 27-34.	1.3	267
1361	Temporary Employment and Risk of Overall and Cause-specific Mortality. <i>American Journal of Epidemiology</i> , 2003, 158, 663-668.	1.6	175
1362	Disparity in occupational training and career planning between contingent and permanent employees. <i>European Journal of Work and Organizational Psychology</i> , 2003, 12, 19-36.	2.2	54
1363	Health inequalities in the workforce: the labour market core-periphery structure. <i>International Journal of Epidemiology</i> , 2003, 32, 1015-1021.	0.9	119
1364	Contribution of adolescent and early adult personality to the inverse association between education and cardiovascular risk behaviours: prospective population-based cohort study. <i>International Journal of Epidemiology</i> , 2003, 32, 968-975.	0.9	26
1365	The Combined Effects of Apolipoprotein E Polymorphism and Low-Density Lipoprotein Cholesterol on Cognitive Performance in Young Adults. <i>Neuropsychobiology</i> , 2003, 48, 35-40.	0.9	30
1366	Workplace bullying and the risk of cardiovascular disease and depression. <i>Occupational and Environmental Medicine</i> , 2003, 60, 779-783.	1.3	439
1367	From insecure to secure employment: changes in work, health, health related behaviours, and sickness absence. <i>Occupational and Environmental Medicine</i> , 2003, 60, 948-953.	1.3	148
1368	Contribution of Socioeconomic Status to the Association between Hostility and Cardiovascular Risk Behaviors: A Prospective Cohort Study. <i>American Journal of Epidemiology</i> , 2003, 158, 736-742.	1.6	35

#	ARTICLE	IF	CITATIONS
1369	Sickness absence as a global measure of health: evidence from mortality in the Whitehall II prospective cohort study. <i>BMJ: British Medical Journal</i> , 2003, 327, 364-0.	2.4	347
1370	Association between organizational inequity and incidence of psychiatric disorders in female employees. <i>Psychological Medicine</i> , 2003, 33, 319-326.	2.7	127
1371	Organizational Climate, Perceived Work-Related Symptoms And Sickness Absence: A Population-Based Survey. <i>Journal of Occupational and Environmental Medicine</i> , 2003, 45, 175-184.	0.9	46
1372	Social Support, Early Retirement, and a Retirement Preference: A Study of 10,489 Finnish Adults. <i>Journal of Occupational and Environmental Medicine</i> , 2003, 45, 433-439.	0.9	24
1373	Association Between the Type 4 Dopamine Receptor Gene Polymorphism and Novelty Seeking. <i>Psychosomatic Medicine</i> , 2003, 65, 471-476.	1.3	43
1374	Sleeping problems and health behaviors as mediators between organizational justice and health.. <i>Health Psychology</i> , 2003, 22, 287-293.	1.3	97
1375	Employment security and health. <i>Journal of Epidemiology and Community Health</i> , 2002, 56, 569-574.	2.0	166
1376	Work stress and risk of cardiovascular mortality: prospective cohort study of industrial employees. <i>BMJ: British Medical Journal</i> , 2002, 325, 857-857.	2.4	669
1377	Organizational fairness and psychological distress in hospital physicians. <i>Scandinavian Journal of Public Health</i> , 2002, 30, 209-215.	1.2	30
1378	Selection from fixed term to permanent employment: prospective study on health, job satisfaction, and behavioural risks. <i>Journal of Epidemiology and Community Health</i> , 2002, 56, 693-699.	2.0	51
1379	Alcohol Intake and Sickness Absence: A Curvilinear Relation. <i>American Journal of Epidemiology</i> , 2002, 156, 969-976.	1.6	95
1380	Employee control over working times: associations with subjective health and sickness absences. <i>Journal of Epidemiology and Community Health</i> , 2002, 56, 272-278.	2.0	146
1381	Organizational Justice: Evidence of a New Psychosocial Predictor of Health. <i>American Journal of Public Health</i> , 2002, 92, 105-108.	1.5	461
1382	Death or Illness of a Family Member, Violence, Interpersonal Conflict, and Financial Difficulties as Predictors of Sickness Absence: Longitudinal Cohort Study on Psychological and Behavioral Links. <i>Psychosomatic Medicine</i> , 2002, 64, 817-825.	1.3	6
1383	Sense of coherence as a mediator between hostility and health. <i>Journal of Psychosomatic Research</i> , 2002, 52, 239-247.	1.2	61
1384	Death or Illness of a Family Member, Violence, Interpersonal Conflict, and Financial Difficulties as Predictors of Sickness Absence: Longitudinal Cohort Study on Psychological and Behavioral Links. <i>Psychosomatic Medicine</i> , 2002, 64, 817-825.	1.3	50
1385	Death or illness of a family member, violence, interpersonal conflict, and financial difficulties as predictors of sickness absence: longitudinal cohort study on psychological and behavioral links. <i>Psychosomatic Medicine</i> , 2002, 64, 817-25.	1.3	48
1386	Downsizing, changes in work, and self-rated health of employees: A 7-year 3-wave panel study. <i>Anxiety, Stress and Coping</i> , 2001, 14, 59-73.	1.7	97

#	ARTICLE	IF	CITATIONS
1387	Organizational justice evaluations, job control, and occupational strain.. Journal of Applied Psychology, 2001, 86, 418-424.	4.2	213
1388	Socioeconomic status, hostility and health. Personality and Individual Differences, 2001, 31, 303-315.	1.6	13
1389	The Effects of Personal Need for Structure and Occupational Identity in the Role Stress Process. Journal of Social Psychology, 2001, 141, 365-378.	1.0	30
1390	Working conditions and sickness absence: a complex relation. Journal of Epidemiology and Community Health, 2001, 55, 368-368.	2.0	15
1391	The role of extended weekends in sickness absenteeism. Occupational and Environmental Medicine, 2001, 58, 818-822.	1.3	49
1392	Sickness absence in hospital physicians: 2 year follow up study on determinants. Occupational and Environmental Medicine, 2001, 58, 361-366.	1.3	130
1393	Organisational downsizing and musculoskeletal problems in employees: a prospective study. Occupational and Environmental Medicine, 2001, 58, 811-817.	1.3	83
1394	Does shift work lead to poorer health habits? A comparison between women who had always done shift work with those who had never done shift work. Work and Stress, 2001, 15, 3-13.	2.8	71
1395	Contingent employment, health and sickness absence. Scandinavian Journal of Work, Environment and Health, 2001, 27, 365-372.	1.7	79
1396	Communication as a determinant of organizational innovation. R and D Management, 2000, 30, 33-42.	3.0	91
1397	Sense of coherence and social support - Resources for subjective well-being and health of the aged in Finland. International Journal of Social Welfare, 2000, 9, 128-135.	1.0	27
1398	Sense of coherence and health: evidence from two cross-lagged longitudinal samples. Social Science and Medicine, 2000, 50, 583-597.	1.8	204
1399	Workplace bullying and sickness absence in hospital staff. Occupational and Environmental Medicine, 2000, 57, 656-660.	1.3	383
1400	Factors underlying the effect of organisational downsizing on health of employees: longitudinal cohort study. BMJ: British Medical Journal, 2000, 320, 971-975.	2.4	355
1401	Effect of change in the psychosocial work environment on sickness absence: a seven year follow up of initially healthy employees. Journal of Epidemiology and Community Health, 2000, 54, 484-493.	2.0	218
1402	Effects of job characteristics, team climate, and attitudes towards clinical guidelines. Scandinavian Journal of Public Health, 2000, 28, 117-122.	1.2	26
1403	Hostility and ill health. Journal of Psychosomatic Research, 2000, 48, 89-98.	1.2	41
1404	Organizational and individual factors affecting mental health and job satisfaction: A multilevel analysis of job control and personality.. Journal of Occupational Health Psychology, 2000, 5, 269-277.	2.3	70

#	ARTICLE	IF	CITATIONS
1405	Collective stress and coping in the context of organizational culture. <i>European Journal of Work and Organizational Psychology</i> , 2000, 9, 527-559.	2.2	85
1406	Organizational and individual factors affecting mental health and job satisfaction: a multilevel analysis of job control and personality. <i>Journal of Occupational Health Psychology</i> , 2000, 5, 269-77.	2.3	16
1407	Workplace as an origin of health inequalities. <i>Journal of Epidemiology and Community Health</i> , 1999, 53, 399-407.	2.0	66
1408	A short version of the Team Climate Inventory: Development and psychometric properties. <i>Journal of Occupational and Organizational Psychology</i> , 1999, 72, 241-246.	2.6	181
1409	Factors associated with innovative climate: what is the role of stress?. <i>Stress and Health</i> , 1999, 15, 203-213.	0.7	15
1410	Personal need for structure and occupational strain: An investigation of structural models and interaction with job complexity. <i>Personality and Individual Differences</i> , 1998, 26, 209-222.	1.6	12
1411	Sense of Coherence as a Modifier of Occupational Stress Exposure, Stress Perception, and Experienced Strain: A Study of Industrial Managers. <i>Psychological Reports</i> , 1998, 83, 971-981.	0.9	35
1412	Work and strain on physicians in Finland. <i>Scandinavian Journal of Public Health</i> , 1998, 26, 26-33.	0.6	13
1413	Response of hostile individuals to stressful change in their working lives: test of a psychosocial vulnerability model. <i>Psychological Medicine</i> , 1998, 28, 903-913.	2.7	42
1414	SENSE OF COHERENCE AS A MODIFIER OF OCCUPATIONAL STRESS EXPOSURE, STRESS PERCEPTION, AND EXPERIENCED STRAIN: A STUDY OF INDUSTRIAL MANAGERS. <i>Psychological Reports</i> , 1998, 83, 971.	0.9	17
1415	Does the implementation of total quality management (TQM) change the wellbeing and work-related attitudes of health care personnel?. <i>Journal of Organizational Change Management</i> , 1997, 10, 456-470.	1.7	34
1416	Hostility and registered sickness absences: a prospective study of municipal employees. <i>Psychological Medicine</i> , 1997, 27, 693-701.	2.7	36
1417	Psychosocial factors predicting employee sickness absence during economic decline.. <i>Journal of Applied Psychology</i> , 1997, 82, 858-872.	4.2	245
1418	The Team Climate Inventory (TCI)â€”four or five factors? Testing the structure of TCI in samples of low and high complexity jobs. <i>Journal of Occupational and Organizational Psychology</i> , 1997, 70, 375-389.	2.6	60
1419	Effect of organisational downsizing on health of employees. <i>Lancet, The</i> , 1997, 350, 1124-1128.	6.3	307
1420	Self-esteem and the occupational stress process: Testing two alternative models in a sample of blue-collar workers.. <i>Journal of Occupational Health Psychology</i> , 1996, 1, 187-196.	2.3	26
1421	Occupational stresses, goal clarity, control, and strain among nurses in the finnish health care system. <i>Research in Nursing and Health</i> , 1996, 19, 517-524.	0.8	25
1422	Confidential conversations between supervisor and employee as a means for improving leadership: a quasi-experimental study in hospital wards. <i>Journal of Nursing Management</i> , 1996, 4, 325-335.	1.4	3

#	ARTICLE	IF	CITATIONS
1423	Confidential conversations between supervisor and employee as a means for improving leadership: a quasi-experimental study in hospital wards. <i>Journal of Nursing Management</i> , 1996, 4, 325-335.	1.4	4
1424	Components of Type a Behavior Pattern and Occupational Stressor-Strain Relationship: Testing Different Models in a Sample of Industrial Managers. <i>Behavioral Medicine</i> , 1996, 22, 67-76.	1.0	23
1425	Effects of Components of Personal Need for Structure on Occupational Strain. <i>Journal of Social Psychology</i> , 1996, 136, 769-777.	1.0	5
1426	Self-esteem and the occupational stress process: testing two alternative models in a sample of blue-collar workers. <i>Journal of Occupational Health Psychology</i> , 1996, 1, 187-96.	2.3	13
1427	Confidential conversations between supervisor and employee as a means for improving leadership: a quasi-experimental study in hospital wards. <i>Journal of Nursing Management</i> , 1996, 4, 325-35.	1.4	0
1428	Goal-Publication, Feedback, and Communication Processes. <i>Quality Management in Health Care</i> , 1995, 4, 50-55.	0.4	7
1429	Job enrichment, work motivation, and job satisfaction in hospital wards: testing the job characteristics model. <i>Journal of Nursing Management</i> , 1995, 3, 87-91.	1.4	42
1430	Effects of private self-consciousness and control on the occupational stress-strain relationship. <i>Stress and Health</i> , 1995, 11, 7-16.	0.7	27
1431	Perceived Nuclear Risk, Organizational Commitment, and Appraisals of Management: A Study of Nuclear Power Plant Personnel. <i>Risk Analysis</i> , 1995, 15, 391-396.	1.5	31
1432	Test anxiety, below-capacity performance, and poor test performance: Intrasubject approach with violin students. <i>Personality and Individual Differences</i> , 1995, 18, 47-55.	1.6	16
1433	Coaching practices of first-line nurse managers in hospital wards with highly satisfied personnel. <i>Journal of Nursing Administration</i> , 1995, 25, 6, 14.	0.7	0
1434	Stress and cognitive performance of fire fighters during smoke-diving. <i>Stress and Health</i> , 1994, 10, 63-68.	0.7	31
1435	Contributors to satisfaction with management in hospital wards. <i>Journal of Nursing Management</i> , 1994, 2, 229-234.	1.4	35
1436	Risk Perception Among Nuclear Power Plant Personnel: A Survey. <i>Risk Analysis</i> , 1993, 13, 421-424.	1.5	44
1437	PHYSIOLOGICAL RESPONSES OF FIREFIGHTING STUDENTS DURING SIMULATED SMOKE-DIVING IN THE HEAT. <i>AIHA Journal</i> , 1993, 54, 228-231.	0.4	55
1438	Study protocol for examining job strain as a risk factor for severe unipolar depression in an individual participant meta-analysis of 14 European cohorts. <i>F1000Research</i> , 0, 2, 233.	0.8	1
1439	Grounded Theory in Organizational Research. , 0, , 242-255.		17
1440	The Routledge International Handbook of Psychosocial Epidemiology. , 0, ,		10

#	ARTICLE	IF	CITATIONS
1441	Models of personality and health. , 0, , 205-227.		3
1442	Return to work following anterior cruciate ligament reconstruction. Monthly Notices of the Royal Astronomical Society: Letters, 0, 93, 554-559.	1.2	1