

Mary Lou Guerinot

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4654514/publications.pdf>

Version: 2024-02-01

83
papers

19,097
citations

20817

60
h-index

58581

82
g-index

89
all docs

89
docs citations

89
times ranked

12374
citing authors

#	ARTICLE	IF	CITATIONS
1	A transporter for delivering zinc to the developing tiller bud and panicle in rice. <i>Plant Journal</i> , 2021, 105, 786-799.	5.7	39
2	Genome-wide association mapping for grain manganese in rice (<i>Oryza sativa</i> L.) using a multi-experiment approach. <i>Heredity</i> , 2021, 126, 505-520.	2.6	3
3	All together now: regulation of the iron deficiency response. <i>Journal of Experimental Botany</i> , 2021, 72, 2045-2055.	4.8	81
4	<i>Arabidopsis thaliana</i> zinc accumulation in leaf trichomes is correlated with zinc concentration in leaves. <i>Scientific Reports</i> , 2021, 11, 5278.	3.3	21
5	Genome-resolved metagenomics reveals role of iron metabolism in drought-induced rhizosphere microbiome dynamics. <i>Nature Communications</i> , 2021, 12, 3209.	12.8	93
6	Photoprotection during iron deficiency is mediated by the bHLH transcription factors PYE and ILR3. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	27
7	Redundant roles of four ZIP family members in zinc homeostasis and seed development in <i>Arabidopsis thaliana</i> . <i>Plant Journal</i> , 2021, 108, 1162-1173.	5.7	24
8	Univariate and Multivariate QTL Analyses Reveal Covariance Among Mineral Elements in the Rice Genome. <i>Frontiers in Genetics</i> , 2021, 12, 638555.	2.3	10
9	Targeted expression of the arsenate reductase HAC1 identifies cell type specificity of arsenic metabolism and transport in plant roots. <i>Journal of Experimental Botany</i> , 2021, 72, 415-425.	4.8	12
10	The iron deficiency response in <i>Arabidopsis thaliana</i> requires the phosphorylated transcription factor URI. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 24933-24942.	7.1	120
11	Natural variation in a molybdate transporter controls grain molybdenum concentration in rice. <i>New Phytologist</i> , 2019, 221, 1983-1997.	7.3	44
12	Opportunities and Challenges for Dietary Arsenic Intervention. <i>Environmental Health Perspectives</i> , 2018, 126, 84503.	6.0	32
13	Elemental Profiling of Rice FOX Lines Leads to Characterization of a New Zn Plasma Membrane Transporter, OsZIP7. <i>Frontiers in Plant Science</i> , 2018, 9, 865.	3.6	41
14	Understanding arsenic dynamics in agronomic systems to predict and prevent uptake by crop plants. <i>Science of the Total Environment</i> , 2017, 581-582, 209-220.	8.0	185
15	BRUTUS and its paralogs, BTS LIKE1 and BTS LIKE2, encode important negative regulators of the iron deficiency response in <i>Arabidopsis thaliana</i> . <i>Metallomics</i> , 2017, 9, 876-890.	2.4	136
16	The <i>Arabidopsis</i> MTP8 transporter determines the localization of manganese and iron in seeds. <i>Scientific Reports</i> , 2017, 7, 11024.	3.3	71
17	A heavy metal P-type ATPase OshMA4 prevents copper accumulation in rice grain. <i>Nature Communications</i> , 2016, 7, 12138.	12.8	178
18	Worldwide Genetic Diversity for Mineral Element Concentrations in Rice Grain. <i>Crop Science</i> , 2015, 55, 294-311.	1.8	159

#	ARTICLE	IF	CITATIONS
19	Bypassing Iron Storage in Endodermal Vacuoles Rescues the Iron Mobilization Defect in the <i>natural resistance associated-macrophage protein3</i> <i>natural resistance associated-macrophage protein4</i> Double Mutant. <i>Plant Physiology</i> , 2015, 169, 748-759.	4.8	61
20	OPT3 Is a Phloem-Specific Iron Transporter That Is Essential for Systemic Iron Signaling and Redistribution of Iron and Cadmium in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2014, 26, 2249-2264.	6.6	215
21	Mn-euvering manganese: the role of transporter gene family members in manganese uptake and mobilization in plants. <i>Frontiers in Plant Science</i> , 2014, 5, 106.	3.6	228
22	Genome Wide Association Mapping of Grain Arsenic, Copper, Molybdenum and Zinc in Rice (<i>Oryza</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	2.5	228
23	Mapping and validation of quantitative trait loci associated with concentrations of 16 elements in unmilled rice grain. <i>Theoretical and Applied Genetics</i> , 2014, 127, 137-165.	3.6	202
24	Using membrane transporters to improve crops for sustainable food production. <i>Nature</i> , 2013, 497, 60-66.	27.8	440
25	Reciprocal Interaction of the Circadian Clock with the Iron Homeostasis Network in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2013, 161, 893-903.	4.8	85
26	Dirigent domain-containing protein is part of the machinery required for formation of the lignin-based Casparian strip in the root. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 14498-14503.	7.1	269
27	MYB10 and MYB72 Are Required for Growth under Iron-Limiting Conditions. <i>PLoS Genetics</i> , 2013, 9, e1003953.	3.5	194
28	Elemental Concentrations in the Seed of Mutants and Natural Variants of <i>Arabidopsis thaliana</i> Grown under Varying Soil Conditions. <i>PLoS ONE</i> , 2013, 8, e63014.	2.5	19
29	The Role of CAX1 and CAX3 in Elemental Distribution and Abundance in <i>Arabidopsis</i> Seed. <i>Plant Physiology</i> , 2012, 158, 352-362.	4.8	64
30	A review of recent developments in the speciation and location of arsenic and selenium in rice grain. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 402, 3275-3286.	3.7	79
31	Getting a sense for signals: Regulation of the plant iron deficiency response. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2012, 1823, 1521-1530.	4.1	214
32	Plant Calcium Content: Ready to Remodel. <i>Nutrients</i> , 2012, 4, 1120-1136.	4.1	25
33	Functional characterisation of metal(loid) processes in planta through the integration of synchrotron techniques and plant molecular biology. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 402, 3287-3298.	3.7	60
34	Variation in grain arsenic assessed in a diverse panel of rice (<i>Oryza sativa</i>) grown in multiple sites. <i>New Phytologist</i> , 2012, 193, 650-664.	7.3	126
35	Activation of Rice Yellow Stripe1-Like 16 (OsYSL16) Enhances Iron Efficiency. <i>Molecules and Cells</i> , 2012, 33, 117-126.	2.6	64
36	Sphingolipids in the Root Play an Important Role in Regulating the Leaf Ionome in <i>Arabidopsis thaliana</i> . <i>Plant Cell</i> , 2011, 23, 1061-1081.	6.6	111

#	ARTICLE	IF	CITATIONS
37	Phloem transport of arsenic species from flag leaf to grain during grain filling. <i>New Phytologist</i> , 2011, 192, 87-98.	7.3	170
38	Zinc deficiency-inducible OsZIP8 encodes a plasma membrane-localized zinc transporter in rice. <i>Molecules and Cells</i> , 2010, 29, 551-558.	2.6	166
39	OsZIP5 is a plasma membrane zinc transporter in rice. <i>Plant Molecular Biology</i> , 2010, 73, 507-517.	3.9	201
40	Natural Genetic Variation in Selected Populations of <i>Arabidopsis thaliana</i> Is Associated with Ionic Differences. <i>PLoS ONE</i> , 2010, 5, e11081.	2.5	78
41	Using synchrotron X-ray fluorescence microprobes in the study of metal homeostasis in plants. <i>Annals of Botany</i> , 2009, 103, 665-672.	2.9	109
42	Post-Translational Regulation of AtFER2 Ferritin in Response to Intracellular Iron Trafficking during Fruit Development in <i>Arabidopsis</i> . <i>Molecular Plant</i> , 2009, 2, 1095-1106.	8.3	64
43	Disruption of <i>OsYSL15</i> Leads to Iron Inefficiency in Rice Plants. <i>Plant Physiology</i> , 2009, 150, 786-800.	4.8	312
44	The Ferroportin Metal Efflux Proteins Function in Iron and Cobalt Homeostasis in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2009, 21, 3326-3338.	6.6	290
45	Facing the challenges of Cu, Fe and Zn homeostasis in plants. <i>Nature Chemical Biology</i> , 2009, 5, 333-340.	8.0	506
46	Homing in on iron homeostasis in plants. <i>Trends in Plant Science</i> , 2009, 14, 280-285.	8.8	255
47	Iron Uptake and Transport in Plants: The Good, the Bad, and the Ionome. <i>Chemical Reviews</i> , 2009, 109, 4553-4567.	47.7	546
48	The leaf ionome as a multivariable system to detect a plant's physiological status. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 12081-12086.	7.1	288
49	Variation in Molybdenum Content Across Broadly Distributed Populations of <i>Arabidopsis thaliana</i> Is Controlled by a Mitochondrial Molybdenum Transporter (MOT1). <i>PLoS Genetics</i> , 2008, 4, e1000004.	3.5	233
50	Biofortified and bioavailable: The gold standard for plant-based diets. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 1777-1778.	7.1	52
51	Chloroplast Fe(III) chelate reductase activity is essential for seedling viability under iron limiting conditions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 10619-10624.	7.1	166
52	It's elementary: Enhancing Fe ³⁺ reduction improves rice yields: Fig. 1.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 7311-7312.	7.1	43
53	Mining iron: Iron uptake and transport in plants. <i>FEBS Letters</i> , 2007, 581, 2273-2280.	2.8	416
54	FIT, the FER-LIKE IRON DEFICIENCY INDUCED TRANSCRIPTION FACTOR in <i>Arabidopsis</i> . <i>Plant Physiology and Biochemistry</i> , 2007, 45, 260-261.	5.8	150

#	ARTICLE	IF	CITATIONS
55	Localization of Iron in Arabidopsis Seed Requires the Vacuolar Membrane Transporter VIT1. <i>Science</i> , 2006, 314, 1295-1298.	12.6	614
56	Metal-Binding Thermodynamics of the Histidine-Rich Sequence from the Metal-Transport Protein IRT1 of Arabidopsis thaliana. <i>Inorganic Chemistry</i> , 2006, 45, 8500-8508.	4.0	73
57	Molecular aspects of Cu, Fe and Zn homeostasis in plants. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2006, 1763, 595-608.	4.1	382
58	Put the metal to the petal: metal uptake and transport throughout plants. <i>Current Opinion in Plant Biology</i> , 2006, 9, 322-330.	7.1	346
59	The Role of ZIP Family Members in Iron Transport. , 2006, , 311-326.		8
60	An Iron Uptake Operon Required for Proper Nodule Development in the Bradyrhizobium japonicum-Soybean Symbiosis. <i>Molecular Plant-Microbe Interactions</i> , 2005, 18, 950-959.	2.6	30
61	The Essential Basic Helix-Loop-Helix Protein FIT1 Is Required for the Iron Deficiency Response. <i>Plant Cell</i> , 2004, 16, 3400-3412.	6.6	702
62	Physiology and metabolism. <i>Current Opinion in Plant Biology</i> , 2003, 6, 205-207.	7.1	0
63	Overexpression of the FRO2 Ferric Chelate Reductase Confers Tolerance to Growth on Low Iron and Uncovers Posttranscriptional Control. <i>Plant Physiology</i> , 2003, 133, 1102-1110.	4.8	403
64	Expression of the IRT1 Metal Transporter Is Controlled by Metals at the Levels of Transcript and Protein Accumulation. <i>Plant Cell</i> , 2002, 14, 1347-1357.	6.6	684
65	GmZIP1 Encodes a Symbiosis-specific Zinc Transporter in Soybean. <i>Journal of Biological Chemistry</i> , 2002, 277, 4738-4746.	3.4	140
66	FRD3, a Member of the Multidrug and Toxin Efflux Family, Controls Iron Deficiency Responses in Arabidopsis. <i>Plant Cell</i> , 2002, 14, 1787-1799.	6.6	311
67	IRT1, an Arabidopsis Transporter Essential for Iron Uptake from the Soil and for Plant Growth. <i>Plant Cell</i> , 2002, 14, 1223-1233.	6.6	1,464
68	Limiting nutrients: an old problem with new solutions?. <i>Current Opinion in Plant Biology</i> , 2002, 5, 158-163.	7.1	43
69	Phylogenetic Relationships within Cation Transporter Families of Arabidopsis. <i>Plant Physiology</i> , 2001, 126, 1646-1667.	4.8	1,110
70	Improving rice yields—ironing out the details. <i>Nature Biotechnology</i> , 2001, 19, 417-418.	17.5	80
71	Fortified Foods and Phytoremediation. Two Sides of the Same Coin: Fig. 1.. <i>Plant Physiology</i> , 2001, 125, 164-167.	4.8	143
72	The ZIP family of metal transporters. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2000, 1465, 190-198.	2.6	972

#	ARTICLE	IF	CITATIONS
73	A ferric-chelate reductase for iron uptake from soils. <i>Nature</i> , 1999, 397, 694-697.	27.8	1,161
74	The IRT1 protein from <i>Arabidopsis thaliana</i> is a metal transporter with a broad substrate range. <i>Plant Molecular Biology</i> , 1999, 40, 37-44.	3.9	699
75	Zeroing in on zinc uptake in yeast and plants. <i>Current Opinion in Plant Biology</i> , 1999, 2, 244-249.	7.1	120
76	MOLECULAR BIOLOGY OF CATION TRANSPORT IN PLANTS. <i>Annual Review of Plant Biology</i> , 1998, 49, 669-696.	14.3	274
77	Reduction and Uptake of Iron in Plants. , 1998, , 179-192.		7
78	Genetic evidence that induction of root Fe(III) chelate reductase activity is necessary for iron uptake under iron deficiency+. <i>Plant Journal</i> , 1996, 10, 835-844.	5.7	323
79	Microbial Iron Transport. <i>Annual Review of Microbiology</i> , 1994, 48, 743-772.	7.3	592
80	Siderophore Utilization by <i>Bradyrhizobium japonicum</i> . <i>Applied and Environmental Microbiology</i> , 1993, 59, 1688-1690.	3.1	69
81	Effects of the photobleaching herbicide, acifluorfen-methyl, on protoporphyrinogen oxidation in barley organelles, soybean root mitochondria, soybean root nodules, and bacteria. <i>Archives of Biochemistry and Biophysics</i> , 1990, 280, 369-375.	3.0	54
82	Structure of the <i>Bradyrhizobium japonicum</i> gene hemA encoding 5-aminolevulinic acid synthase. <i>Gene</i> , 1987, 54, 133-139.	2.2	88
83	Enumeration, Isolation, and Characterization of N ₂ -Fixing Bacteria from Seawater. <i>Applied and Environmental Microbiology</i> , 1985, 50, 350-355.	3.1	54