Rafael A Pinedo-Villanueva

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4656896/publications.pdf

Version: 2024-02-01

76 papers 1,746 citations

20 h-index 315739 38 g-index

81 all docs 81 docs citations

81 times ranked

2884 citing authors

#	Article	IF	Citations
1	Musculoskeletal Features in Adults With X-linked Hypophosphatemia: An Analysis of Clinical Trial and Survey Data. Journal of Clinical Endocrinology and Metabolism, 2022, 107, e1249-e1262.	3.6	18
2	Importance of Time Point–Specific Indirect Treatment Comparisons of Osteoporosis Treatments: A Systematic Literature Review and Network Meta-Analyses. Clinical Therapeutics, 2022, 44, 81-97.	2.5	4
3	UK poSt Arthroplasty Follow-up rEcommendations (UK SAFE): what does analysis of linked, routinely collected national data sets tell us about mid-late term revision risk after hip replacement? Retrospective cohort study. BMJ Open, 2022, 12, e050877.	1.9	5
4	Neuropathic-like Pain in Fibrous Dysplasia/McCune-Albright Syndrome. Journal of Clinical Endocrinology and Metabolism, 2022, 107, e2258-e2266.	3.6	9
5	UK poSt Arthroplasty Follow-up rEcommendations (UK SAFE): what does analysis of linked, routinely collected national datasets tell us about mid–late term revision risk after knee replacement?. BMJ Open, 2022, 12, e046900.	1.9	4
6	Progression of chronic pain and associated health-related quality of life and healthcare resource use over 5 years after total knee replacement: evidence from a cohort study. BMJ Open, 2022, 12, e058044.	1.9	9
7	Primary care consultations and pain medicine prescriptions: a comparison between patients with and without chronic pain after total knee replacement. BMC Musculoskeletal Disorders, 2022, 23, .	1.9	6
8	Safety of disinvestment in mid-to late-term follow-up post primary hip and knee replacement: the UK SAFE evidence synthesis and recommendations., 2022, 10, 1-172.		2
9	Higher prevalence of non-skeletal comorbidity related to X-linked hypophosphataemia: a UK parallel cohort study using CPRD. Rheumatology, 2021, 60, 4055-4062.	1.9	8
10	Physical function in UK adults with osteogenesis imperfecta: a cross-sectional analysis of the RUDY study. Osteoporosis International, 2021, 32, 157-164.	3.1	14
11	Association of sleep, screen time and physical activity with overweight and obesity in Mexico. Eating and Weight Disorders, 2021, 26, 169-179.	2.5	14
12	Individualised placement and support programme for people unemployed because of chronic pain: a feasibility study and the InSTEP pilot RCT. Health Technology Assessment, 2021, 25, 1-72.	2.8	0
13	Hospital admissions of patients with osteogenesis imperfecta in the English NHS. Osteoporosis International, 2021, 32, 1207-1216.	3.1	8
14	Post-operative determinants of chronic pain after primary knee replacement surgery: Analysis of data on 258,386 patients from the National Joint Registry for England, Wales, Northern Ireland and the Isle of Man (NJR). Osteoarthritis and Cartilage Open, 2021, 3, 100139.	2.0	6
15	Unicompartmental compared with total knee replacement for patients with multimorbidities: a cohort study using propensity score stratification and inverse probability weighting. Health Technology Assessment, 2021, 25, 1-126.	2.8	6
16	Risk factors associated with poor pain outcomes following primary knee replacement surgery: Analysis of data from the clinical practice research datalink, hospital episode statistics and patient reported outcomes as part of the STAR research programme. PLoS ONE, 2021, 16, e0261850.	2.5	7
17	Prevalence and Mortality of Individuals With X-Linked Hypophosphatemia: A United Kingdom Real-World Data Analysis. Journal of Clinical Endocrinology and Metabolism, 2020, 105, e871-e878.	3.6	44
18	Hospitalization in fibromyalgia: a cohort-level observational study of in-patient procedures, costs and geographical variation in England. Rheumatology, 2020, 59, 2074-2084.	1.9	7

#	Article	IF	CITATIONS
19	Threshold for Computer- and Robot-Assisted Knee and Hip Replacements in the English National Health Service. Value in Health, 2020, 23, 719-726.	0.3	7
20	Utilization and costs of formal and informal care, home adaptations, and physiotherapy among older patients with hip fracture. Bone and Joint Research, 2020, 9, 250-257.	3.6	7
21	Infection and mortality of healthcare workers worldwide from COVID-19: a systematic review. BMJ Global Health, 2020, 5, e003097.	4.7	455
22	Unplanned admissions for patients with myeloma in the UK: Low frequency but high costs. Journal of Bone Oncology, 2019, 17, 100243.	2.4	15
23	Potential lifetime quality of life benefits of choroideremia gene therapy: projections from a clinically informed decision model. Eye, 2019, 33, 1215-1223.	2.1	9
24	Modelling cost-effectiveness of tenofovir for prevention of mother to child transmission of hepatitis B virus (HBV) infection in South Africa. BMC Public Health, 2019, 19, 829.	2.9	17
25	Knee and hip replacements and the risk of revision. Lancet, The, 2019, 394, e28.	13.7	0
26	Lifetime risk of knee and hip replacement following a GP diagnosis of osteoarthritis: a real-world cohort study. Osteoarthritis and Cartilage, 2019, 27, 1627-1635.	1.3	25
27	The impact of BMI and smoking on risk of revision following knee and hip replacement surgery: evidence from routinely collected data. Osteoarthritis and Cartilage, 2019, 27, 1294-1300.	1.3	17
28	Encounters for foot and ankle pain in UK primary care: a population-based cohort study of CPRD data. British Journal of General Practice, 2019, 69, e422-e429.	1.4	19
29	Lifetime risk of knee and hip replacement following a diagnosis of RA: findings from a cohort of 13 961 patients from England. Rheumatology, 2019, 58, 1950-1954.	1.9	15
30	THU0427â€THE LIFETIME RISK OF KNEE AND HIP REPLACEMENT FOLLOWING A GP DIAGNOSIS OF OSTEOARTHRITIS: REAL WORLD COHORT DATA FROM CATALONIA INCLUDING 48,311 PARTICIPANTS WITH UP TO 9 YEARS OF FOLLOW-UP., 2019,,.		0
31	Towards UK poSt Arthroplasty Follow-up rEcommendations (UK SAFE): protocol for an evaluation of the requirements for arthroplasty follow-up, and the production of consensus-based recommendations. BMJ Open, 2019, 9, e031351.	1.9	7
32	Opioid use, postoperative complications, and implant survival after unicompartmental versus total knee replacement: a population-based network study. Lancet Rheumatology, The, 2019, 1, e229-e236.	3.9	18
33	The effect of rheumatoid arthritis on patient-reported outcomes following knee and hip replacement: evidence from routinely collected data. Rheumatology, 2019, 58, 1016-1024.	1.9	11
34	Health Care Costs Associated With Muscle Weakness: A UK Population-Based Estimate. Calcified Tissue International, 2019, 104, 137-144.	3.1	104
35	Rheumatoid factor testing in Spanish primary care: A population-based cohort study including 4.8 million subjects and almost half a million measurements. ReumatologÃa ClÃnica, 2019, 15, 350-354.	0.5	2
36	Imminent fracture risk assessments in the UK FLS setting: implications and challenges. Archives of Osteoporosis, 2019, 14, 12.	2.4	27

#	Article	IF	CITATIONS
37	Treatment of first-time traumatic anterior shoulder dislocation: the UK TASH-D cohort study. Health Technology Assessment, 2019, 23, 1-104.	2.8	12
38	Trends and determinants of length of stay and hospital reimbursement following knee and hip replacement: evidence from linked primary care and NHS hospital records from 1997 to 2014. BMJ Open, 2018, 8, e019146.	1.9	97
39	The impact of patient characteristics on lifetime risk of revision following knee and hip replacement: evidence from linked primary care and hospital records. Osteoarthritis and Cartilage, 2018, 26, S207.	1.3	1
40	Evaluating Patients' Expectations From a Novel Patient-Centered Perspective Predicts Knee Arthroplasty Outcome. Journal of Arthroplasty, 2018, 33, 2146-2152.e4.	3.1	28
41	Ten-year patient-reported outcomes following total and minimally invasive unicompartmental knee arthroplasty: a propensity score-matched cohort analysis. Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 1455-1464.	4.2	65
42	Identifying individuals with chronic pain after knee replacement: a population-cohort, cluster-analysis of Oxford knee scores in 128,145 patients from the English National Health Service. BMC Musculoskeletal Disorders, 2018, 19, 354.	1.9	25
43	Cost-effectiveness of unicompartmental compared with total knee replacement: a population-based study using data from the National Joint Registry for England and Wales. BMJ Open, 2018, 8, e020977.	1.9	72
44	The impact of rheumatoid arthritis on the risk of adverse events following joint replacement: a real-world cohort study. Clinical Epidemiology, 2018, Volume 10, 697-704.	3.0	18
45	UK podiatrists' experiences of podiatry services for people living with arthritis: a qualitative investigation. Journal of Foot and Ankle Research, 2018, 11, 27.	1.9	9
46	Post-surgical predictors of chronic pain after primary knee replacement. Osteoarthritis and Cartilage, 2018, 26, S199-S200.	1.3	1
47	Elective Vs Non-Elective Hospital Admissions By Patients with Multiple Myeloma in England 2014 - 2018. Blood, 2018, 132, 4743-4743.	1.4	1
48	Economic evaluation plan of a randomised controlled trial of intra-nodular injection of anti-TNF and placebo among patients with early Dupuytren's disease: Repurposing Anti-TNF for Treating Dupuytren's Disease (RIDD). Wellcome Open Research, 2018, 3, 156.	1.8	3
49	An Unsupervised Learning Model for Pattern Recognition in Routinely Collected Healthcare Data. , 2018, , .		4
50	THU0108â€Patient reported outcome measures following knee and hip replacement for individuals with rheumatoid arthritis: evidence from routinely-collected data. , 2018, , .		0
51	Economic evaluation plan of a randomised controlled trial of intra-nodular injection of anti-TNF and placebo among patients with early Dupuytren's disease: Repurposing Anti-TNF for Treating Dupuytren's Disease (RIDD). Wellcome Open Research, 2018, 3, 156.	1.8	1
52	Improving patient outcomes in fibrous dysplasia/McCune-Albright syndrome: an international multidisciplinary workshop to inform an international partnership. Archives of Osteoporosis, 2017, 12, 21.	2.4	17
53	A quantitative, multi-national and multi-stakeholder assessment of barriers to the adoption of cell therapies. Journal of Tissue Engineering, 2017, 8, 204173141772441.	5. 5	13
54	Lifetime Risk of Revision Following Joint Replacement: Evidence From Routinely-Collected Data. Value in Health, 2017, 20, A526.	0.3	0

#	Article	IF	CITATIONS
55	Incidence of shoulder dislocations in the UK, 1995–2015: a population-based cohort study. BMJ Open, 2017, 7, e016112.	1.9	70
56	Choosing Between Unicompartmental and Total Knee Replacement: What Can Economic Evaluations Tell Us? A Systematic Review. PharmacoEconomics - Open, 2017, 1, 241-253.	1.8	24
57	The cost-effectiveness of exercise-based cardiac rehabilitation: a systematic review of the characteristics and methodological quality of published literature. Health Economics Review, 2017, 7, 37.	2.0	30
58	Evidence for current recommendations concerning the management of foot health for people with chronic longâ€term conditions: a systematic review. Journal of Foot and Ankle Research, 2017, 10, 51.	1.9	16
59	Lower limb arthroplasty: can we produce a tool to predict outcome and failure, and is it cost-effective? An epidemiological study. Programme Grants for Applied Research, 2017, 5, 1-246.	1.0	36
60	The RUDY study platform – a novel approach to patient driven research in rare musculoskeletal diseases. Orphanet Journal of Rare Diseases, 2016, 11, 150.	2.7	49
61	Health-related quality of life and a cost-utility simulation of adults in the UK with osteogenesis imperfecta, X-linked hypophosphatemia and fibrous dysplasia. Orphanet Journal of Rare Diseases, 2016, 11, 160.	2.7	44
62	THE COST EFFECTIVENESS OF EXERCISE-BASED CARDIAC REHABILITATION: A SYSTEMATIC REVIEW. British Journal of Sports Medicine, 2016, 50, 1351.1-1351.	6.7	1
63	Cost-Utility of Unicompartmental Compared To Total Knee Replacements: An Analysis Based on Matched Routinely-Collected Data From The United Kingdom. Value in Health, 2016, 19, A539.	0.3	3
64	World Hip Trauma Evaluation (WHiTE): framework for embedded comprehensive cohort studies: TableÂ1. BMJ Open, 2016, 6, e011679.	1.9	43
65	Worse off after knee replacements: How likely is it and what role does the pre-operative oxford knee score play? evidence from the english NHS. Osteoarthritis and Cartilage, 2016, 24, S35-S36.	1.3	O
66	A reference case for economic evaluations in osteoarthritis: An expert consensus article from the European Society for Clinical and Economic Aspects of Osteoporosis and Osteoarthritis (ESCEO). Seminars in Arthritis and Rheumatism, 2014, 44, 271-282.	3.4	29
67	Primary care costs attributable to osteoarthritis before total hip replacement. Osteoarthritis and Cartilage, 2014, 22, S210-S211.	1.3	1
68	Outcomes after total hip replacement. Osteoarthritis and Cartilage, 2014, 22, S214.	1.3	2
69	Quantitative assessment of barriers to the clinical development and adoption of cellular therapies: A pilot study. Journal of Tissue Engineering, 2014, 5, 204173141455176.	5. 5	19
70	PRImary care Streptococcal Management (PRISM) study: in vitro study, diagnostic cohorts and a pragmatic adaptive randomised controlled trial with nested qualitative study and cost-effectiveness study. Health Technology Assessment, 2014, 18, 1-102.	2.8	46
71	Mapping the Oxford hip score onto the EQ-5D utility index. Quality of Life Research, 2013, 22, 665-675.	3.1	22
72	Estimating the Association Between the Oxford Hip Score (OHS) and EQ-5D Utility Values Using Direct and Response Mapping Methods. Value in Health, 2013, 16, A600.	0.3	0

#	Article	IF	CITATIONS
73	The Implementation of Novel Collaborative Structures for the Identification and Resolution of Barriers to Pluripotent Stem Cell Translation. Stem Cells and Development, 2013, 22, 63-72.	2.1	7
74	Use of non-steroidal anti-inflammatory drugs in year 1 following total knee arthroplasty and implant survival: a register-based cohort study. Osteoarthritis and Cartilage, 2013, 21, S154.	1.3	0
75	PR2 The Beauty of Mapping: Need the Mean Health-Related Quality of Life Score for a Group of Hip Patients and Don't Have EQ-5D? Just Use the Oxford Hip Score!. Value in Health, 2011, 14, A541.	0.3	O
76	PCV82 ECONOMIC EVALUATION OF THE USE OF PERFLUOROCARBON EMULSION (PFC) VS. PERIOPERATIVE BLOOD TRANSFUSION IN CARDIAC SURGERY WITH CARDIOPULMONARY BYPASS AT THE MEXICAN INSTITUTE OF SOCIAL SECURITY. Value in Health, 2010, 13, A165.	0.3	0