

Laurel H Carney

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4659773/publications.pdf>

Version: 2024-02-01

107
papers

5,037
citations

117625

34
h-index

98798

67
g-index

123
all docs

123
docs citations

123
times ranked

1753
citing authors

#	ARTICLE	IF	CITATIONS
1	A comparative study of eight human auditory models of monaural processing. <i>Acta Acustica</i> , 2022, 6, 17.	1.0	21
2	Predicting speech intelligibility in hearing-impaired listeners using a physiologically inspired auditory model. <i>Hearing Research</i> , 2022, 426, 108553.	2.0	14
3	Neural processing and perception of Schroederâs phase harmonic tone complexes in the gerbil: Relating single-unit neurophysiology to behavior. <i>European Journal of Neuroscience</i> , 2022, 56, 4060-4085.	2.6	5
4	Speeding up machine hearing. <i>Nature Machine Intelligence</i> , 2021, 3, 190-191.	16.0	2
5	A Closed-Loop Gain-Control Feedback Model for The Medial Efferent System of The Descending Auditory Pathway. , 2021, , .		8
6	Midbrain-Level Neural Correlates of Behavioral Tone-in-Noise Detection: Dependence on Energy and Envelope Cues. <i>Journal of Neuroscience</i> , 2021, 41, 7206-7223.	3.6	11
7	Responses to diotic tone-in-noise stimuli in the inferior colliculus: stimulus envelope and neural fluctuation cues. <i>Hearing Research</i> , 2021, 409, 108328.	2.0	5
8	Amplitude modulation transfer functions reveal opposing populations within both the inferior colliculus and medial geniculate body. <i>Journal of Neurophysiology</i> , 2020, 124, 1198-1215.	1.8	33
9	Identifying cues for tone-in-noise detection using decision variable correlation in the budgerigar (<i>Melopsittacus undulatus</i>). <i>Journal of the Acoustical Society of America</i> , 2020, 147, 984-997.	1.1	9
10	Sensorineural Hearing Loss Diminishes Use of Temporal Envelope Cues: Evidence From Roving-Level Tone-in-Noise Detection. <i>Ear and Hearing</i> , 2020, 41, 1009-1019.	2.1	12
11	Neural fluctuation cues for simultaneous notched-noise masking and profile-analysis tasks: Insights from model midbrain responses. <i>Journal of the Acoustical Society of America</i> , 2020, 147, 3523-3537.	1.1	18
12	A canonical oscillator model of cochlear dynamics. <i>Hearing Research</i> , 2019, 380, 100-107.	2.0	11
13	Potential cues for the âlevel discriminationâ of a noise band in the presence of flanking bands. <i>Journal of the Acoustical Society of America</i> , 2019, 145, EL442-EL448.	1.1	3
14	Nonlinear auditory models yield new insights into representations of vowels. <i>Attention, Perception, and Psychophysics</i> , 2019, 81, 1034-1046.	1.3	18
15	Effects of Musical Training and Hearing Loss on Fundamental Frequency Discrimination and Temporal Fine Structure Processing: Psychophysics and Modeling. <i>JARO - Journal of the Association for Research in Otolaryngology</i> , 2019, 20, 263-277.	1.8	23
16	Special issue on computational models of hearing. <i>Hearing Research</i> , 2018, 360, 1-2.	2.0	0
17	Challenging One Model With Many Stimuli: Simulating Responses in the Inferior Colliculus. <i>Acta Acustica United With Acustica</i> , 2018, 104, 895-899.	0.8	3
18	Predicting Speech Intelligibility Based on Across-Frequency Contrast in Simulated Auditory-Nerve Fluctuations. <i>Acta Acustica United With Acustica</i> , 2018, 104, 914-917.	0.8	12

#	ARTICLE	IF	CITATIONS
19	Convergence of linear acceleration and yaw rotation signals on non-eye movement neurons in the vestibular nucleus of macaques. <i>Journal of Neurophysiology</i> , 2018, 119, 73-83.	1.8	6
20	Preferred Tempo and Low-Audio-Frequency Bias Emerge From Simulated Sub-cortical Processing of Sounds With a Musical Beat. <i>Frontiers in Neuroscience</i> , 2018, 12, 349.	2.8	14
21	Supra-Threshold Hearing and Fluctuation Profiles: Implications for Sensorineural and Hidden Hearing Loss. <i>JARO - Journal of the Association for Research in Otolaryngology</i> , 2018, 19, 331-352.	1.8	113
22	Formant-frequency discrimination of synthesized vowels in budgerigars (<i>Melopsittacus undulatus</i>) and humans. <i>Journal of the Acoustical Society of America</i> , 2017, 142, 2073-2083.	1.1	13
23	Midbrain Synchrony to Envelope Structure Supports Behavioral Sensitivity to Single-Formant Vowel-Like Sounds in Noise. <i>JARO - Journal of the Association for Research in Otolaryngology</i> , 2017, 18, 165-181.	1.8	28
24	Modeling Responses in the Superior Paraolivary Nucleus: Implications for Forward Masking in the Inferior Colliculus. <i>JARO - Journal of the Association for Research in Otolaryngology</i> , 2017, 18, 441-456.	1.8	10
25	Neural correlates of behavioral amplitude modulation sensitivity in the budgerigar midbrain. <i>Journal of Neurophysiology</i> , 2016, 115, 1905-1916.	1.8	24
26	Speech Coding in the Midbrain: Effects of Sensorineural Hearing Loss. <i>Advances in Experimental Medicine and Biology</i> , 2016, 894, 427-435.	1.6	11
27	Speech Coding in the Brain: Representation of Vowel Formants by Midbrain Neurons Tuned to Sound Fluctuations. <i>ENeuro</i> , 2015, 2, ENEURO.0004-15.2015.	1.9	73
28	Near-Field Discrimination of Sound Source Distance in the Rabbit. <i>JARO - Journal of the Association for Research in Otolaryngology</i> , 2015, 16, 255-262.	1.8	6
29	Cues for Diotic and Dichotic Detection of a 500-Hz Tone in Noise Vary with Hearing Loss. <i>JARO - Journal of the Association for Research in Otolaryngology</i> , 2015, 16, 507-521.	1.8	12
30	Auditory Distance Coding in Rabbit Midbrain Neurons and Human Perception: Monaural Amplitude Modulation Depth as a Cue. <i>Journal of Neuroscience</i> , 2015, 35, 5360-5372.	3.6	29
31	Tone-in-Noise Detection Using Envelope Cues: Comparison of Signal-Processing-Based and Physiological Models. <i>JARO - Journal of the Association for Research in Otolaryngology</i> , 2015, 16, 121-133.	1.8	19
32	Updated parameters and expanded simulation options for a model of the auditory periphery. <i>Journal of the Acoustical Society of America</i> , 2014, 135, 283-286.	1.1	255
33	Binaural detection with narrowband and wideband reproducible noise maskers. IV. Models using interaural time, level, and envelope differences. <i>Journal of the Acoustical Society of America</i> , 2014, 135, 824-837.	1.1	11
34	Suboptimal Use of Neural Information in a Mammalian Auditory System. <i>Journal of Neuroscience</i> , 2014, 34, 1306-1313.	3.6	22
35	Speech Enhancement for Listeners With Hearing Loss Based on a Model for Vowel Coding in the Auditory Midbrain. <i>IEEE Transactions on Biomedical Engineering</i> , 2014, 61, 2081-2091.	4.2	8
36	Detection Thresholds for Amplitude Modulations of Tones in Budgerigar, Rabbit, and Human. <i>Advances in Experimental Medicine and Biology</i> , 2013, 787, 391-398.	1.6	16

#	ARTICLE	IF	CITATIONS
37	Development of a scale for estimating procedural distress in the newborn intensive care unit: The Procedural Load Index. <i>Early Human Development</i> , 2013, 89, 615-619.	1.8	4
38	Predictions of diotic tone-in-noise detection based on a nonlinear optimal combination of energy, envelope, and fine-structure cues. <i>Journal of the Acoustical Society of America</i> , 2013, 134, 396-406.	1.1	26
39	Modeling detection of 500-Hertz tones in reproducible noise for listeners with sensorineural hearing loss. <i>Proceedings of Meetings on Acoustics</i> , 2013, , .	0.3	0
40	Comparative auditory biomechanics probed by otoacoustic emissions. <i>Proceedings of Meetings on Acoustics</i> , 2013, , .	0.3	0
41	Using a computational model for the auditory midbrain to explore the neural representation of vowels. <i>Proceedings of Meetings on Acoustics</i> , 2013, , .	0.3	0
42	Amplitude modulation detection patterns of the Budgerigar. , 2012, , .		0
43	Predicting discrimination of formant frequencies in vowels with a computational model of the auditory midbrain. , 2012, , .		0
44	Semi-supervised spike sorting using pattern matching and a scaled Mahalanobis distance metric. <i>Journal of Neuroscience Methods</i> , 2012, 206, 120-131.	2.5	18
45	Sound-localization ability of the Mongolian gerbil (<i>Meriones unguiculatus</i>) in a task with a simplified response map. <i>Hearing Research</i> , 2011, 275, 89-95.	2.0	9
46	Forward Masking in the Amplitude-Modulation Domain for Tone Carriers: Psychophysical Results and Physiological Correlates. <i>JARO - Journal of the Association for Research in Otolaryngology</i> , 2011, 12, 361-373.	1.8	24
47	Power-Law Dynamics in an Auditory-Nerve Model Can Account for Neural Adaptation to Sound-Level Statistics. <i>Journal of Neuroscience</i> , 2010, 30, 10380-10390.	3.6	58
48	An evaluation of models for diotic and dichotic detection in reproducible noises. <i>Journal of the Acoustical Society of America</i> , 2009, 126, 1906-1925.	1.1	23
49	A phenomenological model of the synapse between the inner hair cell and auditory nerve: Long-term adaptation with power-law dynamics. <i>Journal of the Acoustical Society of America</i> , 2009, 126, 2390-2412.	1.1	291
50	Diotic and dichotic detection with reproducible chimeric stimuli. <i>Journal of the Acoustical Society of America</i> , 2009, 126, 1889.	1.1	14
51	Statistical Analyses of Temporal Information in Auditory Brainstem Responses to Tones in Noise: Correlation Index and Spike-distance Metric. <i>JARO - Journal of the Association for Research in Otolaryngology</i> , 2008, 9, 373-387.	1.8	9
52	Comparison of slow and fast neocortical neuron migration using a new in vitro model. <i>BMC Neuroscience</i> , 2008, 9, 50.	1.9	16
53	Influence of Inhibitory Inputs on Rate and Timing of Responses in the Anteroventral Cochlear Nucleus. <i>Journal of Neurophysiology</i> , 2008, 99, 1077-1095.	1.8	50
54	Comparison of level discrimination, increment detection, and comodulation masking release in the audio- and envelope-frequency domains. <i>Journal of the Acoustical Society of America</i> , 2007, 121, 2168-2181.	1.1	1

#	ARTICLE	IF	CITATIONS
55	Speech enhancement using the modified phase-opponency model. <i>Journal of the Acoustical Society of America</i> , 2007, 121, 3886.	1.1	13
56	Neural Rate and Timing Cues for Detection and Discrimination of Amplitude-Modulated Tones in the Awake Rabbit Inferior Colliculus. <i>Journal of Neurophysiology</i> , 2007, 97, 522-539.	1.8	102
57	Perception of Temporally Processed Speech by Listeners with Hearing Impairment. <i>Ear and Hearing</i> , 2007, 28, 512-523.	2.1	4
58	A Fast Real-Time Auditory-Nerve Model. , 2007, , .		1
59	Detection of Tones in Reproducible Noise Maskers by Rabbits and Comparison to Detection by Humans. <i>JARO - Journal of the Association for Research in Otolaryngology</i> , 2007, 8, 522-538.	1.8	7
60	Temporal Measures and Neural Strategies for Detection of Tones in Noise Based on Responses in Anteroventral Cochlear Nucleus. <i>Journal of Neurophysiology</i> , 2006, 96, 2451-2464.	1.8	14
61	Determination of the Potential Benefit of Time-Frequency Gain Manipulation. <i>Ear and Hearing</i> , 2006, 27, 480-492.	2.1	86
62	Correction of the Peripheral Spatiotemporal Response Pattern: A Potential New Signal-Processing Strategy. <i>Journal of Speech, Language, and Hearing Research</i> , 2006, 49, 848-855.	1.6	10
63	Cues for masked amplitude-modulation detection. <i>Journal of the Acoustical Society of America</i> , 2006, 120, 978-990.	1.1	9
64	Binaural detection with narrowband and wideband reproducible noise maskers. III. Monaural and diotic detection and model results. <i>Journal of the Acoustical Society of America</i> , 2006, 119, 2258-2275.	1.1	24
65	Predictions of formant-frequency discrimination in noise based on model auditory-nerve responses. <i>Journal of the Acoustical Society of America</i> , 2006, 120, 1435-1445.	1.1	6
66	The Spontaneous-Rate Histogram of the Auditory Nerve Can Be Explained by Only Two or Three Spontaneous Rates and Long-Range Dependence. <i>JARO - Journal of the Association for Research in Otolaryngology</i> , 2005, 6, 148-159.	1.8	25
67	Encoding of vowel-like sounds in the auditory nerve: Model predictions of discrimination performance. <i>Journal of the Acoustical Society of America</i> , 2005, 117, 1210-1222.	1.1	8
68	Response Properties of an Integrate-and-Fire Model That Receives Subthreshold Inputs. <i>Neural Computation</i> , 2005, 17, 2571-2601.	2.2	10
69	Analysis of models for the synapse between the inner hair cell and the auditory nerve. <i>Journal of the Acoustical Society of America</i> , 2005, 118, 1540-1553.	1.1	26
70	Effects of Inhibitory Feedback in a Network Model of Avian Brain Stem. <i>Journal of Neurophysiology</i> , 2005, 94, 400-414.	1.8	40
71	A Model for Interaural Time Difference Sensitivity in the Medial Superior Olive: Interaction of Excitatory and Inhibitory Synaptic Inputs, Channel Dynamics, and Cellular Morphology. <i>Journal of Neuroscience</i> , 2005, 25, 3046-3058.	3.6	106
72	Control of Cellular Pattern Formation in the Vertebrate Inner Retina by Homotypic Regulation of Cell-Fate Decisions. <i>Journal of Neuroscience</i> , 2005, 25, 4565-4576.	3.6	23

#	ARTICLE	IF	CITATIONS
73	A phenomenological model of peripheral and central neural responses to amplitude-modulated tones. <i>Journal of the Acoustical Society of America</i> , 2004, 116, 2173-2186.	1.1	151
74	Cellular patterns in the inner retina of adult zebrafish: Quantitative analyses and a computational model of their formation. <i>Journal of Comparative Neurology</i> , 2004, 471, 11-25.	1.6	27
75	Quantifying the Information in Auditory-Nerve Responses for Level Discrimination. <i>JARO - Journal of the Association for Research in Otolaryngology</i> , 2003, 4, 294-311.	1.8	56
76	A phenomenological model for the responses of auditory-nerve fibers. II. Nonlinear tuning with a frequency glide. <i>Journal of the Acoustical Society of America</i> , 2003, 114, 2007-2020.	1.1	67
77	CS-Dependent Response Probability in an Auditory Masked-Detection Task: Considerations based on Models of Pavlovian Conditioning. <i>Quarterly Journal of Experimental Psychology Section B: Comparative and Physiological Psychology</i> , 2003, 56, 193-205.	2.8	3
78	Binaural detection with narrowband and wideband reproducible noise maskers: I. Results for human. <i>Journal of the Acoustical Society of America</i> , 2002, 111, 336-345.	1.1	24
79	Binaural detection with narrowband and wideband reproducible noise maskers: II. Results for rabbit. <i>Journal of the Acoustical Society of America</i> , 2002, 111, 346-356.	1.1	18
80	Quantifying the implications of nonlinear cochlear tuning for auditory-filter estimates. <i>Journal of the Acoustical Society of America</i> , 2002, 111, 996-1011.	1.1	38
81	Studies of binaural detection in the rabbit (<i>Oryctolagus cuniculus</i>) with Pavlovian conditioning.. <i>Behavioral Neuroscience</i> , 2001, 115, 650-660.	1.2	13
82	Auditory nerve model for predicting performance limits of normal and impaired listeners. <i>Acoustics Research Letters Online: ARLO</i> , 2001, 2, 91-96.	0.7	126
83	Evidence for two distinct mechanisms of neurogenesis and cellular pattern formation in regenerated goldfish retinas. <i>Journal of Comparative Neurology</i> , 2001, 431, 363-381.	1.6	69
84	A phenomenological model for the responses of auditory-nerve fibers: I. Nonlinear tuning with compression and suppression. <i>Journal of the Acoustical Society of America</i> , 2001, 109, 648-670.	1.1	303
85	Evaluating Auditory Performance Limits: I. One-Parameter Discrimination Using a Computational Model for the Auditory Nerve. <i>Neural Computation</i> , 2001, 13, 2273-2316.	2.2	169
86	Evaluating Auditory Performance Limits: II. One-Parameter Discrimination with Random-Level Variation. <i>Neural Computation</i> , 2001, 13, 2317-2338.	2.2	27
87	Rate and timing cues associated with the cochlear amplifier: Level discrimination based on monaural cross-frequency coincidence detection. <i>Journal of the Acoustical Society of America</i> , 2001, 110, 2065-2084.	1.1	65
88	Cell mosaic patterns in the native and regenerated inner retina of zebrafish: Implications for retinal assembly. <i>Journal of Comparative Neurology</i> , 2000, 416, 356-367.	1.6	57
89	Frequency glides in the impulse responses of auditory-nerve fibers. <i>Journal of the Acoustical Society of America</i> , 1999, 105, 2384-2391.	1.1	104
90	Temporal response properties of neurons in the auditory pathway. <i>Current Opinion in Neurobiology</i> , 1999, 9, 442-446.	4.2	23

#	ARTICLE	IF	CITATIONS
91	A model for binaural response properties of inferior colliculus neurons. II. A model with interaural time difference-sensitive excitatory and inhibitory inputs and an adaptation mechanism. Journal of the Acoustical Society of America, 1998, 103, 494-506.	1.1	45
92	A model for binaural response properties of inferior colliculus neurons. I. A model with interaural time difference-sensitive excitatory and inhibitory inputs. Journal of the Acoustical Society of America, 1998, 103, 475-493.	1.1	51
93	Spatiotemporal Tuning of Low-Frequency Cells in the Anteroventral Cochlear Nucleus. Journal of Neuroscience, 1998, 18, 1096-1104.	3.6	9
94	Nonlinear feedback models for the tuning of auditory nerve fibers. Annals of Biomedical Engineering, 1996, 24, 440-450.	2.5	0
95	Time and frequency domain methods for heart rate variability analysis: A methodological comparison. Psychophysiology, 1995, 32, 492-504.	2.4	86
96	Enhancement of neural synchronization in the anteroventral cochlear nucleus. I. Responses to tones at the characteristic frequency. Journal of Neurophysiology, 1994, 71, 1022-1036.	1.8	397
97	Spatiotemporal encoding of sound level: Models for normal encoding and recruitment of loudness. Hearing Research, 1994, 76, 31-44.	2.0	74
98	A Nonlinear Feedback Model for the Frequency Tuning of Auditory Nerve Fibers. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 1994, 27, 523-524.	0.4	0
99	A model for the responses of low-frequency auditory nerve fibers in cat. Journal of the Acoustical Society of America, 1993, 93, 401-417.	1.1	228
100	Projections of physiologically characterized globular bushy cell axons from the cochlear nucleus of the cat. Journal of Comparative Neurology, 1991, 304, 387-407.	1.6	293
101	Interaural time sensitivity in the inferior colliculus of the albino cat. Journal of Comparative Neurology, 1990, 295, 438-448.	1.6	26
102	Sensitivities of cells in anteroventral cochlear nucleus of cat to spatiotemporal discharge patterns across primary afferents. Journal of Neurophysiology, 1990, 64, 437-456.	1.8	61
103	Responses of low-frequency cells in the inferior colliculus to interaural time differences of clicks: excitatory and inhibitory components. Journal of Neurophysiology, 1989, 62, 144-161.	1.8	102
104	The radiation impedance of the external ear of cat: Measurements and applications. Journal of the Acoustical Society of America, 1988, 84, 1695-1708.	1.1	44
105	Temporal coding of resonances by low-frequency auditory nerve fibers: single-fiber responses and a population model. Journal of Neurophysiology, 1988, 60, 1653-1677.	1.8	152
106	Effects of interaural time delays of noise stimuli on low-frequency cells in the cat's inferior colliculus. III. Evidence for cross-correlation. Journal of Neurophysiology, 1987, 58, 562-583.	1.8	131
107	A temporal analysis of auditory nerve fiber responses to spoken stop consonant-vowel syllables. Journal of the Acoustical Society of America, 1986, 79, 1896-1914.	1.1	57