Lorenza Magliano

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4661676/publications.pdf

Version: 2024-02-01

80 papers

3,323 citations

147801 31 h-index 56 g-index

90 all docs 90 docs citations

90 times ranked 2739 citing authors

#	Article	IF	CITATIONS
1	Burden on the families of patients with schizophrenia: results of the BIOMED I study. Social Psychiatry and Psychiatric Epidemiology, 1998, 33, 405-412.	3.1	232
2	Long-Term Outcome of Lithium Prophylaxis in Bipolar Disorder: A 5-Year Prospective Study of 402 Patients at a Lithium Clinic. American Journal of Psychiatry, 1998, 155, 30-35.	7.2	230
3	Family burden in long-term diseases: a comparative study in schizophrenia vs. physical disorders. Social Science and Medicine, 2005, 61, 313-322.	3.8	208
4	Use of Coercive Measures During Involuntary Hospitalization: Findings From Ten European Countries. Psychiatric Services, 2010, 61, 1012-1017.	2.0	208
5	The impact of professional and social network support on the burden of families of patients with schizophrenia in Italy. Acta Psychiatrica Scandinavica, 2002, 106, 291-298.	4.5	135
6	Beliefs about Schizophrenia in Italy: A Comparative Nationwide Survey of the General Public, Mental Health Professionals, and Patients' Relatives. Canadian Journal of Psychiatry, 2004, 49, 323-331.	1.9	134
7	Agitated Depression in Bipolar I Disorder: Prevalence, Phenomenology, and Outcome. American Journal of Psychiatry, 2003, 160, 2134-2140.	7.2	131
8	Special Section: A Memorial Tribute: Patient Functioning and Family Burden in a Controlled, Real-World Trial of Family Psychoeducation for Schizophrenia. Psychiatric Services, 2006, 57, 1784-1791.	2.0	118
9	Validity of rapid cycling as a course specifier for bipolar disorder. American Journal of Psychiatry, 1994, 151, 1015-1019.	7.2	92
10	Agitated "Unipolar" Major Depression: Prevalence, Phenomenology, and Outcome. Journal of Clinical Psychiatry, 2006, 67, 712-719.	2.2	83
11	Obsessive–compulsive disorder: A 3-year prospective follow-up study of patients treated with serotonin reuptake inhibitors. Journal of Psychiatric Research, 2006, 40, 502-510.	3.1	78
12	Phenomenology and Prognostic Significance of Delusions in Major Depressive Disorder. Journal of Clinical Psychiatry, 2007, 68, 1411-1417.	2.2	76
13	The EUNOMIA project on coercion in psychiatry: study design and preliminary data. World Psychiatry, 2005, 4, 168-72.	10.4	67
14	Family burden and coping strategies in schizophrenia: are key relatives really different to other relatives?. Acta Psychiatrica Scandinavica, 1999, 99, 10-15.	4.5	65
15	Social and clinical factors influencing the choice of coping strategies in relatives of patients with schizophrenia: results of the BIOMED I study. Social Psychiatry and Psychiatric Epidemiology, 1998, 33, 413-419.	3.1	62
16	Effectiveness of a psychoeducational intervention for families of patients with schizophrenia: preliminary results of a study funded by the European Commission. World Psychiatry, 2005, 4, 45-9.	10.4	55
17	Psychological consequences of the 1998 landslide in Sarno, Italy: a community study. Acta Psychiatrica Scandinavica, 2001, 104, 438-442.	4.5	53
18	A new questionnaire assessing coping strategies in relatives of patients with schizophrenia: development and factor analysis. Acta Psychiatrica Scandinavica, 1996, 94, 224-228.	4.5	52

#	Article	IF	CITATIONS
19	The Prognostic Significance of "Switching―in Patients With Bipolar Disorder: A 10-Year Prospective Follow-Up Study. American Journal of Psychiatry, 2002, 159, 1711-1717.	7.2	51
20	Beliefs about schizophrenia in Italy: a comparative nationwide survey of the general public, mental health professionals, and patients' relatives. Canadian Journal of Psychiatry, 2004, 49, 322-30.	1.9	49
21	Prescription of psychotropic drugs to patients with schizophrenia: an Italian national survey. European Journal of Clinical Pharmacology, 2004, 60, 513-522.	1.9	47
22	Burden on key relatives of patients with schizophrenia vs neurotic disorders: a pilot study. Social Psychiatry and Psychiatric Epidemiology, 1994, 29, 66-70.	3.1	43
23	The effect of social network on burden and pessimism in relatives of patients with schizophrenia American Journal of Orthopsychiatry, 2003, 73, 302-309.	1.5	42
24	Implementing Psychoeducational Interventions in Italy for Patients With Schizophrenia and Their Families. Psychiatric Services, 2006, 57, 266-269.	2.0	41
25	Metaphoric and non-metaphoric use of the term "schizophrenia―in Italian newspapers. Social Psychiatry and Psychiatric Epidemiology, 2011, 46, 1019-1025.	3.1	41
26	Burden on the families of patients with obsessive-compulsive disorder: a pilot study. European Psychiatry, 1996, 11, 192-197.	0.2	39
27	Beliefs of Psychiatric Nurses about Schizophrenia: A Comparison with Patients' Relatives and Psychiatrists. International Journal of Social Psychiatry, 2004, 50, 319-330.	3.1	38
28	"l have got something positive out of this situation― psychological benefits of caregiving in relatives of young people with muscular dystrophy. Journal of Neurology, 2014, 261, 188-195.	3.6	37
29	Social network in long-term diseases: A comparative study in relatives of persons with schizophrenia and physical illnesses versus a sample from the general population. Social Science and Medicine, 2006, 62, 1392-1402.	3.8	36
30	A new questionnaire assessing the opinions of the relatives of patients with schizophrenia on the causes and social consequences of the disorder: reliability and validity. European Psychiatry, 1999, 14, 71-75.	0.2	35
31	Burden, professional support, and social network in families of children and young adults with muscular dystrophies. Muscle and Nerve, 2015, 52, 13-21.	2.2	35
32	A Multicenter Italian Study of Patients' Relatives' Beliefs About Schizophrenia. Psychiatric Services, 2001, 52, 1528-1530.	2.0	32
33	Clinical and socio-demographic correlates of coping strategies in relatives of schizophrenic patients. European Psychiatry, 1995, 10, 155-158.	0.2	31
34	Family burden and social network in schizophrenia vs. physical diseases: preliminary results from an Italian national study. Acta Psychiatrica Scandinavica, 2006, 113, 60-63.	4.5	31
35	Late non-response to lithium prophylaxis in bipolar patients: prevalence and predictors. Journal of Affective Disorders, 1996, 39, 39-42.	4.1	26
36	Views of Persons With Schizophrenia on Their Own Disorder: An Italian Participatory Study. Psychiatric Services, 2008, 59, 795-799.	2.0	26

#	Article	IF	CITATIONS
37	Perception of patients' unpredictability and beliefs on the causes and consequences of schizophrenia. Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 410-416.	3.1	24
38	Psychoeducational family interventions for schizophrenia in the last decade: from explanatory to pragmatic trials. Epidemiologia E Psichiatria Sociale, 2007, 16, 22-34.	0.9	24
39	"Social dangerousness and incurability in schizophrenia― Results of an educational intervention for medical and psychology students. Psychiatry Research, 2014, 219, 457-463.	3.3	24
40	Psychological and practical difficulties among parents and healthy siblings of children with Duchenne vs. Becker muscular dystrophy: an Italian comparative study. Acta Myologica, 2014, 33, 136-43.	1.5	24
41	Beliefs of people taking antidepressants about the causes of their own depression. Journal of Affective Disorders, 2015, 174, 150-156.	4.1	23
42	The Influence of Causal Explanations and Diagnostic Labeling on Medical Students $\hat{E}\frac{1}{4}$ Views of Schizophrenia. Academic Medicine, 2011, 86, 1155-1162.	1.6	21
43	Long-term outcome of lithium prophylaxis in bipolar disorder with mood-incongruent psychotic features: a prospective study. Journal of Affective Disorders, 2002, 71, 195-198.	4.1	19
44	Differences in views of schizophrenia during medical education: a comparative study of 1st versus 5th–6th year Italian medical students. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 1647-1655.	3.1	19
45	Effect of diagnostic labeling and causal explanations on medical students' views about treatments for psychosis and the need to share information with service users. Psychiatry Research, 2013, 210, 402-407.	3.3	19
46	Family burden in bipolar disorders: Results from the Italian Mood Disorders Study (IMDS). Epidemiologia E Psichiatria Sociale, 2009, 18, 137-146.	0.9	18
47	Effects of the diagnostic label â€~schizophrenia', actively used or passively accepted, on general practitioners' views of this disorder. International Journal of Social Psychiatry, 2017, 63, 224-234.	3.1	18
48	Randomised controlled trial of a behavioural family intervention: 1 year and 11-years follow-up. Epidemiologia E Psichiatria Sociale, 2006, 15, 44-51.	0.9	14
49	The Influence of Causal Explanations and Diagnostic Labeling on Psychology Students' Beliefs About Treatments, Prognosis, Dangerousness and Unpredictability in Schizophrenia. Community Mental Health Journal, 2016, 52, 361-369.	2.0	12
50	The Stress of Caring for Disabling Mental Disorders in a Home-Based Rehabilitation Service. Journal of Nervous and Mental Disease, 1996, 184, 381-383.	1.0	11
51	General practitioners' beliefs about people with schizophrenia and whether they should be subject to discriminatory treatment when in medical hospital: The mediating role of dangerousness perception American Journal of Orthopsychiatry, 2017, 87, 559-566.	1.5	10
52	Severely and Persistently Mentally Ill Patients in Italy: an Overview of Epidemiological and Psychosocial Findings. International Journal of Social Psychiatry, 1993, 39, 285-302.	3.1	9
53	What people with schizophrenia think about the causes of their disorder. Epidemiologia E Psichiatria Sociale, 2009, 18, 48-53.	0.9	9
54	Improving psychology students' attitudes toward people with schizophrenia: A quasi-randomized controlled study American Journal of Orthopsychiatry, 2016, 86, 253-264.	1.5	9

#	Article	IF	CITATIONS
55	Psychosocial burden and professional and social support in patients with hereditary transthyretin amyloidosis (ATTRv) and their relatives in Italy. Orphanet Journal of Rare Diseases, 2021, 16, 163.	2.7	8
56	Contrarrestar el estigma hacia las personas con esquizofrenia en el \tilde{A}_i mbito sanitario: una experiencia piloto en una muestra de estudiantes italianos de medicina. Psychology, Society and Education, 2017, 4, 169.	0.5	8
57	Predictors of Staff Attitudes Toward Schizophrenia Treatments. Psychiatric Services, 2017, 68, 1321-1321.	2.0	7
58	Development and Validation of a Self-Reported Questionnaire On Users' Opinions About Schizophrenia: a Participatory Research. International Journal of Social Psychiatry, 2009, 55, 425-441.	3.1	6
59	Schizophrenia and psychosis: Does changing the label change the beliefs?. Schizophrenia Research, 2018, 193, 482-483.	2.0	6
60	Integrated care of muscular dystrophies in Italy. Part 2. Psychological treatments, social and welfare support, and financial costs. Acta Myologica, 2017, 36, 41-45.	1.5	6
61	Views of Mental Health Professionals on Positive Changes in Service Practices and Staff-User Relationships After One Year of Covid-19 Pandemic in Italy. Journal of Psychosocial Rehabilitation and Mental Health, 2022, 9, 239-249.	0.8	6
62	The Development of Cognitive-Behavioral Therapies Within Italian Mental Health Services. International Journal of Mental Health, 1999, 28, 60-67.	1.3	5
63	Feasibility and effectiveness of a combined individual and psychoeducational group intervention in psychiatric residential facilities: A controlled, non-randomized study. Psychiatry Research, 2016, 235, 19-28.	3.3	5
64	"Schizophrenia―and "psychosis―in Italian national newspapers: Do these terms convey different messages?. Schizophrenia Research, 2018, 197, 611-612.	2.0	5
65	The beliefs of nonâ€psychiatric doctors about the causes, treatments, and prognosis of schizophrenia. Psychology and Psychotherapy: Theory, Research and Practice, 2020, 93, 674-689.	2.5	5
66	Family context in muscular dystrophies: psychosocial aspects and social integration. Acta Myologica, 2016, 35, 96-99.	1.5	5
67	Psychoeducational family interventions for schizophrenia in the last decade: from explanatory to pragmatic trials. Epidemiologia E Psichiatria Sociale, 2007, 16, 22-34.	0.9	5
68	Family burden in bipolar disorders: results from the Italian Mood Disorders Study (IMDS). Epidemiologia E Psichiatria Sociale, 2009, 18, 137-46.	0.9	5
69	Integrated care of muscular dystrophies in Italy. Part 1. Pharmacological treatment and rehabilitative interventions. Acta Myologica, 2017, 36, 19-24.	1.5	4
70	Psychoeducational family intervention: the Italian experience. Epidemiologia E Psichiatria Sociale, 1995, 4, 103-105.	0.9	3
71	Working conditions and mental health: Results from the CARESUN study. Archives of Environmental and Occupational Health, 2016, 71, 163-169.	1.4	3
72	The Opinions of Italian Psychology Students About People Diagnosed with Depression and Schizophrenia: A Comparative Study. Journal of Psychosocial Rehabilitation and Mental Health, 2017, 4, 147-157.	0.8	3

#	Article	IF	CITATIONS
73	Valutazione del carico familiare in un campione di parenti di pazienti con diagnosi di schizofrenia paranoide: risultati preliminari. Epidemiologia E Psichiatria Sociale, 1993, 2, 35-45.	0.9	2
74	Views of Catholic Priests Regarding Causes, Treatments and Psychosocial Consequences of Schizophrenia and Depression: A Comparative Study in Italy. Journal of Religion and Health, 2021, 60, 1318-1338.	1.7	2
75	The Views of Non-psychiatric Medical Specialists About People with Schizophrenia and Depression. Community Mental Health Journal, 2020, 56, 1077-1084.	2.0	1
76	Impact of the COVID-19 pandemic on rehabilitation setting. Part 1: professionals' views on the changes in routine care provided by a rehabilitation centre for patients with muscle diseases. Acta Myologica, 2021, 40, 132-134.	1.5	1
77	Attitudes of Catholic Priests Regarding the Participation of People with Schizophrenia and Depression in Religious Practices: Relationships with Prejudices and Community Size. Community Mental Health Journal, 2022, 58, 1437-1447.	2.0	1
78	Dr. Maj and Colleagues Reply. American Journal of Psychiatry, 2005, 162, 194-194.	7.2	0
79	Improving employees' views about persons with mental disorders as potential workmates: A 2-year partially controlled study American Journal of Orthopsychiatry, 2021, 91, 66-75.	1.5	0
80	What people with schizophrenia think about the causes of their disorder. Epidemiologia E Psichiatria Sociale, 2009, 18, 48-53.	0.9	0