

Lars P Ryder

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4666911/publications.pdf>

Version: 2024-02-01

96
papers

5,693
citations

136950

32
h-index

74163

75
g-index

97
all docs

97
docs citations

97
times ranked

6102
citing authors

#	ARTICLE	IF	CITATIONS
1	HLA and Disease 1982 - A Survey. <i>Immunological Reviews</i> , 1983, 70, 193-218.	6.0	562
2	A new frequent allele is the missing link in the structural polymorphism of the human mannan-binding protein. <i>Immunogenetics</i> , 1994, 40, 37-44.	2.4	483
3	Variation in interleukin 7 receptor β chain (IL7R) influences risk of multiple sclerosis. <i>Nature Genetics</i> , 2007, 39, 1108-1113.	21.4	441
4	HLA and disease associations: Detecting the strongest association. <i>Tissue Antigens</i> , 1994, 43, 18-27.	1.0	419
5	Mannose-binding lectin engagement with late apoptotic and necrotic cells. <i>European Journal of Immunology</i> , 2003, 33, 2853-2863.	2.9	298
6	HLA-D region β 2-chain DNA endonuclease fragments differ between HLA-DR identical healthy and insulin-dependent diabetic individuals. <i>Nature</i> , 1983, 303, 815-817.	27.8	270
7	A High-Density Screen for Linkage in Multiple Sclerosis. <i>American Journal of Human Genetics</i> , 2005, 77, 454-467.	6.2	268
8	A genome-wide association study of Hodgkin's lymphoma identifies new susceptibility loci at 2p16.1 (REL), 8q24.21 and 10p14 (GATA3). <i>Nature Genetics</i> , 2010, 42, 1126-1130.	21.4	177
9	Precise quantification of minimal residual disease at day 29 allows identification of children with acute lymphoblastic leukemia and an excellent outcome. <i>Blood</i> , 2002, 99, 1253-1258.	1.4	150
10	HLA ANTIGENS IN GRAVES' DISEASE. <i>European Journal of Endocrinology</i> , 1977, 86, 510-516.	3.7	137
11	Impaired progenitor cell function in HIV-negative infants of HIV-positive mothers results in decreased thymic output and low CD4 counts. <i>Blood</i> , 2001, 98, 398-404.	1.4	134
12	HLA and Disease Associations - A Survey. <i>Immunological Reviews</i> , 1975, 22, 3-43.	6.0	128
13	A long-term prospective study of optic neuritis: Evaluation of risk factors. <i>Annals of Neurology</i> , 1990, 27, 386-393.	5.3	123
14	Immune status as a determinant of human papillomavirus detection and its association with anal epithelial abnormalities. <i>International Journal of Cancer</i> , 1990, 46, 203-206.	5.1	118
15	HLA-A alleles and infectious mononucleosis suggest a critical role for cytotoxic T-cell response in EBV-related Hodgkin lymphoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 6400-6405.	7.1	102
16	GWAS of Follicular Lymphoma Reveals Allelic Heterogeneity at 6p21.32 and Suggests Shared Genetic Susceptibility with Diffuse Large B-cell Lymphoma. <i>PLoS Genetics</i> , 2011, 7, e1001378.	3.5	93
17	Course and Clinical Significance of CD8 ⁺ T-Cell Counts in a Large Cohort of HIV-Infected Individuals. <i>Journal of Infectious Diseases</i> , 2015, 211, 1726-1734.	4.0	92
18	Association between Larger Thymic Size and Higher Thymic Output in Human Immunodeficiency Virus-Infected Patients Receiving Highly Active Antiretroviral Therapy. <i>Journal of Infectious Diseases</i> , 2002, 185, 1578-1585.	4.0	78

#	ARTICLE	IF	CITATIONS
19	Antibody response to booster vaccination with tetanus and diphtheria in adults exposed to perfluorinated alkylates. <i>Journal of Immunotoxicology</i> , 2016, 13, 270-273.	1.7	75
20	Association of HY-restricting HLA class II alleles with pregnancy outcome in patients with recurrent miscarriage subsequent to a firstborn boy. <i>Human Molecular Genetics</i> , 2009, 18, 1684-1691.	2.9	65
21	Variation in DNA Repair Genes ERCC2, XRCC1, and XRCC3 and Risk of Follicular Lymphoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 258-265.	2.5	61
22	The HLA-DP polymorphism in Denmark investigated by local and international PLT reagents. <i>Tissue Antigens</i> , 1986, 28, 105-118.	1.0	59
23	T-cell subset alterations and lymphocyte responsiveness to mitogens and antigen during severe primary infection with HIV. <i>Aids</i> , 1990, 4, 523-526.	2.2	53
24	Linkage and association analysis of susceptibility regions on chromosomes 5 and 6 in 106 Scandinavian sibling pair families with multiple sclerosis. <i>Annals of Neurology</i> , 1999, 46, 612-616.	5.3	52
25	Increased frequency of HLA-DPw2 in pauciarticular onset juvenile chronic arthritis. <i>Tissue Antigens</i> , 1986, 28, 245-250.	1.0	51
26	HLA and insulin-dependent diabetes: An overview. <i>Genetic Epidemiology</i> , 1989, 6, 1-14.	1.3	47
27	HLA antigens and manic-depressive disorders: further evidence of an association. <i>Psychological Medicine</i> , 1977, 7, 387-396.	4.5	46
28	Costimulatory CD80 (B7-1) and CD86 (B7-2) on cerebrospinal fluid cells in multiple sclerosis. <i>Journal of Neuroimmunology</i> , 1998, 84, 179-187.	2.3	43
29	CXC chemokine receptor 3 expression on CD34+hematopoietic progenitors from human cord blood induced by granulocyte-macrophage colony-stimulating factor: chemotaxis and adhesion induced by its ligands, interferon- γ -inducible protein 10 and monokine induced by interferon- γ . <i>Blood</i> , 2000, 96, 1230-1238.	1.4	42
30	Genetic studies of insulin-dependent diabetes mellitus: segregation and linkage analyses. <i>Tissue Antigens</i> , 1982, 19, 213-221.	1.0	39
31	Associations between HL-A histocompatibility antigens and non-malignant diseases. <i>Human Genetics</i> , 1974, 25, 251-264.	3.8	36
32	Correlation between donor cytomegalovirus immunity and chronic graft-versus-host disease after allogeneic bone marrow transplantation. <i>Scandinavian Journal of Haematology</i> , 1986, 36, 499-506.	0.0	35
33	Locked nucleic acid inhibits amplification of contaminating DNA in real-time PCR. <i>BioTechniques</i> , 2005, 38, 605-610.	1.8	31
34	MicroRNA-210, MicroRNA-331, and MicroRNA-7 Are Differentially Regulated in Treated HIV-1-Infected Individuals and Are Associated With Markers of Systemic Inflammation. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2017, 74, e104-e113.	2.1	31
35	CCR3 Expression Induced by IL-2 and IL-4 Functioning as a Death Receptor for B Cells. <i>Journal of Immunology</i> , 2003, 171, 1722-1731.	0.8	29
36	Polymorphisms of innate pattern recognition receptors, response to interferon-beta and development of neutralizing antibodies in multiple sclerosis patients. <i>Multiple Sclerosis Journal</i> , 2010, 16, 942-949.	3.0	29

#	ARTICLE	IF	CITATIONS
37	Chimerism studies in HLA-identical nonmyeloablative hematopoietic stem cell transplantation point to the donor CD8+ T-cell count on day +14 as a predictor of acute graft-versus-host disease. <i>Biology of Blood and Marrow Transplantation</i> , 2004, 10, 337-346.	2.0	28
38	A functional polymorphism in the Eta-1 promoter is associated with allele specific binding to the transcription factor Sp1 and elevated gene expression. <i>Molecular Immunology</i> , 2006, 43, 980-986.	2.2	27
39	The HLA-B*7 Histocompatibility Antigen in Sarcoidosis Relation to Tuberculin Sensivity. <i>Tissue Antigens</i> , 1975, 6, 50-53.	1.0	27
40	SUBACUTE THYROIDITIS DE QUERVAIN: A DISEASE ASSOCIATED WITH A HLA-B ANTIGEN. <i>European Journal of Endocrinology</i> , 1977, 86, 504-509.	3.7	26
41	Thyroid-Stimulating Immunoglobulins in Hashimoto's Thyroiditis Measured by Radioreceptor Assay and Adenylate Cyclase Stimulation and Their Relationship to HLA-D Alleles*. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1982, 55, 995-998.	3.6	26
42	Investigation of immunosuppressive properties of inactivated human immunodeficiency virus and possible neutralization of this effect by some patient sera. <i>Cellular Immunology</i> , 1989, 121, 336-348.	3.0	25
43	Labelling of T cell subsets under field conditions in tropical countries. <i>Journal of Immunological Methods</i> , 1990, 129, 49-53.	1.4	25
44	Haematopoietic stem cell transplantation with non-myeloablative conditioning in the outpatient setting: results, complications and admission requirements in a single institution. <i>British Journal of Haematology</i> , 2004, 125, 225-231.	2.5	25
45	Improved thymic index, density and output in HIV-infected patients following low-dose growth hormone therapy: a placebo controlled study. <i>Aids</i> , 2009, 23, 2123-2131.	2.2	24
46	FoxP3 mRNA splice forms in synovial CD4+ T cells in rheumatoid arthritis and psoriatic arthritis. <i>Apmis</i> , 2012, 120, 387-396.	2.0	24
47	Stimulation of AIDS lymphocytes with calcium ionophore (A23187) and phorbol ester (PMA): Studies of cytoplasmic free Ca, IL-2 receptor expression, IL-2 production and proliferation. <i>Cellular Immunology</i> , 1989, 119, 14-21.	3.0	23
48	Induction of DNA repair synthesis in human monocytes/B-lymphocytes compared with T-lymphocytes after exposure to N-acetoxy-N-acetylaminofluorene and dimethylsulfate in vitro. <i>Carcinogenesis</i> , 1992, 13, 1285-1287.	2.8	23
49	Dysregulation of CD4+CD25+CD127lowFOXP3+ regulatory T cells in HIV-infected pregnant women. <i>Blood</i> , 2011, 117, 1861-1868.	1.4	23
50	Immunodeficiency Among Children with Recurrent Invasive Pneumococcal Disease. <i>Pediatric Infectious Disease Journal</i> , 2015, 34, 644-651.	2.0	23
51	Humoral and Cellular Responses to <i>Pneumocystis carinii</i> , CMV, and Herpes simplex in Patients with AIDS and in Controls. <i>Scandinavian Journal of Infectious Diseases</i> , 1988, 20, 389-394.	1.5	22
52	Prognostic Value of Immunologic Abnormalities and HIV Antigenemia in Asymptomatic HIV-infected Individuals: Proposal of Immunologic Staging. <i>Scandinavian Journal of Infectious Diseases</i> , 1989, 21, 633-643.	1.5	22
53	Elevated mRNA levels of CTLA-4, FoxP3, and Granzyme B in BAL, but not in blood, during acute rejection of lung allografts. <i>Transplant Immunology</i> , 2010, 24, 26-32.	1.2	22
54	Evaluation and Automation of Hematopoietic Chimerism Analysis Based on Real-Time Quantitative Polymerase Chain Reaction. <i>Biology of Blood and Marrow Transplantation</i> , 2005, 11, 558-566.	2.0	20

#	ARTICLE	IF	CITATIONS
55	CD4 ^{dim} CD25 ^{bright} Treg cell frequencies above a standardized gating threshold are similar in asthmatics and controls. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2007, 71A, 371-378.	1.5	20
56	Identification of residual leukemic cells by flow cytometry in childhood B-cell precursor acute lymphoblastic leukemia: verification of leukemic state by flow-sorting and molecular/cytogenetic methods. <i>Haematologica</i> , 2012, 97, 137-141.	3.5	20
57	Prognostic Significance of Interleukin-7 Receptor- β Gene Polymorphisms in Allogeneic Stem-Cell Transplantation: A Confirmatory Study. <i>Transplantation</i> , 2011, 91, 731-736.	1.0	20
58	Cytomegalovirus-specific T-cells are associated with immune senescence, but not with systemic inflammation, in people living with HIV. <i>Scientific Reports</i> , 2018, 8, 3778.	3.3	19
59	No linkage or association of the nitric oxide synthase genes to multiple sclerosis. <i>Journal of Neuroimmunology</i> , 2001, 119, 95-100.	2.3	18
60	Peripheral lymphocyte subpopulations in recurrent aphthous ulceration. <i>Acta Odontologica Scandinavica</i> , 1991, 49, 203-206.	1.6	17
61	HLA-DR related suppression of mixed lymphocyte reaction with alloactivated lymphocytes. <i>Tissue Antigens</i> , 1986, 27, 32-43.	1.0	17
62	The number of regulatory T cells in transbronchial lung allograft biopsies is related to FoxP3 mRNA levels in bronchoalveolar lavage fluid and to the degree of acute cellular rejection. <i>Transplant Immunology</i> , 2013, 29, 71-75.	1.2	17
63	Reconstitution of Th17, Tc17 and Treg cells after paediatric haematopoietic stem cell transplantation: Impact of interleukin-7. <i>Immunobiology</i> , 2018, 223, 220-226.	1.9	16
64	Competitive PCR for quantification of minimal residual disease in acute lymphoblastic leukaemia. <i>Journal of Immunological Methods</i> , 2000, 233, 107-118.	1.4	15
65	Two genome-wide linkage disequilibrium screens in Scandinavian multiple sclerosis patients. <i>Journal of Neuroimmunology</i> , 2003, 143, 101-106.	2.3	15
66	Multiple flat warts associated with idiopathic CD4-positive T lymphocytopenia. <i>Journal of the American Academy of Dermatology</i> , 2008, 58, S37-S38.	1.2	14
67	Effect of thapsigargin on cytoplasmic Ca ²⁺ and proliferation of human lymphocytes in relation to AIDS. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 1988, 972, 257-264.	1.0	13
68	Varicella-zoster virus DNA in recurrent aphthous ulcers. <i>European Journal of Oral Sciences</i> , 1993, 101, 311-313.	1.5	13
69	Donor Genotype in the Interleukin-7 Receptor β -Chain Predicts Risk of Graft-versus-Host Disease and Cytomegalovirus Infection after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Frontiers in Immunology</i> , 2018, 9, 109.	4.8	13
70	Sexually Transmitted Diseases, Antibodies to Human Immunodeficiency Virus, and Subsequent Development of Acquired Immunodeficiency Syndrome. <i>Sexually Transmitted Diseases</i> , 1988, 15, 1-4.	1.7	12
71	Thymic Involvement in Immune Recovery During Antiretroviral Treatment of HIV Infection in Adults; comparison of CT and Sonographic Findings. <i>Scandinavian Journal of Infectious Diseases</i> , 2002, 34, 668-672.	1.5	12
72	Gene variation in IL-7 receptor (IL-7R) β affects IL-7R response in CD4 ⁺ T cells in HIV-infected individuals. <i>Scientific Reports</i> , 2017, 7, 42036.	3.3	12

#	ARTICLE	IF	CITATIONS
73	CXCR3 Expression on CD34+ Hemopoietic Progenitors Induced by Granulocyte-Macrophage Colony-Stimulating Factor: II. Signaling Pathways Involved. <i>Journal of Immunology</i> , 2001, 167, 4405-4413.	0.8	11
74	HLA Antigens and Glomerulonephritis. <i>Tissue Antigens</i> , 1975, 6, 368-369.	1.0	8
75	CD4+ CD31+ recent thymic emigrants in CHD7 haploinsufficiency (CHARGE syndrome): A case. <i>Human Immunology</i> , 2013, 74, 1047-1050.	2.4	7
76	Cytokine Gene Expression in Peripheral Blood Mononuclear Cells and Alloreactivity in Hematopoietic Cell Transplantation with Nonmyeloablative Conditioning. <i>Biology of Blood and Marrow Transplantation</i> , 2006, 12, 48-60.	2.0	6
77	Bg/II polymorphism in the human interleukin 6 (IL 6) gene. <i>Nucleic Acids Research</i> , 1989, 17, 7548-7548.	14.5	5
78	Concordance for disease course and age of onset in Scandinavian multiple sclerosis coaffected sib pairs. <i>Multiple Sclerosis Journal</i> , 2004, 10, 5-8.	3.0	5
79	Defective T cell stimulatory pathways in patients after allogeneic bone marrow transplantation (BMT) in man. <i>Apmis</i> , 1993, 101, 480-486.	2.0	4
80	Graft rejection after hematopoietic cell transplantation with nonmyeloablative conditioning. <i>American Journal of Hematology</i> , 2008, 83, 563-569.	4.1	4
81	An HLA-DR/DP recombinant family involving DPw6. Evidence for cross-reactivity between DPw6 and GNN2B. <i>Tissue Antigens</i> , 1986, 27, 44-52.	1.0	4
82	Cytomegalovirus-Specific CD4+ T-cell Responses and CMV-IgG Levels Are Associated With Neurocognitive Impairment in People Living With HIV. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018, 79, 117-125.	2.1	4
83	High preharvest donor Foxp3 mRNA level predicts late relapse of acute lymphoblastic leukaemia after haematopoietic stem cell transplantation. <i>European Journal of Haematology</i> , 2021, 106, 643-653.	2.2	4
84	Post-induction residual disease in translocation t(12;21)-positive childhood ALL. <i>Medical and Pediatric Oncology</i> , 2003, 40, 82-87.	1.0	3
85	Differential effects of decoy receptor and antibody-mediated tumour necrosis factor blockage on FoxP3 expression in responsive arthritis patients. <i>Apmis</i> , 2013, 121, 337-347.	2.0	3
86	Cytomegalovirus-specific CD8+ T-cell responses are associated with arterial blood pressure in people living with HIV. <i>PLoS ONE</i> , 2020, 15, e0226182.	2.5	3
87	Alloactivated HLA class II-positive T-cell lines induce IL-2 reactivity but lack accessory cell function in mixed leukocyte culture. <i>Human Immunology</i> , 1989, 25, 135-148.	2.4	2
88	A new homozygous typing cell with HLA-D*06:01 (DB6) specificity. <i>Tissue Antigens</i> , 1986, 27, 285-290.	1.0	2
89	An alloantibody against a class II antigen subtypic to HLA-DR4 and strongly associated with the cellularly defined Dw14 determinant. <i>Tissue Antigens</i> , 2008, 28, 313-317.	1.0	1
90	MYCOPLASMA PNEUMONIAE - STIMULATION OF LYMPHOCYTES OBTAINED FROM ADENOID VEGETATIONS AND BLOOD IN CHILDREN WITH AND WITHOUT SEROLOGICAL EVIDENCE OF MYCOPLASMA PNEUMONIAE INFECTION. <i>Acta Pathologica, Microbiologica, Et Immunologica Scandinavica Section C, Immunology</i> , 2009, 92C, 313-317.	0.2	1

#	ARTICLE	IF	CITATIONS
91	Linkage and association analysis of susceptibility regions on chromosomes 5 and 6 in 106 Scandinavian sibling pair families with multiple sclerosis. <i>Annals of Neurology</i> , 1999, 46, 612-616.	5.3	1
92	Interleukin-7-directed approaches. <i>Progress in Respiratory Research</i> , 2010, , 131-135.	0.1	0
93	Significance of Interleukin-7 Receptor Alpha Polymorphisms in Allogeneic Stem Cell Transplantation. , 2013, , 283-290.		0
94	Cytokine Gene Expression in Peripheral Blood Mononuclear Cells Points to Interleukin-10 as an Inhibitor of Alloreactivity Following Hematopoietic Cell Transplantation with Nonmyeloablative Conditioning.. <i>Blood</i> , 2005, 106, 5342-5342.	1.4	0
95	Insulin-like growth factor 1 and insulin-like growth factor binding protein-3: impact on early haematopoietic reconstitution following allogeneic haematopoietic stem cell transplantation. <i>European Journal of Haematology</i> , 2021, , .	2.2	0
96	Higher recipient pre-transplant FOXP3 mRNA expression is associated with acute leukaemia relapse after HSCT. <i>EJHaem</i> , 0, , .	1.0	0