

Fausto Bogazzi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/466835/publications.pdf>

Version: 2024-02-01

135
papers

7,039
citations

53794

45
h-index

62596

80
g-index

139
all docs

139
docs citations

139
times ranked

4201
citing authors

#	ARTICLE	IF	CITATIONS
1	Relation between Therapy for Hyperthyroidism and the Course of Graves' Ophthalmopathy. New England Journal of Medicine, 1998, 338, 73-78.	27.0	644
2	The Effects of Amiodarone on the Thyroid*. Endocrine Reviews, 2001, 22, 240-254.	20.1	389
3	Role of conventional ultrasonography and color flow-doppler sonography in predicting malignancy in 'cold' thyroid nodules. European Journal of Endocrinology, 1998, 138, 41-46.	3.7	299
4	Use of Corticosteroids to Prevent Progression of Graves' Ophthalmopathy after Radioiodine Therapy for Hyperthyroidism. New England Journal of Medicine, 1989, 321, 1349-1352.	27.0	296
5	More on smoking habits and Gravesâ€™ ophthalmopathy. Journal of Endocrinological Investigation, 1989, 12, 733-737.	3.3	187
6	Color Flow Doppler Sonography Rapidly Differentiates Type I and Type II Amiodarone-Induced Thyrotoxicosis. Thyroid, 1997, 7, 541-545.	4.5	173
7	Approach to the Patient with Amiodarone-Induced Thyrotoxicosis. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 2529-2535.	3.6	166
8	2018 European Thyroid Association (ETA) Guidelines for the Management of Amiodarone-Associated Thyroid Dysfunction. European Thyroid Journal, 2018, 7, 55-66.	2.4	165
9	The Effects of Amiodarone on the Thyroid. , 2001, 22, 240-254.		163
10	Treatment of amiodarone-induced thyrotoxicosis, a difficult challenge: results of a prospective study. Journal of Clinical Endocrinology and Metabolism, 1996, 81, 2930-2933.	3.6	160
11	Surgical treatment of graves' disease: Subtotal or total thyroidectomy?. Surgery, 1996, 120, 1020-1025.	1.9	151
12	Orbital radiotherapy combined with high dose systemic glucocorticoids for Gravesâ€™ ophthalmopathy is more effective than radiotherapy alone: results of a prospective randomized study. Journal of Endocrinological Investigation, 1991, 14, 853-860.	3.3	149
13	The Various Effects of Amiodarone on Thyroid Function. Thyroid, 2001, 11, 511-519.	4.5	135
14	Thyroid vascularity and blood flow are not dependent on serum thyroid hormone levels: studies in vivo by color flow doppler sonography. European Journal of Endocrinology, 1999, 140, 452-456.	3.7	113
15	Changes in coagulation indexes and occurrence of venous thromboembolism in patients with Cushing's syndrome: results from a prospective study before and after surgery. European Journal of Endocrinology, 2010, 163, 783-791.	3.7	110
16	High-dose intramuscular octreotide in patients with acromegaly inadequately controlled on conventional somatostatin analogue therapy: a randomised controlled trial. European Journal of Endocrinology, 2009, 161, 331-338.	3.7	109
17	Cigarette smoking and the thyroid. European Journal of Endocrinology, 1995, 133, 507-512.	3.7	108
18	Temozolomide therapy in patients with aggressive pituitary adenomas or carcinomas. Journal of Neuro-Oncology, 2016, 126, 519-525.	2.9	105

#	ARTICLE	IF	CITATIONS
19	Large vestibular aqueduct syndrome: audiological, radiological, clinical, and genetic features. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2005, 26, 363-371.	1.3	96
20	Risk Factors for Development of Coronary Heart Disease in Patients with Acromegaly: A Five-Year Prospective Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 4271-4277.	3.6	91
21	Adverse Effects of Thyroid Hormone Preparations and Antithyroid Drugs. <i>Drug Safety</i> , 1996, 15, 53-63.	3.2	88
22	Role of cytokines in the pathogenesis of the euthyroid sick syndrome. <i>European Journal of Endocrinology</i> , 1998, 138, 603-614.	3.7	84
23	The Prevalence of Elevated Serum C-Reactive Protein Levels in Inflammatory and Noninflammatory Thyroid Disease. <i>Thyroid</i> , 2003, 13, 643-648.	4.5	84
24	Treatment with low doses of cabergoline is not associated with increased prevalence of cardiac valve regurgitation in patients with hyperprolactinaemia. <i>International Journal of Clinical Practice</i> , 2008, 62, 1864-1869.	1.7	83
25	Diagnosis and management of amiodarone-induced thyrotoxicosis in Europe: results of an international survey among members of the European Thyroid Association. <i>Clinical Endocrinology</i> , 2004, 61, 494-502.	2.4	78
26	Treatment of Type II Amiodarone-Induced Thyrotoxicosis by Either Iopanoic Acid or Glucocorticoids: A Prospective, Randomized Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 1999-2002.	3.6	77
27	Diagnosis and management of amiodarone-induced thyrotoxicosis: similarities and differences between North American and European thyroidologists*. <i>Clinical Endocrinology</i> , 2008, 69, 812-818.	2.4	75
28	Impact of Lithium on Efficacy of Radioactive Iodine Therapy for Graves'™ Disease: A Cohort Study on Cure Rate, Time to Cure, and Frequency of Increased Serum Thyroxine After Antithyroid Drug Withdrawal. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 201-208.	3.6	75
29	Prevalence and Functional Significance of Antipituitary Antibodies in Patients with Autoimmune and Non-Autoimmune Thyroid Diseases. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 2176-2181.	3.6	74
30	Comparison of Radioiodine with Radioiodine plus Lithium in the Treatment of Graves'™ Hyperthyroidism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 499-503.	3.6	73
31	Glucocorticoid Response in Amiodarone-Induced Thyrotoxicosis Resulting from Destructive Thyroiditis Is Predicted by Thyroid Volume and Serum Free Thyroid Hormone Concentrations. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 556-562.	3.6	70
32	Treatment with Lithium Prevents Serum Thyroid Hormone Increase after Thionamide Withdrawal and Radioiodine Therapy in Patients with Graves'™ Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 4490-4495.	3.6	69
33	Amiodarone and the thyroid: a 2012 update. <i>Journal of Endocrinological Investigation</i> , 2012, 35, 340-8.	3.3	66
34	Usefulness of salivary cortisol in the diagnosis of hypercortisolism: comparison with serum and urinary cortisol. <i>European Journal of Endocrinology</i> , 2013, 168, 315-321.	3.7	61
35	Graves' Disease Occurring after Subacute Thyroiditis: Report of a Case and Review of the Literature. <i>Thyroid</i> , 1996, 6, 345-348.	4.5	59
36	Preparation with iopanoic acid rapidly controls thyrotoxicosis in patients with amiodarone-induced thyrotoxicosis before thyroidectomy. <i>Surgery</i> , 2002, 132, 1114-1118.	1.9	59

#	ARTICLE	IF	CITATIONS
37	Total Thyroidectomy in Patients with Amiodarone-Induced Thyrotoxicosis and Severe Left Ventricular Systolic Dysfunction. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 3515-3521.	3.6	58
38	Comparison of Radioiodine with Radioiodine plus Lithium in the Treatment of Graves' Hyperthyroidism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 499-503.	3.6	58
39	High prevalence of cardiac hypertrophy without detectable signs of fibrosis in patients with untreated active acromegaly: an in vivo study using magnetic resonance imaging. <i>Clinical Endocrinology</i> , 2008, 68, 361-368.	2.4	54
40	Evaluation of thyroid function in patients with rapid-cycling and non-rapid-cycling bipolar disorder. <i>Psychiatry Research</i> , 1990, 34, 13-17.	3.3	52
41	Glucocorticoids Are Preferable to Thionamides as First-Line Treatment for Amiodarone-Induced Thyrotoxicosis due to Destructive Thyroiditis: A Matched Retrospective Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 3757-3762.	3.6	51
42	Amiodarone Induces Cytochrome c Release and Apoptosis through an Iodine-Independent Mechanism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 4323-4330.	3.6	49
43	Amiodarone-induced thyrotoxicosis: a difficult diagnostic and therapeutic challenge*. <i>Clinical Endocrinology</i> , 2002, 56, 23-24.	2.4	49
44	Continuation of Amiodarone Delays Restoration of Euthyroidism in Patients with Type 2 Amiodarone-Induced Thyrotoxicosis Treated with Prednisone: A Pilot Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, 3374-3380.	3.6	49
45	Identification of Acromegalic Patients at Risk of Developing Colonic Adenomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 1351-1356.	3.6	48
46	Proportion of type 1 and type 2 amiodarone-induced thyrotoxicosis has changed over a 27-year period in Italy. <i>Clinical Endocrinology</i> , 2007, 67, 070611013542001-???	2.4	47
47	Measurement of Serum Free Thyroid Hormone Concentrations: An Essential Tool for the Diagnosis of Thyroid Dysfunction. <i>Hormone Research</i> , 1996, 45, 142-147.	1.8	46
48	Use of Pegvisomant in acromegaly. An Italian Society of Endocrinology guideline. <i>Journal of Endocrinological Investigation</i> , 2014, 37, 1017-1030.	3.3	45
49	Iodide Excess Induces Apoptosis in Thyroid Cells through a p53-Independent Mechanism Involving Oxidative Stress. <i>Endocrinology</i> , 2000, 141, 598-605.	2.8	45
50	Effects of high-dose octreotide LAR on glucose metabolism in patients with acromegaly inadequately controlled by conventional somatostatin analog therapy. <i>European Journal of Endocrinology</i> , 2011, 164, 341-347.	3.7	44
51	The onset time of amiodarone-induced thyrotoxicosis (AIT) depends on AIT type. <i>European Journal of Endocrinology</i> , 2014, 171, 363-368.	3.7	43
52	Amiodarone Induces Cytochrome c Release and Apoptosis through an Iodine-Independent Mechanism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 4323-4330.	3.6	43
53	Tumor Infiltrating Lymphocytes But Not Serum Pituitary Antibodies Are Associated with Poor Clinical Outcome after Surgery in Patients with Pituitary Adenoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 289-296.	3.6	42
54	Growth Hormone Receptor Variants and Response to Pegvisomant in Monotherapy or in Combination with Somatostatin Analogs in Acromegalic Patients: A Multicenter Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, E165-E172.	3.6	41

#	ARTICLE	IF	CITATIONS
55	Prognostic factors for pancreatic neuroendocrine neoplasms (pNET) and the risk of small non-functioning pNET. <i>Journal of Endocrinological Investigation</i> , 2015, 38, 605-613.	3.3	41
56	Serum Insulin-Like Growth Factor-1 Concentrations Are Reduced in Severely Obese Women and Raise After Weight Loss Induced by Laparoscopic Adjustable Gastric Banding. <i>Obesity Surgery</i> , 2012, 22, 1276-1280.	2.1	38
57	ACROSTUDY: the Italian experience. <i>Endocrine</i> , 2015, 48, 334-341.	2.3	38
58	PPARgamma inhibits GH synthesis and secretion and increases apoptosis of pituitary GH-secreting adenomas. <i>European Journal of Endocrinology</i> , 2004, 150, 863-875.	3.7	37
59	Improvement of intrinsic myocardial contractility and cardiac fibrosis degree in acromegalic patients treated with somatostatin analogues: a prospective study. <i>Clinical Endocrinology</i> , 2005, 62, 590-596.	2.4	36
60	Could improved ultrasound and power Doppler replace thyroidal radioiodine uptake to assess thyroid disease?. <i>Nature Clinical Practice Endocrinology and Metabolism</i> , 2008, 4, 70-71.	2.8	36
61	Comparison Between Total Thyroidectomy and Medical Therapy for Amiodarone-Induced Thyrotoxicosis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 242-251.	3.6	36
62	Comparison of the effects of primary somatostatin analogue therapy and pituitary adenomectomy on survival in patients with acromegaly: a retrospective cohort study. <i>European Journal of Endocrinology</i> , 2013, 169, 367-376.	3.7	35
63	Mutational and large deletion study of genes implicated in hereditary forms of primary hyperparathyroidism and correlation with clinical features. <i>PLoS ONE</i> , 2017, 12, e0186485.	2.5	31
64	Peroxisome Proliferator Activated Receptor β Expression Is Reduced in the Colonic Mucosa of Acromegalic Patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 2403-2406.	3.6	30
65	Growth Hormone Inhibits Apoptosis in Human Colonic Cancer Cell Lines: Antagonistic Effects of Peroxisome Proliferator Activated Receptor- β Ligands. <i>Endocrinology</i> , 2004, 145, 3353-3362.	2.8	30
66	Vitamin D status may contribute to serum insulin-like growth factor I concentrations in healthy subjects. <i>Journal of Endocrinological Investigation</i> , 2011, 34, e200-3.	3.3	30
67	Disease activity and lifestyle influence comorbidities and cardiovascular events in patients with acromegaly. <i>European Journal of Endocrinology</i> , 2016, 175, 443-453.	3.7	29
68	A novel mutation in the pendrin gene associated with Pendred's syndrome. <i>Clinical Endocrinology</i> , 2000, 52, 279-285.	2.4	26
69	Diabetes insipidus is an unfavorable prognostic factor for response to glucocorticoids in patients with autoimmune hypophysitis. <i>European Journal of Endocrinology</i> , 2017, 177, 127-135.	3.7	26
70	l-thyroxine directly affects expression of thyroid hormone-sensitive genes: regulatory effect of RXR β . <i>Molecular and Cellular Endocrinology</i> , 1997, 134, 23-31.	3.2	25
71	Amiodarone-induced thyrotoxicosis: something new to refine the initial diagnosis?. <i>European Journal of Endocrinology</i> , 2008, 159, 359-361.	3.7	25
72	The presence of anti-thyroglobulin (TgAb) and/or anti-thyroperoxidase antibodies (TPOAb) does not exclude the diagnosis of type 2 amiodarone-induced thyrotoxicosis. <i>Journal of Endocrinological Investigation</i> , 2016, 39, 585-591.	3.3	24

#	ARTICLE	IF	CITATIONS
73	Diagnosis and treatment of autoimmune hypophysitis: a short review. <i>Journal of Endocrinological Investigation</i> , 2011, 34, e245-52.	3.3	24
74	Recombinant human TSH as an adjuvant to radioiodine for the treatment of type 1 amiodarone-induced thyrotoxicosis: a cautionary note. <i>Clinical Endocrinology</i> , 2010, 72, 133-134.	2.4	23
75	Peroxisome Proliferator Activated Receptor α Expression Is Reduced in the Colonic Mucosa of Acromegalic Patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 2403-2403.	3.6	23
76	Apoptosis is reduced in the colonic mucosa of patients with acromegaly. <i>Clinical Endocrinology</i> , 2005, 63, 683-688.	2.4	22
77	Transgenic Mice Overexpressing Growth Hormone (GH) Have Reduced or Increased Cardiac Apoptosis through Activation of Multiple GH-Dependent or -Independent Cell Death Pathways. <i>Endocrinology</i> , 2008, 149, 5758-5769.	2.8	22
78	The beneficial effect of acromegaly control on blood pressure values in normotensive patients. <i>Clinical Endocrinology</i> , 2014, 81, 573-581.	2.4	21
79	The mechanisms of nadroparin-mediated inhibition of proliferation of two human lung cancer cell lines. <i>Cell Proliferation</i> , 2012, 45, 545-556.	5.3	20
80	Changes in the Expression of the Peroxisome Proliferator-Activated Receptor β Gene in the Colonic Polyps and Colonic Mucosa of Acromegalic Patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 3938-3942.	3.6	19
81	Growth Hormone Is Necessary for the p53-Mediated, Obesity-Induced Insulin Resistance in Male C57BL/6J \times CBA Mice. <i>Endocrinology</i> , 2013, 154, 4226-4236.	2.8	19
82	Pituitary autoimmunity is associated with hypopituitarism in patients with primary empty sella. <i>Journal of Endocrinological Investigation</i> , 2011, 34, e240-4.	3.3	19
83	Divergent Effects of Dioxin- or Non-Dioxin-Like Polychlorinated Biphenyls on the Apoptosis of Primary Cell Culture from the Mouse Pituitary Gland. <i>PLoS ONE</i> , 2016, 11, e0146729.	2.5	18
84	Thyroid Color Flow Doppler Sonography: An Adjunctive Tool for Differentiating Patients with Inappropriate Thyrotropin (TSH) Secretion Due to TSH-Secreting Pituitary Adenoma or Resistance to Thyroid Hormone. <i>Thyroid</i> , 2006, 16, 989-995.	4.5	17
85	Combination of minimally invasive thyroid surgery and local anesthesia associated to iopanoic acid for patients with amiodarone-induced thyrotoxicosis and severe cardiac disorders: a pilot study. <i>Langenbeck's Archives of Surgery</i> , 2007, 392, 709-713.	1.9	17
86	Thyroid vascularity is increased in patients with active acromegaly. <i>Clinical Endocrinology</i> , 2002, 57, 65-70.	2.4	16
87	Effects of Amiodarone, Thyroid Hormones and CYP2C9 and VKORC1 Polymorphisms on Warfarin Metabolism: A Review of the Literature. <i>Endocrine Practice</i> , 2013, 19, 1043-1049.	2.1	16
88	Adjuvant Effect of Lithium on Radioiodine Treatment of Hyperthyroidism. <i>Thyroid</i> , 2002, 12, 1153-1154.	4.5	15
89	Role of UGT1A1 and ADH gene polymorphisms in pegvisomant-induced liver toxicity in acromegalic patients. <i>European Journal of Endocrinology</i> , 2014, 170, 247-254.	3.7	15
90	Serum pituitary antibodies in normal pregnancy and in patients with postpartum thyroiditis: a nested case-control study. <i>European Journal of Endocrinology</i> , 2008, 159, 805-809.	3.7	13

#	ARTICLE	IF	CITATIONS
91	Effect of frosiglitazone on serum IGF-I concentrations in uncontrolled acromegalic patients under conventional medical therapy: Results from a pilot phase 2 study. <i>Journal of Endocrinological Investigation</i> , 2011, 34, e43-e51.	3.3	13
92	Impact of different cut-off limits of peak GH after GHRH-arginine stimulatory test, single IGF1 measurement, or their combination in identifying adult patients with GH deficiency. <i>European Journal of Endocrinology</i> , 2011, 164, 685-693.	3.7	13
93	Duration of Exposure to Thyrotoxicosis Increases Mortality of Compromised AIT Patients: the Role of Early Thyroidectomy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e3427-e3436.	3.6	13
94	Site-Specific Anti-C-ERB A Antibodies Recognizing Native Thyroid Hormone Receptors: Their use to Detect the Expression and Localization of I ₁ and I ₂ C-ERB A Proteins in Rat Liver. <i>Journal of Receptors and Signal Transduction</i> , 1992, 12, 201-215.	1.2	12
95	Pendrin does not increase sulfate uptake in mammalian COS-7 cells. <i>Journal of Endocrinological Investigation</i> , 2000, 23, 170-172.	3.3	12
96	An update on the pharmacological management of hyperthyroidism due to Graves' disease. <i>Expert Opinion on Pharmacotherapy</i> , 2005, 6, 851-861.	1.8	12
97	Lower Prolactin Levels During Cabergoline Treatment are Associated to Tumor Shrinkage in Prolactin Secreting Pituitary Adenoma. <i>Hormone and Metabolic Research</i> , 2014, 46, 939-942.	1.5	12
98	Does pegvisomant treatment expertise improve control of resistant acromegaly? The Italian ACROSTUDY experience. <i>Journal of Endocrinological Investigation</i> , 2015, 38, 1099-1109.	3.3	12
99	Submandibular salivary gland volume is increased in patients with acromegaly. <i>Clinical Endocrinology</i> , 2002, 57, 97-100.	2.4	11
100	Regulation of cardiac fatty acids metabolism in transgenic mice overexpressing bovine GH. <i>Journal of Endocrinology</i> , 2009, 201, 419-427.	2.6	11
101	Ectopic expression of FSH receptor isoforms in neoplastic but not in endothelial cells from pancreatic neuroendocrine tumors. <i>Journal of Endocrinological Investigation</i> , 2013, 36, 174-9.	3.3	11
102	Improvement of Growth Hormone Deficiency in Patients with Primary Hyperparathyroidism after Parathyroidectomy: Results of a Prospective Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 1213-1216.	3.6	10
103	Non-autoimmune hyperthyroidism associated with isolated bilateral ocular lymphoma mimicking Graves' disease with ophthalmopathy: A cause of misdiagnosis. <i>Journal of Endocrinological Investigation</i> , 1995, 18, 817-819.	3.3	9
104	Changes in the expression of suppressor of cytokine signalling (SOCS) 2 in the colonic mucosa of acromegalic patients are associated with hyperplastic polyps. <i>Clinical Endocrinology</i> , 2009, 70, 898-906.	2.4	9
105	Rathke's cleft cysts in children: clinical, diagnostic, and surgical features. <i>Child's Nervous System</i> , 2012, 28, 297-303.	1.1	9
106	A novel germline mutation in the aryl hydrocarbon receptor-interacting protein (Aip) gene in an Italian family with gigantism. <i>Journal of Endocrinological Investigation</i> , 2014, 37, 949-955.	3.3	9
107	The differentiation-inducing agent sodium butyrate produces divergent effects on albumin and thyroxine-binding globulin synthesis by human hepatoblastoma-derived (Hep G2) cells. <i>Journal of Endocrinological Investigation</i> , 1990, 13, 917-922.	3.3	8
108	PCB153 reduces apoptosis in primary cultures of murine pituitary cells through the activation of NF- κ B mediated by PI3K/Akt. <i>Molecular and Cellular Endocrinology</i> , 2021, 520, 111090.	3.2	8

#	ARTICLE	IF	CITATIONS
109	Cardiac expression of adenine nucleotide translocase-1 in transgenic mice overexpressing bovine GH. <i>Journal of Endocrinology</i> , 2007, 194, 521-527.	2.6	7
110	Impaired GH secretion to provocative stimuli in two families with hypocalciuric hypercalcaemia. <i>Clinical Endocrinology</i> , 2003, 59, 604-606.	2.4	6
111	Treatment with Thionamides before Radioiodine Therapy for Hyperthyroidism: Yes or No?. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 1256-1256.	3.6	6
112	Primary hyperparathyroidism is associated with marked impairment of GH response to acylated ghrelin. <i>Clinical Endocrinology</i> , 2008, 69, 197-201.	2.4	6
113	Radioiodine and thyroid-associated ophthalmopathy. <i>Orbit</i> , 1996, 15, 197-203.	0.8	5
114	Reduced colonic apoptosis in mice overexpressing bovine growth hormone occurs through changes in several kinase pathways. <i>Growth Hormone and IGF Research</i> , 2009, 19, 432-441.	1.1	5
115	Cardiac extrinsic apoptotic pathway is silent in young but activated in elder mice overexpressing bovine GH: interplay with the intrinsic pathway. <i>Journal of Endocrinology</i> , 2011, 210, 231-238.	2.6	5
116	Diabetes mellitus induced by somatostatin analogue therapy is not permanent in acromegalic patients. <i>Endocrinology, Diabetes and Metabolism</i> , 2019, 2, e00033.	2.4	5
117	Serum factors associated with precancerous colonic lesions in acromegaly. <i>Journal of Endocrinological Investigation</i> , 2013, 36, 545-9.	3.3	5
118	Colonic polyps of acromegalic patients are not associated with mutations of the peroxisome proliferator activated receptor β gene. <i>Journal of Endocrinological Investigation</i> , 2003, 26, 1054-1058.	3.3	4
119	Identification of Two Different Phenotypes of Patients with Amiodarone-Induced Thyrotoxicosis and Positive Thyrotropin Receptor Antibody Tests. <i>Thyroid</i> , 2021, 31, 1463-1471.	4.5	4
120	Heart Drugs and Influences on TH Metabolism. , 2020, , 311-325.		4
121	Bone and joint alterations in acromegaly. <i>Journal of Orthopaedics and Traumatology</i> , 2006, 7, 169-175.	2.3	3
122	Color Flow Doppler Sonography of the Thyroid. , 2000, , 215-238.		3
123	Early surgery: a favorable prognosticator in amiodarone-induced thyrotoxicosis—a single-center experience with 53 cases. <i>Updates in Surgery</i> , 2022, 74, 1413-1418.	2.0	3
124	Abnormal expression of PPAR gamma isoforms in the subcutaneous adipose tissue of patients with Cushing's disease. <i>Clinical Endocrinology</i> , 2006, 66, 060904075417002-???	2.4	2
125	The reduction of bone mineral density in postmenopausal women with primary hyperparathyroidism is higher in the presence of concomitant GH secretion impairment. <i>European Journal of Endocrinology</i> , 2006, 155, 41-45.	3.7	2
126	Response to the Letter to the Editor: Comparison Between Total Thyroidectomy and Medical Therapy for Amiodarone-Induced Thyrotoxicosis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e3036-e3037.	3.6	2

#	ARTICLE	IF	CITATIONS
127	Salvage total thyroidectomy for amiodarone-induced thyrotoxicosis in a SARS-CoV-2 positive patient: results of the viral genome research on the pathology sample of this destructive thyroiditis. <i>Endocrine</i> , 2022, 76, 495-498.	2.3	2
128	2078 High prevalence of cardiac hypertrophy without detectable signs of fibrosis in patients with untreated active acromegaly: an in-vivo study using magnetic resonance imaging and integrated backscatter analysis. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2008, 10, .	3.3	1
129	Identification, treatment and management of cardiovascular risks in patients with acromegaly. <i>Expert Review of Endocrinology and Metabolism</i> , 2008, 3, 603-614.	2.4	1
130	Amiodarone and Thyroid. , 2018, , 782-786.		1
131	Editorial commentary: The striking prevalence of amiodarone induced hypothyroidism: an endocrinologist's perspective. <i>Trends in Cardiovascular Medicine</i> , 2023, 33, 263-264.	4.9	1
132	La gestione del paziente nella tireotossicosi e nell'ipotiroidismo indotti da amiodarone. <i>L Endocrinologo</i> , 2004, 5, 31-38.	0.0	0
133	Somatostatin Analogues do not Affect Calcium Metabolism in Patients with Acromegaly and Primary Hyperparathyroidism due to MEN 1-Like Syndrome. <i>Hormone and Metabolic Research</i> , 2011, 43, 126-129.	1.5	0
134	Thyrotoxicosis Factitia. , 2018, , 693-694.		0
135	Thyrotoxicosis Factitia. , 2004, , 551-553.		0