

# Nicolas Vitale

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4670776/publications.pdf>

Version: 2024-02-01

138  
papers

6,904  
citations

44069

48  
h-index

66911

78  
g-index

151  
all docs

151  
docs citations

151  
times ranked

7118  
citing authors

#	ARTICLE	IF	CITATIONS
1	Somatostatin analogue pasireotide (SOM230) inhibits catecholamine secretion in human pheochromocytoma cells. <i>Cancer Letters</i> , 2022, 524, 232-244.	7.2	7
2	Phospholipase D1-generated phosphatidic acid modulates secretory granule trafficking from biogenesis to compensatory endocytosis in neuroendocrine cells. <i>Advances in Biological Regulation</i> , 2022, 83, 100844.	2.3	6
3	Dysfunction of calcium-regulated exocytosis at a single-cell level causes catecholamine hypersecretion in patients with pheochromocytoma. <i>Cancer Letters</i> , 2022, 543, 215765.	7.2	4
4	Phosphatidic acid: Mono- and poly-unsaturated forms regulate distinct stages of neuroendocrine exocytosis. <i>Advances in Biological Regulation</i> , 2021, 79, 100772.	2.3	8
5	Extracellular Cu <sup>2+</sup> pools and their detection: From current knowledge to next-generation probes. <i>Coordination Chemistry Reviews</i> , 2021, 433, 213727.	18.8	45
6	Protocol for electron microscopy ultrastructural localization of the fusogenic lipid phosphatidic acid on plasma membrane sheets from chromaffin cells. <i>STAR Protocols</i> , 2021, 2, 100464.	1.2	1
7	A Lipidomics Approach to Measure Phosphatidic Acid Species in Subcellular Membrane Fractions Obtained from Cultured Cells. <i>Bio-protocol</i> , 2021, 11, e4066.	0.4	0
8	Ral GTPases promote breast cancer metastasis by controlling biogenesis and organ targeting of exosomes. <i>ELife</i> , 2021, 10, .	6.0	70
9	Bovine Chromaffin Cells: Culture and Fluorescence Assay for Secretion. <i>Methods in Molecular Biology</i> , 2021, 2233, 169-179.	0.9	4
10	Transmission Electron and on Plasma Sheets to Study Secretory Docking. <i>Methods in Molecular Biology</i> , 2021, 2233, 301-309.	0.9	3
11	Measurements of by Antibody and Quantification of Endocytic Vesicle Distribution in Adrenal Chromaffin Cells. <i>Methods in Molecular Biology</i> , 2021, 2233, 43-51.	0.9	0
12	Î±IIâ€šs spectrin controls calciumâ€šregulated exocytosis in neuroendocrine chromaffin cells through neuronal Wiskottâ€šAldrich Syndrome protein interaction. <i>IUBMB Life</i> , 2020, 72, 544-552.	3.4	4
13	Mono- and Poly-unsaturated Phosphatidic Acid Regulate Distinct Steps of Regulated Exocytosis in Neuroendocrine Cells. <i>Cell Reports</i> , 2020, 32, 108026.	6.4	24
14	Annexin A2 Egress during Calcium-Regulated Exocytosis in Neuroendocrine Cells. <i>Cells</i> , 2020, 9, 2059.	4.1	5
15	The atypical Rho GTPase RhoU interacts with intersectin-2 to regulate endosomal recycling pathways. <i>Journal of Cell Science</i> , 2020, 133, .	2.0	4
16	Hormones Secretion and Rho GTPases in Neuroendocrine Tumors. <i>Cancers</i> , 2020, 12, 1859.	3.7	5
17	RALB GTPase: a critical regulator of DR5 expression and TRAIL sensitivity in KRAS mutant colorectal cancer. <i>Cell Death and Disease</i> , 2020, 11, 930.	6.3	12
18	Fibrillar Ribonuclease Activity is Dependent on the GAR Domain and Modulated by Phospholipids. <i>Cells</i> , 2020, 9, 1143.	4.1	14

#	ARTICLE	IF	CITATIONS
19	High prevalence for obesity in severe COVID-19: Possible links and perspectives towards patient stratification. <i>Biochimie</i> , 2020, 179, 257-265.	2.6	26
20	Phosphatidic acid metabolism regulates neuroendocrine secretion but is not under the direct control of lipins. <i>IUBMB Life</i> , 2020, 72, 533-543.	3.4	5
21	Chromogranin A preferential interaction with Golgi phosphatidic acid induces membrane deformation and contributes to secretory granule biogenesis. <i>FASEB Journal</i> , 2020, 34, 6769-6790.	0.5	16
22	The receptor tyrosine kinase EPHB6 regulates catecholamine exocytosis in adrenal gland chromaffin cells. <i>Journal of Biological Chemistry</i> , 2020, 295, 7653-7668.	3.4	4
23	EPHB6 controls catecholamine biosynthesis by up-regulating tyrosine hydroxylase transcription in adrenal gland chromaffin cells. <i>Journal of Biological Chemistry</i> , 2019, 294, 6871-6887.	3.4	9
24	Regulation of Phospholipase D by Arf6 during Fc $\gamma$ R-Mediated Phagocytosis. <i>Journal of Immunology</i> , 2019, 202, 2971-2981.	0.8	14
25	Phosphatidic Acid: From Pleiotropic Functions to Neuronal Pathology. <i>Frontiers in Cellular Neuroscience</i> , 2019, 13, 2.	3.7	90
26	Phospholipase D: A new mediator during high phosphate-induced vascular calcification associated with chronic kidney disease. <i>Journal of Cellular Physiology</i> , 2019, 234, 4825-4839.	4.1	18
27	Phosphorylation cycling of Annexin A2 Tyr23 is critical for calcium-regulated exocytosis in neuroendocrine cells. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2019, 1866, 1207-1217.	4.1	25
28	Effects of phospholipase D during cultured osteoblast mineralization and bone formation. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 5923-5935.	2.6	13
29	Of local translation control and lipid signaling in neurons. <i>Advances in Biological Regulation</i> , 2019, 71, 194-205.	2.3	8
30	Abstract 704: RALB GTPase: A critical regulator of DR5 cell surface expression and TRAIL sensitivity in RAS mutant colorectal cancer. , 2019, , .		0
31	Thematic Review Series: Exosomes and Microvesicles: Lipids as Key Components of their Biogenesis and Functions, Cholesterol and the journey of extracellular vesicles. <i>Journal of Lipid Research</i> , 2018, 59, 2255-2261.	4.2	94
32	Role of Phospholipase D-Derived Phosphatidic Acid in Regulated Exocytosis and Neurological Disease. <i>Handbook of Experimental Pharmacology</i> , 2018, 259, 115-130.	1.8	15
33	Different species of phosphatidic acid are produced during neuronal growth and neurosecretion. <i>OCL - Oilseeds and Fats, Crops and Lipids</i> , 2018, 25, D408.	1.4	4
34	The caveolae-associated coiled-coil protein, $\alpha$ NECC2, regulates insulin signalling in Adipocytes. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 5648-5661.	3.6	8
35	Protein-Phospholipid Interaction Motifs: A Focus on Phosphatidic Acid. <i>Biomolecules</i> , 2018, 8, 20.	4.0	53
36	Cyclophilin A enables specific HIV-1 Tat palmitoylation and accumulation in uninfected cells. <i>Nature Communications</i> , 2018, 9, 2251.	12.8	30

#	ARTICLE	IF	CITATIONS
37	Comparative Characterization of Phosphatidic Acid Sensors and Their Localization during Frustrated Phagocytosis. <i>Journal of Biological Chemistry</i> , 2017, 292, 4266-4279.	3.4	78
38	Phosphatidylinositol (4,5)-bisphosphate-mediated pathophysiological effect of HIV-1 Tat protein. <i>Biochimie</i> , 2017, 141, 80-85.	2.6	5
39	Lipid remodelling in neuroendocrine secretion. <i>Biology of the Cell</i> , 2017, 109, 381-390.	2.0	17
40	Fragile X Mental Retardation Protein (FMRP) controls diacylglycerol kinase activity in neurons. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E3619-28.	7.1	79
41	Dietary arachidonic acid as a risk factor for age-associated neurodegenerative diseases: Potential mechanisms. <i>Biochimie</i> , 2016, 130, 168-177.	2.6	30
42	Fragile X syndrome: Are signaling lipids the missing culprits?. <i>Biochimie</i> , 2016, 130, 188-194.	2.6	13
43	Lipids implicated in the journey of a secretory granule: from biogenesis to fusion. <i>Journal of Neurochemistry</i> , 2016, 137, 904-912.	3.9	36
44	PLD1 participates in BDNF-induced signalling in cortical neurons. <i>Scientific Reports</i> , 2015, 5, 14778.	3.3	27
45	Oligophrenin-1 Connects Exocytotic Fusion to Compensatory Endocytosis in Neuroendocrine Cells. <i>Journal of Neuroscience</i> , 2015, 35, 11045-11055.	3.6	28
46	ADP Ribosylation Factor 6 (ARF6) Promotes Acrosomal Exocytosis by Modulating Lipid Turnover and Rab3A Activation. <i>Journal of Biological Chemistry</i> , 2015, 290, 9823-9841.	3.4	31
47	Annexin A2-dependent actin bundling promotes secretory granule docking to the plasma membrane and exocytosis. <i>Journal of Cell Biology</i> , 2015, 210, 785-800.	5.2	74
48	Annexin A2-dependent actin bundling promotes secretory granule docking to the plasma membrane and exocytosis. <i>Journal of General Physiology</i> , 2015, 146, 1463-1471.	1.9	1
49	Phosphatidic acid in neuronal development: A node for membrane and cytoskeleton rearrangements. <i>Biochimie</i> , 2014, 107, 51-57.	2.6	50
50	Syntenin-ALIX exosome biogenesis and budding into multivesicular bodies are controlled by ARF6 and PLD2. <i>Nature Communications</i> , 2014, 5, 3477.	12.8	418
51	Live-cell imaging of phosphatidic acid dynamics in pollen tubes visualized by a GFP-derived biosensor. <i>New Phytologist</i> , 2014, 203, 483-494.	7.3	80
52	Lack of the presynaptic RhoGAP protein oligophrenin1 leads to cognitive disabilities through dysregulation of the cAMP/PKA signalling pathway. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2014, 369, 20130160.	4.0	28
53	Lipid domain-dependent regulation of single-cell wound repair. <i>Molecular Biology of the Cell</i> , 2014, 25, 1867-1876.	2.1	59
54	HIV-1 Tat protein inhibits neurosecretion by binding to phosphatidylinositol 4,5-bisphosphate. <i>Journal of Cell Science</i> , 2013, 126, 454-463.	2.0	31

#	ARTICLE	IF	CITATIONS
55	The Coffin-Lowry Syndrome-Associated Protein RSK2 Regulates Neurite Outgrowth through Phosphorylation of Phospholipase D1 (PLD1) and Synthesis of Phosphatidic Acid. <i>Journal of Neuroscience</i> , 2013, 33, 19470-19479.	3.6	42
56	Ephrin B1 maintains apical adhesion of neural progenitors. <i>Development (Cambridge)</i> , 2013, 140, 2082-2092.	2.5	56
57	Cooperation of MICAL-L1, syndapin2, and phosphatidic acid in tubular recycling endosome biogenesis. <i>Molecular Biology of the Cell</i> , 2013, 24, 1776-1790.	2.1	87
58	Lipids in Regulated Exocytosis: What are They Doing?. <i>Frontiers in Endocrinology</i> , 2013, 4, 125.	3.5	90
59	The V-ATPase membrane domain is a sensor of granular pH that controls the exocytotic machinery. <i>Journal of Cell Biology</i> , 2013, 203, 283-298.	5.2	93
60	HIV-1 Tat protein perturbs diacylglycerol production at the plasma membrane of neurosecretory cells during exocytosis. <i>Communicative and Integrative Biology</i> , 2013, 6, e25145.	1.4	7
61	The Long Coiled-Coil Protein NECC2 Is Associated to Caveolae and MODULATES NGF/TrkA Signaling IN PC12 CELLS. <i>PLoS ONE</i> , 2013, 8, e73668.	2.5	20
62	Diacylglycerol stimulates acrosomal exocytosis by feeding into a PKC- and PLD1-dependent positive loop that continuously supplies phosphatidylinositol 4,5-bisphosphate. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2012, 1821, 1186-1199.	2.4	38
63	Genetically Encoded Probes for Phosphatidic Acid. <i>Methods in Cell Biology</i> , 2012, 108, 445-459.	1.1	44
64	Rab11 is phosphorylated by classical and novel protein kinase C isoenzymes upon sustained phorbol ester activation. <i>Biology of the Cell</i> , 2012, 104, 102-115.	2.0	22
65	ARF1 controls proliferation of breast cancer cells by regulating the retinoblastoma protein. <i>Oncogene</i> , 2011, 30, 3846-3861.	5.9	47
66	The Synaptic Ribbon Is a Site of Phosphatidic Acid Generation in Ribbon Synapses. <i>Journal of Neuroscience</i> , 2011, 31, 15996-16011.	3.6	51
67	Genetically encoded probes for phosphatidic acid. <i>FASEB Journal</i> , 2011, 25, 934.3.	0.5	0
68	Therapeutic Potentials of Recently Identified PLD Inhibitors. <i>Current Chemical Biology</i> , 2010, 4, 244-249.	0.5	1
69	Synthesis of fusogenic lipids through activation of phospholipase D1 by GTPases and the kinase RSK2 is required for calcium-regulated exocytosis in neuroendocrine cells. <i>Biochemical Society Transactions</i> , 2010, 38, 167-171.	3.4	16
70	Lipid Dynamics in Exocytosis. <i>Cellular and Molecular Neurobiology</i> , 2010, 30, 1335-1342.	3.3	56
71	The Coffin-Lowry Syndrome-Associated Protein rsk2 and Neurosecretion. <i>Cellular and Molecular Neurobiology</i> , 2010, 30, 1401-1406.	3.3	13
72	The Rho Guanine Nucleotide Exchange Factors Intersectin 1L and Î²-Pix Control Calcium-Regulated Exocytosis in Neuroendocrine PC12 Cells. <i>Cellular and Molecular Neurobiology</i> , 2010, 30, 1327-1333.	3.3	18

#	ARTICLE	IF	CITATIONS
73	Melittin promotes exocytosis in neuroendocrine cells through the activation of phospholipase A2. <i>Regulatory Peptides</i> , 2010, 165, 111-116.	1.9	11
74	ADP-Ribosylation Factor 6 Regulates Mammalian Myoblast Fusion through Phospholipase D1 and Phosphatidylinositol 4,5-Bisphosphate Signaling Pathways. <i>Molecular Biology of the Cell</i> , 2010, 21, 2412-2424.	2.1	38
75	Ral Isoforms Are Implicated in Fc $\gamma$ R-Mediated Phagocytosis: Activation of Phospholipase D by RalA. <i>Journal of Immunology</i> , 2010, 185, 2942-2950.	0.8	28
76	Therapeutic Potentials of Recently Identified PLD Inhibitors. <i>Current Chemical Biology</i> , 2010, 4, 244-249.	0.5	2
77	The GTPase RalA Regulates Different Steps of the Secretory Process in Pancreatic $\beta$ -Cells. <i>PLoS ONE</i> , 2009, 4, e7770.	2.5	20
78	Correction for Zeniou-Meyer et al., The Coffin-Lowry syndrome-associated protein RSK2 is implicated in calcium-regulated exocytosis through the regulation of PLD1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 8398-8398.	7.1	0
79	ARF6 Regulates the Synthesis of Fusogenic Lipids for Calcium-regulated Exocytosis in Neuroendocrine Cells. <i>Journal of Biological Chemistry</i> , 2009, 284, 4836-4845.	3.4	61
80	cAMP and Pyk2 interact to regulate prostate cells proliferation and function. <i>Cancer Biology and Therapy</i> , 2009, 8, 236-242.	3.4	3
81	$\beta$ PIX-activated Rac1 stimulates the activation of phospholipase D, which is associated with exocytosis in neuroendocrine cells. <i>Journal of Cell Science</i> , 2009, 122, 798-806.	2.0	47
82	IL1RAPL1 controls inhibitory networks during cerebellar development in mice. <i>European Journal of Neuroscience</i> , 2009, 30, 1476-1486.	2.6	32
83	The Coffin-Lowry Syndrome-associated Protein RSK2 Controls Neuroendocrine Secretion through the Regulation of Phospholipase D1 at the Exocytotic Sites. <i>Annals of the New York Academy of Sciences</i> , 2009, 1152, 201-208.	3.8	16
84	X-linked mental retardation: focus on synaptic function and plasticity. <i>Journal of Neurochemistry</i> , 2009, 109, 1-14.	3.9	51
85	Phospholipase D in calcium-regulated exocytosis: Lessons from chromaffin cells. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2009, 1791, 936-941.	2.4	67
86	Phospholipase D1 is specifically required for regulated secretion of von Willebrand factor from endothelial cells. <i>Blood</i> , 2009, 113, 973-980.	1.4	62
87	The Coffin-Lowry syndrome-associated protein RSK2 is implicated in calcium-regulated exocytosis through the regulation of PLD1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 8434-8439.	7.1	50
88	PIKfyve Negatively Regulates Exocytosis in Neurosecretory Cells. <i>Journal of Biological Chemistry</i> , 2008, 283, 2804-2813.	3.4	51
89	SNARE-catalyzed Fusion Events Are Regulated by Syntaxin1A-Lipid Interactions. <i>Molecular Biology of the Cell</i> , 2008, 19, 485-497.	2.1	134
90	Phospholipase D1 Production of Phosphatidic Acid at the Plasma Membrane Promotes Exocytosis of Large Dense-core Granules at a Late Stage. <i>Journal of Biological Chemistry</i> , 2007, 282, 21746-21757.	3.4	185

#	ARTICLE	IF	CITATIONS
91	Lipid Modifications During Membrane Fusion in Regulated Exocytosis. <i>Current Chemical Biology</i> , 2007, 1, 161-166.	0.5	1
92	IL1-receptor accessory protein-like 1 (IL1RAPL1), a protein involved in cognitive functions, regulates N-type Ca <sup>2+</sup> -channel and neurite elongation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 9063-9068.	7.1	78
93	Endogenous ARF6 Interacts with Rac1 upon Angiotensin II Stimulation to Regulate Membrane Ruffling and Cell Migration. <i>Molecular Biology of the Cell</i> , 2007, 18, 501-511.	2.1	60
94	The RhoGAP RGA-2 and LET-502/ROCK achieve a balance of actomyosin-dependent forces in <i>C. elegans</i> epidermis to control morphogenesis. <i>Development (Cambridge)</i> , 2007, 134, 2469-2479.	2.5	74
95	Phospholipase D1-induced phosphatidic acid at the plasma membrane promotes a late stage of large dense-core. <i>FASEB Journal</i> , 2007, 21, A604.	0.5	0
96	Lipid Modifications During Membrane Fusion in Regulated Exocytosis. <i>Current Chemical Biology</i> , 2007, 1, 161-166.	0.5	2
97	Phospholipase D. , 2007, , 75-83.		0
98	Dynamics and Function of Phospholipase D and Phosphatidic Acid During Phagocytosis. <i>Traffic</i> , 2006, 7, 365-377.	2.7	123
99	Scrib Controls Cdc42 Localization and Activity to Promote Cell Polarization during Astrocyte Migration. <i>Current Biology</i> , 2006, 16, 2395-2405.	3.9	198
100	Functional Implication of Neuronal Calcium Sensor-1 and Phosphoinositol 4-Kinase- $\hat{I}^2$ Interaction in Regulated Exocytosis of PC12 Cells. <i>Journal of Biological Chemistry</i> , 2006, 281, 18098-18111.	3.4	53
101	Regulation of Neuroendocrine Exocytosis by the ARF6 GTPase-activating Protein GIT1. <i>Journal of Biological Chemistry</i> , 2006, 281, 7919-7926.	3.4	30
102	Thyrotropin receptor trafficking relies on the hScrib $\hat{I}^2$ PIX $\hat{I}^2$ GIT1 $\hat{I}^2$ ARF6 pathway. <i>EMBO Journal</i> , 2005, 24, 1364-1374.	7.8	65
103	The Small GTPase RalA Controls Exocytosis of Large Dense Core Secretory Granules by Interacting with ARF6-dependent Phospholipase D1. <i>Journal of Biological Chemistry</i> , 2005, 280, 29921-29928.	3.4	71
104	Role of Phosphoinositide Signaling in the Control of Insulin Exocytosis. <i>Molecular Endocrinology</i> , 2005, 19, 3097-3106.	3.7	74
105	Annexin 2 Promotes the Formation of Lipid Microdomains Required for Calcium-regulated Exocytosis of Dense-Core Vesicles. <i>Molecular Biology of the Cell</i> , 2005, 16, 1108-1119.	2.1	131
106	Mammalian Scribble Forms a Tight Complex with the $\hat{I}^2$ PIX Exchange Factor. <i>Current Biology</i> , 2004, 14, 987-995.	3.9	195
107	Coupling actin and membrane dynamics during calcium-regulated exocytosis: a role for Rho and ARF GTPases. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2004, 1742, 37-49.	4.1	87
108	Regulation of exocytosis in adrenal chromaffin cells: focus on ARF and Rho GTPases. <i>Cellular Signalling</i> , 2003, 15, 893-899.	3.6	32



#	ARTICLE	IF	CITATIONS
109	Regulation of phospholipase D1 subcellular cycling through coordination of multiple membrane association motifs. <i>Journal of Cell Biology</i> , 2003, 162, 305-315.	5.2	154
110	Calcium-regulated exocytosis of dense-core vesicles requires the activation of ADP-ribosylation factor (ARF)6 by ARF nucleotide binding site opener at the plasma membrane. <i>Journal of Cell Biology</i> , 2002, 159, 79-89.	5.2	118
111	Exocytosis: The Chromaffin Cell As a Model System. <i>Annals of the New York Academy of Sciences</i> , 2002, 971, 178-183.	3.8	59
112	Regulated Secretion in Chromaffin Cells. <i>Annals of the New York Academy of Sciences</i> , 2002, 971, 193-200.	3.8	38
113	[35] Purification and properties of ARD1, an ADP-ribosylation factor (ARF)-related protein with GTPase-activating domain. <i>Methods in Enzymology</i> , 2001, 329, 324-334.	1.0	4
114	Phospholipase D1: a key factor for the exocytotic machinery in neuroendocrine cells. <i>EMBO Journal</i> , 2001, 20, 2424-2434.	7.8	221
115	Involvement of ADP-ribosylation Factor 1 in Cholera Toxin-induced Morphological Changes of Chinese Hamster Ovary Cells. <i>Journal of Biological Chemistry</i> , 2001, 276, 22838-22843.	3.4	21
116	A role for phospholipase D1 in neurotransmitter release. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 15300-15305.	7.1	161
117	$\beta$ 2-Arrestin-mediated ADP-ribosylation Factor 6 Activation and $\beta$ 2-Adrenergic Receptor Endocytosis. <i>Journal of Biological Chemistry</i> , 2001, 276, 42509-42513.	3.4	204
118	Specific Functional Interaction of Human Cytohesin-1 and ADP-ribosylation Factor Domain Protein (ARD1). <i>Journal of Biological Chemistry</i> , 2000, 275, 21331-21339.	3.4	19
119	Identification of Lysosomal and Golgi Localization Signals in GAP and ARF Domains of ARF Domain Protein 1. <i>Molecular and Cellular Biology</i> , 2000, 20, 7342-7352.	2.3	9
120	GIT Proteins, A Novel Family of Phosphatidylinositol 3,4,5-Trisphosphate-stimulated GTPase-activating Proteins for ARF6. <i>Journal of Biological Chemistry</i> , 2000, 275, 13901-13906.	3.4	142
121	The GIT Family of ADP-ribosylation Factor GTPase-activating Proteins. <i>Journal of Biological Chemistry</i> , 2000, 275, 22373-22380.	3.4	125
122	Identification of a Plasma Membrane-associated Guanine Nucleotide Exchange Factor for ARF6 in Chromaffin Cells. <i>Journal of Biological Chemistry</i> , 2000, 275, 15637-15644.	3.4	71
123	Insight in the exocytotic process in chromaffin cells: Regulation by trimeric and monomeric G proteins. <i>Biochimie</i> , 2000, 82, 365-373.	2.6	19
124	Regulation of exocytosis in chromaffin cells by phosducin-like protein, a protein interacting with G protein $\beta\gamma$ subunits. <i>FEBS Letters</i> , 2000, 480, 184-188.	2.8	8
125	$\beta$ 2-Adrenergic receptor regulation by GIT1, a G protein-coupled receptor kinase-associated ADP ribosylation factor GTPase-activating protein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 14082-14087.	7.1	281
126	Regulated Exocytosis in Chromaffin Cells. <i>Journal of Biological Chemistry</i> , 1998, 273, 1373-1379.	3.4	155



#	ARTICLE	IF	CITATIONS
127	Molecular Characterization of the GTPase-activating Domain of ADP-ribosylation Factor Domain Protein 1 (ARD1). <i>Journal of Biological Chemistry</i> , 1998, 273, 2553-2560.	3.4	30
128	Guanine Nucleotide Exchange on ADP-ribosylation Factors Catalyzed by Cytohesin-1 and Its Sec7 Domain. <i>Journal of Biological Chemistry</i> , 1998, 273, 26543-26548.	3.4	45
129	Localization of ADP-ribosylation factor domain protein 1 (ARD1) in lysosomes and Golgi apparatus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 8613-8618.	7.1	28
130	Regulated Exocytosis in Chromaffin Cells. <i>Journal of Biological Chemistry</i> , 1997, 272, 2788-2793.	3.4	121
131	Interaction of the GTP-binding and GTPase-activating Domains of ARD1 Involves the Effector Region of the ADP-ribosylation Factor Domain. <i>Journal of Biological Chemistry</i> , 1997, 272, 3897-3904.	3.4	26
132	Characterization of a GDP Dissociation Inhibitory Region of ADP-ribosylation Factor Domain Protein ARD1. <i>Journal of Biological Chemistry</i> , 1997, 272, 25077-25082.	3.4	14
133	Exocytosis in single chromaffin cells: regulation by a secretory granule-associated Go protein. <i>Cellular and Molecular Neurobiology</i> , 1997, 17, 71-87.	3.3	15
134	ARD1, a 64-kDa bifunctional protein containing an 18-kDa GTP-binding ADP-ribosylation factor domain and a 46-kDa GTPase-activating domain.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 1941-1944.	7.1	53
135	Trimeric G Proteins Control Regulated Exocytosis in Bovine Chromaffin Cells: Sequential Involvement of Go Associated With Secretory Granules and Gi3Bound to the Plasma Membrane. <i>European Journal of Neuroscience</i> , 1996, 8, 1275-1285.	2.6	48
136	Characterization of a GTPase-activating Protein That Stimulates GTP Hydrolysis by Both ADP-ribosylation Factor (ARF) and ARF-like Proteins. <i>Journal of Biological Chemistry</i> , 1996, 271, 24005-24009.	3.4	31
137	Annexin II in exocytosis: catecholamine secretion requires the translocation of p36 to the subplasmalemmal region in chromaffin cells.. <i>Journal of Cell Biology</i> , 1996, 133, 1217-1236.	5.2	105
138	Protéines G trimériques et transport vésiculaire : implication d'une protéine Go granulaire dans une étape de l'exocytose contrainée. <i>Medecine/Sciences</i> , 1995, 11, 1034.	0.2	0