

Axel Thielscher

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4670829/publications.pdf>

Version: 2024-02-01

125
papers

9,319
citations

61984

43
h-index

51608

86
g-index

148
all docs

148
docs citations

148
times ranked

7327
citing authors

#	ARTICLE	IF	CITATIONS
1	A checklist for assessing the methodological quality of concurrent tES-fMRI studies (ContES) Tj ETQq1 1 0.784314 rgBT /Overlock 10	12.0	21
2	Differences in electric field strength between clinical and non-clinical populations induced by prefrontal tDCS: A cross-diagnostic, individual MRI-based modeling study. <i>NeuroImage: Clinical</i> , 2022, 34, 103011.	2.7	13
3	Relationship between high-frequency activity in the cortical sensory and the motor hand areas, and their myelin content. <i>Brain Stimulation</i> , 2022, 15, 717-726.	1.6	6
4	Database of 25 validated coil models for electric field simulations for TMS. <i>Brain Stimulation</i> , 2022, 15, 697-706.	1.6	16
5	Transcranial magnetic stimulation of the brain: What is stimulated? – A consensus and critical position paper. <i>Clinical Neurophysiology</i> , 2022, 140, 59-97.	1.5	124
6	Short periods of bipolar anodal TDCS induce no instantaneous dose-dependent increase in cerebral blood flow in the targeted human motor cortex. <i>Scientific Reports</i> , 2022, 12, .	3.3	3
7	Effects of bifrontal transcranial direct current stimulation on brain glutamate levels and resting state connectivity: multimodal MRI data for the cathodal stimulation site. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 111-122.	3.2	17
8	Inter-individual and age-dependent variability in simulated electric fields induced by conventional transcranial electrical stimulation. <i>NeuroImage</i> , 2021, 224, 117413.	4.2	56
9	Detection of biological signals from a live mammalian muscle using an early stage diamond quantum sensor. <i>Scientific Reports</i> , 2021, 11, 2412.	3.3	39
10	Optimizing the electric field strength in multiple targets for multichannel transcranial electric stimulation. <i>Journal of Neural Engineering</i> , 2021, 18, 014001.	3.5	14
11	The Myelin Content of the Human Precentral Hand Knob Reflects Interindividual Differences in Manual Motor Control at the Physiological and Behavioral Level. <i>Journal of Neuroscience</i> , 2021, 41, 3163-3179.	3.6	24
12	Transcranial focused ultrasound stimulation with high spatial resolution. <i>Brain Stimulation</i> , 2021, 14, 290-300.	1.6	47
13	In-vitro Recordings of Neural Magnetic Activity From the Auditory Brainstem Using Color Centers in Diamond: A Simulation Study. <i>Frontiers in Neuroscience</i> , 2021, 15, 643614.	2.8	5
14	The impact of CT image parameters and skull heterogeneity modeling on the accuracy of transcranial focused ultrasound simulations. <i>Journal of Neural Engineering</i> , 2021, 18, 046041.	3.5	14
15	Safety evaluation of a new setup for transcranial electric stimulation during magnetic resonance imaging. <i>Brain Stimulation</i> , 2021, 14, 488-497.	1.6	6
16	Sensitivity and resolution improvement for in vivo magnetic resonance current density imaging of the human brain. <i>Magnetic Resonance in Medicine</i> , 2021, 86, 3131-3146.	3.0	4
17	Concurrent TMS-fMRI for causal network perturbation and proof of target engagement. <i>NeuroImage</i> , 2021, 237, 118093.	4.2	56
18	Estimation of individually induced e-field strength during transcranial electric stimulation using the head circumference. <i>Brain Stimulation</i> , 2021, 14, 1055-1058.	1.6	16

#	ARTICLE	IF	CITATIONS
19	On the reconstruction of magnetic resonance current density images of the human brain: Pitfalls and perspectives. <i>NeuroImage</i> , 2021, 243, 118517.	4.2	5
20	Interindividual variability of electric fields during transcranial temporal interference stimulation (tTIS). <i>Scientific Reports</i> , 2021, 11, 20357.	3.3	21
21	Efficient high-resolution TMS mapping of the human motor cortex by nonlinear regression. <i>NeuroImage</i> , 2021, 245, 118654.	4.2	33
22	Multichannel anodal tDCS over the left dorsolateral prefrontal cortex in a paediatric population. <i>Scientific Reports</i> , 2021, 11, 21512.	3.3	14
23	Increasing propensity to mindâ€wander by transcranial direct current stimulation? A registered report. <i>European Journal of Neuroscience</i> , 2020, 51, 755-780.	2.6	32
24	A novel approach to localize cortical TMS effects. <i>NeuroImage</i> , 2020, 209, 116486.	4.2	112
25	Value and limitations of intracranial recordings for validating electric field modeling for transcranial brain stimulation. <i>NeuroImage</i> , 2020, 208, 116431.	4.2	39
26	Stimulating aged brains with transcranial direct current stimulation: Opportunities and challenges. <i>Psychiatry Research - Neuroimaging</i> , 2020, 306, 111179.	1.8	21
27	Accurate TMS Head Modeling: Interfacing SimNIBS and BEM-FMM in a MATLAB-Based Module. , 2020, 2020, 5326-5329.		2
28	Fast evaluation of the Biot-Savart integral using FFT for electrical conductivity imaging. <i>Journal of Computational Physics</i> , 2020, 411, 109408.	3.8	13
29	Transducer modeling for accurate acoustic simulations of transcranial focused ultrasound stimulation. <i>Journal of Neural Engineering</i> , 2020, 17, 046010.	3.5	19
30	Guidelines for TMS/tES clinical services and research through the COVID-19 pandemic. <i>Brain Stimulation</i> , 2020, 13, 1124-1149.	1.6	78
31	Accurate and robust whole-head segmentation from magnetic resonance images for individualized head modeling. <i>NeuroImage</i> , 2020, 219, 117044.	4.2	73
32	Probing EEG activity in the targeted cortex after focal transcranial electrical stimulation. <i>Brain Stimulation</i> , 2020, 13, 815-818.	1.6	5
33	Safety of transcranial focused ultrasound stimulation: A systematic review of the state of knowledge from both human and animal studies. <i>Brain Stimulation</i> , 2019, 12, 1367-1380.	1.6	86
34	Electric field simulations for transcranial brain stimulation using FEM: an efficient implementation and error analysis. <i>Journal of Neural Engineering</i> , 2019, 16, 066032.	3.5	95
35	Accurate anatomical head segmentations: a data set for biomedical simulations. , 2019, 2019, 6118-6123.		6
36	Accessibility of cortical regions to focal TES: Dependence on spatial position, safety, and practical constraints. <i>NeuroImage</i> , 2019, 203, 116183.	4.2	67

#	ARTICLE	IF	CITATIONS
37	Optimization of tumor treating fields using singular value decomposition and minimization of field anisotropy. <i>Physics in Medicine and Biology</i> , 2019, 64, 04NT03.	3.0	14
38	The stray magnetic fields in Magnetic Resonance Current Density Imaging (MRCDI). <i>Physica Medica</i> , 2019, 59, 142-150.	0.7	12
39	Towards precise brain stimulation: Is electric field simulation related to neuromodulation?. <i>Brain Stimulation</i> , 2019, 12, 1159-1168.	1.6	99
40	Can Transcranial Electrical Stimulation Localize Brain Function?. <i>Frontiers in Psychology</i> , 2019, 10, 213.	2.1	48
41	Commentary: Transcranial stimulation of the frontal lobes increases propensity of mind-wandering without changing meta-awareness. <i>Frontiers in Psychology</i> , 2019, 10, 130.	2.1	5
42	Blinding is compromised for transcranial direct current stimulation at 1 mA for 20 min in young healthy adults. <i>European Journal of Neuroscience</i> , 2019, 50, 3261-3268.	2.6	70
43	Distilling the essence of TMS-evoked EEG potentials (TEPs): A call for securing mechanistic specificity and experimental rigor. <i>Brain Stimulation</i> , 2019, 12, 1051-1054.	1.6	42
44	SURG-01. OPTIMALTTF-1: FINAL RESULTS OF A PHASE 1 STUDY: FIRST GLIOBLASTOMA RECURRENCE EXAMINING TARGETED SKULL REMODELING SURGERY TO ENHANCE TUMOR TREATING FIELDS STRENGTH. <i>Neuro-Oncology</i> , 2019, 21, vi239-vi240.	1.2	0
45	Enhancing Tumor Treating Fields Therapy with Skull-Remodeling Surgery. The Role of Finite Element Methods in Surgery Planning. , 2019, 2019, 6995-6997.		7
46	Comparison of prospective head motion correction with NMR field probes and an optical tracking system. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 719-729.	3.0	23
47	A principled approach to conductivity uncertainty analysis in electric field calculations. <i>NeuroImage</i> , 2019, 188, 821-834.	4.2	96
48	Miniature ultrasound ring array transducers for transcranial ultrasound neuromodulation of freely-moving small animals. <i>Brain Stimulation</i> , 2019, 12, 251-255.	1.6	42
49	The non-transcranial TMS-evoked potential is an inherent source of ambiguity in TMS-EEG studies. <i>NeuroImage</i> , 2019, 185, 300-312.	4.2	246
50	SimNIBS 2.1: A Comprehensive Pipeline for Individualized Electric Field Modelling for Transcranial Brain Stimulation. , 2019, , 3-25.		115
51	A Review on Tumor-Treating Fields (TTFields): Clinical Implications Inferred From Computational Modeling. <i>IEEE Reviews in Biomedical Engineering</i> , 2018, 11, 195-207.	18.0	69
52	An MR-Compatible Haptic Interface With Seven Degrees of Freedom. <i>IEEE/ASME Transactions on Mechatronics</i> , 2018, 23, 624-635.	5.8	5
53	Effects of transcranial direct current stimulation for treating depression: A modeling study. <i>Journal of Affective Disorders</i> , 2018, 234, 164-173.	4.1	59
54	Age-dependent effects of brain stimulation on network centrality. <i>NeuroImage</i> , 2018, 176, 71-82.	4.2	48

#	ARTICLE	IF	CITATIONS
55	Human in-vivo brain magnetic resonance current density imaging (MRCDI). <i>NeuroImage</i> , 2018, 171, 26-39.	4.2	44
56	Feasibility and resolution limits of opto-magnetic imaging of neural network activity in brain slices using color centers in diamond. <i>Scientific Reports</i> , 2018, 8, 4503.	3.3	20
57	Automatic skull segmentation from MR images for realistic volume conductor models of the head: Assessment of the state-of-the-art. <i>NeuroImage</i> , 2018, 174, 587-598.	4.2	198
58	Sensitivity analysis of magnetic field measurements for magnetic resonance electrical impedance tomography (MREIT). <i>Magnetic Resonance in Medicine</i> , 2018, 79, 748-760.	3.0	13
59	ACTR-43. OPEN-LABEL PHASE 1 CLINICAL TRIAL TESTING PERSONALIZED AND TARGETED SKULL REMODELING SURGERY TO MAXIMIZE TTFIELDS INTENSITY FOR RECURRENT GLIOBLASTOMA – INTERIM ANALYSIS AND SAFETY ASSESSMENT (OPTIMALTTF-1). <i>Neuro-Oncology</i> , 2018, 20, vi21-vi21.	1.2	3
60	EXTH-40. OPTIMIZING ARRAY LAYOUTS FOR GLIOBLASTOMA THERAPY WITH TUMOR TREATING FIELDS (TTFIELDS) – USE OF OBLIQUE ARRAY LAYOUTS SURPASS DEFAULT LEFT-RIGHT/ANTERIOR-POSTERIOR POSITIONS IN A COMPUTER SIMULATION MODEL. <i>Neuro-Oncology</i> , 2018, 20, vi93-vi93.	1.2	0
61	Estimating the Intensity and Anisotropy of Tumor Treating Fields Using Singular Value Decomposition. Towards a More Comprehensive Estimation of Anti-tumor Efficacy. , 2018, 2018, 4897-4900.		9
62	EXTH-38. A NEW COMPUTATIONAL METHOD FOR COMPREHENSIVE ESTIMATION OF ANTI TUMOR EFFICACY OF TUMOR TREATING FIELDS (TTFIELDS). ACCOUNTING FOR FIELD INTENSITY, EXPOSURE TIME AND UNWANTED SPATIAL FIELD CORRELATION. <i>Neuro-Oncology</i> , 2018, 20, vi93-vi93.	1.2	0
63	Head models of healthy and depressed adults for simulating the effects of non-invasive brain stimulation. <i>F1000Research</i> , 2018, 7, 704.	1.6	10
64	On the importance of precise electrode placement for targeted transcranial electric stimulation. <i>NeuroImage</i> , 2018, 181, 560-567.	4.2	87
65	Importance of electrode position for the distribution of tumor treating fields (TTFields) in a human brain. Identification of effective layouts through systematic analysis of array positions for multiple tumor locations. <i>PLoS ONE</i> , 2018, 13, e0201957.	2.5	32
66	[OA019] Human in-vivo Magnetic Resonance Current Density Imaging (MRCDI) and MR Electrical Impedance Tomography (MREIT). <i>Physica Medica</i> , 2018, 52, 8.	0.7	0
67	Skull segmentation from MR scans using a higher-order shape model based on convolutional restricted Boltzmann machines. , 2018, , .		1
68	Head models of healthy and depressed adults for simulating the electric fields of non-invasive electric brain stimulation. <i>F1000Research</i> , 2018, 7, 704.	1.6	15
69	Where does TMS Stimulate the Motor Cortex? Combining Electrophysiological Measurements and Realistic Field Estimates to Reveal the Affected Cortex Position. <i>Cerebral Cortex</i> , 2017, 27, 5083-5094.	2.9	110
70	The impact of large structural brain changes in chronic stroke patients on the electric field caused by transcranial brain stimulation. <i>NeuroImage: Clinical</i> , 2017, 15, 106-117.	2.7	84
71	Transcranial magnetic stimulation of right inferior parietal cortex causally influences prefrontal activation for visual detection. <i>European Journal of Neuroscience</i> , 2017, 46, 2807-2816.	2.6	8
72	How to target inter-regional phase synchronization with dual-site Transcranial Alternating Current Stimulation. <i>NeuroImage</i> , 2017, 163, 68-80.	4.2	94

#	ARTICLE	IF	CITATIONS
73	Centre-surround organization of fast sensorimotor integration in human motor hand area. <i>NeuroImage</i> , 2017, 158, 37-47.	4.2	47
74	Impact of tumor position, conductivity distribution and tissue homogeneity on the distribution of tumor treating fields in a human brain: A computer modeling study. <i>PLoS ONE</i> , 2017, 12, e0179214.	2.5	35
75	Comparing TMS perturbations to occipital and parietal cortices in concurrent TMS-fMRI studies – Methodological considerations. <i>PLoS ONE</i> , 2017, 12, e0181438.	2.5	9
76	EXTH-04. GUIDING PRINCIPLES FOR PREDICTING THE DISTRIBUTION OF TUMOR TREATING FIELDS IN A HUMAN BRAIN: A COMPUTER MODELING STUDY INVESTIGATING THE IMPACT OF TUMOR POSITION, CONDUCTIVITY DISTRIBUTION AND TISSUE HOMOGENEITY. <i>Neuro-Oncology</i> , 2017, 19, vi73-vi73.	1.2	8
77	Enhancing Predicted Efficacy of Tumor Treating Fields Therapy of Glioblastoma Using Targeted Surgical Craniectomy: A Computer Modeling Study. <i>PLoS ONE</i> , 2016, 11, e0164051.	2.5	34
78	Transcranial brain stimulation: closing the loop between brain and stimulation. <i>Current Opinion in Neurology</i> , 2016, 29, 397-404.	3.6	83
79	Reaching with the sixth sense: Vestibular contributions to voluntary motor control in the human right parietal cortex. <i>NeuroImage</i> , 2016, 124, 869-875.	4.2	19
80	Evaluation of a Modified High-Definition Electrode Montage for Transcranial Alternating Current Stimulation (tACS) of Pre-Central Areas. <i>Brain Stimulation</i> , 2016, 9, 700-704.	1.6	46
81	Spatiotemporal structure of intracranial electric fields induced by transcranial electric stimulation in humans and nonhuman primates. <i>Scientific Reports</i> , 2016, 6, 31236.	3.3	256
82	Combining non-invasive transcranial brain stimulation with neuroimaging and electrophysiology: Current approaches and future perspectives. <i>NeuroImage</i> , 2016, 140, 4-19.	4.2	271
83	Field modeling for transcranial magnetic stimulation: A useful tool to understand the physiological effects of TMS?. , 2015, 2015, 222-5.		454
84	Determinants of the electric field during transcranial direct current stimulation. <i>NeuroImage</i> , 2015, 109, 140-150.	4.2	529
85	Bringing transcranial mapping into shape: Sulcus-aligned mapping captures motor somatotopy in human primary motor hand area. <i>NeuroImage</i> , 2015, 120, 164-175.	4.2	90
86	Transcranial Magnetic Stimulation: An Automated Procedure to Obtain Coil-specific Models for Field Calculations. <i>Brain Stimulation</i> , 2015, 8, 1205-1208.	1.6	15
87	Modeling the effects of noninvasive transcranial brain stimulation at the biophysical, network, and cognitive Level. <i>Progress in Brain Research</i> , 2015, 222, 261-287.	1.4	49
88	On the importance of electrode parameters for shaping electric field patterns generated by tDCS. <i>NeuroImage</i> , 2015, 120, 25-35.	4.2	212
89	Concurrent TMS-fMRI Reveals Interactions between Dorsal and Ventral Attentional Systems. <i>Journal of Neuroscience</i> , 2015, 35, 11445-11457.	3.6	50
90	Connectivity between Right Inferior Frontal Gyrus and Supplementary Motor Area Predicts After-Effects of Right Frontal Cathodal tDCS on Picture Naming Speed. <i>Brain Stimulation</i> , 2014, 7, 122-129.	1.6	43

#	ARTICLE	IF	CITATIONS
91	Design of a new MR-compatible haptic interface with six actuated degrees of freedom. , 2014, , .		8
92	A key region in the human parietal cortex for processing proprioceptive hand feedback during reaching movements. <i>NeuroImage</i> , 2014, 84, 615-625.	4.2	47
93	Electric field calculations in brain stimulation based on finite elements: An optimized processing pipeline for the generation and usage of accurate individual head models. <i>Human Brain Mapping</i> , 2013, 34, 923-935.	3.6	353
94	Effects of Parietal TMS on Visual and Auditory Processing at the Primary Cortical Level – A Concurrent TMS-fMRI Study. <i>Cerebral Cortex</i> , 2013, 23, 873-884.	2.9	29
95	Uncovering a Context-Specific Connectional Fingerprint of Human Dorsal Premotor Cortex. <i>Journal of Neuroscience</i> , 2012, 32, 7244-7252.	3.6	37
96	Electric field calculations in brain stimulation: The importance of geometrically accurate head models. <i>Biomedizinische Technik</i> , 2012, 57, .	0.8	3
97	The neural mechanisms of reliability weighted integration of shape information from vision and touch. <i>NeuroImage</i> , 2012, 60, 1063-1072.	4.2	53
98	How the brain tissue shapes the electric field induced by transcranial magnetic stimulation. <i>NeuroImage</i> , 2011, 58, 849-859.	4.2	291
99	Impact of the gyral geometry on the electric field induced by transcranial magnetic stimulation. <i>NeuroImage</i> , 2011, 54, 234-243.	4.2	351
100	Effects of transcranial magnetic stimulation on visual evoked potentials in a visual suppression task. <i>NeuroImage</i> , 2011, 54, 1375-1384.	4.2	44
101	Assessment of MR compatibility of a PET insert developed for simultaneous multiparametric PET/MR imaging on an animal system operating at 7 T. <i>Magnetic Resonance in Medicine</i> , 2011, 65, 269-279.	3.0	52
102	Contributions of the PPC to Online Control of Visually Guided Reaching Movements Assessed with fMRI-Guided TMS. <i>Cerebral Cortex</i> , 2011, 21, 1602-1612.	2.9	51
103	Disrupting Parietal Function Prolongs Dominance Durations in Binocular Rivalry. <i>Current Biology</i> , 2010, 20, 2106-2111.	3.9	102
104	Interleaved TMS/CASL: Comparison of different rTMS protocols. <i>NeuroImage</i> , 2010, 49, 612-620.	4.2	37
105	New coil positioning method for interleaved transcranial magnetic stimulation (TMS)/functional MRI (fMRI) and its validation in a motor cortex study. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 29, 189-197.	3.4	47
106	Seeing the hand while reaching speeds up online responses to a sudden change in target position. <i>Journal of Physiology</i> , 2009, 587, 4605-4616.	2.9	44
107	Determining the cortical target of transcranial magnetic stimulation. <i>NeuroImage</i> , 2009, 47, 1319-1330.	4.2	22
108	Globally consistent depth sorting of overlapping 2D surfaces in a model using local recurrent interactions. <i>Biological Cybernetics</i> , 2008, 98, 305-337.	1.3	29

#	ARTICLE	IF	CITATIONS
109	Simultaneous PET-MRI: a new approach for functional and morphological imaging. <i>Nature Medicine</i> , 2008, 14, 459-465.	30.7	1,008
110	Texture segmentation in human perception: A combined modeling and fMRI study. <i>Neuroscience</i> , 2008, 151, 730-736.	2.3	28
111	Neural Correlates of Perceptual Choice and Decision Making during Fear-Disgust Discrimination. <i>Journal of Neuroscience</i> , 2007, 27, 2908-2917.	3.6	153
112	A computational model to link psychophysics and cortical cell activation patterns in human texture processing. <i>Journal of Computational Neuroscience</i> , 2007, 22, 255-282.	1.0	18
113	Cholinergic enhancement of episodic memory in healthy young adults. <i>Psychopharmacology</i> , 2005, 182, 170-179.	3.1	62
114	Accuracy of Stereotaxic Positioning of Transcranial Magnetic Stimulation. <i>Brain Topography</i> , 2005, 17, 253-259.	1.8	84
115	Neural mechanisms of human texture processing: Texture boundary detection and visual search. <i>Spatial Vision</i> , 2005, 18, 227-257.	1.4	22
116	Electric field properties of two commercial figure-8 coils in TMS: calculation of focality and efficiency. <i>Clinical Neurophysiology</i> , 2004, 115, 1697-1708.	1.5	244
117	DEVELOPMENT OF A NAVIGATION SYSTEM FOR TRANSCRANIAL MAGNETIC STIMULATION (TMS)., 2004, , .		0
118	Neural mechanisms of cortico-cortical interaction in texture boundary detection: a modeling approach. <i>Neuroscience</i> , 2003, 122, 921-939.	2.3	50
119	Chapter 19 Motor and phosphene thresholds: consequences of cortical anisotropy. <i>Supplements To Clinical Neurophysiology</i> , 2003, 56, 198-203.	2.1	4
120	Spatial congruence of neuronavigated transcranial magnetic stimulation and functional neuroimaging. <i>Clinical Neurophysiology</i> , 2002, 113, 462-468.	1.5	75
121	Linking Physics with Physiology in TMS: A Sphere Field Model to Determine the Cortical Stimulation Site in TMS. <i>NeuroImage</i> , 2002, 17, 1117-1130.	4.2	216
122	Motor thresholds in humans: a transcranial magnetic stimulation study comparing different pulse waveforms, current directions and stimulator types. <i>Clinical Neurophysiology</i> , 2001, 112, 250-258.	1.5	367
123	The navigation of transcranial magnetic stimulation. <i>Psychiatry Research - Neuroimaging</i> , 2001, 108, 123-131.	1.8	156
124	Commentary: "Transcranial stimulation of the frontal lobes increases propensity of mind-wandering without changing meta-awareness", , , .		0
125	Guidelines for Burr Hole Surgery in Combination With Tumor Treating Fields for Glioblastoma: A Computational Study on Dose Optimization and Array Layout Planning. <i>Frontiers in Human Neuroscience</i> , 0, 16, .	2.0	0