
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4672050/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Evaluation of retinal nerve fibre layer thickness as a possible measure of diabetic retinal neurodegeneration in the EPIC-Norfolk Eye Study. British Journal of Ophthalmology, 2023, 107, 705-711.	3.9	3
2	Predictors of long-term intraocular pressure control after lens extraction in primary angle closure glaucoma: results from the EAGLE trial. British Journal of Ophthalmology, 2023, 107, 1072-1078.	3.9	9
3	Cataract progression after Nd:YAG laser iridotomy in primary angle-closure suspect eyes. British Journal of Ophthalmology, 2023, 107, 1264-1268.	3.9	1
4	Association of ambient air pollution with age-related macular degeneration and retinal thickness in UK Biobank. British Journal of Ophthalmology, 2022, 106, 705-711.	3.9	33
5	Risk factors for previously undiagnosed primary open-angle glaucoma: the EPIC-Norfolk Eye Study. British Journal of Ophthalmology, 2022, 106, 1684-1688.	3.9	2
6	The Singapore Asymptomatic Narrow Angles Laser Iridotomy Study. Ophthalmology, 2022, 129, 147-158.	5.2	37
7	Ocular Biometric Risk Factors for Progression of Primary Angle Closure Disease. Ophthalmology, 2022, 129, 267-275.	5.2	36
8	Visual Impairment and Risk of Dementia in 2 Population-Based Prospective Cohorts: UK Biobank and EPIC-Norfolk. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2022, 77, 697-704.	3.6	8
9	Alcohol, Intraocular Pressure, and Open-Angle Glaucoma. Ophthalmology, 2022, 129, 637-652.	5.2	19
10	Associations of Alcohol Consumption and Smoking With Disease Risk and Neurodegeneration in Individuals With Multiple Sclerosis in the United Kingdom. JAMA Network Open, 2022, 5, e220902.	5.9	8
11	The Association between Serum Lipids and Intraocular Pressure in 2 Large United Kingdom Cohorts. Ophthalmology, 2022, 129, 986-996.	5.2	11
12	Acute Angle-Closure Attacks Are Uncommon in Primary Angle-Closure Suspects after Pharmacologic Mydriasis. Ophthalmology Glaucoma, 2022, 5, 581-586.	1.9	1
13	Prevention of angle-closure glaucoma: balancing risk and benefit. Eye, 2022, 36, 2229-2231.	2.1	4
14	The Association of Female Reproductive Factors with Glaucoma and Related Traits. Ophthalmology Glaucoma, 2022, 5, 628-647.	1.9	8
15	High Blood Pressure and Intraocular Pressure: A Mendelian Randomization Study. , 2022, 63, 29.		15
16	Long-term effect of YAG laser iridotomy on corneal endothelium in primary angle closure suspects: a 72-month randomised controlled study. British Journal of Ophthalmology, 2021, 105, 348-353.	3.9	8
17	Retinal asymmetry in multiple sclerosis. Brain, 2021, 144, 224-235.	7.6	20
18	Acute Angle Closure in Knobloch Syndrome. Journal of Glaucoma, 2021, 30, e265-e268.	1.6	3

#	Article	IF	CITATIONS
19	Relationships between retinal layer thickness and brain volumes in the UK Biobank cohort. European Journal of Neurology, 2021, 28, 1490-1498.	3.3	25
20	Genome-wide meta-analysis identifies 127 open-angle glaucoma loci with consistent effect across ancestries. Nature Communications, 2021, 12, 1258.	12.8	196
21	Socioeconomic risk factors and age-related macular degeneration in the UK Biobank study. BMJ Open Ophthalmology, 2021, 6, e000585.	1.6	10
22	Investigation of associations between retinal microvascular parameters and albuminuria in UK Biobank: a cross-sectional case-control study. BMC Nephrology, 2021, 22, 72.	1.8	7
23	P111â€,SMILE: Sustaining Medical Education In a Lockdown Environment. Student perceptions of a free online access medical education platform as an adjunct to the traditional undergraduate curriculum during lockdown. BJS Open, 2021, 5, .	1.7	0
24	P110â€,SMILE: Sustaining Medical Education In a Lockdown Environment. Facilitator perceptions of a free online access medical education platform as an adjunct to the traditional undergraduate curriculum during lockdown. BJS Open, 2021, 5, .	1.7	0
25	Genetic variation affects morphological retinal phenotypes extracted from UK Biobank optical coherence tomography images. PLoS Genetics, 2021, 17, e1009497.	3.5	50
26	Retinal imaging in Alzheimer's disease. Journal of Neurology, Neurosurgery and Psychiatry, 2021, 92, 983-994.	1.9	46
27	Population-Based Utility of van Herick Grading for Angle-Closure Detection. Ophthalmology, 2021, 128, 1779-1782.	5.2	4
28	Large-scale machine-learning-based phenotyping significantly improves genomic discovery for optic nerve head morphology. American Journal of Human Genetics, 2021, 108, 1217-1230.	6.2	35
29	Anatomic Changes and Predictors of Angle Widening after Laser Peripheral Iridotomy. Ophthalmology, 2021, 128, 1161-1168.	5.2	35
30	Detecting retinal neurodegeneration in people with diabetes: Findings from the UK Biobank. PLoS ONE, 2021, 16, e0257836.	2.5	8
31	Characteristics of p.Gln368Ter Myocilin Variant and Influence of Polygenic Risk on Glaucoma Penetrance in the UK Biobank. Ophthalmology, 2021, 128, 1300-1311.	5.2	27
32	The Association of Ambient Air Pollution With Cataract Surgery in UK Biobank Participants: Prospective Cohort Study. , 2021, 62, 7.		10
33	A new paradigm for delivering personalised care: integrating genetics with surgical interventions in BEST1 mutations. Eye, 2020, 34, 577-583.	2.1	11
34	Comparison of Associations with Different Macular Inner Retinal Thickness Parameters in a Large Cohort. Ophthalmology, 2020, 127, 62-71.	5.2	64
35	Has the EAGLE landed for the use of clear lens extraction in angle-closure glaucoma? And how should primary angle-closure suspects be treated?. Eye, 2020, 34, 40-50.	2.1	14
36	Retinal vasculometric characteristics and their associations with polymyalgia rheumatica and giant cell arteritis in a prospective cohort: EPIC-Norfolk Eye Study. Annals of the Rheumatic Diseases, 2020, 79, 547-549.	0.9	0

#	Article	IF	CITATIONS
37	Heavy metal toxicity and the aetiology of glaucoma. Eye, 2020, 34, 129-137.	2.1	24
38	Retinal Vascular Tortuosity and Diameter Associations with Adiposity and Components of Body Composition. Obesity, 2020, 28, 1750-1760.	3.0	13
39	Retinal Vasculometry Associations With Glaucoma: Findings From the European Prospective Investigation of Cancer–Norfolk Eye Study. American Journal of Ophthalmology, 2020, 220, 140-151.	3.3	5
40	Visual impairment and dementia risk in two populationâ€based prospective cohorts. Alzheimer's and Dementia, 2020, 16, e041039.	0.8	0
41	Ambient Air Pollution Associations with Retinal Morphology in the UK Biobank. , 2020, 61, 32.		35
42	The potential application of artificial intelligence for diagnosis and management of glaucoma in adults. British Medical Bulletin, 2020, 134, 21-33.	6.9	6
43	Genome-wide association meta-analysis of corneal curvature identifies novel loci and shared genetic influences across axial length and refractive error. Communications Biology, 2020, 3, 133.	4.4	22
44	Meta-analysis of 542,934 subjects of European ancestry identifies new genes and mechanisms predisposing to refractive error and myopia. Nature Genetics, 2020, 52, 401-407.	21.4	180
45	Multitrait analysis of glaucoma identifies new risk loci and enables polygenic prediction of disease susceptibility and progression. Nature Genetics, 2020, 52, 160-166.	21.4	192
46	Mutations in SPATA13/ASEF2 cause primary angle closure glaucoma. PLoS Genetics, 2020, 16, e1008721.	3.5	12
47	Visual field progression 8 years after trabeculectomy in Asian eyes: results from The Singapore 5-Fluorouracil Study. British Journal of Ophthalmology, 2020, 104, 1690-1696.	3.9	1
48	Ten-year incidence of primary angleÂclosure in elderly Chinese: the Liwan Eye Study. British Journal of Ophthalmology, 2019, 103, 355-360.	3.9	41
49	Genetic Variants Associated With Corneal Biomechanical Properties and Potentially Conferring Susceptibility to Keratoconus in a Genome-Wide Association Study. JAMA Ophthalmology, 2019, 137, 1005.	2.5	45
50	Associations of Retinal Microvascular Diameters and Tortuosity With Blood Pressure and Arterial Stiffness. Hypertension, 2019, 74, 1383-1390.	2.7	51
51	Genome-wide association analysis of 95 549 individuals identifies novel loci and genes influencing optic disc morphology. Human Molecular Genetics, 2019, 28, 3680-3690.	2.9	19
52	Associations with Corneal Hysteresis in a Population Cohort. Ophthalmology, 2019, 126, 1500-1510.	5.2	29
53	Frequency and distribution of corneal astigmatism and keratometry features in adult life: Methodology and findings of the UK Biobank study. PLoS ONE, 2019, 14, e0218144.	2.5	9
54	Quantile regression analysis reveals widespread evidence for gene-environment or gene-gene interactions in myopia development. Communications Biology, 2019, 2, 167.	4.4	27

#	Article	IF	CITATIONS
55	Darkroom prone provocative testing in primary angle closure suspects and those with open angles. British Journal of Ophthalmology, 2019, 103, bjophthalmol-2018-313362.	3.9	5
56	Cohort profile: design and methods in the eye and vision consortium of UK Biobank. BMJ Open, 2019, 9, e025077.	1.9	85
57	Laser peripheral iridotomy for the prevention of angle closure: a single-centre, randomised controlled trial. Lancet, The, 2019, 393, 1609-1618.	13.7	175
58	Associations with photoreceptor thickness measures in the UK Biobank. Scientific Reports, 2019, 9, 19440.	3.3	15
59	The Relationship Between Ambient Atmospheric Fine Particulate Matter (PM _{2.5}) and Glaucoma in a Large Community Cohort. , 2019, 60, 4915.		60
60	Multi-trait genome-wide association study identifies new loci associated with optic disc parameters. Communications Biology, 2019, 2, 435.	4.4	22
61	Retinal Vasculometry Associations with Cardiometabolic Risk Factors in the European Prospective Investigation of Cancer—Norfolk Study. Ophthalmology, 2019, 126, 96-106.	5.2	44
62	Ascorbic acid metabolites are involved in intraocular pressure control in the general population. Redox Biology, 2019, 20, 349-353.	9.0	31
63	Increased High-Density Lipoprotein Levels Associated with Age-Related Macular Degeneration. Ophthalmology, 2019, 126, 393-406.	5.2	88
64	The European Eye Epidemiology spectralâ€domain optical coherence tomography classification of macular diseases for epidemiological studies. Acta Ophthalmologica, 2019, 97, 364-371.	1.1	34
65	Systemic and Ocular Determinants of Peripapillary Retinal Nerve Fiber Layer Thickness Measurements in the European Eye Epidemiology (E3) Population. Ophthalmology, 2018, 125, 1526-1536.	5.2	62
66	Analysing barriers to service improvement using a multiâ€level theory of innovation: the case of glaucoma outpatient clinics. Sociology of Health and Illness, 2018, 40, 654-669.	2.1	8
67	The Decreasing Prevalence of Nonrefractive Visual Impairment in Older Europeans. Ophthalmology, 2018, 125, 1149-1159.	5.2	20
68	Clear lens extraction for the management of primary angle closure glaucoma: surgical technique and refractive outcomes in the EAGLE cohort. British Journal of Ophthalmology, 2018, 102, 1658-1662.	3.9	10
69	Developing standards for the development of glaucoma virtual clinics using a modified Delphi approach. British Journal of Ophthalmology, 2018, 102, 531-534.	3.9	20
70	The incidence of acute angle closure in Scotland: a prospective surveillance study. British Journal of Ophthalmology, 2018, 102, 539-543.	3.9	14
71	A Common Glaucoma-risk Variant of SIX6 Alters Retinal Nerve Fiber Layer and Optic Disc Measures in a European Population: The EPIC-Norfolk Eye Study. Journal of Glaucoma, 2018, 27, 743-749.	1.6	13
72	Genome-wide association meta-analysis highlights light-induced signaling as a driver for refractive error. Nature Genetics, 2018, 50, 834-848.	21.4	239

#	Article	IF	CITATIONS
73	Genome-wide analyses identify 68 new loci associated with intraocular pressure and improve risk prediction for primary open-angle glaucoma. Nature Genetics, 2018, 50, 778-782.	21.4	214
74	Cross-ancestry genome-wide association analysis of corneal thickness strengthens link between complex and Mendelian eye diseases. Nature Communications, 2018, 9, 1864.	12.8	63
75	Association of Retinal Nerve Fiber Layer Thinning With Current and Future Cognitive Decline. JAMA Neurology, 2018, 75, 1198.	9.0	136
76	Treating the Eyes to Help the Brain. JAMA Ophthalmology, 2018, 136, 996.	2.5	1
77	Trends of Visual Impairment and Blindness in the Singapore Chinese Population over a Decade. Scientific Reports, 2018, 8, 12224.	3.3	22
78	The Association of Systemic Medication and Disease With Intraocular Pressure. JAMA Ophthalmology, 2017, 135, 203.	2.5	3
79	New insights into the genetics of primary open-angle glaucoma based on meta-analyses of intraocular pressure and optic disc characteristics Human Molecular Genetics, 2017, 26, ddw399.	2.9	120
80	A technician-delivered â€~virtual clinic' for triaging low-risk glaucoma referrals. Eye, 2017, 31, 899-905.	2.1	38
81	Haplotype reference consortium panel: Practical implications of imputations with large reference panels. Human Mutation, 2017, 38, 1025-1032.	2.5	43
82	Automated arteriole and venule classification using deep learning for retinal images from the UK Biobank cohort. Computers in Biology and Medicine, 2017, 90, 23-32.	7.0	95
83	Residual Angle Closure One Year After Laser Peripheral Iridotomy in Primary Angle Closure Suspects. American Journal of Ophthalmology, 2017, 183, 111-117.	3.3	23
84	Prevalence of Age-Related Macular Degeneration in Europe. Ophthalmology, 2017, 124, 1753-1763.	5.2	337
85	Virtual clinics in glaucoma care: face-to-face versus remote decision-making. British Journal of Ophthalmology, 2017, 101, 892-895.	3.9	59
86	Associations with Retinal Pigment Epithelium Thickness Measures in a Large Cohort. Ophthalmology, 2017, 124, 105-117.	5.2	38
87	Glaucoma and intraocular pressure in EPIC-Norfolk Eye Study: cross sectional study. BMJ: British Medical Journal, 2017, 358, j3889.	2.3	82
88	The Accuracy and Reliability of Crowdsource Annotations of Digital Retinal Images. Translational Vision Science and Technology, 2016, 5, 6.	2.2	29
89	Reconstruction of the medial patellofemoral ligament reconstruction for patients with recurrent patellar dislocation: review of surgical techniques and tips to achieve successful reconstruction. Annals of Translational Medicine, 2016, 4, 540-540.	1.7	1
90	Retinal Nerve Fiber Layer Measures and Cognitive Function in the EPIC-Norfolk Cohort Study. , 2016, 57, 1921.		29

#	Article	IF	CITATIONS
91	Associations with intraocular pressure across Europe: The European Eye Epidemiology (E3) Consortium. European Journal of Epidemiology, 2016, 31, 1101-1111.	5.7	26
92	O3-12-03: Retinal Nerve Fiber Layer Thinning Associated with Poor Cognitive Function among a Large Cohort, the Uk Biobank. , 2016, 12, P317-P318.		2
93	Genome-wide association study identifies five new susceptibility loci for primary angle closure glaucoma. Nature Genetics, 2016, 48, 556-562.	21.4	147
94	Right iliac fossa lymphoma in an HIV positive patient: A diagnostic dilemma. International Journal of Surgery Case Reports, 2016, 21, 115-117.	0.6	0
95	When do myopia genes have their effect? Comparison of genetic risks between children and adults. Genetic Epidemiology, 2016, 40, 756-766.	1.3	34
96	Effectiveness of early lens extraction for the treatment of primary angle-closure glaucoma (EAGLE): a randomised controlled trial. Lancet, The, 2016, 388, 1389-1397.	13.7	385
97	Topical Beta-Blockers and Cardiovascular Mortality: Systematic Review and Meta-Analysis with Data from the EPIC-Norfolk Cohort Study. Ophthalmic Epidemiology, 2016, 23, 277-284.	1.7	5
98	Meta-analysis of gene–environment-wide association scans accounting for education level identifies additional loci for refractive error. Nature Communications, 2016, 7, 11008.	12.8	104
99	Childhood gene-environment interactions and age-dependent effects of genetic variants associated with refractive error and myopia: The CREAM Consortium. Scientific Reports, 2016, 6, 25853.	3.3	80
100	Ophthalmic epidemiology in Europe: the "European Eye Epidemiology―(E3) consortium. European Journal of Epidemiology, 2016, 31, 197-210.	5.7	32
101	Automated retinal image quality assessment on the UK Biobank dataset for epidemiological studies. Computers in Biology and Medicine, 2016, 71, 67-76.	7.0	55
102	Associations with Intraocular Pressure in a Large Cohort. Ophthalmology, 2016, 123, 771-782.	5.2	87
103	Spectral-Domain Optical Coherence Tomography Imaging in 67 321 Adults. Ophthalmology, 2016, 123, 829-840.	5.2	92
104	Genome-wide association analysis identifies TXNRD2, ATXN2 and FOXC1 as susceptibility loci for primary open-angle glaucoma. Nature Genetics, 2016, 48, 189-194.	21.4	211
105	Global variations and time trends in the prevalence of primary open angle glaucoma (POAC): a systematic review and meta-analysis. British Journal of Ophthalmology, 2016, 100, 86-93.	3.9	352
106	Optical Coherence Tomography in the UK Biobank Study – Rapid Automated Analysis of Retinal Thickness for Large Population-Based Studies. PLoS ONE, 2016, 11, e0164095.	2.5	40
107	Qualitative investigation of patients' experience of a glaucoma virtual clinic in a specialist ophthalmic hospital in London, UK. BMJ Open, 2015, 5, e009463.	1.9	32
108	Experiences with developing and implementing a virtual clinic for glaucoma care in an NHS setting. Clinical Ophthalmology, 2015, 9, 1915.	1.8	58

#	Article	IF	CITATIONS
109	Suitability of UK Biobank Retinal Images for Automatic Analysis of Morphometric Properties of the Vasculature. PLoS ONE, 2015, 10, e0127914.	2.5	56
110	Frequency and Distribution of Refractive Error in Adult Life: Methodology and Findings of the UK Biobank Study. PLoS ONE, 2015, 10, e0139780.	2.5	55
111	The Prevalence and Types of Glaucoma in an Urban Chinese Population. JAMA Ophthalmology, 2015, 133, 874.	2.5	100
112	Automated retinal vessel recognition and measurements on large datasets. , 2015, 2015, 5239-42.		8
113	Area deprivation and age related macular degeneration in the EPIC-Norfolk Eye Study. Public Health, 2015, 129, 103-109.	2.9	17
114	Increasing Prevalence of Myopia in Europe and the Impact of Education. Ophthalmology, 2015, 122, 1489-1497.	5.2	329
115	Prevalence of refractive error in Europe: the European Eye Epidemiology (E3) Consortium. European Journal of Epidemiology, 2015, 30, 305-315.	5.7	306
116	Measures of socioeconomic status and self-reported glaucoma in the UK Biobank cohort. Eye, 2015, 29, 1360-1367.	2.1	42
117	Understanding visual impairment in UK Biobank. Ophthalmic and Physiological Optics, 2015, 35, 106-106.	2.0	1
118	Primary Angle-Closure Glaucoma. , 2015, , 346-356.		0
119	Crowdsourcing as a Screening Tool to Detect Clinical Features of Glaucomatous Optic Neuropathy from Digital Photography. PLoS ONE, 2015, 10, e0117401.	2.5	37
120	Cross Sectional and Longitudinal Associations between Cardiovascular Risk Factors and Age Related Macular Degeneration in the EPIC-Norfolk Eye Study. PLoS ONE, 2015, 10, e0132565.	2.5	31
121	Improving care and increasing efficiency—challenges in the care of chronic eye diseases. Eye, 2014, 28, 779-783.	2.1	17
122	Cohort Profile: A prospective cohort study of objective physical and cognitive capability and visual health in an ageing population of men and women in Norfolk (EPIC-Norfolk 3). International Journal of Epidemiology, 2014, 43, 1063-1072.	1.9	75
123	ABCC5, a Gene That Influences the Anterior Chamber Depth, Is Associated with Primary Angle Closure Glaucoma. PLoS Genetics, 2014, 10, e1004089.	3.5	68
124	Area deprivation, individual socioeconomic status and low vision in the EPIC-Norfolk Eye Study. Journal of Epidemiology and Community Health, 2014, 68, 204-210.	3.7	29
125	Iris Concavity, Corneal Biomechanics, and Their Correlations With Ocular Biometry in a Cohort of 10- to 12-Year-Old UK School Boys: Baseline Data. , 2014, 55, 3303.		15
126	Associations between Narrow Angle and Adult Anthropometry: The Liwan Eye Study. Ophthalmic Epidemiology, 2014, 21, 184-189.	1.7	4

#	Article	IF	CITATIONS
127	Corneal Biomechanical Properties and Glaucoma-Related Quantitative Traits in the EPIC-Norfolk Eye Study. , 2014, 55, 117.		29
128	Epidemiology of myopia. Eye, 2014, 28, 202-208.	2.1	287
129	Visual acuity, self-reported vision and falls in the EPIC-Norfolk Eye study. British Journal of Ophthalmology, 2014, 98, 377-382.	3.9	62
130	Common variants near ABCA1, AFAP1 and GMDS confer risk of primary open-angle glaucoma. Nature Genetics, 2014, 46, 1120-1125.	21.4	186
131	Longitudinal Changes of Angle Configuration in Primary Angle-Closure Suspects. Ophthalmology, 2014, 121, 1699-1705.	5.2	84
132	Systemic Medication and Intraocular Pressure in a British Population. Ophthalmology, 2014, 121, 1501-1507.	5.2	74
133	Longitudinal Study of Iris Concavity, Corneal Biomechanics, and Correlations to Ocular Biometry in a Cohort of 10- to 12-Year-Old UK Schoolboys: 2-Year Follow-up Data. , 2014, 55, 4645.		7
134	Reply: Cataract surgery and microphthalmic eyes. Journal of Cataract and Refractive Surgery, 2013, 39, 818-819.	1.5	6
135	Meta-analysis of genome-wide association studies in five cohorts reveals common variants in RBFOX1, a regulator of tissue-specific splicing, associated with refractive error. Human Molecular Genetics, 2013, 22, 2754-2764.	2.9	60
136	Nine Loci for Ocular Axial Length Identified through Genome-wide Association Studies, Including Shared Loci with Refractive Error. American Journal of Human Genetics, 2013, 93, 264-277.	6.2	139
137	Quality assessment of cataract surgery in regions with low follow-up rates. The Lancet Global Health, 2013, 1, e9-e10.	6.3	7
138	The Singapore 5-Fluorouracil Trial. Ophthalmology, 2013, 120, 1127-1134.	5.2	28
139	Outcomes of phacoemulsification and intraocular lens implantation in microphthalmos and nanophthalmos. Journal of Cataract and Refractive Surgery, 2013, 39, 87-96.	1.5	66
140	The small eye phenotype in the EPIC-Norfolk eye study: prevalence and visual impairment in microphthalmos and nanophthalmos. BMJ Open, 2013, 3, e003280.	1.9	13
141	Genome-wide association study of intraocular pressure identifies the GLCCI1/ICA1 region as a glaucoma susceptibility locus. Human Molecular Genetics, 2013, 22, 4653-4660.	2.9	29
142	Coronary Wave Energy. Circulation: Cardiovascular Interventions, 2013, 6, 166-175.	3.9	27
143	Effect of prophylactic laser iridotomy on corneal endothelial cell density over 3â€years in primary angle closure suspects. British Journal of Ophthalmology, 2013, 97, 258-261.	3.9	29
144	Longitudinal changes in anterior chamber depth and axial length in Asian subjects after trabeculectomy surgery. British Journal of Ophthalmology, 2013, 97, 852-856.	3.9	35

#	Article	IF	CITATIONS
145	Laser Scanning Tomography in the EPIC-Norfolk Eye Study: Principal Components and Associations. , 2013, 54, 6638.		12
146	Genotype–phenotype analysis of SNPs associated with primary angle closure glaucoma (rs1015213,) Tj ETQ Ophthalmology, 2013, 97, 704-707.	990 0 0 rgBT 3.9	/Overlock 10 25
147	Spectral domain optical coherence tomography imaging of the aqueous outflow structures in normal participants of the EPIC-Norfolk Eye Study. British Journal of Ophthalmology, 2013, 97, 189-195.	3.9	20
148	The EPIC-Norfolk Eye Study: rationale, methods and a cross-sectional analysis of visual impairment in a population-based cohort. BMJ Open, 2013, 3, e002684.	1.9	41
149	Associations With Retinal Nerve Fiber Layer Measures in the EPIC-Norfolk Eye Study. , 2013, 54, 5028.		61
150	Crowdsourcing as a Novel Technique for Retinal Fundus Photography Classification: Analysis of Images in the EPIC Norfolk Cohort on Behalf of the UKBiobank Eye and Vision Consortium. PLoS ONE, 2013, 8, e71154.	2.5	43
151	Common Genetic Determinants of Intraocular Pressure and Primary Open-Angle Glaucoma. PLoS Genetics, 2012, 8, e1002611.	3.5	164
152	Uncorrected refractive error in older British adults: the EPIC-Norfolk Eye Study. British Journal of Ophthalmology, 2012, 96, 991-996.	3.9	26
153	Cataract Surgery After Trabeculectomy. JAMA Ophthalmology, 2012, 130, 165.	2.4	76
154	The prevalence of primary angle closure glaucoma in European derived populations: a systematic review. British Journal of Ophthalmology, 2012, 96, 1162-1167.	3.9	141
155	Cyclodiode laser in the treatment of acute angle closure. Eye, 2012, 26, 742-745.	2.1	25
156	Randomised trial of sequential pretreatment for Nd:YAG laser iridotomy in dark irides. British Journal of Ophthalmology, 2012, 96, 263-266.	3.9	16
157	Comparing approaches to screening for angle closure in older Chinese adults. Eye, 2012, 26, 96-100.	2.1	11
158	Clinical Outcomes After Lens Extraction for Visually Significant Cataract in Eyes With Primary Angle Closure. Journal of Glaucoma, 2012, 21, 545-550.	1.6	64
159	Epidemiology of glaucoma: what's new?. Canadian Journal of Ophthalmology, 2012, 47, 223-226.	0.7	232
160	Genome-wide association analyses identify three new susceptibility loci for primary angle closure glaucoma. Nature Genetics, 2012, 44, 1142-1146.	21.4	196
161	Immediate Changes in Intraocular Pressure after Laser Peripheral Iridotomy in Primary Angle-Closure Suspects. Ophthalmology, 2012, 119, 283-288.	5.2	44
162	Risk of Acute Angle Closure and Changes in Intraocular Pressure after Pupillary Dilation in Asian Subjects with Narrow Angles. Ophthalmology, 2012, 119, 474-480.	5.2	24

#	Article	IF	CITATIONS
163	Visual Symptoms and Retinal Straylight after Laser Peripheral Iridotomy. Ophthalmology, 2012, 119, 1375-1382.	5.2	38
164	Changes in Anterior Segment Morphology after Laser Peripheral Iridotomy: An Anterior Segment Optical Coherence Tomography Study. Ophthalmology, 2012, 119, 1383-1387.	5.2	78
165	The Association between Time Spent Outdoors and Myopia in Children and Adolescents. Ophthalmology, 2012, 119, 2141-2151.	5.2	337
166	Highs and lows of peripheral anterior synechiae. Clinical and Experimental Ophthalmology, 2012, 40, 211-212.	2.6	0
167	Angle closure and angleâ€closure glaucoma: what we are doing now and what we will be doing in the future. Clinical and Experimental Ophthalmology, 2012, 40, 381-387.	2.6	74
168	Accuracy of intraocular lens power calculations in eyes with axial length <22.00 mm. Clinical and Experimental Ophthalmology, 2012, 40, 855-862.	2.6	37
169	Pilocarpine induced acute angle closure. BMJ Case Reports, 2012, 2012, bcr0120125694-bcr0120125694.	0.5	15
170	Intraocular Pressure, Central Corneal Thickness, and Glaucoma in Chinese Adults: The Liwan Eye Study. American Journal of Ophthalmology, 2011, 152, 454-462.e1.	3.3	80
171	The Heritability and Sibling Risk of Angle Closure in Asians. Ophthalmology, 2011, 118, 480-485.	5.2	69
172	Central Corneal Thickness and Glaucoma in East Asian People. , 2011, 52, 8407.		31
173	Intraocular Pressure and Corneal Biomechanics in an Adult British Population: The EPIC-Norfolk Eye Study. , 2011, 52, 8179.		52
174	Physical Activity and Ocular Perfusion Pressure: The EPIC-Norfolk Eye Study. , 2011, 52, 8186.		35
175	Reply to Athanasiadis et al. Eye, 2011, 25, 255-256.	2.1	0
176	The effectiveness of early lens extraction with intraocular lens implantation for the treatment of primary angle-closure glaucoma (EAGLE): study protocol for a randomized controlled trial. Trials, 2011, 12, 133.	1.6	62
177	Uveal Effusion Syndrome as a complication of cyclodiode therapy in nanophthalmos glaucoma. Eye, 2011, 25, 963-964.	2.1	6
178	Response to: Idiopathic uveal effusion syndrome causing unilateral acute angle closure in a pseudophakic patient. Eye, 2011, 25, 1660-1660.	2.1	1
179	Primary Angle Closure Glaucoma in East Asia: Educational Attainment as a Protective Factor. Ophthalmic Epidemiology, 2011, 18, 217-225.	1.7	11
180	Appositional Closure Identified by Ultrasound Biomicroscopy in Population-Based Primary Angle-Closure Glaucoma Suspects: The Liwan Eye Study. , 2011, 52, 3970.		19

#	Article	IF	CITATIONS
181	Outcomes of Cataract Surgery in Urban Southern China: The Liwan Eye Study. , 2011, 52, 16.		38
182	How large should an iridotomy be?. British Journal of Ophthalmology, 2011, 95, 747-748.	3.9	4
183	Increases in rates of both laser peripheral iridotomy and phacoemulsification have accompanied a fall in acute angle closure rates in the UK. British Journal of Ophthalmology, 2011, 95, 1339-1340.	3.9	10
184	Autosomal dominant Best disease with an unusual electrooculographic light rise and risk of angle-closure glaucoma: a clinical and molecular genetic study. Molecular Vision, 2011, 17, 2272-82.	1.1	16
185	Retinal Vein Occlusion and Angle Closure. Journal of Glaucoma, 2010, 19, 643-649.	1.6	15
186	Prophylactic laser peripheral iridotomy and cataract progression. Eye, 2010, 24, 1127-1135.	2.1	12
187	Randomised controlled trial of screening and prophylactic treatment to prevent primary angle closure glaucoma. British Journal of Ophthalmology, 2010, 94, 1472-1477.	3.9	35
188	Qualitative Assessment of Ultrasound Biomicroscopic Images Using Standard Photographs: The Liwan Eye Study. , 2010, 51, 2035.		33
189	Refractive error, axial length and anterior chamber depth of the eye in British adults: the EPIC-Norfolk Eye Study. British Journal of Ophthalmology, 2010, 94, 827-830.	3.9	89
190	Pharmacological and environmental factors in primary angle-closure glaucoma. British Medical Bulletin, 2010, 93, 125-143.	6.9	28
191	Diagnostic Performance of Anterior Chamber Angle Measurements for Detecting Eyes With Narrow Angles. JAMA Ophthalmology, 2010, 128, 1321.	2.4	137
192	Refractive Error, Axial Dimensions, and Primary Open-Angle Glaucoma. JAMA Ophthalmology, 2010, 128, 900.	2.4	128
193	Design and Methodology of a Randomized Controlled Trial of Laser Iridotomy for the Prevention of Angle Closure in Southern China: The Zhongshan Angle Closure Prevention Trial. Ophthalmic Epidemiology, 2010, 17, 321-332.	1.7	53
194	Iris Vascular Tuft Causing Recurrent Hyphema and Raised IOP: A New Indication for Laser Photocoagulation, Angiographic Follow-up, and Review of Laser Outcomes. Journal of Glaucoma, 2010, 19, 336-338.	1.6	20
195	Variation of Angle Parameters in Asians: An Anterior Segment Optical Coherence Tomography Study in a Population of Singapore Malays. , 2009, 50, 2626.		34
196	The Relationship of Intraocular Pressure with Age, Systolic Blood Pressure, and Central Corneal Thickness in an Asian Population. , 2009, 50, 4097.		90
197	Argon laser iridotomy-induced bullous keratopathy. British Journal of Ophthalmology, 2009, 93, 842-842.	3.9	3
198	Population Prevalence of Tilted and Torted Optic Discs Among an Adult Chinese Population in Singapore. JAMA Ophthalmology, 2009, 127, 894.	2.4	120

#	Article	IF	CITATIONS
199	Refractive Error and Biometry in Older Chinese Adults: The Liwan Eye Study. , 2009, 50, 5130.		105
200	Is measurement of adult height useful in screening for primary angle closure?. Eye, 2009, 23, 1775-1780.	2.1	11
201	The Singapore 5-Fluorouracil Trabeculectomy Study. Ophthalmology, 2009, 116, 175-184.	5.2	83
202	Central Corneal Thickness and its Associations With Ocular and Systemic Factors: The Singapore Malay Eye Study. American Journal of Ophthalmology, 2009, 147, 709-716.e1.	3.3	87
203	Methodology of the Singapore Indian Chinese Cohort (SICC) Eye Study: Quantifying ethnic variations in the epidemiology of eye diseases in Asians. Ophthalmic Epidemiology, 2009, 16, 325-336.	1.7	309
204	The Classification of Primary Angle-Closure Glaucoma. Essentials in Ophthalmology, 2009, , 41-48.	0.1	0
205	Prevalence and Causes of Visual Impairment in Chinese Adults in Urban Southern China. JAMA Ophthalmology, 2009, 127, 1362.	2.4	79
206	Peripheral Artery Disease and Glaucoma. JAMA Ophthalmology, 2009, 127, 888.	2.4	18
207	Modified Bahasa Malaysia version of VFâ€l 4 questionnaire: assessing the impact of glaucoma in rural area of Malaysia. Clinical and Experimental Ophthalmology, 2008, 36, 222-231.	2.6	12
208	Visual Acuity and Mortality in a Chinese Population. Ophthalmology, 2008, 115, 802-807.	5.2	42
209	Comparison of Gonioscopy and Anterior Segment Ocular Coherence Tomography in Detecting Angle Closure in Different Quadrants of the Anterior Chamber Angle. Ophthalmology, 2008, 115, 769-774.	5.2	221
210	Diabetes, Hyperglycemia, and Central Corneal Thickness. Ophthalmology, 2008, 115, 964-968.e1.	5.2	173
211	Anterior Chamber Depth in Elderly Chinese. Ophthalmology, 2008, 115, 1286-1290.e2.	5.2	58
212	Screening for Narrow Angles in the Singapore Population: Evaluation of New Noncontact Screening Methods. Ophthalmology, 2008, 115, 1720-1727.e2.	5.2	95
213	Angle-Closure. Ophthalmology, 2008, 115, 1434-1435.e1.	5.2	2
214	The Utility of Symptoms in Identification of Primary Angle-Closure in a High-Risk Population. Ophthalmology, 2008, 115, 2024-2029.	5.2	11
215	The eye: window to the soul or a mirror of systemic health?. Heart, 2008, 95, 348-349.	2.9	4
216	The Prevalence and Types of Glaucoma in Malay People: The Singapore Malay Eye Study. , 2008, 49, 3846.		224

#	Article	IF	Citations
217	Determinants of Angle Closure in Older Singaporeans. JAMA Ophthalmology, 2008, 126, 686.	2.4	132
218	Assessment of the Scleral Spur in Anterior Segment Optical Coherence Tomography Images. JAMA Ophthalmology, 2008, 126, 181.	2.4	212
219	The morphology of the optic nerve head in the Singaporean Chinese population (the Tanjong Pagar) Tj ETQq1 1 (0.784314 3.9	rgBT /Overloo
220	Incidence of occludable angles in a high-risk Mongolian population. British Journal of Ophthalmology, 2008, 92, 30-33.	3.9	30
221	The morphology of the optic nerve head in the Singaporean Chinese population (the Tanjong Pagar) Tj ETQq1 1 (0.784314 3.9	rgBT /Overloo
222	Degree of angle closure and extent of peripheral anterior synechiae: an anterior segment OCT study. British Journal of Ophthalmology, 2008, 92, 103-107.	3.9	31
223	Determinants of the Optic Cup to Disc Ratio in an Asian Population. JAMA Ophthalmology, 2008, 126, 1101.	2.4	41
224	Changes in Angle Configuration After Phacoemulsification Measured by Anterior Segment Optical Coherence Tomography. Journal of Glaucoma, 2008, 17, 455-459.	1.6	66
225	Histologic Changes of the Iris in the Development of Angle Closure in Chinese Eyes. Journal of Glaucoma, 2008, 17, 386-392.	1.6	52
226	Age and Sex Variation in Angle Findings Among Normal Chinese Subjects. Journal of Glaucoma, 2008, 17, 5-10.	1.6	49
227	Estimating the Rate of Progressive Visual Field Damage in Those with Open-Angle Glaucoma, from Cross-Sectional Data. , 2008, 49, 66.		115
228	Heritability of Anterior Chamber Depth as an Intermediate Phenotype of Angle-Closure in Chinese: The Guangzhou Twin Eye Study. , 2008, 49, 81.		46
229	Heritability of the Iridotrabecular Angle Width Measured by Optical Coherence Tomography in Chinese Children: The Guangzhou Twin Eye Study. , 2008, 49, 1356.		22
230	Changes in anterior segment morphology in response to illumination and after laser iridotomy in Asian eyes: an anterior segment OCT study. British Journal of Ophthalmology, 2007, 91, 1485-1489.	3.9	79
231	Laser iridotomy in dark irides. British Journal of Ophthalmology, 2007, 91, 222-225.	3.9	22
232	Socioeconomic status, systolic blood pressure and intraocular pressure: the Tanjong Pagar Study. British Journal of Ophthalmology, 2007, 91, 56-61.	3.9	34
233	Urrets-Zavalia syndrome as a complication of argon laser peripheral iridoplasty. British Journal of Ophthalmology, 2007, 91, 427-429.	3.9	48
234	Bilateral symptomatic angle closure associated with a regular dose of citalopram, an SSRI antidepressant. British Journal of Ophthalmology, 2007, 91, 1086-1087.	3.9	19

#	Article	IF	CITATIONS
235	Comparison of anterior chamber depth measurements using the IOLMaster, scanning peripheral anterior chamber depth analyser, and anterior segment optical coherence tomography. British Journal of Ophthalmology, 2007, 91, 1023-1026.	3.9	64
236	Socioeconomic Status and Overweight/obesity in an Adult Chinese Population in Singapore. Journal of Epidemiology, 2007, 17, 161-168.	2.4	48
237	Detection of Primary Angle Closure Using Anterior Segment Optical Coherence Tomography in Asian Eyes. Ophthalmology, 2007, 114, 33-39.	5.2	287
238	Imaging of Trabeculectomy Blebs Using Anterior Segment Optical Coherence Tomography. Ophthalmology, 2007, 114, 47-53.	5.2	174
239	Laser Peripheral Iridotomy in Primary Angle-Closure Suspects: Biometric and Gonioscopic Outcomes. Ophthalmology, 2007, 114, 494-500.	5.2	169
240	Comparison of the Scanning Peripheral Anterior Chamber Depth Analyzer and the Modified van Herick Grading System in the Assessment of Angle Closure. Ophthalmology, 2007, 114, 501-506.	5.2	40
241	Laser Peripheral Iridotomy in Eyes with Narrow Drainage Angles: Ultrasound Biomicroscopy Outcomes. The Liwan Eye Study. Ophthalmology, 2007, 114, 1513-1519.	5.2	126
242	Anterior Segment Optical Coherence Tomography Imaging of Trabeculectomy Blebs Before and After Laser Suture Lysis. American Journal of Ophthalmology, 2007, 143, 873-875.	3.3	40
243	The Relationship Between Anterior Chamber Depth and the Presence of Diabetes in the Tanjong Pagar Survey. American Journal of Ophthalmology, 2007, 144, 325-326.	3.3	46
244	Heritable Features of the Optic Disc: A Novel Twin Method for Determining Genetic Significance. , 2007, 48, 2469.		22
245	Slit Lamp–Simulated Oblique Flashlight Test in the Detection of Narrow Angles in Chinese Eyes: The Liwan Eye Study. , 2007, 48, 5459.		25
246	Reply to Dr Spaeth. Eye, 2007, 21, 100-100.	2.1	0
247	Detection of Narrow Angles and Established Angle Closure In Chinese Residents of Singapore: Potential Screening Tests. American Journal of Ophthalmology, 2006, 141, 896-901.	3.3	59
248	Hypermetropia, Axial Length, and Hypertension: The Tanjong Pagar Survey. American Journal of Ophthalmology, 2006, 141, 1142-1144.	3.3	5
249	Peripapillary Retinal Nerve Fiber Layer Thickness Variations with Myopia. Ophthalmology, 2006, 113, 773-777.	5.2	103
250	Cataract after Laser Iridotomy. Ophthalmology, 2006, 113, 1467.	5.2	5
251	Ethnic differences in primary angle-closure glaucoma. Current Opinion in Ophthalmology, 2006, 17, 175-180.	2.9	126
252	Angle-closure glaucoma in East Asian and European people. Different diseases?. Eye, 2006, 20, 3-12.	2.1	179

#	Article	IF	CITATIONS
253	Effect of Trabeculectomy on Lens Opacities in an East Asian Population. JAMA Ophthalmology, 2006, 124, 787.	2.4	20
254	Gonioscopy in Adult Chinese: The Liwan Eye Study. , 2006, 47, 4772.		77
255	Prevalence and Clinical Characteristics of Glaucoma in Adult Chinese: A Population-Based Study in Liwan District, Guangzhou. , 2006, 47, 2782.		334
256	Pattern of Trabecular Surface Pigment Deposition in Primary Angle Closure. JAMA Ophthalmology, 2006, 124, 1062.	2.4	3
257	How to manage a patient with glaucoma in Asia. Community Eye Health Journal, 2006, 19, 40-1.	0.4	0
258	Managing patients with an overactive bladder and glaucoma: a questionnaire survey of Japanese urologists on the use of anticholinergics. BJU International, 2005, 96, 192-193.	2.5	1
259	Can we prevent angle-closure glaucoma?. Eye, 2005, 19, 1119-1124.	2.1	37
260	A population based survey of the prevalence and types of glaucoma in rural West Bengal: the West Bengal Glaucoma Study. British Journal of Ophthalmology, 2005, 89, 1559-1564.	3.9	90
261	Use of Optical Coherence Tomography to Assess Variations in Macular Retinal Thickness in Myopia. , 2005, 46, 974.		160
262	Anterior Chamber Depth and the Risk of Primary Angle Closure in 2 East Asian Populations. JAMA Ophthalmology, 2005, 123, 527.	2.4	185
263	Molecular Analysis of the Myocilin Gene in Chinese Subjects with Chronic Primary-Angle Closure Glaucoma. , 2005, 46, 1303.		24
264	The prevalence of pseudoexfoliation syndrome in Chinese people: the Tanjong Pagar Survey. British Journal of Ophthalmology, 2005, 89, 239-240.	3.9	48
265	Optic disk ovality as an index of tilt and its relationship to myopia and perimetry. American Journal of Ophthalmology, 2005, 139, 247-252.	3.3	230
266	Ocular Biometry and Refraction in Mongolian Adults. , 2004, 45, 776.		151
267	Defining "occludable" angles in population surveys: drainage angle width, peripheral anterior synechiae, and glaucomatous optic neuropathy in east Asian people. British Journal of Ophthalmology, 2004, 88, 486-490.	3.9	113
268	The prevalence of glaucoma in Bangladesh: a population based survey in Dhaka division. British Journal of Ophthalmology, 2004, 88, 1493-1497.	3.9	81
269	Myopia in Asia. British Journal of Ophthalmology, 2004, 88, 443-444.	3.9	4
270	Effect of cataract extraction and intraocular lens implantation on nerve fibre layer thickness measurements by scanning laser polarimeter (GDx) in glaucoma patients. Eye, 2004, 18, 163-168.	2.1	14

#	Article	IF	CITATIONS
271	Interocular asymmetry of visual field defects in primary open angle glaucoma and primary angle-closure glaucoma. Eye, 2004, 18, 365-368.	2.1	23
272	Systemic autonomic function in subjects with primary angle-closure glaucoma: a comparative study of symptomatic and asymptomatic disease presentation. Clinical and Experimental Ophthalmology, 2004, 32, 137-141.	2.6	7
273	Causes of blindness, low vision, and questionnaire-assessed poor visual function in Singaporean Chinese adults*1The Tanjong Pagar Survey. Ophthalmology, 2004, 111, 1161-1168.	5.2	82
274	Undercorrected refractive error in Singaporean Chinese adults. Ophthalmology, 2004, 111, 2168-2174.	5.2	40
275	Visual perception during phacoemulsification cataract surgery under topical and regional anaesthesia. Acta Ophthalmologica, 2003, 81, 118-122.	0.3	48
276	Refractive Errors, Axial Ocular Dimensions, and Age-Related Cataracts: The Tanjong Pagar Survey. , 2003, 44, 1479.		98
277	Determinants of Intraocular Pressure and Its Association with Glaucomatous Optic Neuropathy in Chinese Singaporeans: The Tanjong Pagar Study. , 2003, 44, 3885.		121
278	Prevalence of glaucoma in Thailand: a population based survey in Rom Klao District, Bangkok. British Journal of Ophthalmology, 2003, 87, 1069-1074.	3.9	142
279	Awareness of glaucoma, and health beliefs of patients suffering primary acute angle closure. British Journal of Ophthalmology, 2003, 87, 446-449.	3.9	58
280	Intraocular pressure and visual field loss in primary angle closure and primary open angle glaucomas. British Journal of Ophthalmology, 2003, 87, 720-725.	3.9	74
281	Ultrasonographic Biomicroscopy, Scheimpflug Photography, and Novel Provocative Tests in Contralateral Eyes of Chinese Patients Initially Seen With Acute Angle Closure. JAMA Ophthalmology, 2003, 121, 633.	2.4	136
282	Risk factors for nuclear, cortical and posterior subcapsular cataracts in the Chinese population of Singapore: the Tanjong Pagar Survey. British Journal of Ophthalmology, 2003, 87, 1112-1120.	3.9	137
283	Optic Disc Hemorrhage in Asian Glaucoma Patients. Journal of Glaucoma, 2003, 12, 226-231.	1.6	16
284	Biometric gonioscopy and the effects of age, race, and sex on the anterior chamber angle. British Journal of Ophthalmology, 2002, 86, 18-22.	3.9	36
285	Education, socioeconomic status, and ocular dimensions in Chinese adults: the Tanjong Pagar Survey. British Journal of Ophthalmology, 2002, 86, 963-968.	3.9	111
286	The Severity and Spatial Distribution of Visual Field Defects in Primary Glaucoma. JAMA Ophthalmology, 2002, 120, 1636.	2.4	63
287	The epidemiology of primary angle closure and associated glaucomatous optic neuropathy. Seminars in Ophthalmology, 2002, 17, 50-58.	1.6	142
288	The definition and classification of glaucoma in prevalence surveys. British Journal of Ophthalmology, 2002, 86, 238-242.	3.9	1,868

#	Article	IF	CITATIONS
289	Prevalence of lens opacity in Chinese residents of Singapore: the tanjong pagar survey. Ophthalmology, 2002, 109, 2058-2064.	5.2	81
290	Bilateral serous retinal detachment as a complication of HELLP syndrome. Eye, 2002, 16, 491-492.	2.1	24
291	The prevalence and risk factors for pterygium in an adult Chinese population in Singapore: the Tanjong Pagar survey. American Journal of Ophthalmology, 2001, 131, 176-183.	3.3	131
292	Automated static perimetry: the influence of myopia and its method of correction. Ophthalmology, 2001, 108, 290-295.	5.2	75
293	Glaucoma in East Greenlandic Inuit. Acta Ophthalmologica, 2001, 79, 462-467.	0.3	31
294	Glaucoma in China: how big is the problem?. British Journal of Ophthalmology, 2001, 85, 1277-1282.	3.9	497
295	Advances in the understanding of primary angle-closure as a cause of glaucomatous optic neuropathy. Community Eye Health Journal, 2001, 14, 37-9.	0.4	5
296	Variations in ocular biometry in an adult Chinese population in Singapore: the Tanjong Pagar Survey. Investigative Ophthalmology and Visual Science, 2001, 42, 73-80.	3.3	149
297	The relationship between ocular dimensions and refraction with adult stature: the Tanjong Pagar Survey. Investigative Ophthalmology and Visual Science, 2001, 42, 1237-42.	3.3	85
298	Anterior Chamber Depth Measurement as a Screening Tool for Primary Angle-closure Glaucoma in an East Asian Population. JAMA Ophthalmology, 2000, 118, 257.	2.4	165
299	YAG laser iridotomy treatment for primary angle closure in east Asian eyes. British Journal of Ophthalmology, 2000, 84, 1255-1259.	3.9	225
300	Rates of hospital admissions for primary angle closure glaucoma among Chinese, Malays, and Indians in Singapore. British Journal of Ophthalmology, 2000, 84, 990-992.	3.9	76
301	The Prevalence of Glaucoma in Chinese Residents of Singapore <subtitle>A Cross-Sectional Population Survey of the Tanjong Pagar District</subtitle> . JAMA Ophthalmology, 2000, 118, 1105.	2.4	596
302	Detection of gonioscopically occludable angles and primary angle closure glaucoma by estimation of limbal chamber depth in Asians: modified grading scheme. British Journal of Ophthalmology, 2000, 84, 186-192.	3.9	210
303	Accuracy of clinical estimates of intraocular pressure in Chinese eyes. Ophthalmology, 2000, 107, 1816-1821.	5.2	57
304	Prevalence and risk factors for refractive errors in adult Chinese in Singapore. Investigative Ophthalmology and Visual Science, 2000, 41, 2486-94.	3.3	454
305	Central corneal thickness and intraocular pressure in a Mongolian population,. Ophthalmology, 1998, 105, 969-973.	5.2	236
306	Measurement of optic disc size: equivalence of methods to correct for ocular magnification. British Journal of Ophthalmology, 1998, 82, 643-649.	3.9	163

#	Article	IF	CITATIONS
307	Incidence of Acute Primary Angle-closure Glaucoma in Singapore. JAMA Ophthalmology, 1997, 115, 1436.	2.4	266
308	Anterior Chamber Depth in Mongolians: Variation With Age, Sex, and Method of Measurement. American Journal of Ophthalmology, 1997, 124, 53-60.	3.3	124
309	Glaucoma in Mongolia. JAMA Ophthalmology, 1996, 114, 1235.	2.4	450
310	Glaucoma Care in Developing Countries of Asia. , 0, , 109-122.		0