
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4679941/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	American Cancer Society/American Society of Clinical Oncology Breast Cancer Survivorship Care Guideline. Journal of Clinical Oncology, 2016, 34, 611-635.	1.6	651
2	Cancer biomarkers. Molecular Oncology, 2012, 6, 140-146.	4.6	600
3	Breast Cancer Follow-Up and Management After Primary Treatment: American Society of Clinical Oncology Clinical Practice Guideline Update. Journal of Clinical Oncology, 2013, 31, 961-965.	1.6	517
4	American Cancer Society/American Society of Clinical Oncology Breast Cancer Survivorship Care Guideline. Ca-A Cancer Journal for Clinicians, 2016, 66, 43-73.	329.8	497
5	Predictors of Aromatase Inhibitor Discontinuation as a Result of Treatment-Emergent Symptoms in Early-Stage Breast Cancer. Journal of Clinical Oncology, 2012, 30, 936-942.	1.6	313
6	Effect of Acupuncture vs Sham Acupuncture or Waitlist Control on Joint Pain Related to Aromatase Inhibitors Among Women With Early-Stage Breast Cancer. JAMA - Journal of the American Medical Association, 2018, 320, 167.	7.4	202
7	Use of Biomarkers to Guide Decisions on Adjuvant Systemic Therapy for Women With Early-Stage Invasive Breast Cancer: ASCO Clinical Practice Guideline Update—Integration of Results From TAILORx. Journal of Clinical Oncology, 2019, 37, 1956-1964.	1.6	189
8	Comparative analysis of circulating tumor DNA stability In K3EDTA, Streck, and CellSave blood collection tubes. Clinical Biochemistry, 2016, 49, 1354-1360.	1.9	175
9	Biomarkers for Adjuvant Endocrine and Chemotherapy in Early-Stage Breast Cancer: ASCO Guideline Update. Journal of Clinical Oncology, 2022, 40, 1816-1837.	1.6	139
10	Uses and Abuses of Tumor Markers in the Diagnosis, Monitoring, and Treatment of Primary and Metastatic Breast Cancer. Oncologist, 2006, 11, 541-552.	3.7	132
11	Development of Circulating Tumor Cell-Endocrine Therapy Index in Patients with Hormone Receptor–Positive Breast Cancer. Clinical Cancer Research, 2015, 21, 2487-2498.	7.0	112
12	Sex Differences in Risk of Severe Adverse Events in Patients Receiving Immunotherapy, Targeted Therapy, or Chemotherapy in Cancer Clinical Trials. Journal of Clinical Oncology, 2022, 40, 1474-1486.	1.6	102
13	Drug Interactions and Pharmacogenomics in the Treatment of Breast Cancer and Depression. American Journal of Psychiatry, 2008, 165, 1251-1255.	7.2	91
14	Role of Patient and Disease Factors in Adjuvant Systemic Therapy Decision Making for Early-Stage, Operable Breast Cancer: American Society of Clinical Oncology Endorsement of Cancer Care Ontario Guideline Recommendations. Journal of Clinical Oncology, 2016, 34, 2303-2311.	1.6	80
15	Randomized, Multicenter, Placebo-Controlled Clinical Trial of Duloxetine Versus Placebo for Aromatase Inhibitor–Associated Arthralgias in Early-Stage Breast Cancer: SWOG S1202. Journal of Clinical Oncology, 2018, 36, 326-332.	1.6	79
16	Patientâ€reported symptoms and discontinuation of adjuvant aromatase inhibitor therapy. Cancer, 2014, 120, 2403-2411.	4.1	76
17	Survival, Pathologic Response, and Genomics in CALGB 40601 (Alliance), a Neoadjuvant Phase III Trial of Paclitaxel-Trastuzumab With or Without Lapatinib in HER2-Positive Breast Cancer. Journal of Clinical Oncology, 2020, 38, 4184-4193.	1.6	74
18	Integrated Analysis of RNA and DNA from the Phase III Trial CALGB 40601 Identifies Predictors of Response to Trastuzumab-Based Neoadjuvant Chemotherapy in HER2-Positive Breast Cancer. Clinical Cancer Research, 2018, 24, 5292-5304.	7.0	73

#	Article	IF	CITATIONS
19	Phase II Trial of Copper Depletion with Tetrathiomolybdate as an Antiangiogenesis Strategy in Patients with Hormone-Refractory Prostate Cancer. Oncology, 2006, 71, 168-175.	1.9	68
20	Association between CYP2D6 genotype and tamoxifen-induced hot flashes in a prospective cohort. Breast Cancer Research and Treatment, 2009, 117, 571-575.	2.5	63
21	Comparison of breast cancer recurrence risk and cardiovascular disease incidence risk among postmenopausal women with breast cancer. Breast Cancer Research and Treatment, 2012, 131, 907-914.	2.5	62
22	Evidence for association of SNPs in <i>ABCB1</i> and <i>CBR3</i> , but not <i>RAC2, NCF4, SLC28A3</i> or <i>TOP2B</i> , with chronic cardiotoxicity in a cohort of breast cancer patients treated with anthracyclines. Pharmacogenomics, 2016, 17, 231-240.	1.3	59
23	Randomized Trial of Text Messaging to Reduce Early Discontinuation of Adjuvant Aromatase Inhibitor Therapy in Women With Early-Stage Breast Cancer: SWOG S1105. Journal of Clinical Oncology, 2020, 38, 2122-2129.	1.6	59
24	Pilot study of duloxetine for treatment of aromatase inhibitorâ€associated musculoskeletal symptoms. Cancer, 2011, 117, 5469-5475.	4.1	58
25	Patient-Reported Outcomes and Early Discontinuation in Aromatase Inhibitor-Treated Postmenopausal Women With Early Stage Breast Cancer. Oncologist, 2016, 21, 539-546.	3.7	56
26	Aromatase inhibitor-associated musculoskeletal symptoms: etiology and strategies for management. Oncology, 2008, 22, 1401-8.	0.5	52
27	Prediction of Postchemotherapy Ovarian Function Using Markers of Ovarian Reserve. Oncologist, 2014, 19, 68-74.	3.7	51
28	Genetic associations with toxicity-related discontinuation of aromatase inhibitor therapy for breast cancer. Breast Cancer Research and Treatment, 2013, 138, 807-816.	2.5	50
29	Disparities in cancer survival and incidence by metropolitan versus rural residence in Utah. Cancer Medicine, 2018, 7, 1490-1497.	2.8	50
30	Promoting Quality and Evidence-Based Care in Early-Stage Breast Cancer Follow-up. Journal of the National Cancer Institute, 2014, 106, dju034-dju034.	6.3	47
31	Heterogeneous estrogen receptor expression in circulating tumor cells suggests diverse mechanisms of fulvestrant resistance. Molecular Oncology, 2016, 10, 1078-1085.	4.6	43
32	Biomarkers for Systemic Therapy in Metastatic Breast Cancer: ASCO Guideline Update. Journal of Clinical Oncology, 2022, 40, 3205-3221.	1.6	43
33	Paclitaxel Plasma Concentration after the First Infusion Predicts Treatment-Limiting Peripheral Neuropathy. Clinical Cancer Research, 2018, 24, 3602-3610.	7.0	40
34	Omega-3 fatty acid use for obese breast cancer patients with aromatase inhibitor-related arthralgia (SWOG S0927). Breast Cancer Research and Treatment, 2018, 172, 603-610.	2.5	37
35	Management of Aromatase Inhibitor–Induced Musculoskeletal Symptoms. JCO Oncology Practice, 2020, 16, 733-739.	2.9	36
36	A prospective study of aromatase inhibitorâ€associated musculoskeletal symptoms and abnormalities on serial highâ€resolution wrist ultrasonography. Cancer, 2010, 116, 4360-4367.	4.1	35

#	Article	IF	CITATIONS
37	Clinical predictors of long-term survival in HER2-positive metastatic breast cancer. Breast Cancer Research and Treatment, 2016, 155, 589-595.	2.5	34
38	Association of Osteonecrosis of the Jaw With Zoledronic Acid Treatment for Bone Metastases in Patients With Cancer. JAMA Oncology, 2021, 7, 246.	7.1	34
39	A Multigene Assay Determines Risk of Recurrence in Patients with Triple-Negative Breast Cancer. Cancer Research, 2019, 79, 3466-3478.	0.9	32
40	Reporting of paclitaxel-induced peripheral neuropathy symptoms to clinicians among women with breast cancer: a qualitative study. Supportive Care in Cancer, 2020, 28, 4163-4172.	2.2	31
41	Palbociclib for the Treatment of Estrogen Receptor–Positive, HER2-Negative Metastatic Breast Cancer. Clinical Cancer Research, 2015, 21, 3591-3596.	7.0	29
42	Genotyping concordance in DNA extracted from formalinâ€fixed paraffin embedded (FFPE) breast tumor and whole blood for pharmacogenetic analyses. Molecular Oncology, 2015, 9, 1868-1876.	4.6	29
43	Effect of Estrogen Depletion on Pain Sensitivity in Aromatase Inhibitor–Treated Women With Early-Stage Breast Cancer. Journal of Pain, 2014, 15, 468-475.	1.4	28
44	Associations between genetic variants and the effect of letrozole and exemestane on bone mass and bone turnover. Breast Cancer Research and Treatment, 2015, 154, 263-273.	2.5	27
45	Phase I/II dose-escalation study of PI3K inhibitors pilaralisib or voxtalisib in combination with letrozole in patients with hormone-receptor-positive and HER2-negative metastatic breast cancer refractory to a non-steroidal aromatase inhibitor. Breast Cancer Research and Treatment, 2015, 154, 287-297.	2.5	26
46	Doxorubicin-induced cardiac dysfunction in unselected patients with a history of early-stage breast cancer. Breast Cancer Research and Treatment, 2015, 152, 163-172.	2.5	23
47	Incidental radiologic findings at breast cancer diagnosis and likelihood of disease recurrence. Breast Cancer Research and Treatment, 2016, 155, 395-403.	2.5	19
48	Variation in the use of advanced imaging at the time of breast cancer diagnosis in a statewide registry. Cancer, 2017, 123, 2975-2983.	4.1	19
49	Association between body mass index and response to duloxetine for aromatase inhibitorâ€associated musculoskeletal symptoms in SWOG S1202. Cancer, 2019, 125, 2123-2129.	4.1	18
50	Effect of Aromatase Inhibitor Therapy on Sleep and Activity Patterns in Early-stage Breast Cancer. Clinical Breast Cancer, 2018, 18, 168-174.e2.	2.4	16
51	Toronto Workshop on Late Recurrence in Estrogen Receptor–Positive Breast Cancer: Part 1: Late Recurrence: Current Understanding, Clinical Considerations. JNCI Cancer Spectrum, 2019, 3, pkz050.	2.9	15
52	Genetic variation in EPHA contributes to sensitivity to paclitaxelâ€induced peripheral neuropathy. British Journal of Clinical Pharmacology, 2020, 86, 880-890.	2.4	14
53	Patient-Reported Outcomes and Long-Term Nonadherence to Aromatase Inhibitors. Journal of the National Cancer Institute, 2021, 113, 989-996.	6.3	13
54	Survey of US Medical Oncologists' Practices and Beliefs Regarding <i>DPYD</i> Testing Before Fluoropyrimidine Chemotherapy. JCO Oncology Practice, 2022, 18, e958-e965.	2.9	13

#	Article	IF	CITATIONS
55	Associations between metabolic syndrome, breast cancer recurrence, and the 21-gene recurrence score assay. Breast Cancer Research and Treatment, 2016, 157, 597-603.	2.5	11
56	Toronto Workshop on Late Recurrence in Estrogen Receptor-Positive Breast Cancer: Part 2: Approaches to Predict and Identify Late Recurrence, Research Directions. JNCI Cancer Spectrum, 2019, 3, pkz049.	2.9	11
57	Aromatase inhibitor use, side effects and discontinuation rates in gynecologic oncology patients. Gynecologic Oncology, 2020, 159, 509-514.	1.4	11
58	Patients carrying DPYD variant alleles have increased risk of severe toxicity and related treatment modifications during fluoropyrimidine chemotherapy. Pharmacogenomics, 2021, 22, 145-155.	1.3	11
59	Associations Between Patient and Anthropometric Characteristics and Aromatase Inhibitor Discontinuation. Clinical Breast Cancer, 2017, 17, 350-355.e4.	2.4	10
60	Prospective assessment of patient-reported outcomes and estradiol and drug concentrations in patients experiencing toxicity from adjuvant aromatase inhibitors. Breast Cancer Research and Treatment, 2017, 164, 411-419.	2.5	10
61	Breast cancer histologic subtypes show excess familial clustering. Cancer, 2019, 125, 3131-3138.	4.1	10
62	The Power of the Placebo in Symptom Management. Journal of Clinical Oncology, 2015, 33, 1870-1872.	1.6	9
63	ESR1 and PGR polymorphisms are associated with estrogen and progesterone receptor expression in breast tumors. Physiological Genomics, 2016, 48, 688-698.	2.3	9
64	Patient factors associated with discrepancies between patient-reported and clinician-documented peripheral neuropathy in women with breast cancer receiving paclitaxel: A pilot study. Breast, 2020, 51, 21-28.	2.2	9
65	Effects of exemestane and letrozole therapy on plasma concentrations of estrogens in a randomized trial of postmenopausal women with breast cancer. Breast Cancer Research and Treatment, 2017, 161, 453-461.	2.5	8
66	Integrative Oncology Education: An Emerging Competency for Oncology Providers. Current Oncology, 2021, 28, 853-862.	2.2	8
67	Further Evidence That OPG rs2073618 Is Associated With Increased Risk of Musculoskeletal Symptoms in Patients Receiving Aromatase Inhibitors for Early Breast Cancer. Frontiers in Genetics, 2021, 12, 662734.	2.3	8
68	Variable aromatase inhibitor plasma concentrations do not correlate with circulating estrogen concentrations in post-menopausal breast cancer patients. Breast Cancer Research and Treatment, 2017, 165, 659-668.	2.5	7
69	Associations between use of the 21â€gene recurrence score assay and chemotherapy regimen selection in a statewide registry. Cancer, 2017, 123, 948-956.	4.1	7
70	Effects of SLCO1B1 polymorphisms on plasma estrogen concentrations in women with breast cancer receiving aromatase inhibitors exemestane and letrozole. Pharmacogenomics, 2019, 20, 571-580.	1.3	7
71	Thinking beyond the tumor to better understand chronic symptoms in breast cancer survivors. Breast Cancer Research and Treatment, 2012, 133, 413-416.	2.5	6
72	Assessment of PIK3CA Mutations in Human Epidermal Growth Factor Receptor 2–Positive Breast Cancer: Clinical Validity but Not Utility. Journal of Clinical Oncology, 2014, 32, 3207-3209.	1.6	6

#	Article	IF	CITATIONS
73	Factors influencing the use of extended adjuvant endocrine therapy. Breast Cancer Research and Treatment, 2019, 175, 181-189.	2.5	6
74	Toxicity Index, Patient-Reported Outcomes, and Early Discontinuation of Endocrine Therapy for Breast Cancer Risk Reduction in NRG Oncology/NSABP B-35. Journal of Clinical Oncology, 2021, 39, 3800-3812.	1.6	6
75	Extended Endocrine Therapy: Is 5ÂYears Enough?. Current Oncology Reports, 2017, 19, 16.	4.0	5
76	Disparities in Cardiovascular Disease Risk Among Hispanic Breast Cancer Survivors in a Population-Based Cohort. JNCI Cancer Spectrum, 2021, 5, pkab016.	2.9	5
77	Use of gene-expression profiling to recommend adjuvant chemotherapy for breast cancer. Oncology, 2007, 21, 1301-9; discussion 1311, 1314, 1319.	0.5	5
78	Role of Patient and Disease Factors in Adjuvant Systemic Therapy Decision Making for Early-Stage, Operable Breast Cancer: American Society of Clinical Oncology Endorsement of Cancer Care Ontario Guideline Recommendations Summary. Journal of Oncology Practice, 2016, 12, 482-484.	2.5	4
79	Cancer-Related Cognitive Impairment or "Chemobrain:―Emerging Assessments, Treatments, and Targets for Intervention. Current Physical Medicine and Rehabilitation Reports, 2021, 9, 108-118.	0.8	4
80	Genome-wide association study of letrozole plasma concentrations identifies non-exonic variants that may affect CYP2A6 metabolic activity. Pharmacogenetics and Genomics, 2021, 31, 116-123.	1.5	4
81	Cardiovascular disease risk in longâ€ŧerm breast cancer survivors: A populationâ€based cohort study. Cancer, 2022, 128, 2826-2835.	4.1	4
82	The pathway to clinical use of a cancer biomarker. Scandinavian Journal of Clinical and Laboratory Investigation, 2016, 76, S17-S21.	1.2	3
83	Endocrine therapy and radiotherapy use among older women with hormone receptor-positive, clinically node-negative breast cancer. Breast Cancer Research and Treatment, 2021, 187, 287-294.	2.5	3
84	Adverse Events and Perception of Benefit From Duloxetine for Treating Aromatase Inhibitor-Associated Arthralgias. JNCI Cancer Spectrum, 2021, 5, pkab018.	2.9	3
85	Feasibility of pharmacometabolomics to identify potential predictors of paclitaxel pharmacokinetic variability. Cancer Chemotherapy and Pharmacology, 2021, 88, 475-483.	2.3	3
86	Identifying Barriers and Facilitators to Scalp Cooling Therapy Through a National Survey of the Awareness, Practice Patterns, and Attitudes of Oncologists. JCO Oncology Practice, 2022, 18, e225-e234.	2.9	3
87	Management of patients with muscle-invasive and metastatic bladder cancer. Oncology, 2005, 19, 1333-42; discussion 1342, 1347, 1350 passim.	0.5	3
88	One size does not fit all: quality of life during adjuvant aromatase inhibitor therapy. Breast Cancer Research and Treatment, 2011, 125, 751-753.	2.5	2
89	Predictors of Pain Reduction in Trials of Interventions for Aromatase Inhibitor–Associated Musculoskeletal Symptoms. JNCI Cancer Spectrum, 2021, 5, pkab087.	2.9	2
90	Muscle Mass Affects Paclitaxel Systemic Exposure and May Inform Personalized Paclitaxel Dosing. British Journal of Clinical Pharmacology, 2022, , .	2.4	2

#	Article	IF	CITATIONS
91	Complexities of adjuvant endocrine therapy in young premenopausal women. Oncology, 2009, 23, 482, 487.	0.5	2
92	CYP2D6 testing for breast cancer patients: is there more to the story?. Oncology, 2009, 23, 1236, 1243, 1249.	0.5	2
93	Bridging the Medical Education and Quality Cancer Care Divide: A Call to Action. Journal of Oncology Practice, 2015, 11, 424-426.	2.5	1
94	Integrating clinicopathologic and genomic tools in chemotherapy decision-making for early stage breast cancer. Future Oncology, 2017, 13, 2507-2510.	2.4	1
95	A prospective study to validate the functional assessment of cancer therapy (FACT) for epidermal growth factor receptor inhibitor (EGFRI)-induced dermatologic toxicities FACT-EGFRI 18 questionnaire: SWOG S1013. Journal of Patient-Reported Outcomes, 2020, 4, 54.	1.9	1
96	Evaluating the Association of Adverse Events and Patient-Reported Symptoms to Endocrine Therapy Tolerability. Journal of Clinical Oncology, 2022, 40, 430-431.	1.6	1
97	Adjuvant Systemic Therapy for Elderly Women with Breast Cancer. Women's Health, 2006, 2, 75-87.	1.5	0
98	Aromatase inhibitor-associated musculoskeletal pain: taking â€~AlM' at a symptom in breast cancer survivors. Pain Management, 2011, 1, 191-193.	1.5	0
99	Reply to K.I. Pritchard. Journal of Clinical Oncology, 2013, 31, 4476-4477.	1.6	0
100	Ovarian remnant syndrome in an aromatase inhibitorâ€ŧreated patient with BRCA2 mutation following bilateral oophorectomy. Breast Journal, 2019, 25, 1254-1256.	1.0	0
101	Reply to A. Katz. Journal of Clinical Oncology, 2020, 38, 102-103.	1.6	0