N Lynn Henry

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4679941/publications.pdf

Version: 2024-02-01

101 5,664 34 72
papers citations h-index g-index

101 101 101 8094 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Identifying Barriers and Facilitators to Scalp Cooling Therapy Through a National Survey of the Awareness, Practice Patterns, and Attitudes of Oncologists. JCO Oncology Practice, 2022, 18, e225-e234.	2.9	3
2	Muscle Mass Affects Paclitaxel Systemic Exposure and May Inform Personalized Paclitaxel Dosing. British Journal of Clinical Pharmacology, 2022, , .	2.4	2
3	Evaluating the Association of Adverse Events and Patient-Reported Symptoms to Endocrine Therapy Tolerability. Journal of Clinical Oncology, 2022, 40, 430-431.	1.6	1
4	Sex Differences in Risk of Severe Adverse Events in Patients Receiving Immunotherapy, Targeted Therapy, or Chemotherapy in Cancer Clinical Trials. Journal of Clinical Oncology, 2022, 40, 1474-1486.	1.6	102
5	Survey of US Medical Oncologists' Practices and Beliefs Regarding <i>DPYD</i> Fluoropyrimidine Chemotherapy. JCO Oncology Practice, 2022, 18, e958-e965.	2.9	13
6	Biomarkers for Adjuvant Endocrine and Chemotherapy in Early-Stage Breast Cancer: ASCO Guideline Update. Journal of Clinical Oncology, 2022, 40, 1816-1837.	1.6	139
7	Cardiovascular disease risk in longâ€term breast cancer survivors: A populationâ€based cohort study. Cancer, 2022, 128, 2826-2835.	4.1	4
8	Biomarkers for Systemic Therapy in Metastatic Breast Cancer: ASCO Guideline Update. Journal of Clinical Oncology, 2022, 40, 3205-3221.	1.6	43
9	Endocrine therapy and radiotherapy use among older women with hormone receptor-positive, clinically node-negative breast cancer. Breast Cancer Research and Treatment, 2021, 187, 287-294.	2.5	3
10	Disparities in Cardiovascular Disease Risk Among Hispanic Breast Cancer Survivors in a Population-Based Cohort. JNCI Cancer Spectrum, 2021, 5, pkab016.	2.9	5
11	Integrative Oncology Education: An Emerging Competency for Oncology Providers. Current Oncology, 2021, 28, 853-862.	2.2	8
12	Patient-Reported Outcomes and Long-Term Nonadherence to Aromatase Inhibitors. Journal of the National Cancer Institute, 2021, 113, 989-996.	6.3	13
13	Adverse Events and Perception of Benefit From Duloxetine for Treating Aromatase Inhibitor-Associated Arthralgias. JNCI Cancer Spectrum, 2021, 5, pkab018.	2.9	3
14	Patients carrying DPYD variant alleles have increased risk of severe toxicity and related treatment modifications during fluoropyrimidine chemotherapy. Pharmacogenomics, 2021, 22, 145-155.	1.3	11
15	Association of Osteonecrosis of the Jaw With Zoledronic Acid Treatment for Bone Metastases in Patients With Cancer. JAMA Oncology, 2021, 7, 246.	7.1	34
16	Further Evidence That OPG rs2073618 Is Associated With Increased Risk of Musculoskeletal Symptoms in Patients Receiving Aromatase Inhibitors for Early Breast Cancer. Frontiers in Genetics, 2021, 12, 662734.	2.3	8
17	Feasibility of pharmacometabolomics to identify potential predictors of paclitaxel pharmacokinetic variability. Cancer Chemotherapy and Pharmacology, 2021, 88, 475-483.	2.3	3
18	Cancer-Related Cognitive Impairment or "Chemobrain:―Emerging Assessments, Treatments, and Targets for Intervention. Current Physical Medicine and Rehabilitation Reports, 2021, 9, 108-118.	0.8	4

#	Article	IF	Citations
19	Genome-wide association study of letrozole plasma concentrations identifies non-exonic variants that may affect CYP2A6 metabolic activity. Pharmacogenetics and Genomics, 2021, 31, 116-123.	1.5	4
20	Toxicity Index, Patient-Reported Outcomes, and Early Discontinuation of Endocrine Therapy for Breast Cancer Risk Reduction in NRG Oncology/NSABP B-35. Journal of Clinical Oncology, 2021, 39, 3800-3812.	1.6	6
21	Predictors of Pain Reduction in Trials of Interventions for Aromatase Inhibitor–Associated Musculoskeletal Symptoms. JNCI Cancer Spectrum, 2021, 5, pkab087.	2.9	2
22	Reply to A. Katz. Journal of Clinical Oncology, 2020, 38, 102-103.	1.6	0
23	Reporting of paclitaxel-induced peripheral neuropathy symptoms to clinicians among women with breast cancer: a qualitative study. Supportive Care in Cancer, 2020, 28, 4163-4172.	2.2	31
24	Genetic variation in EPHA contributes to sensitivity to paclitaxelâ€induced peripheral neuropathy. British Journal of Clinical Pharmacology, 2020, 86, 880-890.	2.4	14
25	Survival, Pathologic Response, and Genomics in CALGB 40601 (Alliance), a Neoadjuvant Phase III Trial of Paclitaxel-Trastuzumab With or Without Lapatinib in HER2-Positive Breast Cancer. Journal of Clinical Oncology, 2020, 38, 4184-4193.	1.6	74
26	Management of Aromatase Inhibitor–Induced Musculoskeletal Symptoms. JCO Oncology Practice, 2020, 16, 733-739.	2.9	36
27	Aromatase inhibitor use, side effects and discontinuation rates in gynecologic oncology patients. Gynecologic Oncology, 2020, 159, 509-514.	1.4	11
28	Randomized Trial of Text Messaging to Reduce Early Discontinuation of Adjuvant Aromatase Inhibitor Therapy in Women With Early-Stage Breast Cancer: SWOG S1105. Journal of Clinical Oncology, 2020, 38, 2122-2129.	1.6	59
29	Patient factors associated with discrepancies between patient-reported and clinician-documented peripheral neuropathy in women with breast cancer receiving paclitaxel: A pilot study. Breast, 2020, 51, 21-28.	2.2	9
30	A prospective study to validate the functional assessment of cancer therapy (FACT) for epidermal growth factor receptor inhibitor (EGFRI)-induced dermatologic toxicities FACT-EGFRI 18 questionnaire: SWOG S1013. Journal of Patient-Reported Outcomes, 2020, 4, 54.	1.9	1
31	Effects of SLCO1B1 polymorphisms on plasma estrogen concentrations in women with breast cancer receiving aromatase inhibitors exemestane and letrozole. Pharmacogenomics, 2019, 20, 571-580.	1.3	7
32	Toronto Workshop on Late Recurrence in Estrogen Receptor-Positive Breast Cancer: Part 2: Approaches to Predict and Identify Late Recurrence, Research Directions. JNCI Cancer Spectrum, 2019, 3, pkz049.	2.9	11
33	Ovarian remnant syndrome in an aromatase inhibitorâ€treated patient with BRCA2 mutation following bilateral oophorectomy. Breast Journal, 2019, 25, 1254-1256.	1.0	0
34	Toronto Workshop on Late Recurrence in Estrogen Receptor–Positive Breast Cancer: Part 1: Late Recurrence: Current Understanding, Clinical Considerations. JNCI Cancer Spectrum, 2019, 3, pkz050.	2.9	15
35	Factors influencing the use of extended adjuvant endocrine therapy. Breast Cancer Research and Treatment, 2019, 175, 181-189.	2.5	6
36	Breast cancer histologic subtypes show excess familial clustering. Cancer, 2019, 125, 3131-3138.	4.1	10

#	Article	IF	CITATIONS
37	Use of Biomarkers to Guide Decisions on Adjuvant Systemic Therapy for Women With Early-Stage Invasive Breast Cancer: ASCO Clinical Practice Guideline Update—Integration of Results From TAILORx. Journal of Clinical Oncology, 2019, 37, 1956-1964.	1.6	189
38	A Multigene Assay Determines Risk of Recurrence in Patients with Triple-Negative Breast Cancer. Cancer Research, 2019, 79, 3466-3478.	0.9	32
39	Association between body mass index and response to duloxetine for aromatase inhibitorâ€associated musculoskeletal symptoms in SWOG S1202. Cancer, 2019, 125, 2123-2129.	4.1	18
40	Effect of Aromatase Inhibitor Therapy on Sleep and Activity Patterns in Early-stage Breast Cancer. Clinical Breast Cancer, 2018, 18, 168-174.e2.	2.4	16
41	Paclitaxel Plasma Concentration after the First Infusion Predicts Treatment-Limiting Peripheral Neuropathy. Clinical Cancer Research, 2018, 24, 3602-3610.	7.0	40
42	Disparities in cancer survival and incidence by metropolitan versus rural residence in Utah. Cancer Medicine, 2018, 7, 1490-1497.	2.8	50
43	Omega-3 fatty acid use for obese breast cancer patients with aromatase inhibitor-related arthralgia (SWOG S0927). Breast Cancer Research and Treatment, 2018, 172, 603-610.	2.5	37
44	Randomized, Multicenter, Placebo-Controlled Clinical Trial of Duloxetine Versus Placebo for Aromatase Inhibitor–Associated Arthralgias in Early-Stage Breast Cancer: SWOG S1202. Journal of Clinical Oncology, 2018, 36, 326-332.	1.6	79
45	Integrated Analysis of RNA and DNA from the Phase III Trial CALGB 40601 Identifies Predictors of Response to Trastuzumab-Based Neoadjuvant Chemotherapy in HER2-Positive Breast Cancer. Clinical Cancer Research, 2018, 24, 5292-5304.	7.0	73
46	Effect of Acupuncture vs Sham Acupuncture or Waitlist Control on Joint Pain Related to Aromatase Inhibitors Among Women With Early-Stage Breast Cancer. JAMA - Journal of the American Medical Association, 2018, 320, 167.	7.4	202
47	Extended Endocrine Therapy: Is 5ÂYears Enough?. Current Oncology Reports, 2017, 19, 16.	4.0	5
48	Associations Between Patient and Anthropometric Characteristics and Aromatase Inhibitor Discontinuation. Clinical Breast Cancer, 2017, 17, 350-355.e4.	2.4	10
49	Variation in the use of advanced imaging at the time of breast cancer diagnosis in a statewide registry. Cancer, 2017, 123, 2975-2983.	4.1	19
50	Effects of exemestane and letrozole therapy on plasma concentrations of estrogens in a randomized trial of postmenopausal women with breast cancer. Breast Cancer Research and Treatment, 2017, 161, 453-461.	2.5	8
51	Variable aromatase inhibitor plasma concentrations do not correlate with circulating estrogen concentrations in post-menopausal breast cancer patients. Breast Cancer Research and Treatment, 2017, 165, 659-668.	2.5	7
52	Prospective assessment of patient-reported outcomes and estradiol and drug concentrations in patients experiencing toxicity from adjuvant aromatase inhibitors. Breast Cancer Research and Treatment, 2017, 164, 411-419.	2.5	10
53	Associations between use of the 21â€gene recurrence score assay and chemotherapy regimen selection in a statewide registry. Cancer, 2017, 123, 948-956.	4.1	7
54	Integrating clinicopathologic and genomic tools in chemotherapy decision-making for early stage breast cancer. Future Oncology, 2017, 13, 2507-2510.	2.4	1

#	Article	IF	Citations
55	ESR1 and PGR polymorphisms are associated with estrogen and progesterone receptor expression in breast tumors. Physiological Genomics, 2016, 48, 688-698.	2.3	9
56	Heterogeneous estrogen receptor expression in circulating tumor cells suggests diverse mechanisms of fulvestrant resistance. Molecular Oncology, 2016, 10, 1078-1085.	4.6	43
57	Comparative analysis of circulating tumor DNA stability In K3EDTA, Streck, and CellSave blood collection tubes. Clinical Biochemistry, 2016, 49, 1354-1360.	1.9	175
58	Role of Patient and Disease Factors in Adjuvant Systemic Therapy Decision Making for Early-Stage, Operable Breast Cancer: American Society of Clinical Oncology Endorsement of Cancer Care Ontario Guideline Recommendations Summary. Journal of Oncology Practice, 2016, 12, 482-484.	2.5	4
59	American Cancer Society/American Society of Clinical Oncology Breast Cancer Survivorship Care Guideline. Ca-A Cancer Journal for Clinicians, 2016, 66, 43-73.	329.8	497
60	The pathway to clinical use of a cancer biomarker. Scandinavian Journal of Clinical and Laboratory Investigation, 2016, 76, S17-S21.	1.2	3
61	Associations between metabolic syndrome, breast cancer recurrence, and the 21-gene recurrence score assay. Breast Cancer Research and Treatment, 2016, 157, 597-603.	2.5	11
62	Patient-Reported Outcomes and Early Discontinuation in Aromatase Inhibitor-Treated Postmenopausal Women With Early Stage Breast Cancer. Oncologist, 2016, 21, 539-546.	3.7	56
63	American Cancer Society/American Society of Clinical Oncology Breast Cancer Survivorship Care Guideline. Journal of Clinical Oncology, 2016, 34, 611-635.	1.6	651
64	Role of Patient and Disease Factors in Adjuvant Systemic Therapy Decision Making for Early-Stage, Operable Breast Cancer: American Society of Clinical Oncology Endorsement of Cancer Care Ontario Guideline Recommendations. Journal of Clinical Oncology, 2016, 34, 2303-2311.	1.6	80
65	Evidence for association of SNPs in <i>ABCB1</i> and <i>CBR3</i> , but not <i>RAC2, NCF4, SLC28A3</i> or <i>TOP2B</i> , with chronic cardiotoxicity in a cohort of breast cancer patients treated with anthracyclines. Pharmacogenomics, 2016, 17, 231-240.	1.3	59
66	Incidental radiologic findings at breast cancer diagnosis and likelihood of disease recurrence. Breast Cancer Research and Treatment, 2016, 155, 395-403.	2.5	19
67	Clinical predictors of long-term survival in HER2-positive metastatic breast cancer. Breast Cancer Research and Treatment, 2016, 155, 589-595.	2.5	34
68	Doxorubicin-induced cardiac dysfunction in unselected patients with a history of early-stage breast cancer. Breast Cancer Research and Treatment, 2015, 152, 163-172.	2.5	23
69	Palbociclib for the Treatment of Estrogen Receptor–Positive, HER2-Negative Metastatic Breast Cancer. Clinical Cancer Research, 2015, 21, 3591-3596.	7.0	29
70	Genotyping concordance in DNA extracted from formalinâ€fixed paraffin embedded (FFPE) breast tumor and whole blood for pharmacogenetic analyses. Molecular Oncology, 2015, 9, 1868-1876.	4.6	29
71	Phase I/II dose-escalation study of PI3K inhibitors pilaralisib or voxtalisib in combination with letrozole in patients with hormone-receptor-positive and HER2-negative metastatic breast cancer refractory to a non-steroidal aromatase inhibitor. Breast Cancer Research and Treatment, 2015, 154, 287-297.	2.5	26
72	The Power of the Placebo in Symptom Management. Journal of Clinical Oncology, 2015, 33, 1870-1872.	1.6	9

#	Article	IF	Citations
73	Associations between genetic variants and the effect of letrozole and exemestane on bone mass and bone turnover. Breast Cancer Research and Treatment, 2015, 154, 263-273.	2.5	27
74	Bridging the Medical Education and Quality Cancer Care Divide: A Call to Action. Journal of Oncology Practice, 2015, 11, 424-426.	2.5	1
75	Development of Circulating Tumor Cell-Endocrine Therapy Index in Patients with Hormone Receptor–Positive Breast Cancer. Clinical Cancer Research, 2015, 21, 2487-2498.	7.0	112
76	Patientâ€reported symptoms and discontinuation of adjuvant aromatase inhibitor therapy. Cancer, 2014, 120, 2403-2411.	4.1	76
77	Prediction of Postchemotherapy Ovarian Function Using Markers of Ovarian Reserve. Oncologist, 2014, 19, 68-74.	3.7	51
78	Assessment of PIK3CA Mutations in Human Epidermal Growth Factor Receptor 2–Positive Breast Cancer: Clinical Validity but Not Utility. Journal of Clinical Oncology, 2014, 32, 3207-3209.	1.6	6
79	Promoting Quality and Evidence-Based Care in Early-Stage Breast Cancer Follow-up. Journal of the National Cancer Institute, 2014, 106, dju034-dju034.	6.3	47
80	Effect of Estrogen Depletion on Pain Sensitivity in Aromatase Inhibitor–Treated Women With Early-Stage Breast Cancer. Journal of Pain, 2014, 15, 468-475.	1.4	28
81	Genetic associations with toxicity-related discontinuation of aromatase inhibitor therapy for breast cancer. Breast Cancer Research and Treatment, 2013, 138, 807-816.	2.5	50
82	Breast Cancer Follow-Up and Management After Primary Treatment: American Society of Clinical Oncology Clinical Practice Guideline Update. Journal of Clinical Oncology, 2013, 31, 961-965.	1.6	517
83	Reply to K.I. Pritchard. Journal of Clinical Oncology, 2013, 31, 4476-4477.	1.6	0
84	Predictors of Aromatase Inhibitor Discontinuation as a Result of Treatment-Emergent Symptoms in Early-Stage Breast Cancer. Journal of Clinical Oncology, 2012, 30, 936-942.	1.6	313
85	Cancer biomarkers. Molecular Oncology, 2012, 6, 140-146.	4.6	600
86	Thinking beyond the tumor to better understand chronic symptoms in breast cancer survivors. Breast Cancer Research and Treatment, 2012, 133, 413-416.	2.5	6
87	Comparison of breast cancer recurrence risk and cardiovascular disease incidence risk among postmenopausal women with breast cancer. Breast Cancer Research and Treatment, 2012, 131, 907-914.	2.5	62
88	One size does not fit all: quality of life during adjuvant aromatase inhibitor therapy. Breast Cancer Research and Treatment, 2011, 125, 751-753.	2.5	2
89	Pilot study of duloxetine for treatment of aromatase inhibitorâ€associated musculoskeletal symptoms. Cancer, 2011, 117, 5469-5475.	4.1	58
90	Aromatase inhibitor-associated musculoskeletal pain: taking â€~AlM' at a symptom in breast cancer survivors. Pain Management, 2011, 1, 191-193.	1.5	0

#	Article	IF	CITATIONS
91	A prospective study of aromatase inhibitorâ€associated musculoskeletal symptoms and abnormalities on serial highâ€resolution wrist ultrasonography. Cancer, 2010, 116, 4360-4367.	4.1	35
92	Association between CYP2D6 genotype and tamoxifen-induced hot flashes in a prospective cohort. Breast Cancer Research and Treatment, 2009, 117, 571-575.	2.5	63
93	Complexities of adjuvant endocrine therapy in young premenopausal women. Oncology, 2009, 23, 482, 487.	0.5	2
94	CYP2D6 testing for breast cancer patients: is there more to the story?. Oncology, 2009, 23, 1236, 1243, 1249.	0.5	2
95	Drug Interactions and Pharmacogenomics in the Treatment of Breast Cancer and Depression. American Journal of Psychiatry, 2008, 165, 1251-1255.	7.2	91
96	Aromatase inhibitor-associated musculoskeletal symptoms: etiology and strategies for management. Oncology, 2008, 22, 1401-8.	0.5	52
97	Use of gene-expression profiling to recommend adjuvant chemotherapy for breast cancer. Oncology, 2007, 21, 1301-9; discussion 1311, 1314, 1319.	0.5	5
98	Phase II Trial of Copper Depletion with Tetrathiomolybdate as an Antiangiogenesis Strategy in Patients with Hormone-Refractory Prostate Cancer. Oncology, 2006, 71, 168-175.	1.9	68
99	Adjuvant Systemic Therapy for Elderly Women with Breast Cancer. Women's Health, 2006, 2, 75-87.	1.5	0
100	Uses and Abuses of Tumor Markers in the Diagnosis, Monitoring, and Treatment of Primary and Metastatic Breast Cancer. Oncologist, 2006, 11, 541-552.	3.7	132
101	Management of patients with muscle-invasive and metastatic bladder cancer. Oncology, 2005, 19, 1333-42; discussion 1342, 1347, 1350 passim.	0.5	3