

# Thomas W P Friedl

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4681035/publications.pdf>

Version: 2024-02-01

99  
papers

2,303  
citations

331670

21  
h-index

233421

45  
g-index

104  
all docs

104  
docs citations

104  
times ranked

3014  
citing authors

#	ARTICLE	IF	CITATIONS
1	Duration and Dose of Adjuvant Zoledronic Acid for Treatment of Early Breast Cancerâ€”Reply. JAMA Oncology, 2022, 8, 171.	7.1	0
2	The impact of anthracyclines in intermediate and high-risk HER2-negative early breast cancerâ€”a pooled analysis of the randomised clinical trials PlanB and SUCCESS C. British Journal of Cancer, 2022, 126, 1715-1724.	6.4	14
3	Fishing for (in)continence: long-term follow-up of women with OASISâ€”still a taboo. Archives of Gynecology and Obstetrics, 2021, 303, 987-997.	1.7	5
4	Age-related activity of Poly (ADP-Ribose) Polymerase (PARP) in men with localized prostate cancer. Mechanisms of Ageing and Development, 2021, 196, 111494.	4.6	4
5	Prognosis of Patients With Early Breast Cancer Receiving 5 Years vs 2 Years of Adjuvant Bisphosphonate Treatment. JAMA Oncology, 2021, 7, 1149.	7.1	25
6	Sex-specific differences in DNA double-strand break repair of cycling human lymphocytes during aging. Aging, 2021, 13, 21066-21089.	3.1	14
7	Influence of the New FIGO Classification for Cervical Cancer on Patient Survival: A Retrospective Analysis of 265 Histologically Confirmed Cases with FIGO Stages IA to IIB. Oncology, 2020, 98, 91-97.	1.9	20
8	Gemcitabine as adjuvant chemotherapy in patients with high-risk early breast cancerâ€”results from the randomized phase III SUCCESS-A trial. Breast Cancer Research, 2020, 22, 111.	5.0	15
9	CT Scan in the Prediction of Lymph Node Involvement in Ovarian Cancer â€” a Retrospective Analysis of a Tertiary Gyneco-Oncological Unit. Geburtshilfe Und Frauenheilkunde, 2020, 80, 518-525.	1.8	12
10	The Association between Obesity and Premenopausal Breast Cancer According to Intrinsic Subtypes â€” a Systematic Review. Geburtshilfe Und Frauenheilkunde, 2020, 80, 601-610.	1.8	14
11	Lymph Node Ratio Can Better Predict Prognosis than Absolute Number of Positive Lymph Nodes in Operable Cervical Carcinoma. Oncology Research and Treatment, 2020, 43, 87-95.	1.2	7
12	53BP1 Accumulation in Circulating Tumor Cells Identifies Chemotherapy-Responsive Metastatic Breast Cancer Patients. Cancers, 2020, 12, 930.	3.7	7
13	Impact of Granulocyte Colony-Stimulating Factor (G-CSF) and Epoetin (EPO) on Hematologic Toxicities and Quality of Life in Patients During Adjuvant Chemotherapy in Early Breast Cancer: Results From the Multi-Center Randomized ADEBAR Trial. Clinical Breast Cancer, 2020, 20, 439-447.	2.4	3
14	Abstract OT3-18-01: Detect III/IV study trial - The multicenter study program in patients with HER2-negative MBC and circulating tumor cells. , 2020, , .		0
15	295â€”Accumulation of 53BP1 in circulating tumor cells during treatment with eribulin identifies chemotherapy-responsive metastatic breast cancer patients. , 2020, , .		0
16	Abstract P4-01-01: Presence of circulating tumor cells in high-risk early breast cancer do not predict site of metastatic lesions - Results of the SUCCESS A trial. , 2020, , .		0
17	Abstract OT2-01-03: DETECT V - Comparison of dual HER2-targeted therapy with trastuzumab and pertuzumab plus CDK4/6 inhibition in combination with either chemo- or endocrine therapy in patients with HER2-positive and hormone-receptor positive metastatic breast cancer. , 2020, , .		0
18	Response to Di Cosimo, Torri, and Porcu. Journal of the National Cancer Institute, 2019, 111, 1234-1235.	6.3	1

#	ARTICLE	IF	CITATIONS
19	Are Circulating Tumor Cells (CTCs) Ready for Clinical Use in Breast Cancer? An Overview of Completed and Ongoing Trials Using CTCs for Clinical Treatment Decisions. <i>Cells</i> , 2019, 8, 1412.	4.1	45
20	BRCA1 mislocalization leads to aberrant DNA damage response in heterozygous ABRAXAS1 mutation carrier cells. <i>Human Molecular Genetics</i> , 2019, 28, 4148-4160.	2.9	4
21	Differential prognostic relevance of patho-anatomical factors among different tumor-biological subsets of breast cancer: Results from the adjuvant SUCCESS A study. <i>Breast</i> , 2019, 44, 81-89.	2.2	8
22	Quality of life during and after adjuvant anthracycline-taxane-based chemotherapy with or without Gemcitabine in high-risk early breast cancer: results of the SUCCESS A trial. <i>Breast Cancer Research and Treatment</i> , 2019, 175, 627-635.	2.5	8
23	Emergency peripartur hysterectomy – a single-center analysis of the last 13 years at a tertiary perinatal care unit. <i>Journal of Perinatal Medicine</i> , 2019, 47, 169-175.	1.4	8
24	Presence of Circulating Tumor Cells in High-Risk Early Breast Cancer During Follow-Up and Prognosis. <i>Journal of the National Cancer Institute</i> , 2019, 111, 380-387.	6.3	101
25	Prenatally Diagnosed Single Umbilical Artery (SUA) – Retrospective Analysis of 1169 Fetuses. <i>Ultraschall in Der Medizin</i> , 2019, 40, 221-229.	1.5	25
26	Comparison of preoperative serum VEGF in leiomyosarcoma and uterus myomatosis patients: A proof of concept study.. <i>Journal of Clinical Oncology</i> , 2019, 37, e17117-e17117.	1.6	1
27	A single-center retrospective analysis to evaluate the prognostic role of lymph node density in patients with lymph node-positive cervical cancer.. <i>Journal of Clinical Oncology</i> , 2019, 37, e17013-e17013.	1.6	0
28	Influence of the new FIGO classification for cervical cancer on patients'™ survival: Retrospective analysis of 265 histologically confirmed cases with FIGO stages Ia to IIb.. <i>Journal of Clinical Oncology</i> , 2019, 37, e17006-e17006.	1.6	0
29	Endocrine Treatment with 2 Years of Tamoxifen versus 2 Years of Exemestane in Postmenopausal Patients with High-Risk Early Breast Cancer and Persisting Circulating Tumor Cells - First Results of the SUCCESS C Endocrine Treatment Sub-Study. <i>Oncology Research and Treatment</i> , 2018, 41, 93-98.	1.2	8
30	Association of Circulating Tumor Cell Status With Benefit of Radiotherapy and Survival in Early-Stage Breast Cancer. <i>JAMA Oncology</i> , 2018, 4, e180163.	7.1	105
31	Prognostic Impact of Weight Change During Adjuvant Chemotherapy in Patients With High-Risk Early Breast Cancer: Results From the ADEBAR Study. <i>Clinical Breast Cancer</i> , 2018, 18, 175-183.	2.4	21
32	Comparison of Fetomaternal Outcome between 47 Deliveries Following Successful External Cephalic Version for Breech Presentation and 7456 Deliveries Following Spontaneous Cephalic Presentation. <i>Gynecologic and Obstetric Investigation</i> , 2018, 83, 477-481.	1.6	1
33	Axillary Surgery in Breast Cancer Patients Treated with Breast-Conserving Surgery at German Breast Cancer Centers Within the Last 14 Years – Comparison of a University Center and a Community Hospital. <i>Geburtshilfe Und Frauenheilkunde</i> , 2018, 78, 1138-1145.	1.8	2
34	Foetal Doppler Parameters as a Prognostic Marker Before Induction of Labour. <i>Geburtshilfe Und Frauenheilkunde</i> , 2018, 78, 859-865.	1.8	0
35	Seroma in breast surgery: all the surgeons fault?. <i>Archives of Gynecology and Obstetrics</i> , 2018, 298, 951-959.	1.7	26
36	Influence of Prognostic Factors on Lymph Node Involvement in Endometrial Cancer. <i>International Journal of Gynecological Cancer</i> , 2018, 28, 1145-1152.	2.5	10

#	ARTICLE	IF	CITATIONS
37	Use of Granulocyte-colony Stimulating Factor During Chemotherapy and Its Association With CA27.29 and Circulating Tumor Cells—Results From the SUCCESS A Trial. <i>Clinical Breast Cancer</i> , 2018, 18, e1103-e1110.	2.4	0
38	Whole blood microRNAs as potential biomarkers in post-operative early breast cancer patients. <i>BMC Cancer</i> , 2018, 18, 141.	2.6	21
39	Prevalence of circulating tumor cells in early breast cancer patients 2 and 5 years after adjuvant treatment. <i>Breast Cancer Research and Treatment</i> , 2018, 171, 571-580.	2.5	12
40	Persistence of circulating tumor cells in high risk early breast cancer patients five years after adjuvant chemotherapy and late recurrence: Results from the adjuvant SUCCESS A trial.. <i>Journal of Clinical Oncology</i> , 2018, 36, 515-515.	1.6	20
41	Pooled analysis of two randomized phase III trials (PlanB/SuccessC) comparing six cycles of docetaxel and cyclophosphamide to sequential anthracycline taxane chemotherapy in patients with intermediate and high risk HER2-negative early breast cancer (n=5,923).. <i>Journal of Clinical Oncology</i> , 2018, 36, 522-522.	1.6	17
42	Prevalence of Circulating Tumor Cells After Adjuvant Chemotherapy With or Without Anthracyclines in Patients With HER2-negative, Hormone Receptor-positive Early Breast Cancer. <i>Clinical Breast Cancer</i> , 2017, 17, 279-285.	2.4	10
43	Value of endometrial thickness assessed by transvaginal ultrasound for the prediction of endometrial cancer in patients with postmenopausal bleeding. <i>Archives of Gynecology and Obstetrics</i> , 2017, 296, 319-326.	1.7	18
44	Circulating Tumour Cells, Circulating Tumour DNA and Circulating MicroRNA in Metastatic Breast Carcinoma – What is the Role of Liquid Biopsy in Breast Cancer?. <i>Geburtshilfe Und Frauenheilkunde</i> , 2017, 77, 1291-1298.	1.8	18
45	Discordance in Human Epidermal Growth Factor Receptor 2 (HER2) Phenotype Between Primary Tumor and Circulating Tumor Cells in Women With HER2-Negative Metastatic Breast Cancer. <i>JCO Precision Oncology</i> , 2017, 1, 1-12.	3.0	9
46	The HER2 phenotype of circulating tumor cells in HER2-positive early breast cancer: A translational research project of a prospective randomized phase III trial. <i>PLoS ONE</i> , 2017, 12, e0173593.	2.5	43
47	Increased single-strand annealing rather than non-homologous end-joining predicts hereditary ovarian carcinoma. <i>Oncotarget</i> , 2017, 8, 98660-98676.	1.8	7
48	LKB1 and its importance for survival in EpCAM negative circulating tumor cells (CTC) in metastatic breast cancer.. <i>Journal of Clinical Oncology</i> , 2017, 35, e23061-e23061.	1.6	0
49	Detection of circulating tumor cells using manually performed immunocytochemistry (MICC) does not correlate with outcome in patients with early breast cancer – Results of the German SUCCESS-A-trial. <i>BMC Cancer</i> , 2016, 16, 401.	2.6	14
50	Current role of liquid biopsy in metastatic breast cancer and future perspectives. <i>Der Gynakologe</i> , 2016, 49, 680-684.	1.0	0
51	Predictors for a successful external cephalic version: a single centre experience. <i>Archives of Gynecology and Obstetrics</i> , 2016, 293, 749-755.	1.7	29
52	Short term quality of life with epirubicin-fluorouracil-cyclophosphamid (FEC) and sequential epirubicin/cyclophosphamid-docetaxel (EC-DOC) chemotherapy in patients with primary breast cancer – Results from the prospective multi-center randomized ADEBAR trial. <i>Breast</i> , 2016, 27, 69-77.	2.2	8
53	Toxicity Assessment of a Phase III Study Evaluating FEC-Doc and FEC-Doc Combined with Gemcitabine as an Adjuvant Treatment for High-Risk Early Breast Cancer: the SUCCESS-A Trial. <i>Geburtshilfe Und Frauenheilkunde</i> , 2016, 76, 542-550.	1.8	7
54	Does VEGF facilitate local tumor growth and spread into the abdominal cavity by suppressing endothelial cell adhesion, thus increasing vascular peritoneal permeability followed by ascites production in ovarian cancer?. <i>Molecular Cancer</i> , 2016, 15, 13.	19.2	46

#	ARTICLE	IF	CITATIONS
55	Comparison of seroma production in breast conserving surgery with or without intraoperative radiotherapy as tumour bed boost. Archives of Gynecology and Obstetrics, 2016, 294, 861-866.	1.7	9
56	Pooled Analysis of the Prognostic Relevance of Circulating Tumor Cells in Primary Breast Cancer. Clinical Cancer Research, 2016, 22, 2583-2593.	7.0	289
57	Therapeutic intervention based on circulating tumor cell phenotype in metastatic breast cancer: concept of the DETECT study program. Archives of Gynecology and Obstetrics, 2016, 293, 271-281.	1.7	45
58	The DETECT study concept: Individualized therapy of metastatic breast cancer.. Journal of Clinical Oncology, 2016, 34, TPS634-TPS634.	1.6	6
59	Association of CA27.29 and Circulating Tumor Cells Before and at Different Times After Adjuvant Chemotherapy in Patients with Early-stage Breast Cancer “ The SUCCESS Trial. Anticancer Research, 2016, 36, 4771-4776.	1.1	11
60	Changes in circulating tumor cell counts during the course of chemotherapy in women with high-risk early breast cancer.. Journal of Clinical Oncology, 2016, 34, 11529-11529.	1.6	0
61	Estrogen Receptor and HER2 Status on Disseminated Tumor Cells and Primary Tumor in Patients with Early Breast Cancer. Translational Oncology, 2015, 8, 509-516.	3.7	17
62	Is open surgery the solution to avoid morcellation of uterine sarcomas? A systematic literature review on the effect of tumor morcellation and surgical techniques. Archives of Gynecology and Obstetrics, 2015, 292, 499-506.	1.7	12
63	Obesity as an independent risk factor for decreased survival in node-positive high-risk breast cancer. Breast Cancer Research and Treatment, 2015, 151, 569-576.	2.5	40
64	The influence of obesity on survival in early, high-risk breast cancer: results from the randomized SUCCESS A trial. Breast Cancer Research, 2015, 17, 129.	5.0	93
65	Abstract OT1-2-03: The DETECT-study concept: Treatment based on the phenotype of circulating tumor cells in HER2-negative metastatic breast cancer. , 2015, , .		1
66	Abstract P4-11-21: Prevalence of circulating tumor cells (CTCs) after five years of zoledronate treatment in the adjuvant SUCCESS-A study. , 2015, , .		1
67	Abstract P4-01-03: Prognostic relevance of circulating tumor cells across different molecular subgroups in the adjuvant SUCCESS-A study. , 2015, , .		0
68	Abstract P4-01-16: Detection of EMT, anoikis and stem cell markers in metastatic breast cancer patients under different lines of treatment. , 2015, , .		1
69	Abstract P4-01-08: Persistence of circulating tumor cells immediately after and two years after systemic adjuvant chemotherapy in patients with early breast cancer “ Results of the German SUCCESS trials. , 2015, , .		0
70	A novel approach to assess Her2-status of circulating tumour cells (CTCs) using the automated BioMarQ System.. Journal of Clinical Oncology, 2015, 33, e11615-e11615.	1.6	0
71	The DETECT Study Program: Personalized treatment in advanced breast cancer based on circulating tumor cells (CTCs).. Journal of Clinical Oncology, 2015, 33, TPS11109-TPS11109.	1.6	0
72	Is seroma formation after breast conserving surgery influenced by intraoperative radiation therapy (IORT)?. Journal of Clinical Oncology, 2015, 33, e12049-e12049.	1.6	0

#	ARTICLE	IF	CITATIONS
73	Circulating Tumor Cells Predict Survival in Early Average-to-High Risk Breast Cancer Patients. Journal of the National Cancer Institute, 2014, 106, .	6.3	493
74	Adjuvant gemcitabine for high-risk breast cancer (BC) patients: Final survival results of the randomized phase III SUCCESS-A study.. Journal of Clinical Oncology, 2014, 32, 1010-1010.	1.6	4
75	DETECT III/IV: Two combined clinical trials based on the phenotype of circulating tumor cells (CTCs).. Journal of Clinical Oncology, 2014, 32, TPS11132-TPS11132.	1.6	1
76	The role of preoperative ultrasound evaluation of inguinal lymph nodes in patients with vulvar malignancy. Gynecologic Oncology, 2013, 131, 113-117.	1.4	34
77	Prevalence and quantity of circulating tumor cells (CTCs) after adjuvant chemotherapy in patients with HER2-negative early breast cancer (EBC).. Journal of Clinical Oncology, 2013, 31, e22075-e22075.	1.6	0
78	Biomarq: A novel approach to automated HER2-analysis of circulating tumor cells (CTCs).. Journal of Clinical Oncology, 2013, 31, 638-638.	1.6	0
79	Discordance of the ER- and HER2-status on disseminated tumor cells (DTCs) compared to the primary tumor (PT) in patients with early breast cancer (BC).. Journal of Clinical Oncology, 2013, 31, e22059-e22059.	1.6	0
80	Age-related variation in carotenoid-based plumage ornaments of male Red Bishops <i>Euplectes orix</i> . Journal of Ornithology, 2012, 153, 413-420.	1.1	13
81	A real-time PCR protocol for simple and fast quantification of blood parasite infections in evolutionary and ecological studies and some data on intensities of blood parasite infections in a subtropical weaverbird. Journal of Ornithology, 2012, 153, 239-247.	1.1	12
82	Experimentally elevated testosterone levels enhance courtship behaviour and territoriality but depress acquired immune response in Red Bishops <i>Euplectes orix</i> . Ibis, 2011, 153, 46-58.	1.9	26
83	Carotenoid-based plumage colouration in red bishops ( <i>Euplectes orix</i> ) " signalling presence rather than quality?. Behaviour, 2011, 148, 1372-1392.	0.8	5
84	Plumage Colouration, Age, Testosterone and Dominance in Male Red Bishops ( <i>Euplectes orix</i> ): A Laboratory Experiment. Ethology, 2010, 116, 806-820.	1.1	16
85	Male nest-building behaviour and mating success in the red bishop ( <i>Euplectes orix</i> ). Behaviour, 2009, 146, 771-794.	0.8	14
86	Within-pair young are more immunocompetent than extrapair young in mixed-paternity broods of the red bishop. Animal Behaviour, 2008, 75, 391-401.	1.9	10
87	Temporal changes in demand for and supply of nests in red bishops ( <i>Euplectes orix</i> ): dynamics of a biological market. Behavioral Ecology and Sociobiology, 2007, 61, 1369-1381.	1.4	16
88	Effects of behavioural time budgets and nest-building efficiency on male reproductive performance in red bishops ( <i>Euplectes orix</i> ). Journal of Ornithology, 2007, 148, 145-155.	1.1	7
89	Individual Male Calling Pattern and Male Mating Success in the European Treefrog ( <i>Hyla arborea</i> ): Is there Evidence for Directional or Stabilizing Selection on Male Calling Behaviour?. Ethology, 2006, 112, 116-126.	1.1	24
90	Sexual selection in the lek-breeding European treefrog: body size, chorus attendance, random mating and good genes. Animal Behaviour, 2005, 70, 1141-1154.	1.9	106

#	ARTICLE	IF	CITATIONS
91	Stress-dependent trade-off Between Immunological Condition and Reproductive Performance in the Polygynous Red Bishop ( <i>Euplectes orix</i> ). <i>Evolutionary Ecology</i> , 2005, 19, 221-239.	1.2	15
92	Extrapair Fertilizations in Red Bishops ( <i>Euplectes Orix</i> ): Do Females Follow Conditional Extrapair Strategies?. <i>Auk</i> , 2005, 122, 57-70.	1.4	11
93	EXTRAPAIR FERTILIZATIONS IN RED BISHOPS ( <i>EUPLECTES ORIX</i> ): DO FEMALES FOLLOW CONDITIONAL EXTRAPAIR STRATEGIES?. <i>Auk</i> , 2005, 122, 57.	1.4	9
94	Breeding success in a Red Bishop ( <i>Euplectes orix</i> ) colony in the Eastern Cape, South Africa, and its relation to nest site characteristics. <i>Ostrich</i> , 2004, 75, 95-105.	1.1	6
95	The effect of rainfall on the breeding behaviour of the Red Bishop, <i>Euplectes orix</i> . <i>Ostrich</i> , 2002, 73, 181-184.	1.1	11
96	THE VOCAL BEHAVIOUR OF MALE EUROPEAN TREEFROGS ( <i>HYLA ARBOREA</i> ): IMPLICATIONS FOR INTER- AND INTRASEXUAL SELECTION. <i>Behaviour</i> , 2002, 139, 113-136.	0.8	50
97	Nest and mate choice in the red bishop ( <i>Euplectes orix</i> ) : female settlement rules. <i>Behavioral Ecology</i> , 2000, 11, 378-386.	2.2	38
98	Determinants of male mating success in the red bishop ( <i>Euplectes orix</i> ). <i>Behavioral Ecology and Sociobiology</i> , 1999, 46, 387-399.	1.4	47
99	Individual quality and carotenoid-based plumage ornaments in male red bishops ( <i>Euplectes orix</i> ): plumage is not all that counts. <i>Biological Journal of the Linnean Society</i> , 0, 99, 384-397.	1.6	17