

Daiwon Choi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4683909/publications.pdf>

Version: 2024-02-01

75
papers

15,455
citations

61857

43
h-index

110170

64
g-index

78
all docs

78
docs citations

78
times ranked

18383
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of water-based binders on electrochemical performance of manganese dioxide cathode in mild aqueous zinc batteries. , 2021, 3, 473-481.		44
2	Lithium-ion battery physics and statistics-based state of health model. Journal of Power Sources, 2021, 501, 230032.	4.0	23
3	Li-ion battery technology for grid application. Journal of Power Sources, 2021, 511, 230419.	4.0	87
4	Mechanistic investigation of redox processes in Zn-MnO ₂ battery in mild aqueous electrolytes. Journal of Materials Chemistry A, 2021, 9, 20766-20775.	5.2	18
5	(Invited) Comparative Reliability Testing of Li-Ion Battery Chemistries Under Grid Services. ECS Meeting Abstracts, 2020, MA2020-02, 1064-1064.	0.0	0
6	Lithium Insertion Mechanism in Iron Fluoride Nanoparticles Prepared by Catalytic Decomposition of Fluoropolymer. ACS Applied Energy Materials, 2019, 2, 1832-1843.	2.5	21
7	Synthesis, surface chemistry and pseudocapacitance mechanisms of VN nanocrystals derived by a simple two-step halide approach. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2018, 230, 8-19.	1.7	8
8	Lifecycle comparison of selected Li-ion battery chemistries under grid and electric vehicle duty cycle combinations. Journal of Power Sources, 2018, 380, 185-193.	4.0	49
9	Exploring Lithium Deficiency in Layered Oxide Cathode for Li-Ion Battery. Advanced Sustainable Systems, 2017, 1, 1700026.	2.7	1
10	Li-Ion Batteries: Exploring Lithium Deficiency in Layered Oxide Cathode for Li-Ion Battery (Adv.) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	2.7	0
11	Electrochemically Controlled Ion-Exchange Property of Carbon Nanotubes/Polypyrrole Nanocomposite in Various Electrolyte Solutions. Electroanalysis, 2017, 29, 929-936.	1.5	14
12	Rechargeable Mg-Li hybrid batteries: status and challenges. Journal of Materials Research, 2016, 31, 3125-3141.	1.2	92
13	LiCoPO ₄ cathode from a CoHPO ₄ ·xH ₂ O nanoplate precursor for high voltage Li-ion batteries. Heliyon, 2016, 2, e00081.	1.4	10
14	Toward the design of high voltage magnesium-lithium hybrid batteries using dual-salt electrolytes. Chemical Communications, 2016, 52, 5379-5382.	2.2	60
15	In situ electrochemical-electron spin resonance investigations of multi-electron redox reaction for organic radical cathodes. Journal of Power Sources, 2016, 306, 812-816.	4.0	16
16	Controlling Porosity in Lignin-Derived Nanoporous Carbon for Supercapacitor Applications. ChemSusChem, 2015, 8, 411-411.	3.6	7
17	Controlling Porosity in Lignin-Derived Nanoporous Carbon for Supercapacitor Applications. ChemSusChem, 2015, 8, 428-432.	3.6	196
18	Nanomaterials-Enhanced Electrically Switched Ion Exchange Process for Water Treatment. , 2014, , 271-280.		1

#	ARTICLE	IF	CITATIONS
19	GeO _x /Reduced Graphene Oxide Composite as an Anode for Li-ion Batteries: Enhanced Capacity via Reversible Utilization of Li ₂ O along with Improved Rate Performance. <i>Advanced Functional Materials</i> , 2014, 24, 1059-1066.	7.8	143
20	Chemically Bonded Phosphorus/Graphene Hybrid as a High Performance Anode for Sodium-Ion Batteries. <i>Nano Letters</i> , 2014, 14, 6329-6335.	4.5	434
21	Li-Ion Battery with LiFePO ₄ Cathode and Li ₄ Ti ₅ O ₁₂ Anode for Stationary Energy Storage. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2013, 44, 21-25.	1.1	38
22	Multi-electron redox reaction of an organic radical cathode induced by a mesopore carbon network with nitroxide polymers. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 20921.	1.3	40
23	Catalytic templating approaches for three-dimensional hollow carbon/graphene oxide nano-architectures. <i>Nanoscale</i> , 2013, 5, 6291.	2.8	31
24	Simply AlF ₃ -treated Li ₄ Ti ₅ O ₁₂ composite anode materials for stable and ultrahigh power lithium-ion batteries. <i>Journal of Power Sources</i> , 2013, 236, 169-174.	4.0	51
25	Amorphous Zn ₂ GeO ₄ nanoparticles as anodes with high reversible capacity and long cycling life for Li-ion batteries. <i>Nano Energy</i> , 2013, 2, 498-504.	8.2	120
26	Composite organic radical-inorganic hybrid cathode for lithium-ion batteries. <i>Journal of Power Sources</i> , 2013, 233, 69-73.	4.0	11
27	Silicon-Based Anodes for Li-Ion Batteries. , 2013, , 471-504.		4
28	Development of Lithium-Organic Redox Flow Battery. <i>ECS Meeting Abstracts</i> , 2013, , .	0.0	0
29	Anthraquinone with tailored structure for a nonaqueous metal-organic redox flow battery. <i>Chemical Communications</i> , 2012, 48, 6669.	2.2	217
30	Polyanion Type Cathodes for Stationary Lithium Ion Batteries. <i>ECS Meeting Abstracts</i> , 2012, , .	0.0	0
31	Olivine Type Cathodes for Stationary Lithium-Ion Batteries. <i>ECS Meeting Abstracts</i> , 2012, , .	0.0	0
32	Enhanced performance of graphite anode materials by AlF ₃ coating for lithium-ion batteries. <i>Journal of Materials Chemistry</i> , 2012, 22, 12745.	6.7	129
33	High-Performance LiNi _{0.5} Mn _{1.5} O ₄ Spinel Controlled by Mn ³⁺ Concentration and Site Disorder. <i>Advanced Materials</i> , 2012, 24, 2109-2116.	11.1	434
34	Silicon-Based Anodes for Li-Ion Batteries. , 2012, , 9293-9316.		4
35	Template free synthesis of LiV ₃ O ₈ nanorods as a cathode material for high-rate secondary lithium batteries. <i>Journal of Materials Chemistry</i> , 2011, 21, 1153-1161.	6.7	105
36	In Situ Transmission Electron Microscopy Observation of Microstructure and Phase Evolution in a SnO ₂ Nanowire during Lithium Intercalation. <i>Nano Letters</i> , 2011, 11, 1874-1880.	4.5	266

#	ARTICLE	IF	CITATIONS
37	Thermal stability and phase transformation of electrochemically charged/discharged LiMnPO ₄ cathode for Li-ion batteries. <i>Energy and Environmental Science</i> , 2011, 4, 4560.	15.6	107
38	Electrochemical performances of LiMnPO ₄ synthesized from non-stoichiometric Li/Mn ratio. <i>Physical Chemistry Chemical Physics</i> , 2011, 13, 18099.	1.3	31
39	Synthesis and Characterization of Nanostructured Niobium and Molybdenum Nitrides by a Two-Step Transition Metal Halide Approach. <i>Journal of the American Ceramic Society</i> , 2011, 94, 2371-2378.	1.9	71
40	Electrochemical Energy Storage for Green Grid. <i>Chemical Reviews</i> , 2011, 111, 3577-3613.	23.0	4,276
41	High-rate cathodes based on Li ₃ V ₂ (PO ₄) ₃ nanobelts prepared via surfactant-assisted fabrication. <i>Journal of Power Sources</i> , 2011, 196, 3646-3649.	4.0	100
42	Reversible Sodium Ion Insertion in Single Crystalline Manganese Oxide Nanowires with Long Cycle Life. <i>Advanced Materials</i> , 2011, 23, 3155-3160.	11.1	638
43	LiMnPO ₄ Nanoplate Grown via Solid-State Reaction in Molten Hydrocarbon for Li-Ion Battery Cathode. <i>Nano Letters</i> , 2010, 10, 2799-2805.	4.5	354
44	Exfoliated MoS ₂ Nanocomposite as an Anode Material for Lithium Ion Batteries. <i>Chemistry of Materials</i> , 2010, 22, 4522-4524.	3.2	714
45	Effect of entropy change of lithium intercalation in cathodes and anodes on Li-ion battery thermal management. <i>Journal of Power Sources</i> , 2010, 195, 3720-3729.	4.0	313
46	Lithium-ion batteries for stationary energy storage. <i>Jom</i> , 2010, 62, 24-30.	0.9	59
47	Vapor-induced solid-liquid-solid process for silicon-based nanowire growth. <i>Journal of Power Sources</i> , 2010, 195, 1691-1697.	4.0	16
48	Li-ion batteries from LiFePO ₄ cathode and anatase/graphene composite anode for stationary energy storage. <i>Electrochemistry Communications</i> , 2010, 12, 378-381.	2.3	145
49	Full Cell Design and Performance for Stationary Li-Ion Battery System. <i>ECS Meeting Abstracts</i> , 2010, , .	0.0	0
50	In situ transmission electron microscopy and spectroscopy studies of interfaces in Li ion batteries: Challenges and opportunities. <i>Journal of Materials Research</i> , 2010, 25, 1541-1547.	1.2	112
51	Synthesis and Characterization of Lithium Manganese Phosphate by a Precipitation Method. <i>Journal of the Electrochemical Society</i> , 2010, 157, A142.	1.3	76
52	Ternary Self-Assembly of Ordered Metal Oxide~Graphene Nanocomposites for Electrochemical Energy Storage. <i>ACS Nano</i> , 2010, 4, 1587-1595.	7.3	795
53	Stabilization of Silicon Anode for Li-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2010, 157, A1047.	1.3	108
54	Crystal and electronic structure of lithiated nanosized rutile TiO ₂ by electron diffraction and electron energy-loss spectroscopy. <i>Applied Physics Letters</i> , 2009, 94, .	1.5	21

#	ARTICLE	IF	CITATIONS
55	EQCM immunoassay for phosphorylated acetylcholinesterase as a biomarker for organophosphate exposures based on selective zirconia adsorption and enzyme-catalytic precipitation. <i>Biosensors and Bioelectronics</i> , 2009, 24, 2377-2383.	5.3	65
56	Nanostructures and lithium electrochemical reactivity of lithium titanites and titanium oxides: A review. <i>Journal of Power Sources</i> , 2009, 192, 588-598.	4.0	804
57	Self-Assembled TiO ₂ –Graphene Hybrid Nanostructures for Enhanced Li-Ion Insertion. <i>ACS Nano</i> , 2009, 3, 907-914.	7.3	1,596
58	Nanomaterials-Enhanced Electrically Switched Ion Exchange Process for Water Treatment. , 2009, , 179-189.		2
59	In-Situ and Ex-situ TEM Imaging and Spectroscopy Study of Li-Ion Battery. <i>Microscopy and Microanalysis</i> , 2009, 15, 726-727.	0.2	1
60	Synthesis and Li-Ion Insertion Properties of Highly Crystalline Mesoporous Rutile TiO ₂ . <i>Chemistry of Materials</i> , 2008, 20, 3435-3442.	3.2	254
61	Direct detection of Pb in urine and Cd, Pb, Cu, and Ag in natural waters using electrochemical sensors immobilized with DMSA functionalized magnetic nanoparticles. <i>Analyst</i> , 2008, 133, 348.	1.7	100
62	Porous LiFePO ₄ for High Rate Li-ion Cathode by Carboxylic Surfactant Assisted Mechanochemical Approach. <i>ECS Meeting Abstracts</i> , 2008, , .	0.0	0
63	Effect of assisted ion energy on properties of silicon oxide thin film deposited by dual ion-beam sputtering. <i>Journal of Applied Polymer Science</i> , 2007, 105, 2444-2452.	1.3	3
64	Mechano-chemical synthesis and characterization of nanostructured β -TCP powder. <i>Materials Science and Engineering C</i> , 2007, 27, 377-381.	3.8	66
65	Surfactant based sol-gel approach to nanostructured LiFePO ₄ for high rate Li-ion batteries. <i>Journal of Power Sources</i> , 2007, 163, 1064-1069.	4.0	309
66	Synthesis, Structure, and Electrochemical Characterization of Nanocrystalline Tantalum and Tungsten Nitrides. <i>Journal of the American Ceramic Society</i> , 2007, 90, 3113-3120.	1.9	97
67	An Alternative Chemical Route for the Synthesis and Thermal Stability of Chemically Enriched Hydroxyapatite. <i>Journal of the American Ceramic Society</i> , 2006, 89, 444-449.	1.9	46
68	Fast and Reversible Surface Redox Reaction in Nanocrystalline Vanadium Nitride Supercapacitors. <i>Advanced Materials</i> , 2006, 18, 1178-1182.	11.1	720
69	Nanocrystalline TiN Derived by a Two-Step Halide Approach for Electrochemical Capacitors. <i>Journal of the Electrochemical Society</i> , 2006, 153, A2298.	1.3	165
70	Transparent oxygen impermeable AlO _x thin films on polycarbonate deposited by reactive ion beam sputtering. <i>Applied Surface Science</i> , 2005, 249, 60-64.	3.1	4
71	Nanostructured calcium phosphates for biomedical applications: novel synthesis and characterization. <i>Acta Biomaterialia</i> , 2005, 1, 65-83.	4.1	325
72	Synthesis of Nanostructured TiN Using a Two-Step Transition Metal Halide Approach. <i>Journal of the American Ceramic Society</i> , 2005, 88, 2030-2035.	1.9	32

#	ARTICLE	IF	CITATIONS
73	Chemically Synthesized Nanostructured VN for Pseudocapacitor Application. <i>Electrochemical and Solid-State Letters</i> , 2005, 8, A418.	2.2	81
74	Chemical synthesis of hydroxyapatite/poly(ϵ -caprolactone) composites. <i>Materials Research Bulletin</i> , 2004, 39, 417-432.	2.7	101
75	Nanostructured ceramics in medical devices: Applications and prospects. <i>Jom</i> , 2004, 56, 38-43.	0.9	73