

Mãrcio Luiz F Balthazar

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4684237/publications.pdf>

Version: 2024-02-01

29
papers

647
citations

687363

13
h-index

610901

24
g-index

29
all docs

29
docs citations

29
times ranked

1268
citing authors

#	ARTICLE	IF	CITATIONS
1	Differences in structural and functional default mode network connectivity in amyloid positive mild cognitive impairment: a longitudinal study. <i>Neuroradiology</i> , 2022, 64, 141-150.	2.2	2
2	Gut microbiome in neuropsychiatric disorders. <i>Arquivos De Neuro-Psiquiatria</i> , 2022, 80, 192-207.	0.8	3
3	Functional Connectome Analysis in Mild Cognitive Impairment: Comparing Alzheimer's Disease Continuum and Suspected Non-Alzheimer Pathology. <i>Brain Connectivity</i> , 2022, 12, 774-783.	1.7	1
4	Disease Progression in Frontotemporal Dementia and Alzheimer Disease: The Contribution of Staging Scales. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2021, 34, 397-404.	2.3	8
5	Dementia in Latin America: Paving the way toward a regional action plan. <i>Alzheimer's and Dementia</i> , 2021, 17, 295-313.	0.8	68
6	ADAM10 Plasma and CSF Levels Are Increased in Mild Alzheimer's Disease. <i>International Journal of Molecular Sciences</i> , 2021, 22, 2416.	4.1	17
7	Neuropsychiatric Symptoms in Behavioral Variant Frontotemporal Dementia and Alzheimer's Disease: A 12-Month Follow-Up Study. <i>Frontiers in Neurology</i> , 2021, 12, 728108.	2.4	6
8	Behavioral manifestations in a Brazilian non-demented C9orf72-negative ALS population. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2020, 21, 100-106.	1.7	3
9	Validity and Reliability of the Frontotemporal Dementia Rating Scale (FTD-FRS) for the Progression and Staging of Dementia in Brazilian Patients. <i>Alzheimer Disease and Associated Disorders</i> , 2018, 32, 220-225.	1.3	7
10	Cognitive Reserve Relates to Functional Network Efficiency in Alzheimer's Disease. <i>Frontiers in Aging Neuroscience</i> , 2018, 10, 255.	3.4	30
11	Intranetwork and internetwork connectivity in patients with Alzheimer disease and the association with cerebrospinal fluid biomarker levels. <i>Journal of Psychiatry and Neuroscience</i> , 2017, 42, 366-377.	2.4	17
12	Self, cortical midline structures and the resting state: Implications for Alzheimer's disease. <i>Neuroscience and Biobehavioral Reviews</i> , 2016, 68, 245-255.	6.1	36
13	Following the Spreading of Brain Structural Changes in Alzheimer's Disease: A Longitudinal, Multimodal MRI Study. <i>Journal of Alzheimer's Disease</i> , 2015, 47, 995-1007.	2.6	43
14	Direct and Indirect Assessments of Activities of Daily Living in Behavioral Variant Frontotemporal Dementia and Alzheimer Disease. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2015, 28, 19-26.	2.3	20
15	Carotid Stenting versus Endarterectomy Cognitive Outcomes. <i>Annals of Vascular Surgery</i> , 2014, 28, 893-900.	0.9	14
16	Differences and the Relationship in Default Mode Network Intrinsic Activity and Functional Connectivity in Mild Alzheimer's Disease and Amnesic Mild Cognitive Impairment. <i>Brain Connectivity</i> , 2014, 4, 567-574.	1.7	54
17	Whole cortical and default mode network mean functional connectivity as potential biomarkers for mild Alzheimer's disease. <i>Psychiatry Research - Neuroimaging</i> , 2014, 221, 37-42.	1.8	60
18	Default Mode, Executive Function, and Language Functional Connectivity Networks are Compromised in Mild Alzheimer's Disease. <i>Current Alzheimer Research</i> , 2014, 11, 274-282.	1.4	55

#	ARTICLE	IF	CITATIONS
19	Widespread neuronal damage and cognitive dysfunction in spinocerebellar ataxia type 3. <i>Journal of Neurology</i> , 2013, 260, 2370-2379.	3.6	58
20	Functional profile of patients with behavioral variant frontotemporal dementia (bvFTD) compared to patients with Alzheimer's disease and normal controls. <i>Dementia E Neuropsychologia</i> , 2013, 7, 96-103.	0.8	3
21	Translation, cross-cultural adaptation and applicability of the Brazilian version of the Frontotemporal Dementia Rating Scale (FTD-FRS). <i>Dementia E Neuropsychologia</i> , 2013, 7, 387-396.	0.8	14
22	Treatment of Alzheimer's disease in Brazil: I. Cognitive disorders. <i>Dementia E Neuropsychologia</i> , 2011, 5, 178-188.	0.8	4
23	Treatment of Alzheimer's disease in Brazil: II. Behavioral and psychological symptoms of dementia. <i>Dementia E Neuropsychologia</i> , 2011, 5, 189-197.	0.8	4
24	Coordinated and circumlocutory semantic naming errors are related to anterolateral temporal lobes in mild AD, amnesic mild cognitive impairment, and normal aging. <i>Journal of the International Neuropsychological Society</i> , 2010, 16, 1099-1107.	1.8	14
25	Semantic error patterns on the Boston Naming Test in normal aging, amnesic mild cognitive impairment, and mild Alzheimer's disease: Is there semantic disruption?. <i>Neuropsychology</i> , 2008, 22, 703-709.	1.3	82
26	Hippocampal atrophy and verbal episodic memory performance in amnesic mild cognitive impairment and mild Alzheimer's disease: A preliminary study. <i>Dementia E Neuropsychologia</i> , 2008, 2, 37-41.	0.8	8
27	Trigemino autonomic cephalalgia and Argyll Robertson pupil. <i>Arquivos De Neuro-Psiquiatria</i> , 2008, 66, 901-902.	0.8	1
28	Dysexecutive mild cognitive impairment associated to frontal atrophy: Case report. <i>Dementia E Neuropsychologia</i> , 2008, 2, 76-79.	0.8	0
29	Category verbal fluency performance may be impaired in amnesic mild cognitive impairment. <i>Dementia E Neuropsychologia</i> , 2007, 1, 161-165.	0.8	15