

# Arthur Gutierrez-Hartmann

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/468977/publications.pdf>

Version: 2024-02-01

81  
papers

3,183  
citations

201674

27  
h-index

161849

54  
g-index

81  
all docs

81  
docs citations

81  
times ranked

3471  
citing authors

#	ARTICLE	IF	CITATIONS
1	Ets transcription factors: nuclear effectors of the Ras-MAP-kinase signaling pathway. Trends in Biochemical Sciences, 1998, 23, 213-216.	7.5	473
2	Germline mutations in ETV6 are associated with thrombocytopenia, red cell macrocytosis and predisposition to lymphoblastic leukemia. Nature Genetics, 2015, 47, 535-538.	21.4	274
3	Functional Interaction of c-Ets-1 and GHF-1/Pit-1 Mediates Ras Activation of Pituitary-Specific Gene Expression: Mapping of the Essential c-Ets-1 Domain. Molecular and Cellular Biology, 1995, 15, 2849-2857.	2.3	117
4	ETS transcription factors in endocrine systems. Trends in Endocrinology and Metabolism, 2007, 18, 150-158.	7.1	116
5	Molecular mechanisms of ETS transcription factor-mediated tumorigenesis. Critical Reviews in Biochemistry and Molecular Biology, 2013, 48, 522-543.	5.2	113
6	Lipoprotein Lipase Gene Expression in Rat Adipocytes Is Regulated by Isoproterenol and Insulin through Different Mechanisms. Molecular Endocrinology, 1990, 4, 1416-1422.	3.7	108
7	Interaction of Ets-1 and the POU-Homeodomain Protein GHF-1/Pit-1 Reconstitutes Pituitary-Specific Gene Expression. Molecular and Cellular Biology, 1997, 17, 1065-1074.	2.3	105
8	Conserved mechanisms of Ras regulation of evolutionary related transcription factors, Ets1 and Pointed P2. Oncogene, 1997, 14, 899-913.	5.9	95
9	A Multifunctional Prokaryotic Protein Expression System: Overproduction, Affinity Purification, and Selective Detection. DNA and Cell Biology, 1993, 12, 441-453.	1.9	92
10	MicroRNAs Regulate Pituitary Development, and MicroRNA 26b Specifically Targets Lymphoid Enhancer Factor 1 (Lef-1), Which Modulates Pituitary Transcription Factor 1 (Pit-1) Expression. Journal of Biological Chemistry, 2010, 285, 34718-34728.	3.4	85
11	Selective transcription and DNase I protection of the rat prolactin gene by GH3 pituitary cell-free extracts.. Proceedings of the National Academy of Sciences of the United States of America, 1987, 84, 5211-5215.	7.1	82
12	ELF3 is a negative regulator of epithelial-mesenchymal transition in ovarian cancer cells. Oncotarget, 2017, 8, 16951-16963.	1.8	82
13	Combination of osteoinductive bone proteins differentiates mesenchymal C3H/10T1/2 cells specifically to the cartilage lineage. Journal of Cellular Biochemistry, 1997, 65, 325-339.	2.6	78
14	GHF-1/Pit-1 Functions as a Cell-specific Integrator of Ras Signaling by Targeting the Ras Pathway to a Composite Ets-1/GHF-1 Response Element. Journal of Biological Chemistry, 1996, 271, 24639-24648.	3.4	56
15	ESX induces transformation and functional epithelial to mesenchymal transition in MCF-12A mammary epithelial cells. Oncogene, 2004, 23, 1766-1779.	5.9	56
16	The ETS Transcription Factor ESE-1 Transforms MCF-12A Human Mammary Epithelial Cells via a Novel Cytoplasmic Mechanism. Molecular and Cellular Biology, 2004, 24, 5548-5564.	2.3	54
17	The Pit-1 Homeodomain and $\hat{1}^2$ -Domain Interact with Ets-1 and Modulate Synergistic Activation of the Rat Prolactin Promoter. Journal of Biological Chemistry, 2000, 275, 3100-3106.	3.4	50
18	Nuclear and cytoplasmic LIMK1 enhances human breast cancer progression. Molecular Cancer, 2011, 10, 75.	19.2	49

#	ARTICLE	IF	CITATIONS
19	The Epithelial-Specific ETS Transcription Factor ESX/ESE-1/Elf-3 Modulates Breast Cancer-Associated Gene Expression. <i>DNA and Cell Biology</i> , 2003, 22, 79-94.	1.9	45
20	Ets transcription factors in intestinal morphogenesis, homeostasis and disease. <i>Histology and Histopathology</i> , 2008, 23, 1417-24.	0.7	39
21	Functional Components of Fibroblast Growth Factor (FGF) Signal Transduction in Pituitary Cells. <i>Journal of Biological Chemistry</i> , 1997, 272, 30852-30859.	3.4	37
22	Protein Factors in Thyrotropic Tumor Nuclear Extracts Bind to a Region of the Mouse Thyrotropin $\hat{I}^2$ -Subunit Promoter Essential for Expression in Thyrotropes. <i>Molecular Endocrinology</i> , 1990, 4, 1897-1904.	3.7	33
23	Structure-Function Analysis of the Rat Prolactin Promoter: Phasing Requirements of Proximal Cell-Specific Elements. <i>Molecular Endocrinology</i> , 1991, 5, 836-843.	3.7	32
24	Consider the context: Ras/ERK and PI3K/AKT/mTOR signaling outcomes are pituitary cell type-specific. <i>Molecular and Cellular Endocrinology</i> , 2018, 463, 87-96.	3.2	32
25	Transcriptional Control of the Cell Cycle in Mammary Gland Development and Tumorigenesis. <i>Journal of Mammary Gland Biology and Neoplasia</i> , 2004, 9, 39-53.	2.7	31
26	Structural characterization of the PIT-1/ETS-1 interaction: PIT-1 phosphorylation regulates PIT-1/ETS-1 binding. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 12657-12662.	7.1	29
27	Distinct Genetic Alterations in the Mitogen-Activated Protein Kinase Pathway Dictate Sensitivity of Thyroid Cancer Cells to Mitogen-Activated Protein Kinase Kinase 1/2 Inhibition. <i>Thyroid</i> , 2009, 19, 825-835.	4.5	29
28	Ras mediates Src but not epidermal growth factor-receptor tyrosine kinase signaling pathways in GH4 neuroendocrine cells.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994, 91, 8612-8616.	7.1	27
29	The Pit-1 $\hat{I}^2$ Domain Dictates Active Repression and Alteration of Histone Acetylation of the Proximal Prolactin Promoter. <i>Journal of Biological Chemistry</i> , 2000, 275, 30977-30986.	3.4	27
30	Purification and Mass Spectrometric Identification of GA-binding Protein (GABP) as the Functional Pituitary Ets Factor Binding to the Basal Transcription Element of the Prolactin Promoter. <i>Journal of Biological Chemistry</i> , 2003, 278, 16863-16872.	3.4	27
31	Identification of Cis-Acting Promoter Elements Important for Expression of the Mouse Glycoprotein Hormone $\hat{I}^2$ -Subunit Gene in Thyrotropes. <i>Molecular Endocrinology</i> , 1990, 4, 766-772.	3.7	26
32	Human Cart-1: Structural Organization, Chromosomal Localization, and Functional Analysis of a Cartilage-Specific Homeodomain cDNA. <i>DNA and Cell Biology</i> , 1996, 15, 531-541.	1.9	26
33	Reconstitution of the Protein Kinase A Response of the Rat Prolactin Promoter: Differential Effects of Distinct Pit-1 Isoforms and Functional Interaction with Oct-1. <i>Molecular Endocrinology</i> , 1999, 13, 228-238.	3.7	26
34	Transcription of two classes of rat growth hormone gene-associated repetitive DNA: differences in activity and effects of tandem repeat structure. <i>Nucleic Acids Research</i> , 1984, 12, 7153-7173.	14.5	25
35	High Efficiency Molecular Delivery with Sequential Low-Energy Sonoporation Bursts. <i>Theranostics</i> , 2015, 5, 1419-1427.	10.0	25
36	Role of Specific Protein Kinase C Isozymes in Mediating Epidermal Growth Factor, Thyrotropin-Releasing Hormone, and Phorbol Ester Regulation of the Rat Prolactin Promoter in GH4/GH4C1 Pituitary Cells. <i>Molecular Endocrinology</i> , 2002, 16, 2840-2852.	3.7	24

#	ARTICLE	IF	CITATIONS
37	Identification of Thyrotroph-Specific Factors and Cis-Acting Sequences of the Murine Thyrotropin $\beta$ Subunit Gene. <i>Molecular Endocrinology</i> , 1989, 3, 1037-1045.	3.7	23
38	Insulin activation of rat prolactin promoter activity. <i>Molecular and Cellular Endocrinology</i> , 1991, 78, 55-60.	3.2	23
39	A 26-Amino Acid Insertion Domain Defines a Functional Transcription Switch Motif in Pit-1 $\beta$ . <i>Journal of Biological Chemistry</i> , 1996, 271, 28925-28932.	3.4	23
40	Epidermal Growth Factor and Ras Regulate Gene Expression in GH4 Pituitary Cells by Separate, Antagonistic Signal Transduction Pathways. <i>Molecular and Cellular Biology</i> , 1995, 15, 6777-6784.	2.3	22
41	The c-Jun $\beta$ -Domain Inhibits Neuroendocrine Promoter Activity in a DNA Sequence- and Pituitary-specific Manner. <i>Journal of Biological Chemistry</i> , 1996, 271, 17139-17146.	3.4	22
42	CEBPD Suppresses Prolactin Expression and Prolactinoma Cell Proliferation. <i>Molecular Endocrinology</i> , 2011, 25, 1880-1891.	3.7	21
43	Persistent ERK/MAPK Activation Promotes Lactotrope Differentiation and Diminishes Tumorigenic Phenotype. <i>Molecular Endocrinology</i> , 2014, 28, 1999-2011.	3.7	21
44	Lipopolysaccharide and Raf-1 Kinase Regulate Secretory Interleukin-1 Receptor Antagonist Gene Expression by Mutually Antagonistic Mechanisms. <i>Molecular and Cellular Biology</i> , 1997, 17, 1118-1128.	2.3	20
45	Ras Signaling and Transcriptional Synergy at a Flexible Ets-1/Pit-1 Composite DNA Element Is Defined by the Assembly of Selective Activation Domains. <i>Journal of Biological Chemistry</i> , 2003, 278, 39684-39696.	3.4	20
46	The 26-Amino Acid $\beta$ -Motif of the Pit-1 $\beta$ Transcription Factor Is a Dominant and Independent Repressor Domain. <i>Molecular Endocrinology</i> , 2009, 23, 1371-1384.	3.7	20
47	Control of MicroRNA-21 Expression in Colorectal Cancer Cells by Oncogenic Epidermal Growth Factor/Ras Signaling and Ets Transcription Factors. <i>DNA and Cell Biology</i> , 2012, 31, 1403-1411.	1.9	20
48	Pituitary Ets-1 and GABP bind to the growth factor regulatory sites of the rat prolactin promoter. <i>Nucleic Acids Research</i> , 2001, 29, 1251-1260.	14.5	19
49	Mapping of ESE-1 subdomains required to initiate mammary epithelial cell transformation via a cytoplasmic mechanism. <i>Molecular Cancer</i> , 2011, 10, 103.	19.2	19
50	Targeted Intracellular Delivery of Trastuzumab Using Designer Phage Lambda Nanoparticles Alters Cellular Programs in Human Breast Cancer Cells. <i>ACS Nano</i> , 2021, 15, 11789-11805.	14.6	18
51	The Balance of PI3K and ERK Signaling Is Dysregulated in Prolactinoma and Modulated by Dopamine. <i>Endocrinology</i> , 2018, 159, 2421-2434.	2.8	17
52	Helix-loop-helix proteins are present and differentially expressed in different cell lines from the anterior pituitary. <i>Molecular and Cellular Endocrinology</i> , 1993, 96, 167-176.	3.2	16
53	Benign mammary epithelial cells enhance the transformed phenotype of human breast cancer cells. <i>BMC Cancer</i> , 2010, 10, 373.	2.6	16
54	A Pit-1 Threonine 220 Phosphomimic Reduces Binding to Monomeric DNA Sites to Inhibit Ras and Estrogen Stimulation of the Prolactin Gene Promoter. <i>Molecular Endocrinology</i> , 2010, 24, 91-103.	3.7	15

#	ARTICLE	IF	CITATIONS
55	Signaling Pathways Regulating Pituitary Lactotrope Homeostasis and Tumorigenesis. <i>Advances in Experimental Medicine and Biology</i> , 2015, 846, 37-59.	1.6	15
56	Ultrasound-mediated delivery of siESE complexed with microbubbles attenuates HER2+/- cell line proliferation and tumor growth in rodent models of breast cancer. <i>Nanotheranostics</i> , 2019, 3, 212-222.	5.2	15
57	ETV6 germline mutations cause HDAC3/NCOR2 mislocalization and upregulation of interferon response genes. <i>JCI Insight</i> , 2020, 5, .	5.0	15
58	ESE-1/ELF3 mRNA expression associates with poor survival outcomes in HER2+ breast cancer patients and is critical for tumorigenesis in HER2+ breast cancer cells. <i>Oncotarget</i> , 2017, 8, 69622-69640.	1.8	14
59	Pit-1 <sup>Î2</sup> reduces transcription and CREB-binding protein recruitment in a DNA context-dependent manner. <i>Journal of Endocrinology</i> , 2005, 185, 173-185.	2.6	12
60	Differential Utilization of Transcription Activation Subdomains by Distinct Coactivators Regulates Pit-1 Basal and Ras Responsiveness. <i>Molecular Endocrinology</i> , 2007, 21, 172-185.	3.7	12
61	Ets Transcription Factors Control Epithelial Maturation and Transit and Crypt-Villus Morphogenesis in the Mammalian Intestine. <i>American Journal of Pathology</i> , 2009, 174, 1280-1290.	3.8	12
62	ESE-1 is Required to Maintain the Transformed Phenotype of MCF-7 and ZR-75-1 Human Breast Cancer Cells. <i>The Open Cancer Journal</i> , 2010, 3, 77-88.	0.2	12
63	Transforming Growth Factor-beta1 Inhibits Rat Prolactin Promoter Activity in GH4Neuroendocrine Cells. <i>DNA and Cell Biology</i> , 1999, 18, 863-873.	1.9	10
64	LZ-FYVE: A Novel Developmental Stage-Specific Leucine Zipper, FYVE-Finger Protein. <i>DNA and Cell Biology</i> , 2001, 20, 403-412.	1.9	10
65	Editorial: PRL-Releasing Peptide Stimulation of PRL Gene Transcriptionâ€”Enter AKT. <i>Endocrinology</i> , 2002, 143, 11-12.	2.8	9
66	Reconstitution of the Protein Kinase A Response of the Rat Prolactin Promoter: Differential Effects of Distinct Pit-1 Isoforms and Functional Interaction with Oct-1. <i>Molecular Endocrinology</i> , 1999, 13, 228-238.	3.7	8
67	ESE-1 Knockdown Attenuates Growth in Trastuzumab-resistant HER2+ Breast Cancer Cells. <i>Anticancer Research</i> , 2017, 37, 6583-6591.	1.1	8
68	Selective Repression of Rat Prolactin Gene by Stable Expression of Dominant-Negative Ets in GH4 Pituitary Cells. <i>Endocrine</i> , 2003, 20, 3-12.	2.2	7
69	ETS transcription factor ESE-1/Elf3 is an independent prognostic factor of survival in HR+HER2+ breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2020, 182, 601-612.	2.5	7
70	Stable accumulation of a rat truncated repeat transcript in <i>Xenopus</i> oocytes.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1986, 83, 3106-3110.	7.1	6
71	Activation of the Murine Thyrotropin Î2-Subunit Promoter by GH4Rat Pituitary Cell-Free Extracts. <i>Molecular Endocrinology</i> , 1990, 4, 1887-1896.	3.7	6
72	Elucidation of Homeoprotein Cartâ€œ1 Function during <i>In Vitro</i> Chondrogenesis of C3H10T1/2 Micromass Cultures. <i>Annals of the New York Academy of Sciences</i> , 1996, 785, 206-208.	3.8	6

#	ARTICLE	IF	CITATIONS
73	The Ets dominant repressor En/Erm enhances intestinal epithelial tumorigenesis in ApcMin mice. BMC Cancer, 2009, 9, 197.	2.6	5
74	Differential Ability of Various Plasmid DNAs to Sequester Inhibitors of RNA Polymerase III Transcription. DNA and Cell Biology, 1987, 6, 231-237.	5.2	4
75	Cell-specific expression of transfected brain identifier repetitive DNAs. Nucleic Acids Research, 1988, 16, 3963-3976.	14.5	4
76	The vanishing physician-scientist?. Journal of Clinical Investigation, 2010, 120, 1367-1367.	8.2	4
77	Structural and Functional Analysis of the Differential Effects of c-Jun and v-Jun on Prolactin Gene Expression. Molecular Endocrinology, 2004, 18, 2479-2490.	3.7	1
78	Ets Transcription Factors. , 2000, , 39-65.		1
79	Pituitary somatolactotropes evade an oncogenic response to Ras. Molecular and Cellular Endocrinology, 2018, 476, 165-172.	3.2	0
80	Abstract 3298: Elf3 as negative regulation for epithelial-mesenchymal transition in ovarian cancer. , 2010, , .		0
81	Abstract 1971: ESE-1 controls transformation properties in HER2+ breast cancer cells, and predicts poor prognostic status and survival in breast cancer patients. , 2015, , .		0