

Stephane Manenti

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4690465/publications.pdf>

Version: 2024-02-01

72
papers

3,170
citations

172457

29
h-index

155660

55
g-index

76
all docs

76
docs citations

76
times ranked

4715
citing authors

#	ARTICLE	IF	CITATIONS
1	Relationship between flavonoid structure and inhibition of phosphatidylinositol 3-kinase: A comparison with tyrosine kinase and protein kinase C inhibition. <i>Biochemical Pharmacology</i> , 1997, 53, 1649-1657.	4.4	504
2	Flavonoids and the inhibition of PKC and PI 3-kinase. <i>General Pharmacology</i> , 1999, 32, 279-286.	0.7	226
3	Expression of β -catenin by acute myeloid leukemia cells predicts enhanced clonogenic capacities and poor prognosis. <i>Leukemia</i> , 2006, 20, 1211-1216.	7.2	172
4	High levels of CD34+CD38low/-CD123+ blasts are predictive of an adverse outcome in acute myeloid leukemia: a Groupe Ouest-Est des Leucemies Aigues et Maladies du Sang (GOELAMS) study. <i>Haematologica</i> , 2011, 96, 1792-1798.	3.5	164
5	A crosstalk between the Wnt and the adhesion-dependent signaling pathways governs the chemosensitivity of acute myeloid leukemia. <i>Oncogene</i> , 2006, 25, 3113-3122.	5.9	135
6	Polo-like kinase 1 is overexpressed in acute myeloid leukemia and its inhibition preferentially targets the proliferation of leukemic cells. <i>Blood</i> , 2009, 114, 659-662.	1.4	127
7	Mitochondrial energetic and AKT status mediate metabolic effects and apoptosis of metformin in human leukemic cells. <i>Leukemia</i> , 2013, 27, 2129-2138.	7.2	108
8	Proteasome inhibitors induce FLT3-ITD degradation through autophagy in AML cells. <i>Blood</i> , 2016, 127, 882-892.	1.4	108
9	The ROS/SUMO Axis Contributes to the Response of Acute Myeloid Leukemia Cells to Chemotherapeutic Drugs. <i>Cell Reports</i> , 2014, 7, 1815-1823.	6.4	86
10	Oncogenic FLT3-ITD supports autophagy via ATF4 in acute myeloid leukemia. <i>Oncogene</i> , 2018, 37, 787-797.	5.9	82
11	The Myristoyl Moiety of Myristoylated Alanine-rich C Kinase Substrate (MARCKS) and MARCKS-related Protein Is Embedded in the Membrane. <i>Journal of Biological Chemistry</i> , 1995, 270, 19879-19887.	3.4	73
12	CHK1 as a therapeutic target to bypass chemoresistance in AML. <i>Science Signaling</i> , 2016, 9, ra90.	3.6	73
13	G1 phase arrest by the phosphatidylinositol 3-kinase inhibitor LY 294002 is correlated to up-regulation of p27 ^{Kip1} and inhibition of G1 CDKs in choroidal melanoma cells. <i>FEBS Letters</i> , 1998, 422, 385-390.	2.8	67
14	Constitutive Activation of the DNA Damage Signaling Pathway in Acute Myeloid Leukemia with Complex Karyotype: Potential Importance for Checkpoint Targeting Therapy. <i>Cancer Research</i> , 2009, 69, 8652-8661.	0.9	67
15	Electron microscopic observations of reconstituted proteoliposomes with the purified major intrinsic membrane protein of eye lens fibers.. <i>Journal of Cell Biology</i> , 1987, 105, 1679-1689.	5.2	63
16	p27 controls autophagic vesicle trafficking in glucose-deprived cells via the regulation of ATAT1-mediated microtubule acetylation. <i>Cell Death and Disease</i> , 2021, 12, 481.	6.3	63
17	The p42/p44 Mitogen-activated Protein Kinase Activation Triggers p27 ^{Kip1} Degradation Independently of CDK2/Cyclin E in NIH 3T3 Cells. <i>Journal of Biological Chemistry</i> , 2001, 276, 34958-34965.	3.4	55
18	Targeting acute myeloid leukemia by dual inhibition of PI3K signaling and Cdk9-mediated Mcl-1 transcription. <i>Blood</i> , 2013, 122, 738-748.	1.4	53

#	ARTICLE	IF	CITATIONS
19	Antileukemic Activity of 2-Deoxy- α -D-Glucose through Inhibition of N-Linked Glycosylation in Acute Myeloid Leukemia with FLT3-ITD or c-KIT Mutations. <i>Molecular Cancer Therapeutics</i> , 2015, 14, 2364-2373.	4.1	52
20	MAP Kinase-dependent Degradation of p27Kip1 by Calpains in Choroidal Melanoma Cells. <i>Journal of Biological Chemistry</i> , 2003, 278, 12443-12451.	3.4	49
21	Myristoylated alanine-rich C kinase substrate (MARCKS) is involved in myoblast fusion through its regulation by protein kinase C α and calpain proteolytic cleavage. <i>Biochemical Journal</i> , 2004, 382, 1015-1023.	3.7	43
22	Cell Adhesion Regulates CDC25A Expression and Proliferation in Acute Myeloid Leukemia. <i>Cancer Research</i> , 2006, 66, 7128-7135.	0.9	43
23	p27Kip1 promotes invadopodia turnover and invasion through the regulation of the PAK1/Cortactin pathway. <i>ELife</i> , 2017, 6, .	6.0	41
24	G2/M checkpoint stringency is a key parameter in the sensitivity of AML cells to genotoxic stress. <i>Oncogene</i> , 2008, 27, 3811-3820.	5.9	40
25	Myristoylation Does Not Modulate the Properties of MARCKS-related Protein (MRP) in Solution. <i>Journal of Biological Chemistry</i> , 1996, 271, 26794-26802.	3.4	39
26	CyclinD-CDK4/6 complexes phosphorylate CDC25A and regulate its stability. <i>Oncogene</i> , 2017, 36, 3781-3788.	5.9	39
27	CDC25A: A Rebel Within the CDC25 Phosphatases Family?. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2008, 8, 825-831.	1.7	36
28	Proteasome inhibitor-induced apoptosis in acute myeloid leukemia: A correlation with the proteasome status. <i>Leukemia Research</i> , 2010, 34, 498-506.	0.8	35
29	The cell cycle regulator CDC25A is a target for JAK2V617F oncogene. <i>Blood</i> , 2012, 119, 1190-1199.	1.4	34
30	Emerging roles of phosphatidylinositol monophosphates in cellular signaling and trafficking. <i>Advances in Enzyme Regulation</i> , 2005, 45, 201-214.	2.6	33
31	Adenovirus-Mediated Suicide Gene Transduction: Feasibility in Lens Epithelium and in Prevention of Posterior Capsule Opacification in Rabbits. <i>Human Gene Therapy</i> , 1999, 10, 2365-2372.	2.7	30
32	Pim kinases phosphorylate Chk1 and regulate its functions in acute myeloid leukemia. <i>Leukemia</i> , 2014, 28, 293-301.	7.2	27
33	A functional link between Polo-like kinase 1 and the mammalian Target-Of-Rapamycin pathway?. <i>Cell Cycle</i> , 2010, 9, 1690-1696.	2.6	26
34	The major myristoylated PKC substrate (MARCKS) is involved in cell spreading, tyrosine phosphorylation of paxillin, and focal contact formation. <i>FEBS Letters</i> , 1997, 419, 95-98.	2.8	24
35	A caspase-dependent cleavage of CDC25A generates an active fragment activating cyclin-dependent kinase 2 during apoptosis. <i>Cell Death and Differentiation</i> , 2009, 16, 208-218.	11.2	24
36	Retrovirus-mediated transfer of a suicide gene into lens epithelial cells in vitro and in an experimental model of posterior capsule opacification. <i>Current Eye Research</i> , 1999, 19, 472-482.	1.5	23

#	ARTICLE	IF	CITATIONS
37	Inhibition of ubiquitin-specific protease 7 sensitizes acute myeloid leukemia to chemotherapy. <i>Leukemia</i> , 2021, 35, 417-432.	7.2	22
38	Upregulation of the CDC25A phosphatase downstream of the NPM/ALK oncogene participates in anaplastic large cell lymphoma enhanced proliferation. <i>Cell Cycle</i> , 2009, 8, 1373-1379.	2.6	20
39	Targeting CHK1 inhibits cell proliferation in FLT3-ITD positive acute myeloid leukemia. <i>Leukemia Research</i> , 2014, 38, 1342-1349.	0.8	20
40	CDC25A governs proliferation and differentiation of FLT3-ITD acute myeloid leukemia. <i>Oncotarget</i> , 2015, 6, 38061-38078.	1.8	20
41	Integrin Function and Signaling as Pharmacological Targets in Cardiovascular Diseases and in Cancer. <i>Current Pharmaceutical Design</i> , 2005, 11, 2119-2134.	1.9	17
42	Evaluation of checkpoint kinase targeting therapy in Acute Myeloid Leukemia with complex karyotype. <i>Cancer Biology and Therapy</i> , 2012, 13, 307-313.	3.4	17
43	The short form of RON is expressed in acute myeloid leukemia and sensitizes leukemic cells to cMET inhibitors. <i>Leukemia</i> , 2013, 27, 325-335.	7.2	17
44	Dilemmas of the structural and biochemical organization of lens membranes during differentiation and aging. <i>Current Eye Research</i> , 1985, 4, 1219-1234.	1.5	15
45	High-performance liquid chromatography of the main polypeptide (MP26) of lens fiber plasma membranes solubilized with n -octyl β -D-glucopyranoside. <i>FEBS Letters</i> , 1988, 233, 148-152.	2.8	15
46	Cell adhesion protects c-Raf-1 against ubiquitin-dependent degradation by the proteasome. <i>Biochemical and Biophysical Research Communications</i> , 2002, 294, 976-980.	2.1	14
47	Demyristoylation of myristoylated alanine-rich C kinase substrate. <i>Biochemical Society Transactions</i> , 1995, 23, 561-564.	3.4	13
48	p57Kip2 knock-in mouse reveals CDK-independent contribution in the development of Beckwith-Wiedemann syndrome. <i>Journal of Pathology</i> , 2016, 239, 250-261.	4.5	13
49	Regulation by Transforming Growth Factor- β 21 of G1 Cyclin-Dependent Kinases in Human Retinal Epithelial Cells. <i>Experimental Eye Research</i> , 1999, 68, 193-199.	2.6	12
50	Doxorubicin promotes transcriptional upregulation of Cdc25B in cancer cells by releasing Sp1 from the promoter. <i>Oncogene</i> , 2013, 32, 5123-5128.	5.9	12
51	Phosphorylation of CDC25A on SER283 in late S/G2 by CDK/cyclin complexes accelerates mitotic entry. <i>Cell Cycle</i> , 2016, 15, 2742-2752.	2.6	11
52	p27Kip1 regulates the microtubule bundling activity of PRC1. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2018, 1865, 1630-1639.	4.1	11
53	Fatty acid acylation of lens fiber plasma membrane proteins. <i>FEBS Letters</i> , 1990, 262, 356-358.	2.8	9
54	Cytoplasmic p27 ^{Kip1} promotes tumorigenesis via suppression of RhoB activity. <i>Journal of Pathology</i> , 2019, 247, 60-71.	4.5	8

#	ARTICLE	IF	CITATIONS
55	Specific proteolytic cleavage of the myristoylated alanine-rich C kinase substrate between Asn 147 and Glu 148 also occurs in brain. , 1997, 48, 259-263.		7
56	A PIM-CHK1 signaling pathway regulates PLK1 phosphorylation and function during mitosis. Journal of Cell Science, 2018, 131, .	2.0	7
57	STAT5-dependent regulation of CDC25A by miR-16 controls proliferation and differentiation in FLT3-ITD acute myeloid leukemia. Scientific Reports, 2020, 10, 1906.	3.3	6
58	Biochemical evidence of the antigenic cell surface heterogeneity of Leishmania mexicana. Zeitschrift für Parasitenkunde (Berlin, Germany), 1990, 76, 301-305.	0.8	4
59	The effect of tunicamycin on the protease activity of GP63 from Leishmania major. Molecular Biology Reports, 1992, 16, 81-84.	2.3	4
60	Phosphorylation of the myristoylated protein kinase C substrate MARCKS by the cyclin E-dependent kinase 2 complex in vitro. Biochemical Journal, 1999, 340, 775.	3.7	3
61	Targeting ATR/CHK1 pathway in acute myeloid leukemia to overcome chemoresistance. Molecular and Cellular Oncology, 2017, 4, e1289293.	0.7	3
62	Cytosine Arabinoside Chemotherapy Does Not Enrich For Leukemic Stem Cells In Xenotransplantation Model Of Human Acute Myeloid Leukemia. Blood, 2013, 122, 1651-1651.	1.4	2
63	R23: L'oncogène JAK2 V617F induit une régulation de CDC25A, phosphatase clé du cycle cellulaire, dans la maladie de Vaquez. Bulletin Du Cancer, 2010, 97, S25.	1.6	0
64	R54: Activité de l'inhibiteur sélectif de la sous-unité p110 alpha de la PI3-kinase dans les leucémies aiguës myéloïdes. Bulletin Du Cancer, 2010, 97, S36.	1.6	0
65	R8 : Oral Un récepteur pour l'inhibition de la sumoylation par les ROS dans la chimiothérapie des leucémies aiguës myéloïdes ?. Bulletin Du Cancer, 2010, 97, S19.	1.6	0
66	R88: Impact du nombre de cellules leucémiques chimiothérapeutiques CD34+CD38-CD123+ sur la réponse au traitement et la survie de patients atteints de leucémie aiguë myéloïde. Bulletin Du Cancer, 2010, 97, S49.	1.6	0
67	R18: Expression, rôle et régulation épigénétique de la forme courte de Ron dans les leucémies aiguës myéloïdes (LAM). Bulletin Du Cancer, 2010, 97, S23.	1.6	0
68	845: The ROS/SUMO axis is involved in acute myeloid leukemia (AML) cells response to chemotherapeutic drugs and constitutes a potential target to overcome chemoresistance in AML. European Journal of Cancer, 2014, 50, S205-S206.	2.8	0
69	Abstract 3130: The short form of the receptor tyrosine kinase Ron is expressed in acute myeloid leukemia, regulated by methylation and sensitizes leukemic cells to c-Met inhibitors. , 2011, , .		0
70	Abstract 1336: Bortezomib induces the degradation of FLT3-ITD tyrosine kinase in acute myeloid leukemia through an autophagy-dependent mechanism. , 2014, , .		0
71	Abstract 2678: All-trans-retinoic acid as a new therapeutic approach to target isocitrate dehydrogenase mutations in acute myeloid leukemia. , 2014, , .		0
72	Abstract 5482: Antileukemic activity of 2-deoxy-d-glucose in acute myeloid leukemia. , 2014, , .		0