

Nancy S Krieger

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/469222/publications.pdf>

Version: 2024-02-01

35
papers

1,034
citations

430874

18
h-index

414414

32
g-index

35
all docs

35
docs citations

35
times ranked

845
citing authors

#	ARTICLE	IF	CITATIONS
1	Mechanism of acid-induced bone resorption. <i>Current Opinion in Nephrology and Hypertension</i> , 2004, 13, 423-436.	2.0	204
2	Alendronate decreases urine calcium and supersaturation in genetic hypercalciuric rats. <i>Kidney International</i> , 1999, 55, 234-243.	5.2	88
3	Metabolic Acidosis Increases Intracellular Calcium in Bone Cells Through Activation of the Proton Receptor OGR1. <i>Journal of Bone and Mineral Research</i> , 2009, 24, 305-313.	2.8	67
4	Metabolic, but not respiratory, acidosis increases bone PGE ₂ levels and calcium release. <i>American Journal of Physiology - Renal Physiology</i> , 2001, 281, F1058-F1066.	2.7	65
5	Metabolic acidosis increases fibroblast growth factor 23 in neonatal mouse bone. <i>American Journal of Physiology - Renal Physiology</i> , 2012, 303, F431-F436.	2.7	54
6	Effect of Potassium Citrate on Calcium Phosphate Stones in a Model of Hypercalciuria. <i>Journal of the American Society of Nephrology: JASN</i> , 2015, 26, 3001-3008.	6.1	49
7	Greater inhibition of in vitro bone mineralization with metabolic than respiratory acidosis. <i>Kidney International</i> , 1994, 46, 1199-1206.	5.2	47
8	Prostaglandins regulate acid-induced cell-mediated bone resorption. <i>American Journal of Physiology - Renal Physiology</i> , 2000, 279, F1077-F1082.	2.7	47
9	Regulation of COX-2 Mediates Acid-Induced Bone Calcium Efflux in Vitro. <i>Journal of Bone and Mineral Research</i> , 2007, 22, 907-917.	2.8	40
10	Increased bone density in mice lacking the proton receptor OGR1. <i>Kidney International</i> , 2016, 89, 565-573.	5.2	39
11	RENAL RESEARCH INSTITUTE SYMPOSIUM: Cellular Mechanisms of Bone Resorption Induced by Metabolic Acidosis. <i>Seminars in Dialysis</i> , 2003, 16, 463-466.	1.3	29
12	Increased biological response to 1,25(OH) ₂ D ₃ in genetic hypercalciuric stone-forming rats. <i>American Journal of Physiology - Renal Physiology</i> , 2013, 304, F718-F726.	2.7	28
13	Differential effects of parathyroid hormone on protein phosphorylation in two osteoblastlike cell populations isolated from neonatal mouse calvaria. <i>Calcified Tissue International</i> , 1989, 44, 192-199.	3.1	27
14	Demonstration of sodium/calcium exchange in rodent osteoblasts. <i>Journal of Bone and Mineral Research</i> , 1992, 7, 1105-1111.	2.8	22
15	The Relation Between Bone and Stone Formation. <i>Calcified Tissue International</i> , 2013, 93, 374-381.	3.1	21
16	1,25(OH) ₂ D ₃ -enhanced hypercalciuria in genetic hypercalciuric stone-forming rats fed a low-calcium diet. <i>American Journal of Physiology - Renal Physiology</i> , 2013, 305, F1132-F1138.	2.7	21
17	Osteoblastic intracellular pH and calcium in metabolic and respiratory acidosis. <i>Kidney International</i> , 1995, 47, 1790-1796.	5.2	20
18	Pharmacological inhibition of intracellular calcium release blocks acid-induced bone resorption. <i>American Journal of Physiology - Renal Physiology</i> , 2011, 300, F91-F97.	2.7	20

#	ARTICLE	IF	CITATIONS
19	Hormonal regulation of Na ⁺ -Ca ²⁺ exchange in osteoblast-like cells. <i>Journal of Bone and Mineral Research</i> , 1994, 9, 1159-1166.	2.8	18
20	Effects of acid on bone. <i>Kidney International</i> , 2022, 101, 1160-1170.	5.2	17
21	Cortisol Inhibits Acid-Induced Bone Resorption In Vitro. <i>Journal of the American Society of Nephrology: JASN</i> , 2002, 13, 2534-2539.	6.1	16
22	1,25(OH) ₂ D ₃ Induces a Mineralization Defect and Loss of Bone Mineral Density in Genetic Hypercalciuric Stone-Forming Rats. <i>Calcified Tissue International</i> , 2014, 94, 531-543.	3.1	15
23	Deletion of the proton receptor OGR1 in mouse osteoclasts impairs metabolic acidosis-induced bone resorption. <i>Kidney International</i> , 2021, 99, 609-619.	5.2	15
24	Modeling hypercalciuria in the genetic hypercalciuric stone-forming rat. <i>Current Opinion in Nephrology and Hypertension</i> , 2015, 24, 1.	2.0	11
25	Stimulation of fibroblast growth factor 23 by metabolic acidosis requires osteoblastic intracellular calcium signaling and prostaglandin synthesis. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 313, F882-F886.	2.7	11
26	Chlorthalidone Is Superior to Potassium Citrate in Reducing Calcium Phosphate Stones and Increasing Bone Quality in Hypercalciuric Stone-Forming Rats. <i>Journal of the American Society of Nephrology: JASN</i> , 2019, 30, 1163-1173.	6.1	11
27	Persistence of 1,25D-induced hypercalciuria in alendronate-treated genetic hypercalciuric stone-forming rats fed a low-calcium diet. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 306, F1081-F1087.	2.7	8
28	Chlorthalidone with potassium citrate decreases calcium oxalate stones and increases bone quality in genetic hypercalciuric stone-forming rats. <i>Kidney International</i> , 2021, 99, 1118-1126.	5.2	6
29	Metabolic acidosis regulates RGS16 and G protein signaling in osteoblasts. <i>American Journal of Physiology - Renal Physiology</i> , 2021, 321, F424-F430.	2.7	6
30	Acid-Base Balance and Bone Health. , 2015, , 335-357.		3
31	Increased Osteoclast and Decreased Osteoblast Activity Causes Reduced Bone Mineral Density and Quality in Genetic Hypercalciuric Stone-Forming Rats. <i>JBMR Plus</i> , 2020, 4, e10350.	2.7	3
32	Mechanism of amphotericin B stimulation of net calcium efflux from neonatal mouse calvariae. <i>Journal of Bone and Mineral Research</i> , 1990, 5, 725-732.	2.8	2
33	Low Sodium Diet Decreases Stone Formation in Genetic Hypercalciuric Stone-Forming Rats. <i>Nephron</i> , 2019, 142, 147-158.	1.8	2
34	Kidney stone formation and the gut microbiome are altered by antibiotics in genetic hypercalciuric stone-forming rats. <i>Urolithiasis</i> , 2021, 49, 185-193.	2.0	2
35	Renal Diseases and Bone: Emerging Therapeutics. , 2012, , 163-177.		0