

Taiki Yamaji

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4693611/publications.pdf>

Version: 2024-02-01

189
papers

7,127
citations

109321

35
h-index

82547

72
g-index

191
all docs

191
docs citations

191
times ranked

13295
citing authors

#	ARTICLE	IF	CITATIONS
1	Effectiveness of Screening Using Fecal Occult Blood Testing and Colonoscopy on the Risk of Colorectal Cancer: The Japan Public Health Center-based Prospective Study. <i>Journal of Epidemiology</i> , 2023, 33, 91-100.	2.4	3
2	Long-term Response of <i>Helicobacter pylori</i> Antibody Titer After Eradication Treatment in Middle-aged Japanese: JPHC-NEXT Study. <i>Journal of Epidemiology</i> , 2023, 33, 1-7.	2.4	3
3	Association Between Birth Weight and Risk of Pregnancy-Induced Hypertension and Gestational Diabetes in Japanese Women: JPHC-NEXT Study. <i>Journal of Epidemiology</i> , 2022, 32, 168-173.	2.4	6
4	Fruit and vegetable consumption and risk of esophageal cancer in the Asian region: a systematic review and meta-analysis. <i>Esophagus</i> , 2022, 19, 27-38.	1.9	7
5	Circulating Inflammation Markers and Pancreatic Cancer Risk: A Prospective Case-Cohort Study in Japan. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 236-241.	2.5	2
6	Low-carbohydrate diet and risk of cancer incidence: The Japan Public Health Center-based prospective study. <i>Cancer Science</i> , 2022, 113, 744-755.	3.9	17
7	Association of B Vitamins and Methionine Intake with the Risk of Gastric Cancer: The Japan Public Health Center-based Prospective Study. <i>Cancer Prevention Research</i> , 2022, 15, 101-110.	1.5	3
8	Association of <i>Escherichia coli</i> containing polyketide synthase in the gut microbiota with colorectal neoplasia in Japan. <i>Cancer Science</i> , 2022, 113, 277-286.	3.9	13
9	Association between C-reactive protein and risk of overall and 18 site-specific cancers in a Japanese case-cohort. <i>British Journal of Cancer</i> , 2022, 126, 1481-1489.	6.4	9
10	Vegetable and fruit intake and the risk of bladder cancer: Japan Public Health Center-based prospective study. <i>British Journal of Cancer</i> , 2022, 126, 1647-1658.	6.4	4
11	Dietary fibre intake is associated with reduced risk of lung cancer: a Japan public health centre-based prospective study (JPHC). <i>International Journal of Epidemiology</i> , 2022, 51, 1142-1152.	1.9	2
12	Long-term exposure to fine particle matter and all-cause mortality and cause-specific mortality in Japan: the JPHC Study. <i>BMC Public Health</i> , 2022, 22, 466.	2.9	10
13	Polygenic risk scores for prediction of breast cancer risk in Asian populations. <i>Genetics in Medicine</i> , 2022, 24, 586-600.	2.4	27
14	Total, animal, and plant protein intake and pneumonia mortality in the Japan Public Health Center-based Prospective Study. <i>American Journal of Clinical Nutrition</i> , 2022, 115, 781-789.	4.7	1
15	Relevance of the MHC region for breast cancer susceptibility in Asians. <i>Breast Cancer</i> , 2022, 29, 869-879.	2.9	1
16	Association between Meat, Fish, and Fatty Acid Intake and Non-Hodgkin Lymphoma Incidence: The Japan Public Health Center-based Prospective Study. <i>Journal of Nutrition</i> , 2022, 152, 1895-1906.	2.9	3
17	Association of Plasma Iron Status with Subsequent Risk of Total and Site-Specific Cancer: A Large Case-cohort Study within JPHC Study. <i>Cancer Prevention Research</i> , 2022, 15, 669-678.	1.5	1
18	Associations between changes in fruit and vegetable consumption and weight change in Japanese adults. <i>European Journal of Nutrition</i> , 2021, 60, 217-227.	3.9	11

#	ARTICLE	IF	CITATIONS
19	The Association Between Habitual Sleep Duration and Mortality According to Sex and Age: The Japan Public Health Center-based Prospective Study. <i>Journal of Epidemiology</i> , 2021, 31, 109-118.	2.4	9
20	Comparison between the impact of fermented and unfermented soy intake on the risk of liver cancer: the JPHC Study. <i>European Journal of Nutrition</i> , 2021, 60, 1389-1401.	3.9	10
21	Association between adherence to the Japanese diet and all-cause and cause-specific mortality: the Japan Public Health Center-based Prospective Study. <i>European Journal of Nutrition</i> , 2021, 60, 1327-1336.	3.9	37
22	Low carbohydrate diet and all cause and cause-specific mortality. <i>Clinical Nutrition</i> , 2021, 40, 2016-2024.	5.0	28
23	Fermented soy products intake and risk of cardiovascular disease and total cancer incidence: The Japan Public Health Center-based Prospective study. <i>European Journal of Clinical Nutrition</i> , 2021, 75, 954-968.	2.9	19
24	Working cancer survivorsâ€™ physical and mental characteristics compared to cancer-free workers in Japan: a nationwide general population-based study. <i>Journal of Cancer Survivorship</i> , 2021, 15, 912-921.	2.9	9
25	Sugary Drink Consumption and Subsequent Colorectal Cancer Risk: The Japan Public Health Centerâ€™Based Prospective Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 782-788.	2.5	7
26	Body mass index and colorectal cancer risk: A Mendelian randomization study. <i>Cancer Science</i> , 2021, 112, 1579-1588.	3.9	25
27	Risk of stroke in cancer survivors using a propensity score-matched cohort analysis. <i>Scientific Reports</i> , 2021, 11, 5599.	3.3	2
28	Reproductive Factors and Lung Cancer Risk among Never-Smoking Japanese Women with 21 Years of Follow-Up: A Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1185-1192.	2.5	10
29	Dietary Inflammatory Index Is Associated With Inflammation in Japanese Men. <i>Frontiers in Nutrition</i> , 2021, 8, 604296.	3.7	23
30	Apolipoprotein A2 Isoforms in Relation to the Risk of Myocardial Infarction: A Nested Case-Control Analysis in the JPHC Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2021, 28, 483-490.	2.0	3
31	Dietary glycemic index, glycemic load and mortality: Japan Public Health Center-based prospective study. <i>European Journal of Nutrition</i> , 2021, 60, 4607-4620.	3.9	2
32	Body Mass Index, Height, Weight Change, and Subsequent Lung Cancer Risk: The Japan Public Health Centerâ€™Based Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1708-1716.	2.5	4
33	Validity of dietary isothiocyanate intake estimates from a food frequency questionnaire using 24â€™h urinary isothiocyanate excretion as an objective biomarker: the JPHC-NEXT protocol area. <i>European Journal of Clinical Nutrition</i> , 2021, , .	2.9	1
34	Dietary glycemic index, glycemic load, and endometrial cancer risk: The Japan Public Health Centerâ€™based Prospective Study. <i>Cancer Science</i> , 2021, 112, 3682-3690.	3.9	5
35	Relationship between unhealthy sleep status and dry eye symptoms in a Japanese population: The JPHC-NEXT study. <i>Ocular Surface</i> , 2021, 21, 306-312.	4.4	14
36	Functional annotation of the 2q35 breast cancer risk locus implicates a structural variant in influencing activity of a long-range enhancer element. <i>American Journal of Human Genetics</i> , 2021, 108, 1190-1203.	6.2	6

#	ARTICLE	IF	CITATIONS
37	A Personal Breast Cancer Risk Stratification Model Using Common Variants and Environmental Risk Factors in Japanese Females. <i>Cancers</i> , 2021, 13, 3796.	3.7	4
38	Association of sugary drink consumption with all-cause and cause-specific mortality: the Japan Public Health Center-based Prospective Study. <i>Preventive Medicine</i> , 2021, 148, 106561.	3.4	5
39	Prediagnostic circulating inflammation-related biomarkers and gastric cancer: A case-cohort study in Japan. <i>Cytokine</i> , 2021, 144, 155558.	3.2	6
40	Association of dietary intakes of vitamin B12, vitamin B6, folate, and methionine with the risk of esophageal cancer: the Japan Public Health Center-based (JPHC) prospective study. <i>BMC Cancer</i> , 2021, 21, 982.	2.6	8
41	Alcohol consumption, tobacco smoking, and subsequent risk of renal cell carcinoma: The JPHC study. <i>Cancer Science</i> , 2021, 112, 5068-5077.	3.9	7
42	The potential for reducing alcohol consumption to prevent esophageal cancer morbidity in Asian heavy drinkers: a systematic review and meta-analysis. <i>Esophagus</i> , 2021, 19, 39.	1.9	3
43	Fermented and nonfermented soy foods and the risk of breast cancer in a Japanese population-based cohort study. <i>Cancer Medicine</i> , 2021, 10, 757-771.	2.8	14
44	Sugary drink consumption and risk of kidney and bladder cancer in Japanese adults. <i>Scientific Reports</i> , 2021, 11, 21701.	3.3	8
45	Association between coffee consumption and risk of prostate cancer in Japanese men: a population-based cohort study in Japan. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, , cebp.0484.2021.	2.5	3
46	Meat consumption and gastric cancer risk: The Japan Public Health Center-based Prospective Study. <i>American Journal of Clinical Nutrition</i> , 2021, , .	4.7	6
47	Low <i>MICA</i> gene expression confers an increased risk of Graves' disease: a Mendelian randomization study. <i>Thyroid</i> , 2021, , .	4.5	0
48	COT-6 Body mass index and height in relation to brain tumor risk in a Japanese population. <i>Neuro-Oncology Advances</i> , 2021, 3, vi29-vi29.	0.7	0
49	The Japan Public Health Center-based Prospective Study for the Next Generation (JPHC-NEXT): Study Design and Participants. <i>Journal of Epidemiology</i> , 2020, 30, 46-54.	2.4	30
50	Diabetes and cancer risk: A Mendelian randomization study. <i>International Journal of Cancer</i> , 2020, 146, 712-719.	5.1	52
51	Association of dietary diversity with total mortality and major causes of mortality in the Japanese population: JPHC study. <i>European Journal of Clinical Nutrition</i> , 2020, 74, 54-66.	2.9	29
52	Validating the dietary inflammatory index using inflammatory biomarkers in a Japanese population: A cross-sectional study of the JPHC-FFQ validation study. <i>Nutrition</i> , 2020, 69, 110569.	2.4	35
53	Family history of cancer and subsequent risk of cancer: A large-scale population-based prospective study in Japan. <i>International Journal of Cancer</i> , 2020, 147, 331-337.	5.1	6
54	Physical inactivity, prolonged sedentary behaviors, and use of visual display terminals as potential risk factors for dry eye disease: JPHC-NEXT study. <i>Ocular Surface</i> , 2020, 18, 56-63.	4.4	42

#	ARTICLE	IF	CITATIONS
55	Cross-Sectional Association Between Employment Status and Self-Rated Health Among Middle-Aged Japanese Women: The Influence of Socioeconomic Conditions and Work-Life Conflict. <i>Journal of Epidemiology</i> , 2020, 30, 396-403.	2.4	11
56	Tuberculosis infection and lung adenocarcinoma: Mendelian randomization and pathway analysis of genome-wide association study data from never-smoking Asian women. <i>Genomics</i> , 2020, 112, 1223-1232.	2.9	15
57	Soy food and isoflavones are not associated with changes in serum lipids and glycohemoglobin concentrations among Japanese adults: a cohort study. <i>European Journal of Nutrition</i> , 2020, 59, 2075-2087.	3.9	8
58	Prediagnostic circulating inflammation biomarkers and esophageal squamous cell carcinoma: A case-cohort study in Japan. <i>International Journal of Cancer</i> , 2020, 147, 686-691.	5.1	19
59	Relationship between Meat/Fish Consumption and Biliary Tract Cancer: The Japan Public Health Center-based Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 95-102.	2.5	4
60	High-Negative Anti- <i>Helicobacter pylori</i> IgG Antibody Titers and Long-Term Risk of Gastric Cancer: Results from a Large-Scale Population-Based Cohort Study in Japan. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 420-426.	2.5	19
61	Doneness preferences, meat and meat-derived heterocyclic amines intake, and N-acetyltransferase 2 polymorphisms: association with colorectal adenoma in Japanese Brazilians. <i>European Journal of Cancer Prevention</i> , 2020, 29, 7-14.	1.3	8
62	Soy and isoflavone consumption and subsequent risk of prostate cancer mortality: the Japan Public Health Center-based Prospective Study. <i>International Journal of Epidemiology</i> , 2020, 49, 1553-1561.	1.9	6
63	Population-specific and trans-ancestry genome-wide analyses identify distinct and shared genetic risk loci for coronary artery disease. <i>Nature Genetics</i> , 2020, 52, 1169-1177.	21.4	206
64	Soy Intake and Colorectal Cancer Risk: Results from a Pooled Analysis of Prospective Cohort Studies Conducted in China and Japan. <i>Journal of Nutrition</i> , 2020, 150, 2442-2450.	2.9	5
65	European polygenic risk score for prediction of breast cancer shows similar performance in Asian women. <i>Nature Communications</i> , 2020, 11, 3833.	12.8	88
66	Association between dietary sugar intake and colorectal adenoma among cancer screening examinees in Japan. <i>Cancer Science</i> , 2020, 111, 3862-3872.	3.9	7
67	Inclusion of a gene-environment interaction between alcohol consumption and the aldehyde dehydrogenase 2 genotype in a risk prediction model for upper aerodigestive tract cancer in Japanese men. <i>Cancer Science</i> , 2020, 111, 3835-3844.	3.9	8
68	Body mass index and height in relation to brain tumor risk in a Japanese population. <i>Annals of Epidemiology</i> , 2020, 51, 1-6.	1.9	1
69	Metabolic Syndrome, Physical Activity, and Inflammation: A Cross-Sectional Analysis of 110 Circulating Biomarkers in Japanese Adults. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1639-1646.	2.5	6
70	Transethnic Meta-Analysis of Genome-Wide Association Studies Identifies Three New Loci and Characterizes Population-Specific Differences for Coronary Artery Disease. <i>Circulation Genomic and Precision Medicine</i> , 2020, 13, e002670.	3.6	44
71	Estimation of the performance of a risk prediction model for gastric cancer occurrence in Japan: Evidence from a small external population. <i>Cancer Epidemiology</i> , 2020, 67, 101766.	1.9	5
72	Germline HOXB13 mutations p.G84E and p.R217C do not confer an increased breast cancer risk. <i>Scientific Reports</i> , 2020, 10, 9688.	3.3	2

#	ARTICLE	IF	CITATIONS
73	Large-scale genome-wide association study in a Japanese population identifies novel susceptibility loci across different diseases. <i>Nature Genetics</i> , 2020, 52, 669-679.	21.4	304
74	Soy Food Intake and Pancreatic Cancer Risk: The Japan Public Health Center-based Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1214-1221.	2.5	4
75	Identification of novel breast cancer susceptibility loci in meta-analyses conducted among Asian and European descendants. <i>Nature Communications</i> , 2020, 11, 1217.	12.8	46
76	Low-dose CT lung cancer screening in never-smokers and smokers: results of an eight-year observational study. <i>Translational Lung Cancer Research</i> , 2020, 9, 10-22.	2.8	30
77	Genome-wide association meta-analysis identifies GP2 gene risk variants for pancreatic cancer. <i>Nature Communications</i> , 2020, 11, 3175.	12.8	34
78	Occupational sitting time and subsequent risk of cancer: The Japan Public Health Center-based Prospective Study. <i>Cancer Science</i> , 2020, 111, 974-984.	3.9	11
79	Impact of alcohol drinking on cancer risk with consideration of flushing response: The Japan Public Health Center-based Prospective Study Cohort (JPHC study). <i>Preventive Medicine</i> , 2020, 133, 106026.	3.4	3
80	Variations in the estimated intake of acrylamide from food in the Japanese population. <i>Nutrition Journal</i> , 2020, 19, 17.	3.4	14
81	Fat mass and obesity-associated gene polymorphisms, pre-diagnostic plasma adipokine levels and the risk of colorectal cancer: The Japan Public Health Center-based Prospective Study. <i>PLoS ONE</i> , 2020, 15, e0229005.	2.5	11
82	Dietary fiber intake and total and cause-specific mortality: the Japan Public Health Center-based prospective study. <i>American Journal of Clinical Nutrition</i> , 2020, 111, 1027-1035.	4.7	38
83	Identification of a novel uterine leiomyoma GWAS locus in a Japanese population. <i>Scientific Reports</i> , 2020, 10, 1197.	3.3	14
84	Plasma and tumoral glypican-3 levels are correlated in patients with hepatitis C virus-related hepatocellular carcinoma. <i>Cancer Science</i> , 2020, 111, 334-342.	3.9	13
85	Association between meat intake and mortality due to all-cause and major causes of death in a Japanese population. <i>PLoS ONE</i> , 2020, 15, e0244007.	2.5	10
86	Title is missing!. , 2020, 15, e0244007.		0
87	Title is missing!. , 2020, 15, e0244007.		0
88	Title is missing!. , 2020, 15, e0244007.		0
89	Title is missing!. , 2020, 15, e0244007.		0
90	Changes in Smoking Status and Mortality From All Causes and Lung Cancer: A Longitudinal Analysis of a Population-based Study in Japan. <i>Journal of Epidemiology</i> , 2019, 29, 11-17.	2.4	11

#	ARTICLE	IF	CITATIONS
91	Smoking, Alcohol Consumption, and Risks for Biliary Tract Cancer and Intrahepatic Bile Duct Cancer. <i>Journal of Epidemiology</i> , 2019, 29, 180-186.	2.4	18
92	Revisit of an unanswered question by pooled analysis of eight cohort studies in Japan: Does cigarette smoking and alcohol drinking have interaction for the risk of esophageal cancer?. <i>Cancer Medicine</i> , 2019, 8, 6414-6425.	2.8	22
93	Effect of body-mass index on the risk of gastric cancer: A population-based cohort study in A Japanese population. <i>Cancer Epidemiology</i> , 2019, 63, 101622.	1.9	17
94	Association of Animal and Plant Protein Intake With All-Cause and Cause-Specific Mortality in a Japanese Cohort. <i>JAMA Internal Medicine</i> , 2019, 179, 1509.	5.1	120
95	Higher Dietary Non-enzymatic Antioxidant Capacity Is Associated with Decreased Risk of All-Cause and Cardiovascular Disease Mortality in Japanese Adults. <i>Journal of Nutrition</i> , 2019, 149, 1967-1976.	2.9	8
96	12 new susceptibility loci for prostate cancer identified by genome-wide association study in Japanese population. <i>Nature Communications</i> , 2019, 10, 4422.	12.8	49
97	Characterizing rare and low-frequency height-associated variants in the Japanese population. <i>Nature Communications</i> , 2019, 10, 4393.	12.8	123
98	Female reproductive factors and risk of external causes of death among women: The Japan Public Health Center-based Prospective Study (JPHC Study). <i>Scientific Reports</i> , 2019, 9, 14329.	3.3	3
99	Lack of social support and social trust as potential risk factors for dry eye disease: JPHC-NEXT study. <i>Ocular Surface</i> , 2019, 17, 278-284.	4.4	3
100	Metagenomic and metabolomic analyses reveal distinct stage-specific phenotypes of the gut microbiota in colorectal cancer. <i>Nature Medicine</i> , 2019, 25, 968-976.	30.7	748
101	Circulating sex hormone levels and colorectal cancer risk in Japanese postmenopausal women: The JPHC nested case-control study. <i>International Journal of Cancer</i> , 2019, 145, 1238-1244.	5.1	24
102	<i>Helicobacter pylori</i> infection, atrophic gastritis, and risk of pancreatic cancer: A population-based cohort study in a large Japanese population: the JPHC Study. <i>Scientific Reports</i> , 2019, 9, 6099.	3.3	21
103	Plasma cytokine levels and the presence of colorectal cancer. <i>PLoS ONE</i> , 2019, 14, e0213602.	2.5	54
104	Genome-wide association meta-analysis and Mendelian randomization analysis confirm the influence of ALDH2 on sleep duration in the Japanese population. <i>Sleep</i> , 2019, 42, .	1.1	16
105	Female reproductive factors and risk of lymphoid neoplasm: The Japan Public Health Center-based Prospective Study. <i>Cancer Science</i> , 2019, 110, 1442-1452.	3.9	5
106	Circulating Inflammation Markers and Risk of Gastric and Esophageal Cancers: A Case-control Cohort Study Within the Japan Public Health Center-based Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 829-832.	2.5	8
107	Identification of two novel breast cancer loci through large-scale genome-wide association study in the Japanese population. <i>Scientific Reports</i> , 2019, 9, 17332.	3.3	9
108	Cruciferous vegetable intake and colorectal cancer risk: Japan public health center-based prospective study. <i>European Journal of Cancer Prevention</i> , 2019, 28, 420-427.	1.3	6

#	ARTICLE	IF	CITATIONS
109	Plasma C-peptide and glycated albumin and subsequent risk of cancer: From a large prospective case-cohort study in Japan. <i>International Journal of Cancer</i> , 2019, 144, 718-729.	5.1	5
110	Exploring predictive biomarkers from clinical genome-wide association studies via multidimensional hierarchical mixture models. <i>European Journal of Human Genetics</i> , 2019, 27, 140-149.	2.8	4
111	Association between serum liver enzymes and all-cause mortality: The Japan Public Health Center-based Prospective Study. <i>Liver International</i> , 2019, 39, 1566-1576.	3.9	14
112	Fruit and vegetable intake and pancreatic cancer risk in a population-based cohort study in Japan. <i>International Journal of Cancer</i> , 2019, 144, 1858-1866.	5.1	11
113	Association of BMI and height with the risk of endometrial cancer, overall and by histological subtype: a population-based prospective cohort study in Japan. <i>European Journal of Cancer Prevention</i> , 2019, 28, 196-202.	1.3	16
114	Cruciferous vegetable intake and mortality in middle-aged adults: A prospective cohort study. <i>Clinical Nutrition</i> , 2019, 38, 631-643.	5.0	18
115	Identification of 28 new susceptibility loci for type 2 diabetes in the Japanese population. <i>Nature Genetics</i> , 2019, 51, 379-386.	21.4	164
116	Food frequency questionnaire reproducibility for middle-aged and elderly Japanese. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2019, 28, 362-370.	0.4	6
117	GWAS identifies two novel colorectal cancer loci at 16q24.1 and 20q13.12. <i>Carcinogenesis</i> , 2018, 39, 652-660.	2.8	52
118	Development of a risk prediction model for lung cancer: The Japan Public Health Center-based Prospective Study. <i>Cancer Science</i> , 2018, 109, 854-862.	3.9	15
119	Risk of thyroid cancer in relation to height, weight, and body mass index in Japanese individuals: a population-based cohort study. <i>Cancer Medicine</i> , 2018, 7, 2200-2210.	2.8	13
120	Genome-wide association study identifies seven novel susceptibility loci for primary open-angle glaucoma. <i>Human Molecular Genetics</i> , 2018, 27, 1486-1496.	2.9	111
121	Dietary consumption of antioxidant vitamins and subsequent lung cancer risk: The Japan Public Health Center-based Prospective Study. <i>International Journal of Cancer</i> , 2018, 142, 2441-2460.	5.1	28
122	Plasma 25-hydroxyvitamin D concentration and subsequent risk of total and site specific cancers in Japanese population: large case-cohort study within Japan Public Health Center-based Prospective Study cohort. <i>BMJ: British Medical Journal</i> , 2018, 360, k671.	2.3	61
123	Metabolome analysis for pancreatic cancer risk in nested case-control study: Japan Public Health Center-based prospective Study. <i>Cancer Science</i> , 2018, 109, 1672-1681.	3.9	9
124	Dietary patterns and prostate cancer risk in Japanese: the Japan Public Health Center-based Prospective Study (JPHC Study). <i>Cancer Causes and Control</i> , 2018, 29, 589-600.	1.8	23
125	Impact of Alcohol Intake and Drinking Patterns on Mortality From All Causes and Major Causes of Death in a Japanese Population. <i>Journal of Epidemiology</i> , 2018, 28, 140-148.	2.4	39
126	Menstrual and reproductive factors in the risk of thyroid cancer in Japanese women: the Japan Public Health Center-Based Prospective Study. <i>European Journal of Cancer Prevention</i> , 2018, 27, 361-369.	1.3	11

#	ARTICLE	IF	CITATIONS
127	Dietary patterns and colorectal cancer risk in middle-aged adults: A large population-based prospective cohort study. <i>Clinical Nutrition</i> , 2018, 37, 1019-1026.	5.0	20
128	Coffee and green tea consumption and subsequent risk of acute myeloid leukemia and myelodysplastic syndromes in Japan. <i>International Journal of Cancer</i> , 2018, 142, 1130-1138.	5.1	14
129	The association between plasma C-peptide concentration and the risk of prostate cancer: a nested case-control study within a Japanese population-based prospective study. <i>European Journal of Cancer Prevention</i> , 2018, 27, 461-467.	1.3	3
130	Coffee Consumption and Lung Cancer Risk: The Japan Public Health Center-Based Prospective Study. <i>Journal of Epidemiology</i> , 2018, 28, 207-213.	2.4	10
131	Genome-wide association study (GWAS) of ovarian cancer in Japanese predicted regulatory variants in 22q13.1. <i>PLoS ONE</i> , 2018, 13, e0209096.	2.5	8
132	Genome-wide association study identifies gastric cancer susceptibility loci at 12q24.11 and 20q11.21. <i>Cancer Science</i> , 2018, 109, 4015-4024.	3.9	39
133	Increased Levels of Branched-Chain Amino Acid Associated With Increased Risk of Pancreatic Cancer in a Prospective Case-Control Study of a Large Cohort. <i>Gastroenterology</i> , 2018, 155, 1474-1482.e1.	1.3	59
134	Adult height and all-cause and cause-specific mortality in the Japan Public Health Center-based Prospective Study (JPHC). <i>PLoS ONE</i> , 2018, 13, e0197164.	2.5	15
135	Circulating inflammatory markers and colorectal cancer risk: A prospective case-cohort study in Japan. <i>International Journal of Cancer</i> , 2018, 143, 2767-2776.	5.1	26
136	Plasma tea catechins and risk of cardiovascular disease in middle-aged Japanese subjects: The JPHC study. <i>Atherosclerosis</i> , 2018, 277, 90-97.	0.8	22
137	Female reproductive factors and risk of all-cause and cause-specific mortality among women: The Japan Public Health Center-based Prospective Study (JPHC study). <i>Annals of Epidemiology</i> , 2018, 28, 597-604.e6.	1.9	16
138	Cigarette smoking, alcohol drinking, and oral cavity and pharyngeal cancer in the Japanese: a population-based cohort study in Japan. <i>European Journal of Cancer Prevention</i> , 2018, 27, 171-179.	1.3	19
139	Cruciferous Vegetable Intake Is Inversely Associated with Lung Cancer Risk among Current Nonsmoking Men in the Japan Public Health Center (JPHC) Study. <i>Journal of Nutrition</i> , 2017, 147, 841-849.	2.9	34
140	Smoking and subsequent risk of leukemia in Japan: The Japan Public Health Center-based Prospective Study. <i>Journal of Epidemiology</i> , 2017, 27, 305-310.	2.4	12
141	Plasma adiponectin levels, ADIPOQ variants, and incidence of type 2 diabetes: A nested case-control study. <i>Diabetes Research and Clinical Practice</i> , 2017, 127, 254-264.	2.8	16
142	Identification of six new genetic loci associated with atrial fibrillation in the Japanese population. <i>Nature Genetics</i> , 2017, 49, 953-958.	21.4	136
143	Comparison of weighed food record procedures for the reference methods in two validation studies of food frequency questionnaires. <i>Journal of Epidemiology</i> , 2017, 27, 331-337.	2.4	7
144	Dietary fiber intake and risk of breast cancer defined by estrogen and progesterone receptor status: the Japan Public Health Center-based Prospective Study. <i>Cancer Causes and Control</i> , 2017, 28, 569-578.	1.8	18

#	ARTICLE	IF	CITATIONS
145	Body mass index change during adulthood and risk of oesophageal squamous-cell carcinoma in a Japanese population: the Japan Public Health (JPHC)-based prospective study. <i>British Journal of Cancer</i> , 2017, 117, 1715-1722.	6.4	14
146	Perceived stress level and risk of cancer incidence in a Japanese population: the Japan Public Health Center (JPHC)-based Prospective Study. <i>Scientific Reports</i> , 2017, 7, 12964.	3.3	34
147	Association analysis identifies 65 new breast cancer risk loci. <i>Nature</i> , 2017, 551, 92-94.	27.8	1,099
148	Genome-wide association study identifies 112 new loci for body mass index in the Japanese population. <i>Nature Genetics</i> , 2017, 49, 1458-1467.	21.4	380
149	Alcohol consumption and bladder cancer risk with or without the flushing response: The Japan Public Health Center-based Prospective Study. <i>International Journal of Cancer</i> , 2017, 141, 2480-2488.	5.1	14
150	Inclusion of a Genetic Risk Score into a Validated Risk Prediction Model for Colorectal Cancer in Japanese Men Improves Performance. <i>Cancer Prevention Research</i> , 2017, 10, 535-541.	1.5	21
151	Fermented Soy Product Intake Is Inversely Associated with the Development of High Blood Pressure: The Japan Public Health Center-Based Prospective Study. <i>Journal of Nutrition</i> , 2017, 147, 1749-1756.	2.9	51
152	Coffee and Green Tea Consumption and Subsequent Risk of Malignant Lymphoma and Multiple Myeloma in Japan: The Japan Public Health Center-based Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 1352-1356.	2.5	5
153	Association of plasma C-reactive protein level with the prevalence of colorectal adenoma: the Colorectal Adenoma Study in Tokyo. <i>Scientific Reports</i> , 2017, 7, 4456.	3.3	8
154	The relationship between vegetable/fruit consumption and gallbladder/bile duct cancer: A population-based cohort study in Japan. <i>International Journal of Cancer</i> , 2017, 140, 1009-1019.	5.1	21
155	Investigations in the possibility of early detection of colorectal cancer by gas chromatography/triple-quadrupole mass spectrometry. <i>Oncotarget</i> , 2017, 8, 17115-17126.	1.8	66
156	Adjustment of Cell-Type Composition Minimizes Systematic Bias in Blood DNA Methylation Profiles Derived by DNA Collection Protocols. <i>PLoS ONE</i> , 2016, 11, e0147519.	2.5	21
157	Vitamin D Receptor Gene Polymorphism and the Risk of Colorectal Cancer: A Nested Case-Control Study. <i>PLoS ONE</i> , 2016, 11, e0164648.	2.5	21
158	Prediction of the 10-year probability of gastric cancer occurrence in the Japanese population: the JPHC study cohort. <i>International Journal of Cancer</i> , 2016, 138, 320-331.	5.1	78
159	<i>CYP1A1</i> , <i>GSTM1</i> and <i>GSTT1</i> genetic polymorphisms and gastric cancer risk among Japanese: A nested case-control study within a large-scale population-based prospective study. <i>International Journal of Cancer</i> , 2016, 139, 759-768.	5.1	20
160	Association between GWAS-identified lung adenocarcinoma susceptibility loci and EGFR mutations in never-smoking Asian women, and comparison with findings from Western populations. <i>Human Molecular Genetics</i> , 2016, 26, ddw414.	2.9	50
161	Natural History of Pulmonary Subsolid Nodules: A Prospective Multicenter Study. <i>Journal of Thoracic Oncology</i> , 2016, 11, 1012-1028.	1.1	184
162	Coping strategies and cancer incidence and mortality: The Japan Public Health Center-based prospective study. <i>Cancer Epidemiology</i> , 2016, 40, 126-133.	1.9	18

#	ARTICLE	IF	CITATIONS
163	High hemoglobin A1c levels within the non-diabetic range are associated with the risk of all cancers. International Journal of Cancer, 2016, 138, 1741-1753.	5.1	39
164	Association between green tea/coffee consumption and biliary tract cancer: A population-based cohort study in Japan. Cancer Science, 2016, 107, 76-83.	3.9	31
165	Coffee and green tea consumption in relation to brain tumor risk in a Japanese population. International Journal of Cancer, 2016, 139, 2714-2721.	5.1	22
166	Evaluation of the degree of pancreatic fatty infiltration by area-based assessment of CT images: comparison with histopathology-based and CT attenuation index-based assessments. Japanese Journal of Radiology, 2016, 34, 667-676.	2.4	17
167	Alcohol consumption, genetic variants in the alcohol- and folate metabolic pathways and colorectal cancer risk: the JPHC Study. Scientific Reports, 2016, 6, 36607.	3.3	14
168	Glycemic index and glycemic load and risk of colorectal cancer: a population-based cohort study (JPHC Study). Cancer Causes and Control, 2016, 27, 583-593.	1.8	12
169	Hepatitis B and C Virus Infection and Risk of Pancreatic Cancer: A Population-Based Cohort Study (JPHC) Tj ETQq1 1,0.784314rgBT /Ov 2.5 32	2.5	32
170	Coffee intake and the risk of colorectal adenoma: The colorectal adenoma study in Tokyo. International Journal of Cancer, 2015, 137, 463-470.	5.1	22
171	Fish, n-3 polyunsaturated fatty acids and n-6 polyunsaturated fatty acids intake and breast cancer risk: The Japan Public Health Center-based prospective study. International Journal of Cancer, 2015, 137, 2915-2926.	5.1	48
172	The association between complete and partial non-response to psychosocial questions and suicide: the JPHC Study. European Journal of Public Health, 2015, 25, 424-430.	0.3	14
173	Fish, n-3 PUFA consumption, and pancreatic cancer risk in Japanese: a large, population-based, prospective cohort study. American Journal of Clinical Nutrition, 2015, 102, 1490-1497.	4.7	39
174	Trends in cancer prognosis in a population-based cohort survey: Can recent advances in cancer therapy affect the prognosis?. Cancer Epidemiology, 2015, 39, 97-103.	1.9	8
175	Plasma Isoflavones and Risk of Primary Liver Cancer in Japanese Women and Men with Hepatitis Virus Infection: A Nested Case-Control Study. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 532-537.	2.5	17
176	Hepatitis B and C virus infection and risk of lymphoid malignancies: A population-based cohort study (JPHC Study). Cancer Epidemiology, 2015, 39, 562-566.	1.9	33
177	Association of coffee intake with total and cause-specific mortality in a Japanese population: the Japan Public Health Center-based Prospective Study. American Journal of Clinical Nutrition, 2015, 101, 1029-1037.	4.7	58
178	Dietary Heterocyclic Amine Intake, NAT2 Genetic Polymorphism, and Colorectal Adenoma Risk: The Colorectal Adenoma Study in Tokyo. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 613-620.	2.5	25
179	Association of green tea consumption with mortality due to all causes and major causes of death in a Japanese population: the Japan Public Health Center-based Prospective Study (JPHC Study). Annals of Epidemiology, 2015, 25, 512-518.e3.	1.9	66
180	Genetic polymorphisms of ADH1B, ADH1C and ALDH2, alcohol consumption, and the risk of gastric cancer: the Japan Public Health Center-based prospective study. Carcinogenesis, 2015, 36, 223-231.	2.8	69

#	ARTICLE	IF	CITATIONS
181	Fiber intake and risk of subsequent prostate cancer in Japanese men. American Journal of Clinical Nutrition, 2015, 101, 118-125.	4.7	24
182	Association of Pancreatic Fatty Infiltration With Pancreatic Ductal Adenocarcinoma. Clinical and Translational Gastroenterology, 2014, 5, e53.	2.5	126
183	Coping behaviors and suicide in the middle-aged and older Japanese general population: the Japan Public Health Center-based Prospective Study. Annals of Epidemiology, 2014, 24, 199-205.	1.9	20
184	Association Between Plasma 25-Hydroxyvitamin D and Colorectal Adenoma According to Dietary Calcium Intake and Vitamin D Receptor Polymorphism. American Journal of Epidemiology, 2012, 175, 236-244.	3.4	35
185	Development of a prediction model for 10-year risk of hepatocellular carcinoma in middle-aged Japanese: The Japan Public Health Center-based Prospective Study Cohort II. Preventive Medicine, 2012, 55, 137-143.	3.4	41
186	Interaction between Adiponectin and Leptin Influences the Risk of Colorectal Adenoma. Cancer Research, 2010, 70, 5430-5437.	0.9	115
187	Visceral Fat Volume and the Prevalence of Colorectal Adenoma. American Journal of Epidemiology, 2009, 170, 1502-1511.	3.4	54
188	Methionine Synthase A2756G Polymorphism Interacts with Alcohol and Folate Intake to Influence the Risk of Colorectal Adenoma. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 267-274.	2.5	27
189	Fruit and vegetable consumption and squamous cell carcinoma of the esophagus in Japan: The JPHC study. International Journal of Cancer, 2008, 123, 1935-1940.	5.1	83