

# Chen-Hao Zhou

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4693815/publications.pdf>

Version: 2024-02-01

29  
papers

567  
citations

687335

13  
h-index

642715

23  
g-index

30  
all docs

30  
docs citations

30  
times ranked

881  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Age-Specific Features and Clinical Significance of NRF2 and MAPK10 Expression in HCC Patients. <i>International Journal of General Medicine</i> , 2022, Volume 15, 737-748.	1.8	2
2	The relative importance of intraspecific variation in above- and belowground plant traits in shaping salt marsh soil bacterial diversity and composition. <i>Plant and Soil</i> , 2022, 474, 125-140.	3.7	3
3	PARG inhibition limits HCC progression and potentiates the efficacy of immune checkpoint therapy. <i>Journal of Hepatology</i> , 2022, 77, 140-151.	3.7	20
4	A Novel mRNA Signature Related to Immunity to Predict Survival and Immunotherapy Response in Hepatocellular Carcinoma. <i>Journal of Clinical and Translational Hepatology</i> , 2022, 000, 000-000.	1.4	0
5	Ribonuclease 7-driven activation of ROS1 is a potential therapeutic target in hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2021, 74, 907-918.	3.7	14
6	Development and validation of a nomogram combining hematological and imaging features for preoperative prediction of microvascular invasion in hepatocellular carcinoma patients. <i>Annals of Translational Medicine</i> , 2021, 9, 402-402.	1.7	8
7	Development and Validation of a Metabolic Gene-Based Prognostic Signature for Hepatocellular Carcinoma. <i>Journal of Hepatocellular Carcinoma</i> , 2021, Volume 8, 193-209.	3.7	3
8	Quiescin sulfhydryl oxidase 1 promotes sorafenib-induced ferroptosis in hepatocellular carcinoma by driving EGFR endosomal trafficking and inhibiting NRF2 activation. <i>Redox Biology</i> , 2021, 41, 101942.	9.0	88
9	Far upstream element-binding protein 1 facilitates hepatocellular carcinoma invasion and metastasis. <i>Carcinogenesis</i> , 2020, 41, 950-960.	2.8	13
10	Laparoscopic versus open left hemihepatectomy for hepatocellular carcinoma: a propensity score matching analysis. <i>Translational Cancer Research</i> , 2020, 9, 5484-5492.	1.0	3
11	High RPS11 level in hepatocellular carcinoma associates with poor prognosis after curative resection. <i>Annals of Translational Medicine</i> , 2020, 8, 466-466.	1.7	16
12	Prospects and challenges of circulating tumor DNA in precision medicine of hepatocellular carcinoma. <i>Clinical and Experimental Medicine</i> , 2020, 20, 329-337.	3.6	12
13	SLFN11 inhibits hepatocellular carcinoma tumorigenesis and metastasis by targeting RPS4X via mTOR pathway. <i>Theranostics</i> , 2020, 10, 4627-4643.	10.0	61
14	The association between KLF4 as a tumor suppressor and the prognosis of hepatocellular carcinoma after curative resection. <i>Aging</i> , 2020, 12, 15566-15580.	3.1	6
15	High RPS3A expression correlates with low tumor immune cell infiltration and unfavorable prognosis in hepatocellular carcinoma patients. <i>American Journal of Cancer Research</i> , 2020, 10, 2768-2784.	1.4	6
16	High GCLC level in tumor tissues is associated with poor prognosis of hepatocellular carcinoma after curative resection. <i>Journal of Cancer</i> , 2019, 10, 3333-3343.	2.5	28
17	Progress in quantitative technique of circulating cell free DNA and its role in cancer diagnosis and prognosis. <i>Cancer Genetics</i> , 2019, 239, 75-84.	0.4	5
18	A Long Non-coding RNA Signature to Improve Prognostic Prediction of Pancreatic Ductal Adenocarcinoma. <i>Frontiers in Oncology</i> , 2019, 9, 1160.	2.8	29

#	ARTICLE	IF	CITATIONS
19	A robust 6-mRNA signature for prognosis prediction of pancreatic ductal adenocarcinoma. <i>International Journal of Biological Sciences</i> , 2019, 15, 2282-2295.	6.4	14
20	New insight into BIRC3: A novel prognostic indicator and a potential therapeutic target for liver cancer. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 6035-6045.	2.6	25
21	Integrated analysis of the impact of age on genetic and clinical aspects of hepatocellular carcinoma. <i>Aging</i> , 2018, 10, 2079-2097.	3.1	6
22	Association of WWOX rs9926344 polymorphism with poor prognosis of hepatocellular carcinoma. <i>Journal of Cancer</i> , 2018, 9, 1239-1247.	2.5	6
23	Low expression of WW domain-containing oxidoreductase associates with hepatocellular carcinoma aggressiveness and recurrence after curative resection. <i>Cancer Medicine</i> , 2018, 7, 3031-3043.	2.8	16
24	Liver Stiffness Assessed by Shear Wave Elastography Predicts Postoperative Liver Failure in Patients with Hepatocellular Carcinoma. <i>Journal of Gastrointestinal Surgery</i> , 2017, 21, 1471-1479.	1.7	35
25	Integrated Analysis of Copy Number Variations and Gene Expression Profiling in Hepatocellular carcinoma. <i>Scientific Reports</i> , 2017, 7, 10570.	3.3	33
26	The various aspects of genetic and epigenetic toxicology: testing methods and clinical applications. <i>Journal of Translational Medicine</i> , 2017, 15, 110.	4.4	52
27	Long non-coding RNA00364 represses hepatocellular carcinoma cell proliferation via modulating p-STAT3-IFIT2 signaling axis. <i>Oncotarget</i> , 2017, 8, 102006-102019.	1.8	30
28	Silencing GTSE-1 expression inhibits proliferation and invasion of hepatocellular carcinoma cells. <i>Cell Biology and Toxicology</i> , 2016, 32, 263-274.	5.3	32
29	Relationship between hepatitis B virus genotypes and hepatocellular carcinoma. <i>World Chinese Journal of Digestology</i> , 2016, 24, 1688.	0.1	0