

Torleif Ruud

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4703762/publications.pdf>

Version: 2024-02-01

103
papers

1,893
citations

331670

21
h-index

345221

36
g-index

107
all docs

107
docs citations

107
times ranked

2243
citing authors

#	ARTICLE	IF	CITATIONS
1	Participation in Existential Groups Led by Norwegian Healthcare Chaplainsâ€™ Relations to Psychological Distress, Crisis of Meaning and Meaningfulness. <i>International Journal for the Psychology of Religion, The</i> , 2022, 32, 1-15.	2.1	0
2	Editorial Perspective: Prato Research Collaborative for change in parent and child mental health â€™ principles and recommendations for working with children and parents living with parental mental illness. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2022, 63, 350-353.	5.2	18
3	Associations between personal recovery and service user-rated versus clinician-rated clinical recovery, a cross-sectional study. <i>BMC Psychiatry</i> , 2022, 22, 42.	2.6	3
4	Suicidal ideation in patients with mental illness and concurrent substance use: analyses of national census data in Norway. <i>BMC Psychiatry</i> , 2022, 22, 1.	2.6	51
5	Experiences of shared decision making among patients with psychotic disorders in Norway: a qualitative study. <i>BMC Psychiatry</i> , 2022, 22, 192.	2.6	8
6	Frontline leadership for implementing clinical guidelines in Norwegian mental health services: a qualitative study. <i>Journal of Health Organization and Management</i> , 2022, 36, 617-632.	1.3	3
7	Similarities and differences between service usersâ€™ and carersâ€™ experiences of crisis resolution teams in Norway: a survey. <i>BMC Psychiatry</i> , 2022, 22, 266.	2.6	0
8	Measurement Properties of the Staff Attitude to Coercion Scale: A Systematic Review. <i>Frontiers in Psychiatry</i> , 2022, 13, 744661.	2.6	7
9	Continuity of care and therapeutic relationships as critical elements in acute psychiatric care. <i>World Psychiatry</i> , 2022, 21, 241-242.	10.4	6
10	Accessibility and interventions of crisis resolution teams: a multicenter study of team practices and team differences in Norway. <i>BMC Psychiatry</i> , 2022, 22, .	2.6	1
11	Can systematic implementation support improve programme fidelity by improving care providersâ€™ perceptions of implementation factors? A cluster randomized trial. <i>BMC Health Services Research</i> , 2022, 22, .	2.2	0
12	â€™I have cried a lotâ€™: a qualitative study on children experiencing severe parental illness. <i>Scandinavian Journal of Caring Sciences</i> , 2021, 35, 1196-1206.	2.1	10
13	Factors associated with quality of life for children affected by parental illness or substance abuse. <i>Scandinavian Journal of Caring Sciences</i> , 2021, 35, 405-419.	2.1	18
14	Patient-controlled admission contracts: a longitudinal study of patient evaluations. <i>BMC Health Services Research</i> , 2021, 21, 36.	2.2	1
15	Community-based Mental Health Services in Norway. <i>Consortium Psychiatricum</i> , 2021, 2, 47-54.	0.7	13
16	â€™No service is an islandâ€™: experiences of collaboration with crisis resolution teams in Norway. <i>Journal of Interprofessional Care</i> , 2021, , 1-7.	1.7	1
17	The Effect of Intensive Implementation Support on Fidelity for Four Evidence-Based Psychosis Treatments: A Cluster Randomized Trial. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2021, 48, 909-920.	2.1	7
18	Fidelity to an evidence-based model for crisis resolution teams: a cross-sectional multicentre study in Norway. <i>BMC Psychiatry</i> , 2021, 21, 231.	2.6	9

#	ARTICLE	IF	CITATIONS
19	Relationship between satisfaction with mental health services, personal recovery and quality of life among service users with psychosis: a cross-sectional study. BMC Health Services Research, 2021, 21, 439.	2.2	9
20	The Importance of Personal Recovery and Perceived Recovery Support Among Service Users With Psychosis. Psychiatric Services, 2021, 72, 661-668.	2.0	6
21	Perceived family cohesion, social support, and quality of life in patients undergoing treatment for substance use disorders compared with patients with mental and physical disorders. Addiction Science & Clinical Practice, 2021, 16, 44.	2.6	8
22	Somatic symptoms and associations with common psychological diagnoses: a retrospective cohort study from Norwegian urban general practice. Family Practice, 2021, 38, 766-772.	1.9	3
23	An explorative study of factors associated with treatment in specialized mental health care centers among GP patients in Norway. BMC Health Services Research, 2021, 21, 960.	2.2	1
24	Mental health service engagement with family and carers: what practices are fundamental?. BMC Health Services Research, 2021, 21, 1073.	2.2	14
25	Measuring Staff Attitudes to Coercion in Poland. Frontiers in Psychiatry, 2021, 12, 745215.	2.6	3
26	Detecting young people with mental disorders: a cluster-randomised trial of multidisciplinary health teams at the GP office. BMJ Open, 2021, 11, e050036.	1.9	2
27	Measuring Seclusion in Psychiatric Intensive Care: Development and Measurement Properties of the Clinical Seclusion Checklist. Frontiers in Psychiatry, 2021, 12, 768500.	2.6	2
28	Psychometric Properties of a Fidelity Scale for Illness Management and Recovery. Administration and Policy in Mental Health and Mental Health Services Research, 2020, 47, 885-893.	2.1	10
29	Collaborative care for mental health: a qualitative study of the experiences of patients and health professionals. BMC Health Services Research, 2020, 20, 844.	2.2	15
30	“œltâ€™s like being stuck on an unsafe and unpredictable rollercoasterâ€™. Experiencing substance use problems in a partner. NAD Nordic Studies on Alcohol and Drugs, 2020, 37, 227-242.	1.3	8
31	Measuring Fidelity to Evidence-Based Practices: Psychometrics. Administration and Policy in Mental Health and Mental Health Services Research, 2020, 47, 871-873.	2.1	3
32	Mental health professionalsâ€™ experiences with shared decision-making for patients with psychotic disorders: a qualitative study. BMC Health Services Research, 2020, 20, 1093.	2.2	18
33	Enabling patients to cope with psychotropic medication in mental health care. Medicine (United Tj ETQq1 1 0.784314 rgBT /Overlock 1	1.0	5
34	Prevalence and distribution of psychological diagnoses and related frequency of consultations in Norwegian urban general practice. Scandinavian Journal of Primary Health Care, 2020, 38, 124-131.	1.5	6
35	Psychometric Properties of the General Organizational Index (GOI): A Measure of Individualization and Quality Improvement to Complement Program Fidelity. Administration and Policy in Mental Health and Mental Health Services Research, 2020, 47, 920-926.	2.1	8
36	The Antipsychotic Medication Management Fidelity Scale: Psychometric properties. Administration and Policy in Mental Health and Mental Health Services Research, 2020, 47, 911-919.	2.1	8

#	ARTICLE	IF	CITATIONS
37	The Family Psychoeducation Fidelity Scale: Psychometric Properties. Administration and Policy in Mental Health and Mental Health Services Research, 2020, 47, 894-900.	2.1	9
38	The Physical Health Care Fidelity Scale: Psychometric Properties. Administration and Policy in Mental Health and Mental Health Services Research, 2020, 47, 901-910.	2.1	6
39	Improving collaboration between primary care and mental health services. World Journal of Biological Psychiatry, 2019, 20, 748-765.	2.6	31
40	Measuring implementation: development of the implementation process assessment tool (IPAT). BMC Health Services Research, 2019, 19, 721.	2.2	13
41	Model fidelity and team members' experiences of assertive community treatment in Norway: a sequential mixed-methods study. International Journal of Mental Health Systems, 2019, 13, 65.	2.7	14
42	Adult Mental Health Outpatients Who Have Minor Children: Prevalence of Parents, Referrals of Their Children, and Patient Characteristics. Frontiers in Psychiatry, 2019, 10, 163.	2.6	27
43	Recovery for all in the community; position paper on principles and key elements of community-based mental health care. BMC Psychiatry, 2019, 19, 174.	2.6	72
44	What are they returning to? Psychosocial work environment as a predictor of returning to work among employees in treatment for common mental disorders: A prospective observational pre-post study. PLoS ONE, 2019, 14, e0215354.	2.5	10
45	Predictors of family focused practice: organisation, profession, or the role as child responsible personnel?. BMC Health Services Research, 2019, 19, 793.	2.2	20
46	Ethical challenges of seclusion in psychiatric inpatient wards: a qualitative study of the experiences of Norwegian mental health professionals. BMC Health Services Research, 2019, 19, 879.	2.2	27
47	Quality of life and service satisfaction in outpatients with severe or non-severe mental illness diagnoses. Quality of Life Research, 2019, 28, 713-724.	3.1	17
48	Health-related quality of life (HRQoL) in children of ill or substance abusing parents: examining factor structure and sub-group differences. Quality of Life Research, 2019, 28, 1063-1073.	3.1	17
49	Posttraumatic stress and autobiographical memory in chronic pain patients. Scandinavian Journal of Pain, 2019, 19, 337-343.	1.3	10
50	Measurement properties of the Health of the Nation Outcome Scales (HoNOS) family of measures: protocol for a systematic review. BMJ Open, 2018, 8, e021177.	1.9	7
51	Children with ill parents: extent and nature of caring activities. Scandinavian Journal of Caring Sciences, 2018, 32, 793-804.	2.1	38
52	Predictors of Return to Work 6 Months After the End of Treatment in Patients with Common Mental Disorders: A Cohort Study. Journal of Occupational Rehabilitation, 2018, 28, 548-558.	2.2	8
53	Recovery concept in a Norwegian setting to be examined by the assertive community treatment model and mixed methods. International Journal of Mental Health Nursing, 2018, 27, 147-157.	3.8	11
54	Voluntary or involuntary acute psychiatric hospitalization in Norway: A 24 h follow up study. International Journal of Law and Psychiatry, 2018, 56, 27-34.	0.9	8

#	ARTICLE	IF	CITATIONS
55	The quality of life when a partner has substance use problems: a scoping review. <i>Health and Quality of Life Outcomes</i> , 2018, 16, 219.	2.4	28
56	Outcomes for children who care for a parent with a severe illness or substance abuse. <i>Child and Youth Services</i> , 2018, 39, 228-249.	0.8	26
57	Hospitals implementing changes in law to protect children of ill parents: a cross-sectional study. <i>BMC Health Services Research</i> , 2018, 18, 609.	2.2	22
58	Predictors of return to work among patients in treatment for common mental disorders: a pre-post study. <i>BMC Public Health</i> , 2018, 18, 27.	2.9	12
59	Differences in implementation of family focused practice in hospitals: a cross-sectional study. <i>International Journal of Mental Health Systems</i> , 2018, 12, 77.	2.7	11
60	“At the extremities of life” Service user experiences of helpful help in mental health crises. <i>American Journal of Psychiatric Rehabilitation</i> , 2017, 20, 87-105.	0.7	19
61	Post-traumatic stress disorder moderates the relationship between trauma exposure and chronic pain. <i>HÅrgre Utbildning</i> , 2017, 8, 1375337.	3.0	17
62	Risk of violence among patients in psychiatric treatment: results from a national census. <i>Nordic Journal of Psychiatry</i> , 2017, 71, 551-560.	1.3	24
63	How can context and discourse affect teachers’ and mental health professionals’ interactions with adults with mental illness?. <i>Social Work in Mental Health</i> , 2017, 15, 435-456.	1.0	1
64	Service users’ expectations of treatment and support at the Community Mental Health Centre in their recovery. <i>Scandinavian Journal of Caring Sciences</i> , 2017, 31, 505-513.	2.1	16
65	Existential group practice run by mental healthcare chaplains in Norway: a nationwide cross-sectional study. <i>Mental Health, Religion and Culture</i> , 2017, 20, 713-727.	0.9	7
66	Prevalence of Posttraumatic Stress Disorder in Persons with Chronic Pain: A Meta-analysis. <i>Frontiers in Psychiatry</i> , 2017, 8, 164.	2.6	92
67	Continuity of care as experienced by mental health service users - a qualitative study. <i>BMC Health Services Research</i> , 2017, 17, 763.	2.2	67
68	Perceived quality of life in partners of patients undergoing treatment in somatic health, mental health, or substance use disorder units: a cross-sectional study. <i>Health and Quality of Life Outcomes</i> , 2017, 15, 172.	2.4	14
69	The development, validation, and feasibility of the Experienced Coercion Scale.. <i>Psychological Assessment</i> , 2017, 29, 1210-1220.	1.5	8
70	Patient characteristics in a return to work programme for common mental disorders: a cross-sectional study. <i>BMC Public Health</i> , 2016, 16, 745.	2.9	11
71	A Two-Year Multidisciplinary Training Program for the Frontline Workforce in Community Treatment of Severe Mental Illness. <i>Psychiatric Services</i> , 2016, 67, 7-9.	2.0	2
72	“It’s unbelievably humiliating” Patients’ expressions of negative effects of coercion in mental health care. <i>International Journal of Law and Psychiatry</i> , 2016, 49, 147-153.	0.9	69

#	ARTICLE	IF	CITATIONS
73	Experiences of support in working toward personal recovery goals: a collaborative, qualitative study. <i>BMC Psychiatry</i> , 2016, 16, 426.	2.6	15
74	Development of a measure of model fidelity for mental health Crisis Resolution Teams. <i>BMC Psychiatry</i> , 2016, 16, 427.	2.6	59
75	A review of mental health recovery programs in selected industrialized countries. <i>International Journal of Mental Health Systems</i> , 2016, 10, 73.	2.7	56
76	Are Users Satisfied with Assertive Community Treatment in Spite of Personal Restrictions?. <i>Community Mental Health Journal</i> , 2016, 52, 891-897.	2.0	16
77	Hospitalization of high and low inpatient service users before and after enrollment into Assertive Community Treatment teams: a naturalistic observational study. <i>International Journal of Mental Health Systems</i> , 2016, 10, 14.	2.7	16
78	Satisfaction with primary care and mental health care among individuals with severe mental illness in a rural area: a seven-year follow-up study of a clinical cohort. <i>International Journal of Mental Health Systems</i> , 2016, 10, 33.	2.7	21
79	Hospitalisation of severely mentally ill patients with and without problematic substance use before and during Assertive Community Treatment: an observational cohort study. <i>BMC Psychiatry</i> , 2016, 16, 125.	2.6	13
80	Family-focused practice in mental health care: An integrative review. <i>Child and Youth Services</i> , 2016, 37, 129-155.	0.8	110
81	“We are different people”: A narrative analysis of carers’ experiences with mental health crisis and support from crisis resolution teams. <i>Social Work in Mental Health</i> , 2016, 14, 658-675.	1.0	16
82	Sickness absence and presence among employees in treatment for common mental disorders. <i>Scandinavian Journal of Public Health</i> , 2016, 44, 338-346.	2.3	8
83	Training frontline workforce on psychosis management: a prospective study of training effects. <i>International Journal of Mental Health Systems</i> , 2015, 9, 38.	2.7	3
84	Research priorities for public mental health in Europe: recommendations of the ROAMER project. <i>European Journal of Public Health</i> , 2015, 25, 249-254.	0.3	113
85	Same diagnosis, different lives. A qualitative study of adults with severe mental illness, in treatment and education. <i>Psychosis</i> , 2015, 7, 336-347.	0.8	7
86	Associations Between Quality of Life and Functioning in an Assertive Community Treatment Population. <i>Psychiatric Services</i> , 2015, 66, 1249-1252.	2.0	13
87	The Effectiveness of Short- and Long-Term Psychodynamic Group Psychotherapy on Self-Concept: Three Years Follow-Up of a Randomized Clinical Trial. <i>International Journal of Group Psychotherapy</i> , 2015, 65, 362-385.	0.6	9
88	Routine outcome measures in Norway: Only partly implemented. <i>International Review of Psychiatry</i> , 2015, 27, 338-344.	2.8	13
89	Engagement in assertive community treatment as experienced by recovering clients with severe mental illness and concurrent substance use. <i>International Journal of Mental Health Systems</i> , 2014, 8, 40.	2.7	20
90	Group therapy in public mental health services: approaches, patients and group therapists. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2014, 21, 219-225.	2.1	23

#	ARTICLE	IF	CITATIONS
91	Psychiatric admissions from crisis resolution teams in Norway: a prospective multicentre study. BMC Psychiatry, 2013, 13, 117.	2.6	18
92	Predictors of involuntary hospitalizations to acute psychiatry. International Journal of Law and Psychiatry, 2013, 36, 136-143.	0.9	91
93	Walking the fine line: Self-reported reasons for substance use in persons with severe mental illness. International Journal of Qualitative Studies on Health and Well-being, 2013, 8, 21968.	1.6	24
94	An implementation study of the crisis resolution team model in Norway: Are the crisis resolution teams fulfilling their role?. BMC Health Services Research, 2011, 11, 96.	2.2	36
95	Group therapy in community mental health centres. Nordic Psychology, 2010, 62, 21-35.	0.8	2
96	The association between GP and patient ratings of quality of care at outpatient clinics. Family Practice, 2009, 26, 384-390.	1.9	17
97	Mental health quality and outcome measurement and improvement in Norway. Current Opinion in Psychiatry, 2009, 22, 631-635.	6.3	11
98	Family Physicians' Experiences With Community Mental Health Centers: A Multilevel Analysis. Psychiatric Services, 2008, 59, 864-870.	2.0	8
99	Inter-rater Reliability of Clinician-rated Outcome Measures in Child and Adolescent Mental Health Services. Administration and Policy in Mental Health and Mental Health Services Research, 2007, 34, 504-512.	2.1	47
100	Community Mental Health Services in Norway. International Journal of Mental Health, 2002, 31, 3-14.	1.3	8
101	Block Training in Group Analysis: The Norwegian Program. International Journal of Group Psychotherapy, 1995, 45, 73-89.	0.6	22
102	Outcome measurement in mental health services in Norway. , 0, , 84-93.		1
103	The INSPIRE Support sub-scale: A critical view of the psychometric properties focusing on dimensionality. Current Psychology, 0, , 1.	2.8	0