Tjip S Van Der Werf

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4705223/publications.pdf Version: 2024-02-01

	57758	66911
7,866	44	78
citations	h-index	g-index
217	217	7820
docs citations	times ranked	citing authors
	citations 217	7,866 44 citations h-index 217 217

#	Article	IF	CITATIONS
1	Standard ganciclovir dosing results in slow decline of cytomegalovirus viral loads. Journal of Antimicrobial Chemotherapy, 2022, 77, 466-473.	3.0	6
2	Clinical Relevance of Rifampicinâ€Moxifloxacin Interaction in Isoniazid-Resistant/Intolerant Tuberculosis Patients. Antimicrobial Agents and Chemotherapy, 2022, 66, AAC0182921.	3.2	4
3	Population Pharmacokinetic Modelling and Limited Sampling Strategies for Therapeutic Drug Monitoring of Pyrazinamide in Patients with Tuberculosis. Antimicrobial Agents and Chemotherapy, 2022, 66, .	3.2	5
4	Artificial Intelligence to Guide Empirical Antimicrobial Therapy–Ready for Prime Time?. Clinical Infectious Diseases, 2021, 72, e856-e858.	5.8	2
5	COPD-Lower Respiratory Tract Infection Visual Analogue Score (c-LRTI-VAS) validation in stable and exacerbated patients with COPD. BMJ Open Respiratory Research, 2021, 8, e000761.	3.0	1
6	Co-infection of HIV in patients with Buruli ulcer disease in Central Ghana. BMC Infectious Diseases, 2021, 21, 331.	2.9	3
7	Sarcoidosis presenting with glazy mucoid sputum and dyspnea: a case report. Journal of Medical Case Reports, 2021, 15, 232.	0.8	1
8	Ganciclovir therapeutic drug monitoring in transplant recipients. Journal of Antimicrobial Chemotherapy, 2021, 76, 2356-2363.	3.0	23
9	Malnutrition assessment methods in adult patients with tuberculosis: a systematic review. BMJ Open, 2021, 11, e049777.	1.9	4
10	Caspofungin Weight-Based Dosing Supported by a Population Pharmacokinetic Model in Critically III Patients. Antimicrobial Agents and Chemotherapy, 2020, 64, .	3.2	15
11	Dose optimisation of first-line tuberculosis drugs using therapeutic drug monitoring in saliva: feasible for rifampicin, not for isoniazid. European Respiratory Journal, 2020, 56, 2000803.	6.7	8
12	Exploring failure of antimicrobial prophylaxis and pre-emptive therapy for transplant recipients: a systematic review. BMJ Open, 2020, 10, e034940.	1.9	2
13	Towards elimination of childhood and adolescent tuberculosis in the Netherlands: an epidemiological time-series analysis of national surveillance data. European Respiratory Journal, 2020, 56, 2001086.	6.7	3
14	Prospective evaluation of improving fluoroquinolone exposure using centralised therapeutic drug monitoring (TDM) in patients with tuberculosis (PERFECT): a study protocol of a prospective multicentre cohort study. BMJ Open, 2020, 10, e035350.	1.9	4
15	Rifampicin and clarithromycin (extended release) versus rifampicin and streptomycin for limited Buruli ulcer lesions: a randomised, open-label, non-inferiority phase 3 trial. Lancet, The, 2020, 395, 1259-1267.	13.7	71
16	Therapeutic drug monitoring using saliva as matrix: an opportunity for linezolid, but challenge for moxifloxacin. European Respiratory Journal, 2020, 55, 1901903.	6.7	12
17	Corticosteroid therapy for the management of paradoxical inflammatory reaction in patients with pulmonary tuberculosis. Infection, 2020, 48, 641-645.	4.7	4
18	The phylogenetic landscape and nosocomial spread of the multidrug-resistant opportunist Stenotrophomonas maltophilia. Nature Communications, 2020, 11, 2044.	12.8	76

#	Article	IF	CITATIONS
19	Pharmacologic management of <i>Mycobacterium ulcerans</i> infection. Expert Review of Clinical Pharmacology, 2020, 13, 391-401.	3.1	16
20	Diagnosis of tuberculosis through breath test: A systematic review. EBioMedicine, 2019, 46, 202-214.	6.1	44
21	Is CRP-guided antibiotic treatment a safe way to reduce antibiotic use in severe hospitalised patients with exacerbations of COPD?. European Respiratory Journal, 2019, 54, 1901597.	6.7	Ο
22	Buruli ulcer treatment: Rate of surgical intervention differs highly between treatment centers in West Africa. PLoS Neglected Tropical Diseases, 2019, 13, e0007866.	3.0	8
23	Posaconazole therapeutic drug monitoring in clinical practice and longitudinal analysis of the effect of routine laboratory measurements on posaconazole concentrations. Mycoses, 2019, 62, 698-705.	4.0	17
24	Impact of radiographic screening of >34 000 asylum seeker children. European Respiratory Journal, 2019, 54, 1900579.	6.7	4
25	Sensitivity and specificity of an electronic nose in diagnosing pulmonary tuberculosis among patients with suspected tuberculosis. PLoS ONE, 2019, 14, e0217963.	2.5	24
26	Limited Sampling Strategies Using Linear Regression and the Bayesian Approach for Therapeutic Drug Monitoring of Moxifloxacin in Tuberculosis Patients. Antimicrobial Agents and Chemotherapy, 2019, 63, .	3.2	19
27	Optimal Sampling Strategies for Therapeutic Drug Monitoring of First-Line Tuberculosis Drugs in Patients with Tuberculosis. Clinical Pharmacokinetics, 2019, 58, 1445-1454.	3.5	19
28	Reduced moxifloxacin exposure in patients with tuberculosis and diabetes. European Respiratory Journal, 2019, 54, 1900373.	6.7	7
29	The paediatric participation scale measuring participation restrictions among former Buruli Ulcer patients under the age of 15 in Ghana and Benin: Development and first validation results. PLoS Neglected Tropical Diseases, 2019, 13, e0007273.	3.0	2
30	Random glucose sampling as screening tool for diabetes among disadvantaged tuberculosis patients residing in urban slums in India. ERJ Open Research, 2019, 5, 00025-2019.	2.6	0
31	CRP-guided antibiotic treatment in acute exacerbations of COPD in hospital admissions. European Respiratory Journal, 2019, 53, 1802014.	6.7	66
32	Tuberculosis-Related Malnutrition: Public Health Implications. Journal of Infectious Diseases, 2019, 220, 340-341.	4.0	19
33	Sensitivity and specificity of routine diagnostic work-up for tuberculosis in lung clinics in Yogyakarta, Indonesia: a cohort study. BMC Public Health, 2019, 19, 363.	2.9	15
34	Evaluation of Saliva as a Potential Alternative Sampling Matrix for Therapeutic Drug Monitoring of Levofloxacin in Patients with Multidrug-Resistant Tuberculosis. Antimicrobial Agents and Chemotherapy, 2019, 63, .	3.2	17
35	Global Epidemiology of Buruli Ulcer, 2010–2017, and Analysis of 2014 WHO Programmatic Targets. Emerging Infectious Diseases, 2019, 25, 2183-2190.	4.3	41
36	<p>Multidrug-Resistant Infections Among Hospitalized Adults With Community-Acquired Pneumonia In An Indonesian Tertiary Referral Hospital</p> . Infection and Drug Resistance, 2019, Volume 12, 3663-3675.	2.7	6

#	Article	IF	CITATIONS
37	Darunavir Population Pharmacokinetic Model Based on HIV Outpatient Data. Therapeutic Drug Monitoring, 2019, 41, 59-65.	2.0	5
38	Treatment of multidrug-resistant tuberculosis using therapeutic drug monitoring: first experiences with sub-300â€mg linezolid dosages using in-house made capsules. European Respiratory Journal, 2019, 54, 1900580.	6.7	21
39	Different Underlying Mechanism Might Explain the Absence of a Significant Difference in Area Under the Concentration–Time Curve of Linezolid for Different ABCB1 Genotypes. Therapeutic Drug Monitoring, 2019, 41, 253-254.	2.0	5
40	1538. Who Will Benefit From Therapeutic Drug Monitoring of Ganciclovir?. Open Forum Infectious Diseases, 2019, 6, S560-S561.	0.9	0
41	A Systematic Review on the Effect of HIV Infection on the Pharmacokinetics of First-Line Tuberculosis Drugs. Clinical Pharmacokinetics, 2019, 58, 747-766.	3.5	53
42	High-Dose Rifamycins Enable Shorter Oral Treatment in a Murine Model of Mycobacterium ulcerans Disease. Antimicrobial Agents and Chemotherapy, 2019, 63, .	3.2	15
43	Evaluation of Carbapenems for Treatment of Multi- and Extensively Drug-Resistant <i>Mycobacterium tuberculosis</i> . Antimicrobial Agents and Chemotherapy, 2019, 63, .	3.2	26
44	Posaconazole trough concentrations are not influenced by inflammation: A prospective study. International Journal of Antimicrobial Agents, 2019, 53, 325-329.	2.5	9
45	Antimicrobial Treatment of Mycobacterium ulcerans Infection. , 2019, , 203-220.		8
46	In Vivo Imaging of Bioluminescent Mycobacterium ulcerans: A Tool to Refine the Murine Buruli Ulcer Tail Model. American Journal of Tropical Medicine and Hygiene, 2019, 101, 1312-1321.	1.4	9
47	Delayed versus standard assessment for excision surgery in patients with Buruli ulcer in Benin: a randomised controlled trial. Lancet Infectious Diseases, The, 2018, 18, 650-656.	9.1	31
48	Lack of penetration of amikacin into saliva of tuberculosis patients. European Respiratory Journal, 2018, 51, 1702024.	6.7	9
49	Cross border, highly individualised treatment of a patient with challenging extensively drug-resistant tuberculosis. European Respiratory Journal, 2018, 51, 1702490.	6.7	7
50	Intermediate Susceptibility Dose-Dependent Breakpoints For High-Dose Rifampin, Isoniazid, and Pyrazinamide Treatment in Multidrug-Resistant Tuberculosis Programs. Clinical Infectious Diseases, 2018, 67, 1743-1749.	5.8	19
51	Diagnostic Tests for Buruli Ulcer: Clinical Judgment Revisited. Clinical Infectious Diseases, 2018, 67, 835-836.	5.8	4
52	Risk factors contributing to a low darunavir plasma concentration. British Journal of Clinical Pharmacology, 2018, 84, 456-461.	2.4	4
53	Treatment for Buruli ulcer: the long and winding road to antimicrobials-first. The Cochrane Library, 2018, 12, ED000128.	2.8	5
54	Population Pharmacokinetic Model and Limited Sampling Strategies for Personalized Dosing of Levofloxacin in Tuberculosis Patients. Antimicrobial Agents and Chemotherapy, 2018, 62, .	3.2	25

#	Article	IF	CITATIONS
55	Pathogen-based precision medicine for drug-resistant tuberculosis. PLoS Pathogens, 2018, 14, e1007297.	4.7	43
56	Treatment correlates of successful outcomes in pulmonary multidrug-resistant tuberculosis: an individual patient data meta-analysis. Lancet, The, 2018, 392, 821-834.	13.7	452
57	Treatment and outcomes in children with multidrug-resistant tuberculosis: A systematic review and individual patient data meta-analysis. PLoS Medicine, 2018, 15, e1002591.	8.4	96
58	Variability and cost implications of three generations of the Roche LightCycler® 480. PLoS ONE, 2018, 13, e0190847.	2.5	5
59	Case Report: Carbapenemase-Producing Enterobacteriaceae in an Asylum Seeker with Multidrug–Resistant Tuberculosis. American Journal of Tropical Medicine and Hygiene, 2018, 98, 376-378.	1.4	1
60	Virulence potential of Staphylococcus aureus isolates from Buruli ulcer patients. International Journal of Medical Microbiology, 2017, 307, 223-232.	3.6	15
61	Pharmacokinetics of Levofloxacin in Multidrug- and Extensively Drug-Resistant Tuberculosis Patients. Antimicrobial Agents and Chemotherapy, 2017, 61, .	3.2	24
62	Safety and tolerability of clarithromycin in the treatment of multidrug-resistant tuberculosis. European Respiratory Journal, 2017, 49, 1601612.	6.7	16
63	Pharmacokinetics of moxifloxacin and linezolid during and after pregnancy in a patient with multidrug-resistant tuberculosis. European Respiratory Journal, 2017, 49, 1601724.	6.7	20
64	Simple strategy to assess linezolid exposure in patients with multi-drug-resistant and extensively-drug-resistant tuberculosis. International Journal of Antimicrobial Agents, 2017, 49, 688-694.	2.5	35
65	Recombinant BCG Expressing ESX-1 of Mycobacterium marinum Combines Low Virulence with Cytosolic Immune Signaling and Improved TB Protection. Cell Reports, 2017, 18, 2752-2765.	6.4	98
66	Neurological and functional recovery inÂtuberculosis patients with spinal cordÂinjury in The Netherlands. NeuroRehabilitation, 2017, 40, 439-445.	1.3	8
67	Infection control, genetic assessment of drug resistance and drug susceptibility testing in the current management of multidrug/extensively-resistant tuberculosis (M/XDR-TB) in Europe: A tuberculosis network European Trialsgroup (TBNET) study. Respiratory Medicine, 2017, 132, 68-75.	2.9	7
68	Food intake and darunavir plasma concentrations in people living with HIV in an outpatient setting. British Journal of Clinical Pharmacology, 2017, 83, 2325-2329.	2.4	5
69	Blood eosinophilia as a marker of early and late treatment failure in severe acute exacerbations of COPD. Respiratory Medicine, 2017, 131, 118-124.	2.9	34
70	Skin advanced glycation end products in HIV infection are increased and predictive of development of cardiovascular events. Aids, 2017, 31, 241-246.	2.2	8
71	Low Caspofungin Exposure in Patients in Intensive Care Units. Antimicrobial Agents and Chemotherapy, 2017, 61, .	3.2	41
72	Voriconazole metabolism is influenced by severe inflammation: a prospective study. Journal of Antimicrobial Chemotherapy, 2017, 72, 261-267.	3.0	113

#	Article	IF	CITATIONS
73	Bioavailability of voriconazole in hospitalised patients. International Journal of Antimicrobial Agents, 2017, 49, 243-246.	2.5	19
74	Non-Steroidal Anti-inflammatory Drugs As Host-Directed Therapy for Tuberculosis: A Systematic Review. Frontiers in Immunology, 2017, 8, 772.	4.8	64
75	Methicillin Resistant Staphylococcus aureus Transmission in a Ghanaian Burn Unit: The Importance of Active Surveillance in Resource-Limited Settings. Frontiers in Microbiology, 2017, 8, 1906.	3.5	11
76	Epidemiology of Staphylococcus aureus in a burn unit of a tertiary care center in Ghana. PLoS ONE, 2017, 12, e0181072.	2.5	25
77	Yellow fever in a traveller returning from Suriname to the Netherlands, March 2017. Eurosurveillance, 2017, 22, .	7.0	17
78	Pharmacokinetics of Bedaquiline in Cerebrospinal Fluid and Serum in Multidrug-Resistant Tuberculous Meningitis. Clinical Infectious Diseases, 2016, 62, civ921.	5.8	38
79	Therapeutic drug monitoring of first-line anti-tuberculosis drugs comprises more than C _{2h} measurements. International Journal of Tuberculosis and Lung Disease, 2016, 20, 1695-1696.	1.2	3
80	Former Buruli Ulcer Patients' Experiences and Wishes May Serve as a Guide to Further Improve Buruli Ulcer Management. PLoS Neglected Tropical Diseases, 2016, 10, e0005261.	3.0	21
81	Tolerability and Pharmacokinetic Evaluation of Inhaled Dry Powder Tobramycin Free Base in Non-Cystic Fibrosis Bronchiectasis Patients. PLoS ONE, 2016, 11, e0149768.	2.5	25
82	Predictors of Prolonged TB Treatment in a Dutch Outpatient Setting. PLoS ONE, 2016, 11, e0166030.	2.5	6
83	Implementing tuberculosis entry screening for asylum seekers: the Groningen experience. European Respiratory Journal, 2016, 48, 261-264.	6.7	21
84	Shorter treatment for multidrug-resistant tuberculosis: the good, the bad and the ugly. European Respiratory Journal, 2016, 48, 1800-1802.	6.7	9
85	Pharmacokinetic/pharmacodynamic-based optimization of levofloxacin administration in the treatment of MDR-TB. Journal of Antimicrobial Chemotherapy, 2016, 71, 2691-2703.	3.0	28
86	High prevalence of multidrug-resistant tuberculosis among patients with rifampicin resistance using GeneXpert Mycobacterium tuberculosis/rifampicin in Ghana. International Journal of Mycobacteriology, 2016, 5, 226-230.	0.6	22
87	The Application of Modern Dressings to Buruli Ulcers: Results from a Pilot Implementation Project in Ghana. American Journal of Tropical Medicine and Hygiene, 2016, 95, 60-62.	1.4	9
88	Is there still room for therapeutic drug monitoring of linezolid in patients with tuberculosis?. European Respiratory Journal, 2016, 47, 1288-1290.	6.7	12
89	Prolonged pyrexia and subtle skin lesions: polyarteritis nodosa. Lancet, The, 2016, 387, 1025-1026.	13.7	3
90	PET/CT imaging of Mycobacterium tuberculosis infection. Clinical and Translational Imaging, 2016, 4, 131-144.	2.1	98

6

#	Article	IF	CITATIONS
91	Individualized treatment of multidrug-resistant tuberculosis using therapeutic drug monitoring. International Journal of Mycobacteriology, 2016, 5, S44-S45.	0.6	11
92	Dosage of isoniazid and rifampicin poorly predicts drug exposure in tuberculosis patients. European Respiratory Journal, 2016, 48, 1237-1239.	6.7	8
93	Experiences of Pain and Expectations for Its Treatment Among Former Buruli Ulcer Patients. American Journal of Tropical Medicine and Hygiene, 2016, 95, 1011-1015.	1.4	8
94	Voriconazole Therapeutic Drug Monitoring Practices in Intensive Care. Therapeutic Drug Monitoring, 2016, 38, 313-318.	2.0	9
95	Dried blood spots can help decrease the burden on patients dually infected with multidrug-resistant tuberculosis and HIV. European Respiratory Journal, 2016, 48, 932-934.	6.7	8
96	Reply to Verhaeghe et al: Table 1 Clinical Infectious Diseases, 2016, 63, 146-147.	5.8	0
97	Validation of a visual analogue score (<scp>LRTIâ€VAS</scp>) in nonâ€ <scp>CF</scp> bronchiectasis. Clinical Respiratory Journal, 2016, 10, 168-175.	1.6	14
98	Multidrug-Resistant Tuberculosis Complicated by Nosocomial Infection with Multidrug-Resistant Enterobacteriaceae. American Journal of Tropical Medicine and Hygiene, 2016, 94, 517-518.	1.4	4
99	Impact of food on the pharmacokinetics of first-line anti-TB drugs in treatment-naive TB patients: a randomized cross-over trial. Journal of Antimicrobial Chemotherapy, 2016, 71, 703-710.	3.0	41
100	Incorporating therapeutic drug monitoring into the World Health Organization hierarchy of tuberculosis diagnostics. European Respiratory Journal, 2016, 47, 1867-1869.	6.7	59
101	End TB with precision treatment!. European Respiratory Journal, 2016, 47, 680-682.	6.7	45
102	Pharmacokinetics of ertapenem in patients with multidrug-resistant tuberculosis. European Respiratory Journal, 2016, 47, 1229-1234.	6.7	30
103	Genetic Susceptibility and Predictors of Paradoxical Reactions in Buruli Ulcer. PLoS Neglected Tropical Diseases, 2016, 10, e0004594.	3.0	22
104	High Prevalence of Infectious Diseases and Drug-Resistant Microorganisms in Asylum Seekers Admitted to Hospital; No Carbapenemase Producing Enterobacteriaceae until September 2015. PLoS ONE, 2016, 11, e0154791.	2.5	30
105	Subtherapeutic Posaconazole Exposure and Treatment Outcome in Patients With Invasive Fungal Disease. Therapeutic Drug Monitoring, 2015, 37, 766-771.	2.0	29
106	Pain Associated with Wound Care Treatment among Buruli Ulcer Patients from Ghana and Benin. PLoS ONE, 2015, 10, e0119926.	2.5	10
107	Molecular Characterization of Staphylococcus aureus Isolates Transmitted between Patients with Buruli Ulcer. PLoS Neglected Tropical Diseases, 2015, 9, e0004049.	3.0	12
108	Assessment and Treatment of Pain during Treatment of Buruli Ulcer. PLoS Neglected Tropical Diseases, 2015, 9, e0004076.	3.0	8

#	Article	IF	CITATIONS
109	Evaluation of macrolides for possible use against multidrug-resistant <i>Mycobacterium tuberculosis</i> . European Respiratory Journal, 2015, 46, 444-455.	6.7	20
110	The role of therapeutic drug monitoring in individualised drug dosage and exposure measurement in tuberculosis and HIV co-infection. European Respiratory Journal, 2015, 45, 569-571.	6.7	20
111	Limited-Sampling Strategies for Anidulafungin in Critically Ill Patients. Antimicrobial Agents and Chemotherapy, 2015, 59, 1177-1181.	3.2	10
112	Determination of Bedaquiline in Human Serum Using Liquid Chromatography-Tandem Mass Spectrometry. Antimicrobial Agents and Chemotherapy, 2015, 59, 5675-5680.	3.2	28
113	Pharmacokinetic Modeling and Optimal Sampling Strategies for Therapeutic Drug Monitoring of Rifampin in Patients with Tuberculosis. Antimicrobial Agents and Chemotherapy, 2015, 59, 4907-4913.	3.2	37
114	In-vitro Activity of Avermectins against Mycobacterium ulcerans. PLoS Neglected Tropical Diseases, 2015, 9, e0003549.	3.0	46
115	Genetic Diversity of Staphylococcus aureus in Buruli Ulcer. PLoS Neglected Tropical Diseases, 2015, 9, e0003421.	3.0	21
116	Incidence, direct costs and duration of hospitalization of patients hospitalized with community acquired pneumonia: A nationwide retrospective claims database analysis. Vaccine, 2015, 33, 3193-3199.	3.8	78
117	Linezolid tolerability in multidrug-resistant tuberculosis: a retrospective study. European Respiratory Journal, 2015, 46, 1205-1207.	6.7	47
118	Buruli Ulcer Control in a Highly Endemic District in Ghana: Role of Community-Based Surveillance Volunteers. American Journal of Tropical Medicine and Hygiene, 2015, 92, 115-117.	1.4	35
119	The Never Ending Struggle Against Development of Drug Resistance. Clinical Infectious Diseases, 2015, 61, 137-138.	5.8	Ο
120	Adequate Design of Pharmacokinetic-Pharmacodynamic Studies Will Help Optimize Tuberculosis Treatment for the Future. Antimicrobial Agents and Chemotherapy, 2015, 59, 2474-2474.	3.2	7
121	Low but Sufficient Anidulafungin Exposure in Critically Ill Patients. Antimicrobial Agents and Chemotherapy, 2014, 58, 304-308.	3.2	24
122	Persisting Social Participation Restrictions among Former Buruli Ulcer Patients in Ghana and Benin. PLoS Neglected Tropical Diseases, 2014, 8, e3303.	3.0	27
123	Good Quality of Life in Former Buruli Ulcer Patients with Small Lesions: Long-Term Follow-up of the BURULICO Trial. PLoS Neglected Tropical Diseases, 2014, 8, e2964.	3.0	18
124	Long Term Streptomycin Toxicity in the Treatment of Buruli Ulcer: Follow-up of Participants in the BURULICO Drug Trial. PLoS Neglected Tropical Diseases, 2014, 8, e2739.	3.0	56
125	Contribution of the Community Health Volunteers in the Control of Buruli Ulcer in Bénin. PLoS Neglected Tropical Diseases, 2014, 8, e3200.	3.0	38
126	Psychometric Properties of the Participation Scale among Former Buruli Ulcer Patients in Ghana and Benin. PLoS Neglected Tropical Diseases, 2014, 8, e3254.	3.0	10

#	Article	IF	CITATIONS
127	Strategy To Limit Sampling of Antituberculosis Drugs Instead of Determining Concentrations at Two Hours Postingestion in Relation to Treatment Response. Antimicrobial Agents and Chemotherapy, 2014, 58, 628-628.	3.2	4
128	Optimization of Standard In-House 24-Locus Variable-Number Tandem-Repeat Typing for Mycobacterium tuberculosis and Its Direct Application to Clinical Material. Journal of Clinical Microbiology, 2014, 52, 1338-1342.	3.9	27
129	Therapeutic vaccines for tuberculosis—A systematic review. Vaccine, 2014, 32, 3162-3168.	3.8	66
130	Inflammation Is Associated with Voriconazole Trough Concentrations. Antimicrobial Agents and Chemotherapy, 2014, 58, 7098-7101.	3.2	81
131	Treatment Outcomes of Patients With Multidrug-Resistant and Extensively Drug-Resistant Tuberculosis According to Drug Susceptibility Testing to First- and Second-line Drugs: An Individual Patient Data Meta-analysis. Clinical Infectious Diseases, 2014, 59, 1364-1374.	5.8	116
132	In vitro synergy between linezolid and clarithromycin against Mycobacterium tuberculosis. European Respiratory Journal, 2014, 44, 808-811.	6.7	14
133	Potential antimicrobial agents for the treatment of multidrug-resistant tuberculosis. European Respiratory Journal, 2014, 43, 884-897.	6.7	55
134	Wound Care in Buruli Ulcer Disease in Ghana and Benin. American Journal of Tropical Medicine and Hygiene, 2014, 91, 313-318.	1.4	28
135	A systematic review of a single-class maintenance strategy with nucleoside reverse transcriptase inhibitors in HIV/AIDS. Antiviral Therapy, 2014, 19, 625-636.	1.0	3
136	Oral treatment for patients with Buruli ulcer co-infected with HIV. Aids, 2014, 28, 797-798.	2.2	2
137	Incidence of Thrombotic Events in Patients Admitted to a Dedicated Tuberculosis Center in the Netherlands. Blood, 2014, 124, 2860-2860.	1.4	0
138	Comparison of 14 Molecular Assays for Detection of Mycobacterium tuberculosis Complex in Bronchoalveolar Lavage Fluid. Journal of Clinical Microbiology, 2013, 51, 3505-3511.	3.9	19
139	Rifampicin and moxifloxacin for tuberculous meningitis. Lancet Infectious Diseases, The, 2013, 13, 568-569.	9.1	1
140	The role of Streptococcus pneumoniae in community-acquired pneumonia among adults in Europe: a meta-analysis. European Journal of Clinical Microbiology and Infectious Diseases, 2013, 32, 305-316.	2.9	86
141	Targeting multidrug-resistant tuberculosis (MDR-TB) by therapeutic vaccines. Medical Microbiology and Immunology, 2013, 202, 95-104.	4.8	63
142	Towards Rational Use of Antibiotics for Suspected Secondary Infections in Buruli Ulcer Patients. PLoS Neglected Tropical Diseases, 2013, 7, e2010.	3.0	24
143	Evaluation of co-trimoxazole in the treatment of multidrug-resistant tuberculosis. European Respiratory Journal, 2013, 42, 504-512.	6.7	55
144	Serum Levels of Neopterin during Antimicrobial Treatment for Mycobacterium ulcerans Infection. American Journal of Tropical Medicine and Hygiene, 2013, 89, 498-500.	1.4	5

#	Article	IF	CITATIONS
145	Dried Blood Spot Analysis Suitable for Therapeutic Drug Monitoring of Voriconazole, Fluconazole, and Posaconazole. Antimicrobial Agents and Chemotherapy, 2013, 57, 4999-5004.	3.2	45
146	Drug concentration in lung tissue in multidrug-resistant tuberculosis. European Respiratory Journal, 2013, 42, 1750-1752.	6.7	23
147	Effect of Azithromycin Maintenance Treatment on Infectious Exacerbations Among Patients With Non–Cystic Fibrosis Bronchiectasis. JAMA - Journal of the American Medical Association, 2013, 309, 1251.	7.4	421
148	Clarithromycin increases linezolid exposure in multidrug-resistant tuberculosis patients. European Respiratory Journal, 2013, 42, 1614-1621.	6.7	59
149	Perceptions on the Effectiveness of Treatment and the Timeline of Buruli Ulcer Influence Pre-Hospital Delay Reported by Healthy Individuals. PLoS Neglected Tropical Diseases, 2013, 7, e2014.	3.0	14
150	Multidrug Resistant Pulmonary Tuberculosis Treatment Regimens and Patient Outcomes: An Individual Patient Data Meta-analysis of 9,153 Patients. PLoS Medicine, 2012, 9, e1001300.	8.4	430
151	Paradoxical Responses After Start of Antimicrobial Treatment in Mycobacterium ulcerans Infection. Clinical Infectious Diseases, 2012, 54, 519-526.	5.8	91
152	D-dimer levels in assessing severity and clinical outcome in patients with community-acquired pneumonia. A secondary analysis of a randomised clinical trial. European Journal of Internal Medicine, 2012, 23, 436-441.	2.2	76
153	Mycobacterium bovis infection in a young Dutch adult: transmission from an elderly human source?. Medical Microbiology and Immunology, 2012, 201, 397-400.	4.8	4
154	Nutritional status and vitamin D3 during antimicrobial treatment. Lancet, The, 2011, 377, 1407-1408.	13.7	5
155	Limited-Sampling Strategies for Therapeutic Drug Monitoring of Moxifloxacin in Patients With Tuberculosis. Therapeutic Drug Monitoring, 2011, 33, 350-354.	2.0	30
156	Immunology in Tuberculosis: Challenges in Monitoring of Disease Activity and Identifying Correlates of Protection. Current Pharmaceutical Design, 2011, 17, 2853-2862.	1.9	11
157	Unusual Cluster of HIV Type 1 Dual Infections in Groningen, The Netherlands. AIDS Research and Human Retroviruses, 2011, 27, 429-433.	1.1	10
158	Weight loss during tuberculosis treatment is an important risk factor for drug-induced hepatotoxicity. British Journal of Nutrition, 2011, 105, 400-408.	2.3	35
159	Association between <i>Faecalibacterium prausnitzii</i> and dietary fibre in colonic fermentation in healthy human subjects. British Journal of Nutrition, 2010, 104, 693-700.	2.3	172
160	Pandemic influenza and pediatric intensive care*. Pediatric Critical Care Medicine, 2010, 11, 185-198.	0.5	11
161	Limited Sampling Strategies for Therapeutic Drug Monitoring of Linezolid in Patients With Multidrug-Resistant Tuberculosis. Therapeutic Drug Monitoring, 2010, 32, 97-101.	2.0	55
162	Impact of digestive and oropharyngeal decontamination on the intestinal microbiota in ICU patients. Intensive Care Medicine, 2010, 36, 1394-1402.	8.2	61

#	Article	IF	CITATIONS
163	Results of a cohort model analysis of the cost-effectiveness of routine immunization with 13-valent pneumococcal conjugate vaccine of those aged ≥65 years in the Netherlands. Clinical Therapeutics, 2010, 32, 1517-1532.	2.5	44
164	Clarithromycin Significantly Increases Linezolid Serum Concentrations. Antimicrobial Agents and Chemotherapy, 2010, 54, 5418-5419.	3.2	31
165	A Genotypic Approach for Detection, Identification, and Characterization of Drug Resistance in Mycobacterium ulcerans in Clinical Samples and Isolates from Ghana. American Journal of Tropical Medicine and Hygiene, 2010, 83, 1059-1065.	1.4	25
166	Abacavir/Lamivudine/Zidovudine Maintenance After Standard Induction in Antiretroviral Therapy-Naìve Patients: FREE Randomized Trial Interim Results. AIDS Patient Care and STDs, 2010, 24, 361-366.	2.5	9
167	Dosing Ethambutol in Obese Patients. Antimicrobial Agents and Chemotherapy, 2010, 54, 4044-4045.	3.2	7
168	Comparison of the Pharmacokinetics of Two Dosage Regimens of Linezolid in Multidrug-Resistant and Extensively Drug-Resistant Tuberculosis Patients. Clinical Pharmacokinetics, 2010, 49, 559-565.	3.5	50
169	Physicians' and nurses' opinions on selective decontamination of the digestive tract and selective oropharyngeal decontamination: a survey. Critical Care, 2010, 14, R132.	5.8	11
170	Antimicrobial treatment for early, limited Mycobacterium ulcerans infection: a randomised controlled trial. Lancet, The, 2010, 375, 664-672.	13.7	258
171	Antimicrobial drugs for Buruli ulcer – Authors' reply. Lancet, The, 2010, 375, 1873-1874.	13.7	2
172	Efficacy of Corticosteroids in Community-acquired Pneumonia. American Journal of Respiratory and Critical Care Medicine, 2010, 181, 975-982.	5.6	262
173	Comparative Study of the Sensitivity of Different Diagnostic Methods for the Laboratory Diagnosis of Buruli Ulcer Disease. Clinical Infectious Diseases, 2009, 48, 1055-1064.	5.8	68
174	Buruli ulcer disease: prospects for a vaccine. Medical Microbiology and Immunology, 2009, 198, 69-77.	4.8	42
175	Functional Limitations after Surgical or Antibiotic Treatment for Buruli Ulcer in Benin. American Journal of Tropical Medicine and Hygiene, 2009, 81, 82-87.	1.4	49
176	Functional limitations after surgical or antibiotic treatment for Buruli ulcer in Benin. American Journal of Tropical Medicine and Hygiene, 2009, 81, 82-7.	1.4	34
177	Healthcare seeking behaviour for Buruli ulcer in Benin: a model to capture therapy choice of patients and healthy community members. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2008, 102, 912-920.	1.8	48
178	Pandemic Influenza and Excess Intensive-Care Workload. Emerging Infectious Diseases, 2008, 14, 1518-1525.	4.3	24
179	Bronchoscopic diagnosis of pulmonary infiltrates in granulocytopenic patients with hematologic malignancies: BAL versus PSB and PBAL. Respiratory Medicine, 2007, 101, 317-325.	2.9	66
180	Epidemiology of acute lung injury and acute respiratory distress syndrome in The Netherlands: A survey. Respiratory Medicine, 2007, 101, 2091-2098.	2.9	48

#	Article	IF	CITATIONS
181	Pandemic Influenza and Hospital Resources. Emerging Infectious Diseases, 2007, 13, 1714-1719.	4.3	40
182	Automated erythrocytapheresis in severe falciparum malaria: A critical appraisal. Acta Tropica, 2006, 98, 201-206.	2.0	30
183	An 18-Year-Old Man With Rapidly Progressive Multiorgan Failure After a Positive Mononucleosis Spot Test Result. Chest, 2006, 130, 291-295.	0.8	2
184	Distribution of Buruli ulcer lesions over body surface area in a large case series in Ghana: uncovering clues for mode of transmission. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2005, 99, 196-201.	1.8	29
185	Lung transplantation for acute respiratory failure in rapidly progressive idiopathic pulmonary fibrosis. Transplant International, 2005, 18, 890-891.	1.6	2
186	Factors associated with functional limitations and subsequent employment or schooling in Buruli ulcer patients. Tropical Medicine and International Health, 2005, 10, 1251-1257.	2.3	50
187	Cytokine Responses to Stimulation of Whole Blood from Patients with Buruli Ulcer Disease in Ghana. Vaccine Journal, 2005, 12, 125-129.	3.1	47
188	Risk Factors for Buruli Ulcer Disease (Mycobacterium ulcerans Infection): Results from a Case-Control Study in Ghana. Clinical Infectious Diseases, 2005, 40, 1445-1453.	5.8	138
189	Mycobacterium ulcerans disease. Bulletin of the World Health Organization, 2005, 83, 785-91.	3.3	114
190	Immunoglobulin M Antibody Responses to Mycobacterium ulcerans Allow Discrimination between Cases of Active Buruli Ulcer Disease and Matched Family Controls in Areas Where the Disease Is Endemic. Vaccine Journal, 2004, 11, 387-391.	2.6	21
191	p38-MAPK inhibition and endotoxin induced tubular dysfunction in men. Journal of Endotoxin Research, 2004, 10, 402-405.	2.5	4
192	Ultrasound of the lung: just imagine. Intensive Care Medicine, 2004, 30, 183-184.	8.2	43
193	Cardiac troponin I release and cytokine response during experimental human endotoxaemia. Intensive Care Medicine, 2003, 29, 1598-1600.	8.2	41
194	Assessment of functional limitations caused by Mycobacterium ulcerans infection: towards a Buruli Ulcer Functional Limitation Score. Tropical Medicine and International Health, 2003, 8, 90-96.	2.3	41
195	Buruli ulcer: differences in treatment outcome between two centres in Ghana. Acta Tropica, 2003, 88, 51-56.	2.0	40
196	Mycolactones and Mycobacterium ulcerans disease. Lancet, The, 2003, 362, 1062-1064.	13.7	78
197	Analysis of an IS 2404 -Based Nested PCR for Diagnosis of Buruli Ulcer Disease in Regions of Ghana Where the Disease Is Endemic. Journal of Clinical Microbiology, 2003, 41, 794-797.	3.9	38
198	Histopathologic Features of <i>Mycobacterium ulcerans</i> Infection. Emerging Infectious Diseases, 2003, 9, 651-656.	4.3	134

#	Article	IF	CITATIONS
199	Prone Positioning of Patients with Acute Respiratory Failure. New England Journal of Medicine, 2002, 346, 295-297.	27.0	11
200	Inhibition of p38 mitogen-activated protein kinase: Dose-dependent suppression of leukocyte and endothelial response after endotoxin challenge in humans*. Critical Care Medicine, 2002, 30, 841-845.	0.9	29
201	Availability of drugs to admitted patients in Yemeni public hospitals. European Journal of Clinical Pharmacology, 2002, 58, 79-80.	1.9	0
202	Beliefs and attitudes toward Buruli ulcer in Ghana American Journal of Tropical Medicine and Hygiene, 2002, 67, 207-213.	1.4	131
203	Fulminant necrotizing fasciitis and nonsteroidal antiinflammatory drugs. Intensive Care Medicine, 2001, 27, 1831-1831.	8.2	27
204	Chloroquine- and sulfadoxine-pyrimethamine-resistant falciparum malaria in vivo- a pilot study in rural Zambia. Tropical Medicine and International Health, 2000, 5, 692-695.	2.3	27
205	Antidepressants self-poisoning and ICU admissions in a university hospital in The Netherlands. International Journal of Clinical Pharmacy, 2000, 22, 92-95.	1.4	23
206	A narrow escape: surviving massive pulmonary thromboembolism due to a persistently patent foramen ovale. Intensive Care Medicine, 2000, 26, 1400-1400.	8.2	4
207	Semirecumbent position in intensive care patients. Lancet, The, 2000, 355, 1013-1014.	13.7	5
208	Condition on arrival of transferred critically ill patients. Netherlands Journal of Medicine, 2000, 57, 180-184.	0.5	9
209	Non-surgical treatment of purulent pericarditis, due to non-encapsulated Haemophilus influenzae, in an immunocompromised patient. Netherlands Journal of Medicine, 1999, 55, 151-154.	0.5	6
210	Mycobacterium ulcerans infection. Lancet, The, 1999, 354, 1013-1018.	13.7	271
211	Community acquired pneumonia caused by M. tuberculosis—diagnosis with CT. European Journal of Radiology, 1997, 24, 253-256.	2.6	1
212	Atresia of a solitary pulmonary vein. Cardiology in the Young, 1995, 5, 350-353.	0.8	3
213	Pulmonary Tuberculosis Complicated by Bronchopleural Fistula. Tropical Doctor, 1989, 19, 31-33.	0.5	2
214	DIABETES IN RURAL WEST AFRICA. Lancet, The, 1987, 330, 638-639.	13.7	0