I Shoham-Vardi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4706093/publications.pdf

Version: 2024-02-01

146 papers 4,541 citations

38 h-index 57 g-index

147 all docs

147 docs citations

147 times ranked

4057 citing authors

#	Article	IF	CITATIONS
1	An association between gestational diabetes mellitus and long-term maternal cardiovascular morbidity. Heart, 2013, 99, 1118-1121.	2.9	160
2	Prevalence and clinical significance of postpartum endometritis and wound infection., 2000, 8, 77-82.		140
3	Long-term maternal atherosclerotic morbidity in women with pre-eclampsia. Heart, 2015, 101, 442-446.	2.9	137
4	Risk factors associated with true knots of the umbilical cord. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2001, 98, 36-39.	1.1	110
5	Prenatal exposure to gestational diabetes mellitus as an independent risk factor for long-term neuropsychiatric morbidity of the offspring. American Journal of Obstetrics and Gynecology, 2016, 215, 380.e1-380.e7.	1.3	110
6	Teenage pregnancy: risk factors for adverse perinatal outcome. Journal of Maternal-Fetal and Neonatal Medicine, 2001, 10, 393-397.	1.5	107
7	Clinical significance and outcome of preterm prelabor rupture of membranes: population-based study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2000, 92, 209-216.	1.1	90
8	Moderate to severe thrombocytopenia during pregnancy. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2006, 128, 163-168.	1.1	90
9	An association between preterm delivery and long-term maternal cardiovascular morbidity. American Journal of Obstetrics and Gynecology, 2013, 209, 368.e1-368.e8.	1.3	90
10	Placental abruption in term pregnancies: clinical significance and obstetric risk factors. Journal of Maternal-Fetal and Neonatal Medicine, 2003, 13, 45-49.	1.5	85
11	Decisions regarding pregnancy termination among Bedouin couples referred to third level ultrasound clinic. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1998, 76, 141-146.	1.1	83
12	Prenatal exposure to preeclampsia as an independent risk factor for long-term cardiovascular morbidity of the offspring. Pregnancy Hypertension, 2018, 13, 181-186.	1.4	80
13	Maternal and perinatal outcome of patients with preterm labor and meconium-stained amniotic fluid. Obstetrics and Gynecology, 1995, 86, 830-833.	2.4	77
14	Potential Association Between Male Infertility and Occupational Psychological Stress. Journal of Occupational and Environmental Medicine, 2002, 44, 1093-1099.	1.7	77
15	Lack of prenatal care in a traditional community: trends and perinatal outcomes. Archives of Gynecology and Obstetrics, 2012, 285, 1237-1242.	1.7	75
16	Infertility treatment is an independent risk factor for cesarean section among nulliparous women aged 40 and above. American Journal of Obstetrics and Gynecology, 2001, 185, 888-892.	1.3	74
17	Placenta previa: obstetric risk factors and pregnancy outcome. Journal of Maternal-Fetal and Neonatal Medicine, 2001, 10, 414-419.	1.5	74
18	Incidence, obstetric risk factors and pregnancy outcome of preterm placental abruption: a retrospective analysis. Journal of Maternal-Fetal and Neonatal Medicine, 2002, 11, 34-39.	1.5	74

#	Article	IF	CITATIONS
19	Ethnic differences influence care giver's estimates of pain during labour. Pain, 1999, 81, 299-305.	4.2	69
20	Gestational Diabetes Mellitus Is a Significant Risk Factor for Long-Term Maternal Renal Disease. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 1412-1416.	3.6	69
21	Meconium stained amniotic fluid in very low risk pregnancies at term gestation. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1998, 80, 169-173.	1.1	64
22	What Do Clinical Users Know Regarding Safety of Ultrasound During Pregnancy?. Journal of Ultrasound in Medicine, 2007, 26, 319-325.	1.7	62
23	Breast cancer, psychological distress and life events among young women. BMC Cancer, 2008, 8, 245.	2.6	60
24	Congenital anomalies are an independent risk factor for neonatal morbidity and perinatal mortality in preterm birth. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2000, 90, 43-49.	1.1	57
25	Intra-uterine infection in women with preterm premature rupture of membranes: maternal and neonatal characteristics. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1995, 62, 25-29.	1.1	56
26	Isolated hydramnios at term gestation and the occurrence of peripartum complications. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1998, 77, 157-161.	1.1	52
27	Predictors of Recommendation and Acceptance of Intrapartum Epidural Analgesia. Anesthesia and Analgesia, 2000, 90, 109-113.	2.2	51
28	Fetal sex modifies effects of prenatal stress exposure and adverse birth outcomes. Stress, 2015, 18, 49-56.	1.8	50
29	Fertility treatments and pediatric neoplasms of the offspring: results of a population-based cohort with aAmedian follow-up of 10 years. American Journal of Obstetrics and Gynecology, 2017, 216, 314.e1-314.e14.	1.3	47
30	Primary vs. secondary recurrent pregnancy loss – epidemiological characteristics, etiology, and next pregnancy outcome. Journal of Perinatal Medicine, 2012, 40, 389-396.	1.4	46
31	THE ASSOCIATION BETWEEN SOCIODEMOGRAPHIC CHARACTERISTICS AND POSTPARTUM DEPRESSION SYMPTOMS AMONG ARAB-BEDOUIN WOMEN IN SOUTHERN ISRAEL. Depression and Anxiety, 2015, 32, 120-128.	4.1	44
32	Placental Abruption as a Significant Risk Factor for Longâ€term Cardiovascular Mortality in a Followâ€up Period of More Than a Decade. Paediatric and Perinatal Epidemiology, 2014, 28, 32-38.	1.7	43
33	Polyhydramnios is an independent risk factor for perinatal mortality and intrapartum morbidity in preterm delivery. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1996, 70, 41-47.	1.1	42
34	Recurrent pregnancy loss: a risk factor for long-term maternal atherosclerotic morbidity?. American Journal of Obstetrics and Gynecology, 2014, 211, 414.e1-414.e11.	1.3	42
35	A comparison between acoustic output indices in 2D and 3D/4D ultrasound in obstetrics. Ultrasound in Obstetrics and Gynecology, 2007, 29, 326-328.	1.7	41
36	Prenatal Stress and Risk of Spontaneous Abortion. Psychosomatic Medicine, 2013, 75, 228-235.	2.0	41

3

#	Article	IF	Citations
37	Knowledge, action and resistance: the selective use of pre-natal screening among Bedouin women of the Negev, Israel. Social Science and Medicine, 2001, 52, 561-569.	3.8	40
38	Maternal Hypertensive Disorders Are an Independent Risk Factor for the Development of Necrotizing Enterocolitis in Very Low Birth Weight Infants. Fetal Diagnosis and Therapy, 2003, 18, 404-407.	1.4	40
39	Long-term neuropsychiatric morbidity in children exposed prenatally to preeclampsia. Early Human Development, 2019, 130, 96-100.	1.8	40
40	Breech presentation is a risk factor for intrapartum and neonatal death in preterm delivery. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2000, 93, 47-51.	1.1	39
41	Suspected macrosomia? Better not tell. Archives of Gynecology and Obstetrics, 2008, 278, 225-230.	1.7	39
42	Prevalence and Clinical Significance of Postpartum Endometritis and Wound Infection. Infectious Diseases in Obstetrics and Gynecology, 2000, 8, 77-82.	1.5	39
43	Overestimation and underestimation of labor pain. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2000, 91, 37-40.	1.1	36
44	Comparison study between induced and spontaneous term and preterm births of small-for-gestational-age neonates. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2001, 97, 141-146.	1.1	36
45	The relationship between parity and labor pain. International Journal of Gynecology and Obstetrics, 1998, 63, 287-288.	2.3	35
46	Association between delivery of a smallâ€forâ€gestationalâ€age neonate and longâ€term maternal cardiovascular morbidity. International Journal of Gynecology and Obstetrics, 2013, 123, 68-71.	2.3	35
47	Pregnancy outcome of patients following bariatric surgery as compared with obese women: a population-based study. Journal of Maternal-Fetal and Neonatal Medicine, 2014, 27, 275-278.	1.5	35
48	In utero exposure to gestational diabetes mellitus and long term endocrine morbidity of the offspring. Diabetes Research and Clinical Practice, 2018, 144, 231-235.	2.8	35
49	Meconium stained amniotic fluid in preterm delivery is an independent risk factor for perinatal complications. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1998, 81, 9-13.	1.1	34
50	Perinatal outcome and peripartum complications in preterm singleton and twins deliveries: a comparative study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1999, 87, 55-61.	1.1	34
51	The role of prenatal care in recurrent preterm birth. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2011, 154, 40-44.	1.1	34
52	Polygamy and poor mental health among Arab Bedouin women: do socioeconomic position and social support matter?. Ethnicity and Health, 2014, 19, 385-405.	2.5	34
53	An Increased Thermal Index Can Be Achieved When Performing Doppler Studies in Obstetric Sonography. Journal of Ultrasound in Medicine, 2007, 26, 71-76.	1.7	33
54	Obstetric and Perinatal Outcomes in Women with Eating Disorders. Journal of Women's Health, 2012, 21, 61-65.	3.3	32

#	Article	IF	CITATIONS
55	Is preeclampsia a significant risk factor for long-term hospitalizations and morbidity?. Journal of Maternal-Fetal and Neonatal Medicine, 2013, 26, 13-15.	1.5	31
56	Intimate Partner Violence Prevalence, Recurrence, Types, and Risk Factors Among Arab, and Jewish Immigrant and Nonimmigrant Women of Childbearing Age in Israel. Journal of Interpersonal Violence, 2020, 35, 2869-2896.	2.0	31
57	Abnormal fetal heart rate tracing patterns during the first stage of labor: Effect on perinatal outcome. American Journal of Obstetrics and Gynecology, 2001, 185, 863-868.	1.3	30
58	The association between prenatal maternal objective stress, perceived stress, preterm birth and low birthweight. Journal of Maternal-Fetal and Neonatal Medicine, 2013, 26, 973-977.	1.5	30
59	Firstâ€trimester sonography: Is the fetus exposed to high levels of acoustic energy?. Journal of Clinical Ultrasound, 2007, 35, 245-249.	0.8	29
60	Termination of pregnancy: attitudes and behavior of women in a traditional society. Prenatal Diagnosis, 2004, 24, 869-875.	2.3	28
61	The social ecology of maternal infant care in socially and economically marginalized community in southern Israel. Health Education Research, 2012, 27, 1018-1030.	1.9	28
62	Autism Prevalence and Severity in Bedouin-Arab and Jewish Communities in Southern Israel. Community Mental Health Journal, 2019, 55, 156-160.	2.0	28
63	The relationship between occupational psychological stress and female fertility. Occupational Medicine, 2003, 53, 265-269.	1.4	26
64	Between Acculturation and Ambivalence: Knowledge of Genetics and Attitudes towards Genetic Testing in a Consanguineous Bedouin Community. Public Health Genomics, 2003, 6, 88-95.	1.0	26
65	Risk factors for recurrent preterm delivery. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2004, 113, 160-163.	1.1	24
66	The Effect of Women???s Occupational Psychologic Stress on Outcome of Fertility Treatments. Journal of Occupational and Environmental Medicine, 2006, 48, 56-62.	1.7	24
67	Lack of prenatal care in a traditional society. Is it an obstetric hazard?. Journal of reproductive medicine, The, 2001, 46, 662-8.	0.2	24
68	Meconium stained amniotic fluid is associated with maternal infectious morbidity in pre term delivery. Acta Obstetricia Et Gynecologica Scandinavica, 1993, 72, 538-542.	2.8	23
69	The association of primiparity with intrauterine growth retardation. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1994, 53, 95-101.	1.1	23
70	Peripartum complications in grand multiparous women: para 6–9 versus para≥10. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1998, 81, 21-25.	1.1	23
71	Is there a higher prevalence of pregnancy complications in a live-birth preceding the appearance of recurrent abortions?. Archives of Gynecology and Obstetrics, 2005, 271, 350-354.	1.7	23
72	The safety of a trial of labor after cesarean section in a grandmultiparous population. Archives of Gynecology and Obstetrics, 2008, 277, 339-344.	1.7	23

#	Article	lF	Citations
73	The association between birth weight at term and long-term endocrine morbidity of the offspring. Journal of Maternal-Fetal and Neonatal Medicine, 2019, 32, 2657-2661.	1.5	23
74	Risk factors for early neonatal sepsis. Archives of Gynecology and Obstetrics, 2006, 274, 198-202.	1.7	22
75	Disorganization Theory, Neighborhood Social Capital, and Ethnic Inequalities in Intimate Partner Violence between Arab and Jewish Women Citizens of Israel. Journal of Urban Health, 2017, 94, 648-665.	3. 6	22
76	Term Elective Cesarean Delivery and Offspring Infectious Morbidity. Pediatric Infectious Disease Journal, 2019, 38, 176-180.	2.0	22
77	Neoangiogenesis in Squamous Cell Carcinoma of the Larynx - Biological and Prognostic Associations. Pathology Research and Practice, 2001, 197, 1-5.	2.3	21
78	The Association Between Maternal Obesity, Glucose Intolerance and Hypertensive Disorders of Pregnancy in Nondiabetic Pregnant Women. Hypertension in Pregnancy, 2005, 24, 125-136.	1.1	21
79	Exposure to lifeâ€threatening stressful situations and the risk of preterm birth and low birth weight. International Journal of Gynecology and Obstetrics, 2014, 125, 28-32.	2.3	21
80	Obesity in pregnancy: what's next? Long-term cardiovascular morbidity in a follow-up period of more than a decade. Journal of Maternal-Fetal and Neonatal Medicine, 2016, 29, 619-623.	1.5	21
81	Fertility and anogenital distance in women. Reproductive Toxicology, 2017, 73, 345-349.	2.9	21
82	Differences in preterm delivery rates and outcomes in Jews and Bedouins in southern Israel. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2000, 93, 41-46.	1.1	20
83	Lack of prenatal care in two different societies living in the same region and sharing the same medical facilities. Journal of Obstetrics and Gynaecology, 2001, 21, 453-458.	0.9	20
84	WOMEN'S HEALTH CUSTOM MADE: BUILDING ON THE 40 DAYS POSTPARTUM FOR ARAB WOMEN. Health Care for Women International, 2000, 21, 529-542.	1.1	19
85	Trends and seasonality in birth frequency: a comparison of Muslim and Jewish populations in southern Israel: daily time series analysis of 200 009 births, 1988-2005. Human Reproduction, 2009, 24, 1492-1500.	0.9	19
86	Two vs. three or more primary recurrent pregnancy losses – are there any differences in epidemiologic characteristics and index pregnancy outcome?. Journal of Perinatal Medicine, 2012, 40, 365-371.	1.4	19
87	Maternal anemia during pregnancy and subsequent risk for cardiovascular disease. Journal of Maternal-Fetal and Neonatal Medicine, 2015, 28, 1762-1765.	1.5	18
88	Lowering The Burden of Hereditary Diseases in a Traditional, Inbred Community: Ethical Aspects of Genetic Research and Its Application. Science in Context, 1998, 11, 391-395.	0.4	17
89	Maternal factors associated with severity of birth defects. International Journal of Gynecology and Obstetrics, 1999, 64, 227-232.	2.3	17
90	A comparison between the effectiveness of epidural analgesia and parenteral pethidine during labor. Archives of Gynecology and Obstetrics, 2000, 263, 95-98.	1.7	17

#	Article	IF	Citations
91	Primiparity, assisted reproduction, and preterm birth in twin pregnancies: a population based study. Archives of Gynecology and Obstetrics, 2008, 277, 311-317.	1.7	17
92	Is stillbirth associated with long-term atherosclerotic morbidity?. American Journal of Obstetrics and Gynecology, 2014, 211, 416.e1-416.e12.	1.3	17
93	Treatment outcome in women with a single ovary versus patients with two ovaries undergoing in vitro fertilization and embryo transfer (IVF/ET). European Journal of Obstetrics, Gynecology and Reproductive Biology, 2000, 88, 197-200.	1.1	15
94	Four-Month Breastfeeding Duration in Postcesarean Women of Different Cultures in the Israeli Negev. Journal of Perinatal and Neonatal Nursing, 2004, 18, 145-160.	0.7	15
95	Can slight glucose intolerance during pregnancy predict future maternal atherosclerotic morbidity?. Diabetic Medicine, 2016, 33, 920-925.	2.3	15
96	Characteristics of parturients who choose to deliver without Analgesia. Journal of Psychosomatic Obstetrics and Gynaecology, 1999, 20, 165-169.	2.1	13
97	Infant hospitalization and breastfeeding post-caesarean section. British Journal of Nursing, 2008, 17, 786-791.	0.7	13
98	Effect of interpregnancy interval on outcomes of pregnancy after recurrent pregnancy loss. Journal of Maternal-Fetal and Neonatal Medicine, 2013, 26, 1459-1464.	1.5	13
99	Utilisation of prenatal services and birth outcomes: a community-based study in Israel. Paediatric and Perinatal Epidemiology, 1997, 11, 271-286.	1.7	12
100	A retrospective study of unplanned out-of-hospital deliveries. Archives of Gynecology and Obstetrics, 2004, 269, 85-88.	1.7	12
101	Hydramnios and small for gestational age are independent risk factors for neonatal mortality and maternal morbidity. Archives of Gynecology and Obstetrics, 2005, 271, 296-301.	1.7	12
102	Fertility Treatments in Women Who Become Pregnant and Carried to Viability, and the Risk for Long-Term Maternal Cardiovascular Morbidity. American Journal of Perinatology, 2016, 33, 1388-1393.	1.4	12
103	Early amniotomy – high risk factor for cesarean section. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1999, 86, 145-149.	1.1	11
104	Factors Affecting the Use of Prenatal Testing for Fetal Anomalities in a Traditional Society. Public Health Genomics, 2000, 3, 61-70.	1.0	10
105	Adherence to NSTEMI Guidelines in the Emergency Department. Critical Pathways in Cardiology, 2019, 18, 40-46.	0.5	10
106	Patterns of healthcare services utilization associated with intimate partner violence (IPV): Effects of IPV screening and receiving information on support services in a cohort of perinatal women. PLoS ONE, 2020, 15, e0228088.	2.5	10
107	Is induction of labor risky for twins compare to singleton pregnancies?. Journal of Maternal-Fetal and Neonatal Medicine, 2013, 26, 1804-1806.	1.5	9
108	Calcium level during the first trimester of pregnancy as a predictor of preeclampsia. Hypertension in Pregnancy, 2014, 33, 311-321.	1.1	9

#	Article	IF	CITATIONS
109	Can we identify risk factors during pregnancy for thrombo-embolic events during the puerperium and later in life?. Journal of Maternal-Fetal and Neonatal Medicine, 2015, 28, 1005-1009.	1.5	9
110	Maternal Perceptions of Social Context and Adherence to Maternal and Child Health (MCH) Clinic Recommendations Among Marginalized Bedouin Mothers. Maternal and Child Health Journal, 2015, 19, 538-547.	1.5	9
111	Maternal Asthma Is an Independent Risk Factor for Long-Term Respiratory Morbidity of the Offspring. American Journal of Perinatology, 2018, 35, 1065-1070.	1.4	9
112	In utero exposure to preâ€eclampsia as an independent risk factor for longâ€ŧerm respiratory disease. Pediatric Pulmonology, 2020, 55, 723-728.	2.0	9
113	Hydramnios and small for gestational age: prevalence and clinical significance. Acta Obstetricia Et Gynecologica Scandinavica, 2000, 79, 31-36.	2.8	8
114	The impact of early amniotomy on mode of delivery and pregnancy outcome. Archives of Gynecology and Obstetrics, 2000, 264, 63-67.	1.7	8
115	High potassium level during pregnancy is associated with future cardiovascular morbidity. Journal of Maternal-Fetal and Neonatal Medicine, 2016, 29, 1021-1024.	1.5	8
116	Screening and receiving information for intimate partner violence in healthcare settings: a cross-sectional study of Arab and Jewish women of childbearing age in Israel. BMJ Open, 2019, 9, e022996.	1.9	8
117	Preterm premature rupture of membranes is not an independent risk factor for neonatal morbidity. Journal of Maternal-Fetal and Neonatal Medicine, 2001, 10, 107-111.	1.5	7
118	Preterm Deliveries among Women with MacDonald Cerclage Performed due to Cervical Incompetence. Fetal Diagnosis and Therapy, 2004, 19, 361-365.	1.4	7
119	Comparing Pregnancy Outcomes of Immigrants from Ethiopia and the Former Soviet Union to Israel, to those of Native-Born Israelis. Journal of Immigrant and Minority Health, 2017, 19, 1296-1303.	1.6	7
120	Like mother like daughter: low birth weight and preeclampsia tend to reoccur at the next generation. Journal of Maternal-Fetal and Neonatal Medicine, 2019, 32, 1478-1484.	1.5	7
121	Peritoneal adhesions are an independent risk factor for peri- and post-partum infectious morbidity. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2019, 241, 60-65.	1.1	6
122	Temporal trends in the incidence of and associations between the risk factors for obstetrical anal sphincter injuries. American Journal of Obstetrics & Samp; Gynecology MFM, 2021, 3, 100247.	2.6	6
123	Management of problems related to the new morbidity by community-based paediatricians in Israel. Child: Care, Health and Development, 2011, 37, 703-710.	1.7	5
124	High Uric Acid Levels During Pregnancy Linked to Increased Risk for Future Atheroscleroticâ€Related Hospitalization. Journal of Clinical Hypertension, 2015, 17, 481-485.	2.0	5
125	Oligohydramnios is an independent risk factor for perinatal morbidity among women with pre-eclampsia who delivered preterm. Journal of Maternal-Fetal and Neonatal Medicine, 2019, 32, 1776-1782.	1.5	5
126	Perinatal mortality in hypertensive disorders of Jewish and Bedouin populations. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1993, 48, 159-167.	1.1	4

#	Article	IF	CITATIONS
127	Early post partum discharge: is it possible?. Archives of Gynecology and Obstetrics, 2007, 276, 65-70.	1.7	4
128	Understanding Utilization of Outpatient Clinics for Children with Special Health Care Needs in Southern Israel. Maternal and Child Health Journal, 2014, 18, 1831-1845.	1.5	4
129	Twin pregnancy: is it a risk factor for long-term cardiovascular disease?. Journal of Maternal-Fetal and Neonatal Medicine, 2016, 29, 1-5.	1.5	4
130	Is there an association between a history of placental abruption and long-term maternal renal complications?. Journal of Maternal-Fetal and Neonatal Medicine, 2015, 28, 1641-1646.	1.5	4
131	Placenta previa and long-term morbidity of the term offspring. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2016, 203, 1-4.	1.1	4
132	Polygamy and birth outcomes among Bedouin women of the Negev: The contribution of social determinants and pregnancy complications. Health Care for Women International, 2020, 41, 54-74.	1.1	4
133	Social and structural determinants and their associations with patient experience in the emergency department. International Emergency Nursing, 2022, 61, 101131.	1.5	4
134	Renal function during pregnancy may predict risk of future hospitalization due to atheroscleroticâ€related morbidity. Nephrology, 2016, 21, 116-121.	1.6	2
135	Peritoneal adhesions during cesarean delivery are an independent risk factor for peri-partum hemorrhagic complications. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2020, 251, 188-193.	1.1	2
136	Prevalence and clinical significance of postpartum endometritis and wound infection. Infectious Diseases in Obstetrics and Gynecology, 2000, 8, 77.	1.5	2
137	Early Postpartum Hemoglobin Less Than 10 g/dL Is Associated with Future Maternal Atherosclerotic Morbidity. Journal of Women's Health, 2018, 27, 1257-1262.	3.3	1
138	Peritoneal adhesions do not increase intra-operative organ injury or adverse neonatal outcomes during a repeated cesarean delivery. Archives of Gynecology and Obstetrics, 2020, 302, 879-886.	1.7	1
139	P25.01: Obstetric characteristics and pregnancy outcome of fetuses affected with either isolated central nervous system malformations or isolated chromosomal abnormalities at term. Ultrasound in Obstetrics and Gynecology, 2010, 36, 264-264.	1.7	0
140	Routine blood tests during pregnancy for predicting future increases in risk of cardiovascular morbidity. International Journal of Gynecology and Obstetrics, 2018, 143, 178-183.	2.3	0
141	Title is missing!. , 2020, 15, e0228088.		0
142	Title is missing!. , 2020, 15, e0228088.		0
143	Title is missing!. , 2020, 15, e0228088.		0
144	Title is missing!. , 2020, 15, e0228088.		О

#	ARTICLE	IF	CITATIONS
145	Title is missing!. , 2020, 15, e0228088.		0
146	Title is missing!. , 2020, 15, e0228088.		0