## Patricia L Winokur

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4706186/publications.pdf

Version: 2024-02-01

77 papers

3,813 citations

172457 29 h-index 60 g-index

77 all docs

77 docs citations

77 times ranked 4298 citing authors

#	Article	IF	Citations
1	Population Pharmacokinetic-Pharmacodynamic Model of Oxfendazole in Healthy Adults in a Multiple Ascending Dose and Food Effect Study and Target Attainment Analysis. Antimicrobial Agents and Chemotherapy, 2022, 66, AAC0143221.	3.2	О
2	Immunogenicity and safety of different dose schedules and antigen doses of an MF59-adjuvanted H7N9 vaccine in healthy adults aged 65Âyears and older. Vaccine, 2021, 39, 1339-1348.	3.8	2
3	Human Antibody Responses Following Vaccinia Immunization Using Protein Microarrays and Correlation With Cell-Mediated Immunity and Antibody-Dependent Cellular Cytotoxicity Responses. Journal of Infectious Diseases, 2021, 224, 1372-1382.	4.0	10
4	Population Pharmacokinetic Model of Oxfendazole and Metabolites in Healthy Adults following Single Ascending Doses. Antimicrobial Agents and Chemotherapy, 2021, 65, .	3.2	5
5	Pharmacokinetics, Safety, and Tolerability of Oxfendazole in Healthy Adults in an Open-Label Phase 1 Multiple Ascending Dose and Food Effect Study. Antimicrobial Agents and Chemotherapy, 2020, 64, .	3.2	17
6	Five Percent Monolaurin Vaginal Gel for the Treatment of Bacterial Vaginosis: A Randomized Placebo-Controlled Trial. Journal of Lower Genital Tract Disease, 2020, 24, 277-283.	1.9	4
7	High dose trivalent influenza vaccine compared to standard dose vaccine in patients with rheumatoid arthritis receiving TNF-alpha inhibitor therapy and healthy controls: Results of the DMID 10-0076 randomized clinical trial. Vaccine, 2020, 38, 3934-3941.	3.8	10
8	Safety and immunogenicity of investigational seasonal influenza hemagglutinin DNA vaccine followed by trivalent inactivated vaccine administered intradermally or intramuscularly in healthy adults: An open-label randomized phase 1 clinical trial. PLoS ONE, 2019, 14, e0222178.	2.5	18
9	Development and validation of a simple, fast, and sensitive LC/MS/MS method for the quantification of oxfendazole in human plasma and its application to clinical pharmacokinetic study. Journal of Pharmaceutical and Biomedical Analysis, 2019, 171, 111-117.	2.8	14
10	Pharmacokinetics, Safety, and Tolerability of Oxfendazole in Healthy Volunteers: a Randomized, Placebo-Controlled First-in-Human Single-Dose Escalation Study. Antimicrobial Agents and Chemotherapy, 2019, 63, .	3.2	29
11	A randomized, placeboâ€controlled phase I trial of live, attenuated herpes zoster vaccine in subjects with endâ€stage renal disease immunized prior to renal transplantation. Transplant Infectious Disease, 2018, 20, e12874.	1.7	19
12	Randomized clinical trial of a single versus a double dose of 13-valent pneumococcal conjugate vaccine in adults 55 through 74†years of age previously vaccinated with 23-valent pneumococcal polysaccharide vaccine. Vaccine, 2018, 36, 606-614.	3.8	14
13	Safety and immunogenicity of seasonal trivalent inactivated influenza vaccines in pregnant women. Vaccine, 2018, 36, 8054-8061.	3.8	20
14	Quantification of Cefepime, Meropenem, Piperacillin, and Tazobactam in Human Plasma Using a Sensitive and Robust Liquid Chromatography-Tandem Mass Spectrometry Method, Part 1: Assay Development and Validation. Antimicrobial Agents and Chemotherapy, 2018, 62, .	3.2	14
15	Quantification of Cefepime, Meropenem, Piperacillin, and Tazobactam in Human Plasma Using a Sensitive and Robust Liquid Chromatography-Tandem Mass Spectrometry Method, Part 2: Stability Evaluation. Antimicrobial Agents and Chemotherapy, 2018, 62, .	3.2	11
16	Safety and immunogenicity of a modified vaccinia Ankara vaccine using three immunization schedules and two modes of delivery: A randomized clinical non-inferiority trial. Vaccine, 2017, 35, 1675-1682.	3.8	17
17	Oseltamivir, amantadine, and ribavirin combination antiviral therapy versus oseltamivir monotherapy for the treatment of influenza: a multicentre, double-blind, randomised phase 2 trial. Lancet Infectious Diseases, The, 2017, 17, 1255-1265.	9.1	70
18	Tularemia vaccine: Safety, reactogenicity, $\hat{a} \in \mathbb{C}$ Take $\hat{a} \in \mathbb{C}$ skin reactions, and antibody responses following vaccination with a new lot of the Francisella tularensis live vaccine strain $\hat{a} \in \mathbb{C}$ A phase 2 randomized clinical Trial. Vaccine, 2017, 35, 4730-4737.	3.8	30

#	Article	IF	CITATIONS
19	CD11a and CD49d enhance the detection of antigen-specific T cells following human vaccination. Vaccine, 2017, 35, 4255-4261.	3.8	33
20	Increased Mortality Rates Associated with <i>Staphylococcus aureus</i> and Influenza Co-infection, Maryland and Iowa, USA1. Emerging Infectious Diseases, 2016, 22, 1253-1256.	4.3	29
21	Priming Vaccination With Influenza Virus H5 Hemagglutinin Antigen Significantly Increases the Duration of T cell Responses Induced by a Heterologous H5 Booster Vaccination. Journal of Infectious Diseases, 2016, 214, 1020-1029.	4.0	6
22	Cell mediated immune responses following revaccination with an influenza A/H5N1 vaccine. Vaccine, 2016, 34, 547-554.	3.8	4
23	Safety and Immunogenicity of Sequential Rotavirus Vaccine Schedules. Pediatrics, 2016, 137, e20152603.	2.1	28
24	Rapid, Culture-Free Detection of Staphylococcus aureus Bacteremia. PLoS ONE, 2016, 11, e0157234.	2.5	12
25	Safety and Immunogenicity of Full-Dose Trivalent Inactivated Influenza Vaccine (TIV) Compared With Half-Dose TIV Administered to Children 6 Through 35 Months of Age. Journal of the Pediatric Infectious Diseases Society, 2015, 4, 214-224.	1.3	26
26	Safety and Immunogenicity of a Subvirion Monovalent Unadjuvanted Inactivated Influenza A(H3N2) Variant Vaccine in Healthy Persons ≥18 Years Old. Journal of Infectious Diseases, 2015, 212, 552-561.	4.0	11
27	Association between microbial characteristics and poor outcomes among patients with methicillin-resistant Staphylococcus aureus pneumonia: a retrospective cohort study. Antimicrobial Resistance and Infection Control, 2015, 4, 51.	4.1	5
28	Safety and Immunogenicity of a Single Low Dose or High Dose of Clade 2 Influenza A(H5N1) Inactivated Vaccine in Adults Previously Primed With Clade 1 Influenza A(H5N1) Vaccine. Journal of Infectious Diseases, 2015, 212, 525-530.	4.0	11
29	Comparison of lyophilized versus liquid modified vaccinia Ankara (MVA) formulations and subcutaneous versus intradermal routes of administration in healthy vaccinia-naÃ-ve subjects. Vaccine, 2015, 33, 5225-5234.	3.8	92
30	Point-of-Use Mixing of Influenza H5N1 Vaccine and MF59 Adjuvant for Pandemic Vaccination Preparedness: Antibody Responses and Safety. A Phase 1 Clinical Trial. Open Forum Infectious Diseases, 2014, 1, ofu102.	0.9	11
31	Immunogenicity of Avian Influenza A/Anhui/01/2005(H5N1) Vaccine With MF59 Adjuvant. JAMA - Journal of the American Medical Association, 2014, 312, 1420.	7.4	45
32	Serological Responses to an Avian Influenza A/H7N9 Vaccine Mixed at the Point-of-Use With MF59 Adjuvant. JAMA - Journal of the American Medical Association, 2014, 312, 1409.	7.4	126
33	Phase II randomized, double-blinded comparison of a single high dose (5×108 TCID50) of modified vaccinia Ankara compared to a standard dose (1×108 TCID50) in healthy vaccinia-naÃ-ve individuals. Vaccine, 2014, 32, 2732-2739.	3.8	29
34	Impact of Body Mass Index on Immunogenicity of Pandemic H1N1 Vaccine in Children and Adults. Journal of Infectious Diseases, 2014, 210, 1270-1274.	4.0	43
35	Safety and immunogenicity of IMVAMUNE® smallpox vaccine using different strategies for a post event scenario. Vaccine, 2013, 31, 3025-3033.	3.8	57
36	Safety and Immunological Outcomes Following Human Inoculation With Nontypeable Haemophilus influenzae. Journal of Infectious Diseases, 2013, 208, 728-738.	4.0	18

3

#	Article	IF	CITATIONS
37	Analysis of Nontypeable Haemophilus influenzae Phase-Variable Genes During Experimental Human Nasopharyngeal Colonization. Journal of Infectious Diseases, 2013, 208, 720-727.	4.0	70
38	Long-Term Risk for Readmission, Methicillin-Resistant Staphylococcus aureus (MRSA) Infection, and Death among MRSA-Colonized Veterans. Antimicrobial Agents and Chemotherapy, 2013, 57, 1169-1172.	3.2	22
39	Higher Antigen Content Improves the Immune Response to 2009 H1N1 Influenza Vaccine in HIV-Infected Adults: A Randomized Clinical Trial. Journal of Infectious Diseases, 2012, 205, 703-712.	4.0	26
40	Safety and Immune Responses in Children After Concurrent or Sequential 2009 H1N1 and 2009-2010 Seasonal Trivalent Influenza Vaccinations. Journal of Infectious Diseases, 2012, 206, 828-837.	4.0	8
41	Immunogenicity and Safety of Varying Dosages of a Monovalent 2009 H1N1 Influenza Vaccine Given With and Without AS03 Adjuvant System in Healthy Adults and Older Persons. Journal of Infectious Diseases, 2012, 206, 811-820.	4.0	36
42	Phase 2 assessment of the safety and immunogenicity of two inactivated pandemic monovalent H1N1 vaccines in adults as a component of the U.S. pandemic preparedness plan in 2009. Vaccine, 2012, 30, 4240-4248.	3.8	27
43	Comparison of the immunogenicity and safety of a split-virion, inactivated, trivalent influenza vaccine (Fluzone®) administered by intradermal and intramuscular route in healthy adults. Vaccine, 2011, 29, 5666-5674.	3.8	63
44	Active choice but not too active: Public perspectives on biobank consent models. Genetics in Medicine, 2011, 13, 821-831.	2.4	127
45	A high dosage influenza vaccine induced significantly more neuraminidase antibody than standard vaccine among elderly subjects. Vaccine, 2010, 28, 2076-2079.	3.8	99
46	Community-Associated Methicillin-Resistant <i>Staphylococcus aureus</i> , Iowa, USA. Emerging Infectious Diseases, 2009, 15, 1582-1589.	4.3	37
47	BD Phoenix and Vitek 2 Detection of <i>mecA</i> -Mediated Resistance in <i>Staphylococcus aureus</i> with Cefoxitin. Journal of Clinical Microbiology, 2009, 47, 2879-2882.	3.9	25
48	Safety and immunogenicity of a subvirion inactivated influenza A/H5N1 vaccine with or without aluminum hydroxide among healthy elderly adults. Vaccine, 2009, 27, 5091-5095.	3.8	52
49	Immunogenicity, safety and consistency of new trivalent inactivated influenza vaccine. Vaccine, 2008, 26, 4057-4061.	3.8	28
50	Development of a Prediction Rule for Methicillin-Resistant <i>Staphylococcus aureus</i> and Vancomycin-Resistant <i>Enterococcus</i> Carriage in a Veterans Affairs Medical Center Population. Infection Control and Hospital Epidemiology, 2008, 29, 969-971.	1.8	19
51	Predictors of Antimicrobialâ€ResistantEscherichia coliin the Feces of Vegetarians and Newly Hospitalized Adults in Minnesota and Wisconsin. Journal of Infectious Diseases, 2008, 197, 430-434.	4.0	28
52	Strainâ∈Relatedness of Methicillinâ∈ResistantStaphylococcus aureusIsolates Recovered from Patients with Repeated Infection. Clinical Infectious Diseases, 2008, 46, 1241-1247.	5.8	51
53	Emergence of the USA300 Strain of Methicillin-Resistant Staphylococcus aureus in a Burn-Trauma Unit. Journal of Burn Care and Research, 2008, 29, 790-797.	0.4	15
54	Reducing the Dose of Smallpox Vaccine Reduces Vaccineâ€Associated Morbidity without Reducing Vaccination Success Rates or Immune Responses. Journal of Infectious Diseases, 2007, 195, 826-832.	4.0	17

#	Article	IF	CITATIONS
55	Distinct gene expression profiles in peripheral blood mononuclear cells from patients infected with vaccinia virus, yellow fever 17D virus, or upper respiratory infections. Vaccine, 2007, 25, 6458-6473.	3.8	31
56	Safety and immunogenicity of a high dosage trivalent influenza vaccine among elderly subjects. Vaccine, 2007, 25, 7656-7663.	3.8	151
57	Antimicrobial Drug–Resistant <i>Escherichia coli</i> from Humans and Poultry Products, Minnesota and Wisconsin, 2002–2004. Emerging Infectious Diseases, 2007, 13, 838-846.	4.3	190
58	Association between ceftiofur use and isolation of Escherichia coliwith reduced susceptibility to ceftriaxone from fecal samples of dairy cows. American Journal of Veterinary Research, 2006, 67, 1696-1700.	0.6	105
59	Emergence of Two <i>Klebsiella pneumoniae</i> Isolates Harboring Plasmid-Mediated CTX-M-15 β-Lactamase in Taiwan. Antimicrobial Agents and Chemotherapy, 2004, 48, 362-363.	3.2	17
60	Surveillance in Taiwan Using Molecular Epidemiology for Extended-Spectrum Beta-Lactamase-ProducingKlebsiella pneumoniae. Infection Control and Hospital Epidemiology, 2004, 25, 812-818.	1.8	10
61	Vaccination Success Rate and Reaction Profile With Diluted and Undiluted Smallpox Vaccine. JAMA - Journal of the American Medical Association, 2004, 292, 1205.	7.4	53
62	Confirmation of extended-spectrum $\hat{l}^2$ -lactamase-producing Serratia marcescens: preliminary report from Taiwan. Diagnostic Microbiology and Infectious Disease, 2003, 45, 221-224.	1.8	26
63	Phylogenetic Origin and Virulence Genotype in Relation to Resistance to Fluoroquinolones and/or Extendedâ€5pectrum Cephalosporins and Cephamycins amongEscherichia coliIsolates from Animals and Humans. Journal of Infectious Diseases, 2003, 188, 759-768.	4.0	227
64	First Description of Klebsiella pneumoniae Harboring CTX-M $\hat{l}^2$ -Lactamases (CTX-M-14 and CTX-M-3) in Taiwan. Antimicrobial Agents and Chemotherapy, 2002, 46, 1098-1100.	3.2	44
65	Cefepime MIC as a Predictor of the Extended-Spectrum $\hat{I}^2$ -Lactamase Type inKlebsiella pneumoniae, Taiwan. Emerging Infectious Diseases, 2002, 8, 522-524.	4.3	36
66	Characterization of extended spectrum $\hat{l}^2$ -lactamase-producing Klebsiella pneumoniae from Beijing, China. International Journal of Antimicrobial Agents, 2001, 18, 185-188.	2.5	11
67	Carbapenem-resistant Serratia marcescens isolates producing Bush group $2f \hat{l}^2$ -lactamase (SME-1) in the United States: results from the MYSTIC Programme. Diagnostic Microbiology and Infectious Disease, 2001, 39, 125-127.	1.8	37
68	Variations in the Prevalence of Strains Expressing an Extendedâ€Spectrum βâ€Lactamase Phenotype and Characterization of Isolates from Europe, the Americas, and the Western Pacific Region. Clinical Infectious Diseases, 2001, 32, S94-S103.	5.8	352
69	Evidence for Transfer of CMY-2 AmpC β-Lactamase Plasmids between Escherichia coli and Salmonella Isolates from Food Animals and Humans. Antimicrobial Agents and Chemotherapy, 2001, 45, 2716-2722.	3.2	365
70	Animal and Human Multidrug-Resistant, Cephalosporin-Resistant Salmonella Isolates Expressing a Plasmid-Mediated CMY-2 AmpC β-Lactamase. Antimicrobial Agents and Chemotherapy, 2000, 44, 2777-2783.	3.2	265
71	Molecular Characterization of the β-Lactamases from Clinical Isolates of Moraxella (Branhamella) catarrhalis Obtained from 24 U.S. Medical Centers during 1994–1995 and 1997–1998. Antimicrobial Agents and Chemotherapy, 2000, 44, 444-446.	3.2	25
72	Russian Klebsiella pneumoniae isolates that express extended-spectrum $\hat{l}^2$ -lactamases. Clinical Microbiology and Infection, 2000, 6, 103-108.	6.0	3

#	Article	IF	CITATION
73	Antimicrobial susceptibility of bacteria causing urinary tract infections in Latin American hospitals: results from the SENTRY Antimicrobial Surveillance Program (1997). Clinical Microbiology and Infection, 1999, 5, 478-487.	6.0	20
74	Characteristics of pathogens causing urinary tract infections in hospitals in North America: results from the SENTRY Antimicrobial Surveillance Program, 1997. Diagnostic Microbiology and Infectious Disease, 1999, 35, 55-63.	1.8	120
75	Phenotypic and genotypic characterizations of chinese strains of Escherichia coli producing extended-spectrum Î <sup>2</sup> -lactamases. Diagnostic Microbiology and Infectious Disease, 1999, 34, 159-164.	1.8	15
76	Identification of Single Amino Acids in the Human Papillomavirus 11 E2 Protein Critical for the Transactivation or Replication Functions. Virology, 1998, 241, 312-322.	2.4	35
77	The Transactivation and DNA Binding Domains of the BPV-1 E2 Protein Have Different Roles in Cooperative Origin Binding with the E1 Protein. Virology, 1996, 221, 44-53.	2.4	35