

Andrew G Cresswell

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4707475/publications.pdf>

Version: 2024-02-01

127
papers

6,062
citations

71102

41
h-index

82547

72
g-index

137
all docs

137
docs citations

137
times ranked

4052
citing authors

#	ARTICLE	IF	CITATIONS
1	Modelling the complexity of the foot and ankle during human locomotion: the development and validation of a multi-segment foot model using biplanar videoradiography. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2022, 25, 554-565.	1.6	7
2	Corticospinal excitability remains unchanged in the presence of residual force enhancement and does not contribute to increased torque production. <i>PeerJ</i> , 2022, 10, e12729.	2.0	1
3	Reliability and quality of statistical shape and deformation models constructed from optical foot scans. <i>Journal of Biomechanics</i> , 2021, 115, 110137.	2.1	11
4	Regional changes in muscle activity do not underlie the repeated bout effect in the human gastrocnemius muscle. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021, 31, 799-812.	2.9	5
5	Neuromechanical adaptations of foot function to changes in surface stiffness during hopping. <i>Journal of Applied Physiology</i> , 2021, 130, 1196-1204.	2.5	8
6	Cyclic eccentric stretching induces more damage and improved subsequent protection than stretched isometric contractions in the lower limb. <i>European Journal of Applied Physiology</i> , 2021, 121, 3349-3360.	2.5	3
7	Riders Use Their Body Mass to Amplify Crank Power during Nonseated Ergometer Cycling. <i>Medicine and Science in Sports and Exercise</i> , 2020, 52, 2599-2607.	0.4	5
8	Trunk muscle activity during different types of low weighted squat exercises in normal and forefoot standing conditions. <i>Journal of Sports Sciences</i> , 2020, 38, 2774-2781.	2.0	4
9	The Mechanics of Seated and Nonseated Cycling at Very-High-Power Output: A Joint-Level Analysis. <i>Medicine and Science in Sports and Exercise</i> , 2020, 52, 1585-1594.	0.4	8
10	Fine-wire recordings of flexor hallucis brevis motor units up to maximal voluntary contraction reveal a flexible, nonrigid mechanism for force control. <i>Journal of Neurophysiology</i> , 2020, 123, 1766-1774.	1.8	8
11	A Direct Comparison of Biplanar Videoradiography and Optical Motion Capture for Foot and Ankle Kinematics. <i>Frontiers in Bioengineering and Biotechnology</i> , 2019, 7, 199.	4.1	62
12	Increasing step width reduces the requirements for subtalar joint moments and powers. <i>Journal of Biomechanics</i> , 2019, 92, 29-34.	2.1	2
13	Tibialis anterior tendinous tissue plays a key role in energy absorption during human walking. <i>Journal of Experimental Biology</i> , 2019, 222, .	1.7	14
14	The Effect of Cadence on the Mechanics and Energetics of Constant Power Cycling. <i>Medicine and Science in Sports and Exercise</i> , 2019, 51, 941-950.	0.4	17
15	Intrinsic foot muscles contribute to elastic energy storage and return in the human foot. <i>Journal of Applied Physiology</i> , 2019, 126, 231-238.	2.5	46
16	The functional importance of human foot muscles for bipedal locomotion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 1645-1650.	7.1	139
17	Effects of inspiratory muscle strength and inspiratory resistance on neck inspiratory muscle activation during controlled inspirations. <i>Experimental Physiology</i> , 2019, 104, 556-567.	2.0	4
18	The Immediate Effect of Foot Orthoses on Subtalar Joint Mechanics and Energetics. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 1449-1456.	0.4	13

#	ARTICLE	IF	CITATIONS
19	Muscle-tendon length and force affect human tibialis anterior central aponeurosis stiffness in vivo. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E3097-E3105.	7.1	39
20	Cerebellar transcranial direct current stimulation improves adaptive postural control. Clinical Neurophysiology, 2018, 129, 33-41.	1.5	48
21	The Influence of Foot-Strike Technique on the Neuromechanical Function of the Foot. Medicine and Science in Sports and Exercise, 2018, 50, 98-108.	0.4	43
22	The repeated bout effect can occur without mechanical and neuromuscular changes after a bout of eccentric exercise. Scandinavian Journal of Medicine and Science in Sports, 2018, 28, 2123-2134.	2.9	18
23	The energetic behaviour of the human foot across a range of running speeds. Scientific Reports, 2018, 8, 10576.	3.3	57
24	The effect of muscle-tendon unit vs. fascicle analyses on vastus lateralis force-generating capacity during constant power output cycling with variable cadence. Journal of Applied Physiology, 2018, 124, 993-1002.	2.5	13
25	Effects of muscle activation on shear between human soleus and gastrocnemius muscles. Scandinavian Journal of Medicine and Science in Sports, 2017, 27, 26-34.	2.9	29
26	The effect of cadence on the muscle-tendon mechanics of the gastrocnemius muscle during walking. Scandinavian Journal of Medicine and Science in Sports, 2017, 27, 289-298.	2.9	14
27	Muscle spindles in human tibialis anterior encode muscle fascicle length changes. Journal of Neurophysiology, 2017, 117, 1489-1498.	1.8	42
28	In vivo fascicle length measurements via B-mode ultrasound imaging with single vs dual transducer arrangements. Journal of Biomechanics, 2017, 64, 240-244.	2.1	39
29	Foot structure is significantly associated to subtalar joint kinetics and mechanical energetics. Gait and Posture, 2017, 58, 159-165.	1.4	11
30	Subtalar Joint Pronation and Energy Absorption Requirements During Walking are Related to Tibialis Posterior Tendinous Tissue Strain. Scientific Reports, 2017, 7, 17958.	3.3	18
31	Additional in-series compliance reduces muscle force summation and alters the time course of force relaxation during fixed-end contractions. Journal of Experimental Biology, 2016, 219, 3587-3596.	1.7	15
32	Effects of series elastic compliance on muscle force summation and the rate of force rise. Journal of Experimental Biology, 2016, 219, 3261-3270.	1.7	30
33	The mechanical function of the tibialis posterior muscle and its tendon during locomotion. Journal of Biomechanics, 2016, 49, 3238-3243.	2.1	48
34	Deconstructing the power resistance relationship for squats: A joint-level analysis. Scandinavian Journal of Medicine and Science in Sports, 2016, 26, 774-781.	2.9	24
35	Protection from Muscle Damage in the Absence of Changes in Muscle Mechanical Behavior. Medicine and Science in Sports and Exercise, 2016, 48, 1495-1505.	0.4	14
36	Shoes alter the spring-like function of the human foot during running. Journal of the Royal Society Interface, 2016, 13, 20160174.	3.4	55

#	ARTICLE	IF	CITATIONS
37	Quantification of muscle co-contraction using supersonic shear wave imaging. <i>Journal of Biomechanics</i> , 2016, 49, 493-495.	2.1	26
38	Three-dimensional geometrical changes of the human tibialis anterior muscle and its central aponeurosis measured with three-dimensional ultrasound during isometric contractions. <i>PeerJ</i> , 2016, 4, e2260.	2.0	71
39	Reactive stepping behaviour in response to forward loss of balance predicts future falls in community-dwelling older adults. <i>Age and Ageing</i> , 2015, 44, 109-115.	1.6	89
40	The role of human ankle plantar flexor muscle-tendon interaction & architecture in maximal vertical jumping examined <i>in vivo</i> . <i>Journal of Experimental Biology</i> , 2015, 219, 528-34.	1.7	59
41	The effect of paired associative stimulation on fatigue resistance. <i>Neuroscience Research</i> , 2015, 95, 59-65.	1.9	7
42	Ultrasound reveals negligible cocontraction during isometric plantar flexion and dorsiflexion despite the presence of antagonist electromyographic activity. <i>Journal of Applied Physiology</i> , 2015, 118, 1193-1199.	2.5	31
43	A systematic muscle model covering regions from the fast ramp stretches in the muscle fibres to the relatively slow stretches in the human triceps surae. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2015, 18, 97-106.	1.6	4
44	Doublet potentiation in the triceps surae is limited by series compliance and dynamic fascicle behavior. <i>Journal of Applied Physiology</i> , 2015, 119, 807-816.	2.5	13
45	Active regulation of longitudinal arch compression and recoil during walking and running. <i>Journal of the Royal Society Interface</i> , 2015, 12, 20141076.	3.4	156
46	Anticipatory postural activity of the deep trunk muscles differs between anatomical regions based on their mechanical advantage. <i>Neuroscience</i> , 2014, 261, 161-172.	2.3	27
47	Intrinsic foot muscles have the capacity to control deformation of the longitudinal arch. <i>Journal of the Royal Society Interface</i> , 2014, 11, 20131188.	3.4	226
48	Muscle fascicle strains in human gastrocnemius during backward downhill walking. <i>Journal of Applied Physiology</i> , 2014, 116, 1455-1462.	2.5	29
49	The Effect of Knee Flexion Contracture Following Total Knee Arthroplasty on the Energy Cost of Walking. <i>Journal of Arthroplasty</i> , 2014, 29, 85-89.	3.1	24
50	Reciprocal activation of gastrocnemius and soleus motor units is associated with fascicle length change during knee flexion. <i>Physiological Reports</i> , 2014, 2, e12044.	1.7	40
51	Recruitment order of the abdominal muscles varies with postural task. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2013, 23, 349-354.	2.9	16
52	The efficacy of SMART Arm training early after stroke for stroke survivors with severe upper limb disability: a protocol for a randomised controlled trial. <i>BMC Neurology</i> , 2013, 13, 71.	1.8	18
53	Neuromechanical properties of the triceps surae in young and older adults. <i>Experimental Gerontology</i> , 2013, 48, 1147-1155.	2.8	37
54	Short-interval intracortical inhibition in knee extensors during locomotor cycling. <i>Acta Physiologica</i> , 2013, 207, 194-201.	3.8	33

#	ARTICLE	IF	CITATIONS
55	Changes in direction-specific activity of psoas major and quadratus lumborum in people with recurring back pain differ between muscle regions and patient groups. <i>Journal of Electromyography and Kinesiology</i> , 2013, 23, 734-740.	1.7	13
56	Corticospinal Responses to Sustained Locomotor Exercises: Moving Beyond Single-Joint Studies of Central Fatigue. <i>Sports Medicine</i> , 2013, 43, 437-449.	6.5	54
57	Recruitment of Discrete Regions of the Psoas Major and Quadratus Lumborum Muscles Is Changed in Specific Sitting Postures in Individuals With Recurrent Low Back Pain. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2013, 43, 833-840.	3.5	15
58	Effects of running on human Achilles tendon length-tension properties in the free and gastrocnemius components. <i>Journal of Experimental Biology</i> , 2013, 216, 4388-94.	1.7	45
59	Temperature affects maximum H-reflex amplitude but not homosynaptic postactivation depression. <i>Physiological Reports</i> , 2013, 1, e00019.	1.7	14
60	Tibialis anterior muscle fascicle dynamics adequately represent postural sway during standing balance. <i>Journal of Applied Physiology</i> , 2013, 115, 1742-1750.	2.5	33
61	Changes in Regional Activity of the Psoas Major and Quadratus Lumborum With Voluntary Trunk and Hip Tasks and Different Spinal Curvatures in Sitting. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2013, 43, 74-82.	3.5	34
62	Discharge properties of abductor hallucis before, during, and after an isometric fatigue task. <i>Journal of Neurophysiology</i> , 2013, 110, 891-898.	1.8	21
63	Bilateral tremor responses to unilateral loading and fatiguing muscle contractions. <i>Journal of Neurophysiology</i> , 2013, 110, 431-440.	1.8	12
64	Commentaries on Viewpoint: On the hysteresis in the human Achilles tendon. <i>Journal of Applied Physiology</i> , 2013, 114, 518-520.	2.5	15
65	Sustained Cycling Exercise Increases Intracortical Inhibition. <i>Medicine and Science in Sports and Exercise</i> , 2013, 45, 654-662.	0.4	34
66	A comparison of two Hill-type skeletal muscle models on the construction of medial gastrocnemius length-tension curves in humans in vivo. <i>Journal of Applied Physiology</i> , 2012, 113, 90-96.	2.5	24
67	Motor cortex excitability does not increase during sustained cycling exercise to volitional exhaustion. <i>Journal of Applied Physiology</i> , 2012, 113, 401-409.	2.5	57
68	Corticospinal contributions to lower limb muscle activity during cycling in humans. <i>Journal of Neurophysiology</i> , 2012, 107, 306-314.	1.8	53
69	Modulation of the soleus H-reflex during knee rotations is not consistent with muscle fascicle length changes. <i>European Journal of Applied Physiology</i> , 2012, 112, 3259-3266.	2.5	7
70	Recruitment of the plantar intrinsic foot muscles with increasing postural demand. <i>Clinical Biomechanics</i> , 2012, 27, 46-51.	1.2	199
71	Differential activity of regions of the psoas major and quadratus lumborum during submaximal isometric trunk efforts. <i>Journal of Orthopaedic Research</i> , 2012, 30, 311-318.	2.3	36
72	Cortical and Spinal Excitability during and after Lengthening Contractions of the Human Plantar Flexor Muscles Performed with Maximal Voluntary Effort. <i>PLoS ONE</i> , 2012, 7, e49907.	2.5	46

#	ARTICLE	IF	CITATIONS
73	Changes in stepping response to lateral perturbations immediately following a single bout of physical activity. <i>Physiotherapy Research International</i> , 2011, 16, 141-150.	1.5	6
74	Dynamic postural stability is not impaired by moderate-intensity physical activity in healthy or balance-impaired older people. <i>Human Movement Science</i> , 2010, 29, 1011-1022.	1.4	12
75	Age-related changes in postural responses revealed by support-surface translations with a long acceleration-deceleration interval. <i>Clinical Neurophysiology</i> , 2010, 121, 109-117.	1.5	37
76	Trunk muscle activation in a person with clinically complete thoracic spinal cord injury. <i>Journal of Rehabilitation Medicine</i> , 2009, 41, 390-392.	1.1	37
77	Recruitment and rate coding organisation for soleus motor units across entire range of voluntary isometric plantar flexions. <i>Journal of Physiology</i> , 2009, 587, 4737-4748.	2.9	105
78	The immediate effect of physical activity on standing balance in healthy and balance-impaired older people. <i>Australasian Journal on Ageing</i> , 2009, 28, 93-96.	0.9	21
79	An enhanced level of motor cortical excitability during the control of human standing. <i>Acta Physiologica</i> , 2009, 195, 385-395.	3.8	95
80	Increases in corticospinal responsiveness during a sustained submaximal plantar flexion. <i>Journal of Applied Physiology</i> , 2009, 107, 112-120.	2.5	37
81	Fatigue after Physical Activity in Healthy and Balance-Impaired Elderly. <i>Journal of Aging and Physical Activity</i> , 2009, 17, 89-105.	1.0	25
82	The effect of different reference transducer positions on intra-abdominal pressure measurement: a multicenter analysis. <i>Intensive Care Medicine</i> , 2008, 34, 1299-1303.	8.2	39
83	Evidence for reduced efficacy of the Ia-pathway during shortening plantar flexions with increasing effort. <i>Experimental Brain Research</i> , 2008, 185, 699-707.	1.5	11
84	Differential control of abdominal muscles during multi-directional support-surface translations in man. <i>Experimental Brain Research</i> , 2008, 188, 445-455.	1.5	22
85	Corticospinal-evoked responses in lower limb muscles during voluntary contractions at varying strengths. <i>Journal of Applied Physiology</i> , 2008, 105, 1527-1532.	2.5	43
86	Sway-dependent modulation of the triceps surae H-reflex during standing. <i>Journal of Applied Physiology</i> , 2008, 104, 1359-1365.	2.5	42
87	Residual force enhancement after lengthening is present during submaximal plantar flexion and dorsiflexion actions in humans. <i>Journal of Applied Physiology</i> , 2007, 102, 18-25.	2.5	75
88	Ia-afferent input to motoneurons during shortening and lengthening muscle contractions in humans. <i>Journal of Applied Physiology</i> , 2007, 102, 144-148.	2.5	20
89	Control of the triceps surae during the postural sway of quiet standing. <i>Acta Physiologica</i> , 2007, 191, 229-236.	3.8	49
90	Proprioceptive Neuromuscular Facilitation Stretching. <i>Sports Medicine</i> , 2006, 36, 929-939.	6.5	233

#	ARTICLE	IF	CITATIONS
91	The influence of natural body sway on neuromuscular responses to an unpredictable surface translation. <i>Experimental Brain Research</i> , 2006, 174, 19-28.	1.5	38
92	Deceleration affects anticipatory and reactive components of triggered postural responses. <i>Experimental Brain Research</i> , 2005, 167, 433-445.	1.5	42
93	Vestibulospinal influences on lower limb motoneurons. <i>Canadian Journal of Physiology and Pharmacology</i> , 2004, 82, 675-681.	1.4	23
94	Galvanic vestibular stimulation alters the onset of motor unit discharge. <i>Muscle and Nerve</i> , 2004, 30, 188-194.	2.2	14
95	Intra-abdominal pressure response to multidirectional support-surface translation. <i>Gait and Posture</i> , 2004, 20, 163-170.	1.4	21
96	Conditioning Ia-afferent stimulation reduces the soleus Hoffman reflex in humans when muscle spindles are assumed to be inactive. <i>Neuroscience Letters</i> , 2004, 366, 250-253.	2.1	18
97	Recruitment of single human low-threshold motor units with increasing loads at different muscle lengths. <i>Journal of Electromyography and Kinesiology</i> , 2004, 14, 369-377.	1.7	16
98	Plantar- and dorsiflexor strength in prepubertal girls with juvenile idiopathic arthritis ^{1,2} No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit upon the author(s) or upon any organization with which the author(s) is/are associated. ² See commentary p 1382.. <i>Archives of Physical Medicine and Rehabilitation</i> , 2004, 85, 1224-1230.	0.9	30
99	Central and peripheral contributions to fatigue in relation to level of activation during repeated maximal voluntary isometric plantar flexions. <i>Journal of Applied Physiology</i> , 2004, 96, 218-225.	2.5	109
100	The force-velocity relationship of the human soleus muscle during submaximal voluntary lengthening actions. <i>European Journal of Applied Physiology</i> , 2003, 90, 191-198.	2.5	11
101	Intervertebral Stiffness of the Spine Is Increased by Evoked Contraction of Transversus Abdominis and the Diaphragm: In Vivo Porcine Studies. <i>Spine</i> , 2003, 28, 2594-2601.	2.0	195
102	Gait in children with juvenile chronic arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2002, 31, 317-323.	1.1	29
103	Upper body movement during walking in children with lumbo-sacral myelomeningocele. <i>Gait and Posture</i> , 2002, 15, 120-129.	1.4	40
104	Variations in the soleus H-reflex as a function of activation during controlled lengthening and shortening actions. <i>Brain Research</i> , 2002, 952, 301-307.	2.2	56
105	The effect of muscle length on motor-unit recruitment during isometric plantar flexion in humans. <i>Experimental Brain Research</i> , 2001, 137, 58-64.	1.5	115
106	Perturbed upper limb movements cause short-latency postural responses in trunk muscles. <i>Experimental Brain Research</i> , 2001, 138, 243-250.	1.5	48
107	In vivo measurement of the effect of intra-abdominal pressure on the human spine. <i>Journal of Biomechanics</i> , 2001, 34, 347-353.	2.1	147
108	H-reflex modulation during passive lengthening and shortening of the human triceps surae. <i>Journal of Physiology</i> , 2001, 534, 913-923.	2.9	83

#	ARTICLE	IF	CITATIONS
109	TENSION REGULATION OF LENGTHENING MUSCLE ACTIONS. <i>Medicine and Science in Sports and Exercise</i> , 2001, 33, S40.	0.4	0
110	Tension regulation during lengthening and shortening actions of the human soleus muscle. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 2000, 81, 0375.	1.2	68
111	Significance of peripheral afferent input to the $\hat{\pm}$ -motoneurone pool for enhancement of tremor during an isometric fatiguing contraction. <i>European Journal of Applied Physiology</i> , 2000, 82, 129-136.	2.5	63
112	Three dimensional preparatory trunk motion precedes asymmetrical upper limb movement. <i>Gait and Posture</i> , 2000, 11, 92-101.	1.4	120
113	Preparatory trunk motion accompanies rapid upper limb movement. <i>Experimental Brain Research</i> , 1999, 124, 69-79.	1.5	269
114	Interaction Between Voluntary and Postural Motor Commands During Perturbed Lifting. <i>Spine</i> , 1999, 24, 545-552.	2.0	32
115	Recurrent inhibition of soleus $\hat{\pm}$ -motoneurons during a sustained submaximal plantar flexion. <i>Electroencephalography and Clinical Neurophysiology - Electromyography and Motor Control</i> , 1996, 101, 334-338.	1.4	36
116	Central fatigue during a long-lasting submaximal contraction of the triceps surae. <i>Experimental Brain Research</i> , 1996, 108, 305-14.	1.5	74
117	Intra-abdominal pressure and force during isokinetic lifting and lowering. <i>Journal of Biomechanics</i> , 1994, 27, 711.	2.1	1
118	Changes in intra-abdominal pressure, trunk muscle activation and force during isokinetic lifting and lowering. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1994, 68, 315-321.	1.2	108
119	Electromyographic responses of the human triceps surae and force tremor during sustained submaximal isometric plantar flexion. <i>Acta Physiologica Scandinavica</i> , 1994, 152, 73-82.	2.2	50
120	Responses of intra-abdominal pressure and abdominal muscle activity during dynamic trunk loading in man. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1993, 66, 315-320.	1.2	71
121	Observations on intra-abdominal pressure and patterns of abdominal intramuscular activity in man. <i>Acta Physiologica Scandinavica</i> , 1992, 144, 409-418.	2.2	340
122	Muscle activation during maximal voluntary eccentric and concentric knee extension. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1991, 62, 104-108.	1.2	272
123	Intra-abdominal pressure and patterns of abdominal muscle activation in isometric trunk flexion and extension. <i>Journal of Biomechanics</i> , 1989, 22, 998.	2.1	0
124	Lumbar spine and psoas muscle geometry revisited with magnetic resonance imaging. <i>Journal of Biomechanics</i> , 1989, 22, 1089.	2.1	1
125	The role of the abdominal musculature in the elevation of the intra-abdominal pressure during specified tasks. <i>Ergonomics</i> , 1989, 32, 1237-1246.	2.1	49
126	Increase in Jumping Height Associated with Maximal Effort Vertical Depth Jumps. <i>Research Quarterly for Exercise and Sport</i> , 1987, 58, 11-15.	1.4	27

#	ARTICLE	IF	CITATIONS
127	BIOMECHANICAL EFFECTS OF OVERSPEED TREADMILL TRAINING ON SPRINT RUNNING. <i>Medicine and Science in Sports and Exercise</i> , 1982, 14, 144.	0.4	2