
## Karen L Weihs

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/471769/publications.pdf Version: 2024-02-01



KADEN I WEINS

#	Article	IF	CITATIONS
1	Multiple measurements of depression predict mortality in a longitudinal study of chronic hemodialysis outpatients. Kidney International, 2000, 57, 2093-2098.	5.2	451
2	Immunologic function and survival in hemodialysis patients. Kidney International, 1998, 54, 236-244.	5.2	448
3	Psychosocial factors, behavioral compliance and survival in urban hemodialysis patients. Kidney International, 1998, 54, 245-254.	5.2	322
4	Psychological Distress and Help Seeking in Rural America. American Journal of Community Psychology, 1997, 25, 449-470.	2.5	221
5	An 8-Week Multicenter, Parallel-Group, Double-Blind, Placebo-Controlled Study of Sertraline in Elderly Outpatients With Major Depression. American Journal of Psychiatry, 2003, 160, 1277-1285.	7.2	159
6	Families, health, and behavior: A section of the commissioned report by the Committee on Health and Behavior: Research, Practice, and Policy Division of Neuroscience and Behavioral Health and Division of Health Promotion and Disease Prevention Institute of Medicine, National Academy of Sciences Families, Systems and Health, 2002, 20, 7-46.	0.6	152
7	Affective agnosia: Expansion of the alexithymia construct and a new opportunity to integrate and extend Freud's legacy. Neuroscience and Biobehavioral Reviews, 2015, 55, 594-611.	6.1	152
8	Interdialytic weight gain and survival in hemodialysis patients: Effects of duration of ESRD and diabetes mellitus. Kidney International, 2000, 57, 1141-1151.	5.2	143
9	Natural Disaster and Depression: A Prospective Investigation of Reactions to the 1993 Midwest Floods. American Journal of Community Psychology, 2000, 28, 495-518.	2.5	138
10	Loss of primary cilia occurs early in breast cancer development. Cilia, 2014, 3, 7.	1.8	125
11	Randomized Controlled Trial of Qigong/Tai Chi Easy on Cancer-Related Fatigue in Breast Cancer Survivors. Annals of Behavioral Medicine, 2015, 49, 165-176.	2.9	125
12	Bupropion Sustained Release Versus Paroxetine for the Treatment of Depression in the Elderly. Journal of Clinical Psychiatry, 2000, 61, 196-202.	2.2	121
13	Dyadic Relationship Conflict, Gender, and Mortality in Urban Hemodialysis Patients. Journal of the American Society of Nephrology: JASN, 2000, 11, 1518-1525.	6.1	100
14	Telephoneâ€delivered health education and interpersonal counseling improve quality of life for Latinas with breast cancer and their supportive partners. Psycho-Oncology, 2013, 22, 1035-1042.	2.3	98
15	Efficacy of Sertraline in Severe Generalized Social Anxiety Disorder. Journal of Clinical Psychiatry, 2003, 64, 785-792.	2.2	87
16	The bodymind model: A platform for studying the mechanisms of change induced by art therapy. Arts in Psychotherapy, 2016, 51, 63-71.	1.2	84
17	Close Relationships and Emotional Processing Predict Decreased Mortality in Women with Breast Cancer: Preliminary Evidence. Psychosomatic Medicine, 2008, 70, 117-124.	2.0	82
18	Cancer conversations in context: Naturalistic observation of couples coping with breast cancer Journal of Family Psychology, 2014, 28, 380-390.	1.3	82

#	Article	IF	CITATIONS
19	Influence of stressors on breast cancer incidence in the Women's Health Initiative Health Psychology, 2009, 28, 137-146.	1.6	79
20	Feasibility of Cognitively-Based Compassion Training (CBCT) for breast cancer survivors: a randomized, wait list controlled pilot study. Supportive Care in Cancer, 2015, 23, 3599-3608.	2.2	76
21	Negative affectivity, restriction of emotions, and site of metastases predict mortality in recurrent breast cancer. Journal of Psychosomatic Research, 2000, 49, 59-68.	2.6	72
22	Linguistic indicators of patient, couple, and family adjustment following breast cancer. Psycho-Oncology, 2013, 22, 1501-1508.	2.3	72
23	The effects of age and emotional acceptance on distress among breast cancer patients. Supportive Care in Cancer, 2007, 15, 73-79.	2.2	63
24	T1-REDEEM: A Randomized Controlled Trial to Reduce Diabetes Distress Among Adults With Type 1 Diabetes. Diabetes Care, 2018, 41, 1862-1869.	8.6	63
25	Continuation phase treatment with bupropion SR effectively decreases the risk for relapse of depression. Biological Psychiatry, 2002, 51, 753-761.	1.3	58
26	Randomized controlled trial of supportive care interventions to manage psychological distress and symptoms in Latinas with breast cancer and their informal caregivers. Psychology and Health, 2020, 35, 87-106.	2.2	58
27	Depressive episodes, symptoms, and trajectories in women recently diagnosed with breast cancer. Breast Cancer Research and Treatment, 2015, 154, 105-115.	2.5	56
28	Dependable social relationships predict overall survival in Stages II and III breast carcinoma patients. Journal of Psychosomatic Research, 2005, 59, 299-306.	2.6	55
29	Naturalistically observed swearing, emotional support, and depressive symptoms in women coping with illness Health Psychology, 2011, 30, 789-792.	1.6	52
30	Implicit loneliness, emotion regulation, and depressive symptoms in breast cancer survivors. Journal of Behavioral Medicine, 2016, 39, 832-844.	2.1	49
31	Marital Satisfaction and Emotional Adjustment After Breast Cancer. Journal of Psychosocial Oncology, 1999, 17, 33-49.	1.2	37
32	Higher-order structure in the trajectories of depression and anxiety following sudden involuntary unemployment Journal of Abnormal Psychology, 2012, 121, 325-338.	1.9	37
33	The role of emotional processing in art therapy (REPAT) for breast cancer patients. Journal of Psychosocial Oncology, 2019, 37, 586-598.	1.2	35
34	Anthropometric measures, cytokines and survival in haemodialysis patients. Nephrology Dialysis Transplantation, 2003, 18, 326-332.	0.7	30
35	Considerations of culture and social class for families facing cancer: The need for a new model for health promotion and psychosocial intervention Families, Systems and Health, 2011, 29, 81-94.	0.6	30
36	Cancer-related coping processes as predictors of depressive symptoms, trajectories, and episodes Journal of Consulting and Clinical Psychology, 2018, 86, 820-830.	2.0	30

#	Article	IF	CITATIONS
37	Longitudinal dyadic interdependence in psychological distress among Latinas with breast cancer and their caregivers. Supportive Care in Cancer, 2020, 28, 2735-2743.	2.2	28
38	Chronic and episodic stress predict physical symptom bother following breast cancer diagnosis. Journal of Behavioral Medicine, 2017, 40, 875-885.	2.1	26
39	Dispositional and Situational Avoidance and Approach as Predictors of Physical Symptom Bother Following Breast Cancer Diagnosis. Annals of Behavioral Medicine, 2016, 50, 370-384.	2.9	25
40	Insomnia and Fatigue Symptom Trajectories in Breast Cancer: A Longitudinal Cohort Study. Behavioral Sleep Medicine, 2021, 19, 814-827.	2.1	25
41	WOMEN'S MENTAL HEALTH IN PRIMARY CARE. Medical Clinics of North America, 1998, 82, 359-389.	2.5	24
42	An Embodied Neurocomputational Framework for Organically Integrating Biopsychosocial Processes: An Application to the Role of Social Support in Health and Disease. Psychosomatic Medicine, 2019, 81, 125-145.	2.0	24
43	A Primary Care Focus on the Treatment of Patients With Major Depressive Disorder. American Journal of the Medical Sciences, 2011, 342, 324-330.	1.1	23
44	Qigong/Tai Chi Easy for fatigue in breast cancer survivors: Rationale and design of a randomized clinical trial. Contemporary Clinical Trials, 2016, 50, 222-228.	1.8	23
45	Emotional acceptance, inflammation, and sickness symptoms across the first two years following breast cancer diagnosis. Brain, Behavior, and Immunity, 2016, 56, 165-174.	4.1	23
46	Desvenlafaxine Versus Placebo in a Fluoxetine-Referenced Study of Children and Adolescents with Major Depressive Disorder. Journal of Child and Adolescent Psychopharmacology, 2018, 28, 36-46.	1.3	23
47	<i>Un Abrazo Para La Familia</i> : Providing lowâ€income Hispanics with education and skills in coping with breast cancer and caregiving. Psycho-Oncology, 2013, 22, 470-474.	2.3	22
48	Emotion, Social Relationships, and Physical Health: Concepts, Methods, and Evidence for an Integrative Perspective. Psychosomatic Medicine, 2019, 81, 681-693.	2.0	22
49	Cardiac vagal control as a prospective predictor of anxiety in women diagnosed with breast cancer. Biological Psychology, 2012, 90, 105-111.	2.2	21
50	A longitudinal examination of re-employment quality on internalizing symptoms and job-search intentions Journal of Occupational Health Psychology, 2015, 20, 50-61.	3.3	15
51	Predicting future major depression and persistent depressive symptoms: Development of a prognostic screener and PHQâ€4 cutoffs in breast cancer patients. Psycho-Oncology, 2018, 27, 420-426.	2.3	15
52	A preventive intervention to modify depression risk targets after breast cancer diagnosis: Design and singleâ€arm pilot study. Psycho-Oncology, 2019, 28, 880-887.	2.3	15
53	The evolution and development of the uniquely human capacity for emotional awareness: A synthesis of comparative anatomical, cognitive, neurocomputational, and evolutionary psychological perspectives. Biological Psychology, 2020, 154, 107925.	2.2	15
54	Interpersonal positive reframing in the daily lives of couples coping with breast cancer. Journal of Psychosocial Oncology, 2019, 37, 160-177.	1.2	14

#	Article	IF	CITATIONS
55	Naturalistically observing noncancer conversations among couples coping with breast cancer. Psycho-Oncology, 2018, 27, 2206-2213.	2.3	13
56	Combining Stress Exposure and Stress Generation: Does Neuroticism Alter the Dynamic Interplay of Stress, Depression, and Anxiety Following Job Loss?. Journal of Personality, 2017, 85, 553-564.	3.2	12
57	Stuck in the spin cycle: Avoidance and intrusions following breast cancer diagnosis. British Journal of Health Psychology, 2017, 22, 609-626.	3.5	12
58	Why Latinas With Breast Cancer Select Specific Informal Caregivers to Participate With Them in Psychosocial Interventions. Journal of Transcultural Nursing, 2017, 28, 391-397.	1.3	12
59	"Like a Mexican Wedding― Journal of Family Nursing, 2011, 17, 380-402.	1.9	11
60	Protocol for the REPAT study: role of emotional processing in art therapy for breast cancer palliative care patients. BMJ Open, 2020, 10, e037521.	1.9	10
61	Affective agnosia: a core affective processing deficit in the alexithymia spectrum. BioPsychoSocial Medicine, 2020, 14, .	2.1	9
62	Preferences of Patients and Oncologists for Advanced Ovarian Cancer Treatment-Related Health States. Health Outcomes Research in Medicine, 2010, 1, e51-e59.	0.6	7
63	Information and support for co-survivors during or after cancer treatment: Consideration of Un Abrazo Para la Familia as a model for family-focused intervention in cancer rehabilitation. Work, 2013, 46, 395-405.	1.1	6
64	Transitions in coping profiles after breast cancer diagnosis: implications for depressive and physical symptoms. Journal of Behavioral Medicine, 2021, 44, 1-17.	2.1	6
65	Oregon's <i>Familias en Acción</i> replicates benefits for underserved cancer coâ€survivors through <i>Un Abrazo Para la Familia</i> . Psycho-Oncology, 2018, 27, 2405-2411.	2.3	5
66	Dr. Schneider and Colleagues Reply. American Journal of Psychiatry, 2004, 161, 759-a-761.	7.2	4
67	Chronic Stress in Vocational and Intimate Partner Domains as Predictors of Depressive Symptoms After Breast Cancer Diagnosis. Annals of Behavioral Medicine, 2019, 53, 333-344.	2.9	4
68	Piloting CanCope: An internetâ€delivered transdiagnostic intervention to improve mental health in cancer survivors. Psycho-Oncology, 2021, , .	2.3	4
69	Re: "Desvenlafaxine Versus Placebo in a Fluoxetine-Referenced Study of Children and Adolescents with Major Depressive Disorder: Design, Definitions, and Ongoing Challenges for Child and Adolescent Psychopharmacology Research―by Strawn JR and Croarkin PE ( <i>J Child Adolesc Psychopharmacol</i> ) Tj ETQq	1 <sup>1</sup> 1 <sup>3</sup> 0.784	314 rgBT /0
70	Parent-adolescent Discrepancies Regarding Adolescent Psychopathology and its Relation to Parental Characteristics in a Clinical Sample. International Journal of Human Ecology, 2013, 14, 15-24.	0.1	2
71	Introducing a New Special Series: Clinical Applications in Psychosomatic Medicine. Psychosomatic Medicine, 2019, 81, 112-113.	2.0	1
72	Implementation of Un Abrazo Para La FamiliaTM in southern Arizona with extension to survivors and assessment of effects on distress Families, Systems and Health, 2021, 39, 269-281.	0.6	1

#	Article	IF	CITATIONS
73	Poor Subjective Sleep Quality Among Patients with Cancer and Comorbid Depression: An Opportunity to Inform Screening and Intervention. Behavioral Sleep Medicine, 2023, 21, 45-60.	2.1	1
74	The interplay of stress and attachment in individuals weathering loss of employment. Journal of Research in Personality, 2014, 50, 23-32.	1.7	0
75	Is the concept of affective agnosia a useful addition to the alexithymia literature?. Neuroscience and Biobehavioral Reviews, 2021, 127, 747-748.	6.1	Ο
76	Reply to "Dr. Weihs and Colleagues Reply". Journal of Clinical Psychiatry, 2001, 62, 374-375.	2.2	0
77	The CanCope Study: Protocol for a Randomized Controlled Trial Assessing an Internet-Delivered Emotion-Focused Intervention Compared to a Healthy Lifestyle Active Control Intervention in Improving Mental Health in Cancer Survivors (Preprint). JMIR Research Protocols, 0, , .	1.0	0