

# Arndt Hartmann

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4722543/publications.pdf>

Version: 2024-02-01

158  
papers

6,469  
citations

117625

34  
h-index

82547

72  
g-index

164  
all docs

164  
docs citations

164  
times ranked

10571  
citing authors

#	ARTICLE	IF	CITATIONS
1	Surgical and oncological outcome after extended lymph node dissection for carcinoma of the stomach and the esophagogastric junction: a retrospective analysis from an experienced single center. <i>Archives of Medical Science</i> , 2024, 20, 124-132.	0.9	0
2	Frequency of microsatellite instability (MSI) in upper tract urothelial carcinoma: comparison of the Bethesda panel and the Idylla MSI assay in a consecutively collected, multi-institutional cohort. <i>Journal of Clinical Pathology</i> , 2023, 76, 126-132.	2.0	7
3	Renal cell tumor with sex-cord/gonadoblastoma-like features: analysis of 6 cases. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022, 480, 349-358.	2.8	7
4	DMBT1 expression and neutrophil-to-lymphocyte ratio during necrotizing enterocolitis are influenced by impaired perfusion due to cardiac anomalies. <i>Molecular and Cellular Pediatrics</i> , 2022, 9, 1.	1.8	1
5	The renal cancer risk allele at 14q24.2 activates a novel hypoxia-inducible transcription factor-binding enhancer of DPF3 expression. <i>Journal of Biological Chemistry</i> , 2022, 298, 101699.	3.4	10
6	Prevalence of SARS-CoV-2 in Pregnant Women Assessed by RT-PCR in Franconia, Germany: First Results of the SCENARIO Study (SARS-CoV-2 prevalence in pregnancy and at birth in Franconia). <i>Geburtshilfe Und Frauenheilkunde</i> , 2022, 82, 226-234.	1.8	6
7	The synergism of spatial metabolomics and morphometry improves machine learning-based renal tumour subtype classification. <i>Clinical and Translational Medicine</i> , 2022, 12, e666.	4.0	7
8	Prognostic and Predictive Value of Fibroblast Growth Factor Receptor Alterations in High-grade Non-muscle-invasive Bladder Cancer Treated with and Without Bacillus Calmette-Guérin Immunotherapy. <i>European Urology</i> , 2022, 81, 606-614.	1.9	6
9	Expanding the clinicopathological spectrum of succinate dehydrogenase-deficient renal cell carcinoma with a focus on variant morphologies: a study of 62 new tumors in 59 patients. <i>Modern Pathology</i> , 2022, 35, 836-849.	5.5	20
10	Impact of Spatially Heterogeneous Trop-2 Expression on Prognosis in Oral Squamous Cell Carcinoma. <i>International Journal of Molecular Sciences</i> , 2022, 23, 87.	4.1	11
11	Increased expression of OLFM4 and lysozyme during necrotizing enterocolitis in neonates: an observational research study. <i>BMC Pediatrics</i> , 2022, 22, 192.	1.7	2
12	WHO 2022 landscape of papillary and chromophobe renal cell carcinoma. <i>Histopathology</i> , 2022, 81, 426-438.	2.9	39
13	The Prognostic and Predictive Significance of Tumor-Infiltrating Memory T Cells Is Reversed in High-Risk HNSCC. <i>Cells</i> , 2022, 11, 1960.	4.1	4
14	Pathologic response after induction chemo-immunotherapy with single or double immune checkpoint inhibition in locally advanced head and neck squamous cell carcinoma (HNSCC): Expansion cohorts of the CheckRad-CD8 trial. <i>Journal of Clinical Oncology</i> , 2022, 40, 6064-6064.	1.6	2
15	Influence of Family History of Breast or Ovarian Cancer on Pathological Complete Response and Long-Term Prognosis in Breast Cancer Patients Treated with Neoadjuvant Chemotherapy. <i>Breast Care</i> , 2021, 16, 254-262.	1.4	0
16	TFE3 activation in a TSC1-altered malignant PEComa: challenging the dichotomy of the underlying pathogenic mechanisms. <i>Journal of Pathology: Clinical Research</i> , 2021, 7, 3-9.	3.0	14
17	Undifferentiated large cell/rhabdoid carcinoma presenting in the intestines of patients with concurrent or recent non-small cell lung cancer (NSCLC): clinicopathologic and molecular analysis of 14 cases indicates an unusual pattern of dedifferentiated metastases. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> . 2021, 479, 157-167.	2.8	11
18	TERT Promoter Mutation Analysis of Whole-Organ Mapping Bladder Cancers. <i>Genes</i> , 2021, 12, 230.	2.4	10

#	ARTICLE	IF	CITATIONS
19	Validation of the "Inflammatory Bowel Disease" Distribution, Chronicity, Activity [IBD-DCA] Score™ for Ulcerative Colitis and Crohn's Disease. <i>Journal of Crohn's and Colitis</i> , 2021, 15, 1621-1630.	1.3	21
20	Select hyperactivating NLRP3 ligands enhance the T <sub>H</sub> 1- and T <sub>H</sub> 17-inducing potential of human type 2 conventional dendritic cells. <i>Science Signaling</i> , 2021, 14, .	3.6	36
21	Implementation of Double Immune Checkpoint Blockade Increases Response Rate to Induction Chemotherapy in Head and Neck Cancer. <i>Cancers</i> , 2021, 13, 1959.	3.7	11
22	Integration of Spatial PD-L1 Expression with the Tumor Immune Microenvironment Outperforms Standard PD-L1 Scoring in Outcome Prediction of Urothelial Cancer Patients. <i>Cancers</i> , 2021, 13, 2327.	3.7	8
23	DEK-AFF2 Carcinoma of the Sinonasal Region and Skull Base. <i>American Journal of Surgical Pathology</i> , 2021, 45, 1682-1693.	3.7	47
24	KRT20, KRT5, ESR1 and ERBB2 Expression Can Predict Pathologic Outcome in Patients Undergoing Neoadjuvant Chemotherapy and Radical Cystectomy for Muscle-Invasive Bladder Cancer. <i>Journal of Personalized Medicine</i> , 2021, 11, 473.	2.5	5
25	Therapy response and prognosis of patients with early breast cancer with low positivity for hormone receptors " An analysis of 2765 patients from neoadjuvant clinical trials. <i>European Journal of Cancer</i> , 2021, 148, 159-170.	2.8	41
26	Molecular Characterization of Mullerian Tumors of the Urinary Tract. <i>Genes</i> , 2021, 12, 880.	2.4	5
27	Prognostic Role of FGFR Alterations and FGFR mRNA Expression in Metastatic Urothelial Cancer Undergoing Checkpoint Inhibitor Therapy. <i>Urology</i> , 2021, 157, 93-101.	1.0	6
28	Programmed death ligand 1 (PD-L1) in colon cancer and its interaction with budding and tumor-infiltrating lymphocytes (TILs) as tumor-host antagonists. <i>International Journal of Colorectal Disease</i> , 2021, 36, 2497-2510.	2.2	4
29	Prognostic impact of molecular muscle-invasive bladder cancer subtyping approaches and correlations with variant histology in a population-based mono-institutional cystectomy cohort. <i>World Journal of Urology</i> , 2021, 39, 4011-4019.	2.2	22
30	Re: Svetlana Avulova, John C. Cheville, Christine M. Lohse, et al. Grading Chromophobe Renal Cell Carcinoma: Evidence for a Four-tiered Classification Incorporating Coagulative Tumor Necrosis. <i>Eur Urol</i> 2021;79:225-31. <i>European Urology</i> , 2021, 80, e17-e18.	1.9	2
31	Tumor budding correlates with tumor invasiveness and predicts worse survival in pT1 non-muscle-invasive bladder cancer. <i>Scientific Reports</i> , 2021, 11, 17981.	3.3	9
32	Undifferentiated and dedifferentiated urological carcinomas: lessons learned from the recent developments. <i>Seminars in Diagnostic Pathology</i> , 2021, 38, 152-162.	1.5	3
33	Reproducibility of mRNA-Based Testing of ESR1, PGR, ERBB2, and MKI67 Expression in Invasive Breast Cancer" A Europe-Wide External Quality Assessment. <i>Cancers</i> , 2021, 13, 4718.	3.7	6
34	Human CD22-Transgenic, Primary Murine Lymphoma Challenges Immunotherapies in Organ-Specific Tumor Microenvironments. <i>International Journal of Molecular Sciences</i> , 2021, 22, 10433.	4.1	3
35	Mammographic density and prognosis in primary breast cancer patients. <i>Breast</i> , 2021, 59, 51-57.	2.2	13
36	Bladder Tumor Subtype Commitment Occurs in Carcinoma <i>In Situ</i> Driven by Key Signaling Pathways Including ECM Remodeling. <i>Cancer Research</i> , 2021, 81, 1552-1566.	0.9	26

#	ARTICLE	IF	CITATIONS
37	MET Amplification in Non-Small Cell Lung Cancer (NSCLC) – A Consecutive Evaluation Using Next-Generation Sequencing (NGS) in a Real-World Setting. <i>Cancers</i> , 2021, 13, 5023.	3.7	21
38	Risk of penile tumor development in Caucasian individuals is independent of the coding variant rs7208422 in the TMC8 (EVER2) gene. <i>Molecular and Clinical Oncology</i> , 2021, 15, 267.	1.0	1
39	Variable Expression of the Disialoganglioside GD2 in Breast Cancer Molecular Subtypes. <i>Cancers</i> , 2021, 13, 5577.	3.7	5
40	Novel Criteria for Intratumoral Budding with Prognostic Relevance for Colon Cancer and Its Histological Subtypes. <i>International Journal of Molecular Sciences</i> , 2021, 22, 13108.	4.1	5
41	The TLR9 Agonist Cobitolimod Induces IL10-Producing Wound Healing Macrophages and Regulatory T Cells in Ulcerative Colitis. <i>Journal of Crohn's and Colitis</i> , 2020, 14, 508-524.	1.3	46
42	Hypoxia drives glucose transporter 3 expression through hypoxia-inducible transcription factor (HIF)-mediated induction of the long noncoding RNA NIC1. <i>Journal of Biological Chemistry</i> , 2020, 295, 4065-4078.	3.4	34
43	STAT3 activation through IL-6/IL-11 in cancer-associated fibroblasts promotes colorectal tumour development and correlates with poor prognosis. <i>Gut</i> , 2020, 69, 1269-1282.	12.1	181
44	Multi-institutional re-evaluation of prognostic factors in chromophobe renal cell carcinoma: proposal of a novel two-tiered grading scheme. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 476, 409-418.	2.8	42
45	RNA Sequencing of Collecting Duct Renal Cell Carcinoma Suggests an Interaction between miRNA and Target Genes and a Predominance of Deregulated Solute Carrier Genes. <i>Cancers</i> , 2020, 12, 64.	3.7	18
46	Analysis of CXCL9, PD1 and PD-L1 mRNA in Stage T1 Non-Muscle Invasive Bladder Cancer and Their Association with Prognosis. <i>Cancers</i> , 2020, 12, 2794.	3.7	17
47	HLA-G and HLA-F protein isoform expression in breast cancer patients receiving neoadjuvant treatment. <i>Scientific Reports</i> , 2020, 10, 15750.	3.3	15
48	Targeted sequencing of FH-deficient uterine leiomyomas reveals biallelic inactivating somatic fumarase variants and allows characterization of missense variants. <i>Modern Pathology</i> , 2020, 33, 2341-2353.	5.5	19
49	Subtype specific expression and survival prediction of pivotal lncRNAs in muscle invasive bladder cancer. <i>Scientific Reports</i> , 2020, 10, 20472.	3.3	1
50	High Stroma T-Cell Infiltration is Associated with Better Survival in Stage pT1 Bladder Cancer. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8407.	4.1	14
51	Vascular occlusion by neutrophil extracellular traps in COVID-19. <i>EBioMedicine</i> , 2020, 58, 102925.	6.1	369
52	Expression of AR-V7 (Androgen Receptor Variant 7) Protein in Granular Cytoplasmic Structures Is an Independent Prognostic Factor in Prostate Cancer Patients. <i>Cancers</i> , 2020, 12, 2639.	3.7	5
53	Impact of fibroblast growth factor receptor 1 (FGFR1) amplification on the prognosis of breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2020, 184, 311-324.	2.5	10
54	Multicenter International Society for Immunotherapy of Cancer Study of the Consensus Immunoscore for the Prediction of Survival and Response to Chemotherapy in Stage III Colon Cancer. <i>Journal of Clinical Oncology</i> , 2020, 38, 3638-3651.	1.6	130

#	ARTICLE	IF	CITATIONS
55	Tumour-Infiltrating Inflammatory Cells in Early Breast Cancer: An Underrated Prognostic and Predictive Factor?. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8238.	4.1	12
56	Report From the International Society of Urological Pathology (ISUP) Consultation Conference On Molecular Pathology Of Urogenital Cancers. II. Molecular Pathology of Bladder Cancer. <i>American Journal of Surgical Pathology</i> , 2020, 44, e30-e46.	3.7	38
57	Molecular Characterization of Upper Tract Urothelial Carcinoma in the Era of Next-generation Sequencing: A Systematic Review of the Current Literature. <i>European Urology</i> , 2020, 78, 209-220.	1.9	66
58	Multicentric Analytical and Inter-observer Comparability of Four Clinically Developed Programmed Death-ligand 1 Immunohistochemistry Assays in Advanced Clear-cell Renal Cell Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2020, 18, e629-e642.	1.9	8
59	Accelerated Partial Breast Irradiation: Macrophage Polarisation Shift Classification Identifies High-Risk Tumours in Early Hormone Receptor-Positive Breast Cancer. <i>Cancers</i> , 2020, 12, 446.	3.7	13
60	Seizure-induced neuronal apoptosis is related to dysregulation of the RNA-edited GluR2 subunit in the developing mouse brain. <i>Brain Research</i> , 2020, 1735, 146760.	2.2	10
61	TERT promoter mutation analysis as a surrogate to morphology and immunohistochemistry in problematic spindle cell lesions of the urinary bladder. <i>Histopathology</i> , 2020, 77, 949-962.	2.9	8
62	Regulatory T cells and cytotoxic T cells close to the epithelial-stromal interface are associated with a favorable prognosis. <i>Oncotarget</i> , 2020, 9, 1746149.	4.6	11
63	EMT transcription factor ZEB1 alters the epigenetic landscape of colorectal cancer cells. <i>Cell Death and Disease</i> , 2020, 11, 147.	6.3	58
64	Variant morphology and random chromosomal integration of BK polyomavirus in posttransplant urothelial carcinomas. <i>Modern Pathology</i> , 2020, 33, 1433-1442.	5.5	9
65	Deep Learning Predicts Molecular Subtype of Muscle-invasive Bladder Cancer from Conventional Histopathological Slides. <i>European Urology</i> , 2020, 78, 256-264.	1.9	96
66	Sinonasal papillomas: A single centre experience on 137 cases with emphasis on malignant transformation and EGFR/KRAS status in "carcinoma ex papilloma". <i>Annals of Diagnostic Pathology</i> , 2020, 46, 151504.	1.3	24
67	Pure Large Nested Variant of Urothelial Carcinoma (LNUC) Is the Prototype of an FGFR3 Mutated Aggressive Urothelial Carcinoma with Luminal-Papillary Phenotype. <i>Cancers</i> , 2020, 12, 763.	3.7	22
68	Cytotoxic T-cell-related gene expression signature predicts improved survival in muscle-invasive urothelial bladder cancer patients after radical cystectomy and adjuvant chemotherapy. , 2020, 8, e000162.		45
69	Molecular crosstalk between Y5 receptor and neuropeptide Y drives liver cancer. <i>Journal of Clinical Investigation</i> , 2020, 130, 2509-2526.	8.2	29
70	A multicenter phase II trial of the combination cisplatin/ docetaxel/durvalumab/tremelimumab as single-cycle induction treatment in locally advanced HNSCC (CheckRad-CD8 trial).. <i>Journal of Clinical Oncology</i> , 2020, 38, 6519-6519.	1.6	3
71	Species-, organ- and cell-type-dependent expression of SPARCL1 in human and mouse tissues. <i>PLoS ONE</i> , 2020, 15, e0233422.	2.5	9
72	A randomized phase II study of nivolumab plus ipilimumab versus standard of care in previously untreated and advanced non-clear cell renal cell carcinoma (SUNIFORECAST).. <i>Journal of Clinical Oncology</i> , 2020, 38, TPS5103-TPS5103.	1.6	6

#	ARTICLE	IF	CITATIONS
73	Species-, organ- and cell-type-dependent expression of SPARCL1 in human and mouse tissues. , 2020, 15, e0233422.		0
74	Species-, organ- and cell-type-dependent expression of SPARCL1 in human and mouse tissues. , 2020, 15, e0233422.		0
75	Species-, organ- and cell-type-dependent expression of SPARCL1 in human and mouse tissues. , 2020, 15, e0233422.		0
76	Species-, organ- and cell-type-dependent expression of SPARCL1 in human and mouse tissues. , 2020, 15, e0233422.		0
77	DICER1 mutation-positive giant botryoid fibroepithelial polyp of the urinary bladder mimicking embryonal rhabdomyosarcoma. Human Pathology, 2019, 84, 1-7.	2.0	7
78	Expansion of IL-23 receptor bearing TNFR2+ T cells is associated with molecular resistance to anti-TNF therapy in Crohn's disease. Gut, 2019, 68, 814-828.	12.1	146
79	<sc>FOXM</sc>1 overexpression is associated with adverse outcome and predicts response to intravesical instillation therapy in stage <sc>pT</sc>1 non-muscle-invasive bladder cancer. BJU International, 2019, 123, 187-196.	2.5	19
80	Long-Term Experience of Chemoradiotherapy Combined with Deep Regional Hyperthermia for Organ Preservation in High-Risk Bladder Cancer (Ta, Tis, T1, T2). Oncologist, 2019, 24, e1341-e1350.	3.7	28
81	Non-professional phagocytosis: a general feature of normal tissue cells. Scientific Reports, 2019, 9, 11875.	3.3	45
82	Distinct genetic alterations and luminal molecular subtype in nested variant of urothelial carcinoma. Histopathology, 2019, 75, 865-875.	2.9	35
83	Multicentric analytical comparability study of programmed death-ligand 1 expression on tumor-infiltrating immune cells and tumor cells in urothelial bladder cancer using four clinically developed immunohistochemistry assays. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin. 2019, 475, 599-608.	2.8	45
84	CD8+ and Regulatory T cells Differentiate Tumor Immune Phenotypes and Predict Survival in Locally Advanced Head and Neck Cancer. Cancers, 2019, 11, 1398.	3.7	65
85	Gpr126 (Adgrg6) is expressed in cell types known to be exposed to mechanical stimuli. Annals of the New York Academy of Sciences, 2019, 1456, 96-108.	3.8	15
86	Gene expression and promoter methylation of angiogenic and lymphangiogenic factors as prognostic markers in melanoma. Molecular Oncology, 2019, 13, 1433-1449.	4.6	20
87	The Tumor Immune Microenvironment Drives a Prognostic Relevance That Correlates with Bladder Cancer Subtypes. Cancer Immunology Research, 2019, 7, 923-938.	3.4	148
88	Androgen Receptor mRNA Expression in Urothelial Carcinoma of the Bladder: A Retrospective Analysis of Two Independent Cohorts. Translational Oncology, 2019, 12, 661-668.	3.7	16
89	Leukocytosis and neutrophilia as independent prognostic immunological biomarkers for clinical outcome in the CAO/ARO/AIO randomized phase 3 rectal cancer trial. International Journal of Cancer, 2019, 145, 2282-2291.	5.1	21
90	Prognostic effect of Ki-67 in common clinical subgroups of patients with HER2-negative, hormone receptor-positive early breast cancer. Breast Cancer Research and Treatment, 2019, 175, 617-625.	2.5	35

#	ARTICLE	IF	CITATIONS
91	Expression of GP88 (Progranulin) Protein Is an Independent Prognostic Factor in Prostate Cancer Patients. <i>Cancers</i> , 2019, 11, 2029.	3.7	9
92	Digital pathology imaging and computer-aided diagnostics as a novel tool for standardization of evaluation of aganglionic megacolon (Hirschsprung disease) histopathology. <i>Cell and Tissue Research</i> , 2019, 375, 371-381.	2.9	7
93	BRAF mutation testing in melanoma: results from a German observational multicenter study. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019, 474, 71-78.	2.8	1
94	Association between breast cancer risk factors and molecular type in postmenopausal patients with hormone receptor-positive early breast cancer. <i>Breast Cancer Research and Treatment</i> , 2019, 174, 453-461.	2.5	15
95	Efficacy of neoadjuvant pertuzumab in addition to chemotherapy and trastuzumab in routine clinical treatment of patients with primary breast cancer: a multicentric analysis. <i>Breast Cancer Research and Treatment</i> , 2019, 173, 319-328.	2.5	40
96	Performance of the Food and Drug Administration/EMA-approved programmed cell death ligand-1 assays in urothelial carcinoma with emphasis on therapy stratification for first-line use of atezolizumab and pembrolizumab. <i>European Journal of Cancer</i> , 2019, 106, 234-243.	2.8	75
97	PD-L1 assessment in urothelial carcinoma: a practical approach. <i>Annals of Translational Medicine</i> , 2019, 7, 690-690.	1.7	77
98	TILGen: A Program to Investigate Immune Targets in Breast Cancer Patients - First Results on the Influence of Tumor-Infiltrating Lymphocytes. <i>Breast Care</i> , 2018, 13, 8-14.	1.4	32
99	Infiltrative lamina propria invasion pattern as an independent predictor for cancer-specific and overall survival of instillation treatment in stage T1 high-grade urothelial bladder cancer. <i>International Journal of Urology</i> , 2018, 25, 442-449.	1.0	17
100	Isolation of Human Endothelial Cells from Normal Colon and Colorectal Carcinoma - An Improved Protocol. <i>Journal of Visualized Experiments</i> , 2018, , .	0.3	5
101	Risk Assessment after Neoadjuvant Chemotherapy in Luminal Breast Cancer Using a Clinicomolecular Predictor. <i>Clinical Cancer Research</i> , 2018, 24, 3358-3365.	7.0	11
102	Low-grade Endometrioid Stromal Sarcoma of the Paratestis. <i>American Journal of Surgical Pathology</i> , 2018, 42, 695-700.	3.7	9
103	High CDKN2A/p16 and Low FGFR3 Expression Predict Progressive Potential of Stage pT1 Urothelial Bladder Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2018, 16, 248-256.e2.	1.9	16
104	Uncovering Hereditary Tumor Syndromes: Emerging Role of Surgical Pathology. <i>Seminars in Diagnostic Pathology</i> , 2018, 35, 154-160.	1.5	7
105	Fumarate hydratase (FH) deficiency in uterine leiomyomas: recognition by histological features versus blind immunoscreening. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 472, 789-796.	2.8	42
106	Wild type Kirsten rat sarcoma is a novel microRNA-622-regulated therapeutic target for hepatocellular carcinoma and contributes to sorafenib resistance. <i>Gut</i> , 2018, 67, 1328-1341.	12.1	77
107	Development and Validation of a Confocal Laser Endomicroscopy-Based Score for In Vivo Assessment of Mucosal Healing in Ulcerative Colitis Patients. <i>Inflammatory Bowel Diseases</i> , 2018, 24, 35-44.	1.9	25
108	Initial clinical results with a fusion prototype for mammography and three-dimensional ultrasound with a standard mammography system and a standard ultrasound probe. <i>Acta Radiologica</i> , 2018, 59, 1406-1413.	1.1	10

#	ARTICLE	IF	CITATIONS
109	Tumour-infiltrating lymphocytes and prognosis in different subtypes of breast cancer: a pooled analysis of 3771 patients treated with neoadjuvant therapy. <i>Lancet Oncology</i> , The, 2018, 19, 40-50.	10.7	1,327
110	High PDL1 mRNA expression predicts better survival of stage pT1 non-muscle-invasive bladder cancer (NMIBC) patients. <i>Cancer Immunology, Immunotherapy</i> , 2018, 67, 403-412.	4.2	54
111	A multicenter round robin test of PD-L1 expression assessment in urothelial bladder cancer by immunohistochemistry and RT-qPCR with emphasis on prognosis prediction after radical cystectomy. <i>Oncotarget</i> , 2018, 9, 15001-15014.	1.8	33
112	Generation and characterization of hepatocellular carcinoma cell lines with enhanced cancer stem cell potential. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 6238-6248.	3.6	27
113	Addition of triple negativity of breast cancer as an indicator for germline mutations in predisposing genes increases sensitivity of clinical selection criteria. <i>BMC Cancer</i> , 2018, 18, 926.	2.6	16
114	CDKN2A as transcriptomic marker for muscle-invasive bladder cancer risk stratification and therapy decision-making. <i>Scientific Reports</i> , 2018, 8, 14383.	3.3	32
115	Long noncoding RNA <i>HOTAIR</i> is upregulated in an aggressive subgroup of gastrointestinal stromal tumors (GIST) and mediates the establishment of gene-specific DNA methylation patterns. <i>Genes Chromosomes and Cancer</i> , 2018, 57, 584-597.	2.8	15
116	Prediction of pathological complete response and prognosis in patients with neoadjuvant treatment for triple-negative breast cancer. <i>BMC Cancer</i> , 2018, 18, 1051.	2.6	59
117	mRNA-Expression of KRT5 and KRT20 Defines Distinct Prognostic Subgroups of Muscle-Invasive Urothelial Bladder Cancer Correlating with Histological Variants. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3396.	4.1	35
118	Asymmetric Omphalopagus in a Triplet after In Vitro Fertilization: A Rare Case of Conjoined Twinning. <i>Case Reports in Pediatrics</i> , 2018, 2018, 1-5.	0.4	3
119	A case of multiple familial trichoepitheliomas responding to treatment with the Hedgehog signaling pathway inhibitor vismodegib. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 473, 241-246.	2.8	10
120	CLEC10A Is a Specific Marker for Human CD1c+ Dendritic Cells and Enhances Their Toll-Like Receptor 7/8-Induced Cytokine Secretion. <i>Frontiers in Immunology</i> , 2018, 9, 744.	4.8	110
121	Treatment Strategy for Newly Diagnosed T1 High-grade Bladder Urothelial Carcinoma: New Insights and Updated Recommendations. <i>European Urology</i> , 2018, 74, 597-608.	1.9	61
122	Using Probability for Pathological Complete Response (pCR) as a Decision Support Marker for Neoadjuvant Chemotherapy in HER2 Negative Breast Cancer Patients – a Survey Among Physicians. <i>Geburtshilfe Und Frauenheilkunde</i> , 2018, 78, 707-714.	1.8	3
123	Micropapillary urothelial carcinoma: evaluation of HER2 status and immunohistochemical characterization of the molecular subtype. <i>Human Pathology</i> , 2018, 80, 55-64.	2.0	36
124	In stage pT1 non-muscle-invasive bladder cancer (NMIBC), high KRT20 and low KRT5 mRNA expression identify the luminal subtype and predict recurrence and survival. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017, 470, 267-274.	2.8	58
125	WHO 1973 grade 3 and infiltrative growth pattern proved, aberrant E-cadherin expression tends to be of predictive value for progression in a series of stage T1 high-grade bladder cancer after organ-sparing approach. <i>International Urology and Nephrology</i> , 2017, 49, 431-437.	1.4	11
126	Identification of miRNA-mRNA Modules in Colorectal Cancer Using Rough Hypercuboid Based Supervised Clustering. <i>Scientific Reports</i> , 2017, 7, 42809.	3.3	13



#	ARTICLE	IF	CITATIONS
127	Genetic risk factors for ovarian cancer and their role for endometriosis risk. <i>Gynecologic Oncology</i> , 2017, 145, 142-147.	1.4	24
128	FAM13A is associated with non-small cell lung cancer (NSCLC) progression and controls tumor cell proliferation and survival. <i>Oncolmmunology</i> , 2017, 6, e1256526.	4.6	44
129	Enhanced Acid Sphingomyelinase Activity Drives Immune Evasion and Tumor Growth in Non-“Small Cell Lung Carcinoma. <i>Cancer Research</i> , 2017, 77, 5963-5976.	0.9	55
130	The expression of hematopoietic progenitor cell antigen CD34 is regulated by DNA methylation in a site-dependent manner in gastrointestinal stromal tumours. <i>International Journal of Cancer</i> , 2017, 141, 2296-2304.	5.1	8
131	Primary signet ring stromal tumor of the testis: a study of 13 cases indicating their phenotypic and genotypic analogy to pancreatic solid pseudopapillary neoplasm. <i>Human Pathology</i> , 2017, 67, 85-93.	2.0	25
132	Predicting Triple-Negative Breast Cancer Subtype Using Multiple Single Nucleotide Polymorphisms for Breast Cancer Risk and Several Variable Selection Methods. <i>Geburtshilfe Und Frauenheilkunde</i> , 2017, 77, 667-678.	1.8	21
133	Increased Proliferation as Independent Predictor of Disease Recurrence in Initial Stage pTa Urothelial Bladder Cancer. <i>Bladder Cancer</i> , 2017, 3, 173-180.	0.4	7
134	Aquaporin 3 Expression Loss in Urothelial Carcinoma: Association with Tumor Invasion Depth, but not with Grading?. <i>Bladder Cancer</i> , 2017, 3, 31-34.	0.4	6
135	Immunohistochemical and molecular characterizations in urothelial carcinoma of bladder in patients less than 45 years. <i>Journal of Cancer</i> , 2017, 8, 323-331.	2.5	18
136	Predictive value of molecular subtyping in NMIBC by RT-qPCR of ERBB2, ESR1, PGR and MKI67 from formalin fixed TUR biopsies. <i>Oncotarget</i> , 2017, 8, 67684-67695.	1.8	16
137	Human lymphoid organ dendritic cell identity is predominantly dictated by ontogeny, not tissue microenvironment. <i>Science Immunology</i> , 2016, 1, .	11.9	145
138	ESR1, ERBB2, and Ki67 mRNA expression predicts stage and grade of non-muscle-invasive bladder carcinoma (NMIBC). <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016, 469, 547-552.	2.8	25
139	PD-L1 is upregulated by radiochemotherapy in rectal adenocarcinoma patients and associated with a favourable prognosis. <i>European Journal of Cancer</i> , 2016, 65, 52-60.	2.8	112
140	Mammographic density is the main correlate of tumors detected on ultrasound but not on mammography. <i>International Journal of Cancer</i> , 2016, 139, 1967-1974.	5.1	19
141	Comprehensive Transcriptional Analysis of Early-Stage Urothelial Carcinoma. <i>Cancer Cell</i> , 2016, 30, 27-42.	16.8	486
142	Biofabrication of 3D Alginate-Based Hydrogel for Cancer Research: Comparison of Cell Spreading, Viability, and Adhesion Characteristics of Colorectal HCT116 Tumor Cells. <i>Tissue Engineering - Part C: Methods</i> , 2016, 22, 708-715.	2.1	54
143	Hepatocyte differentiation markers in adenocarcinoma of the prostate: hepatocyte paraffin 1 but not arginase-1 is specifically expressed in a subset of prostatic adenocarcinoma. <i>Human Pathology</i> , 2016, 55, 101-107.	2.0	8
144	Spatial distribution of FoxP3+ and CD8+ tumour infiltrating T cells reflects their functional activity. <i>Oncotarget</i> , 2016, 7, 60383-60394.	1.8	27

#	ARTICLE	IF	CITATIONS
145	HLA-E expression and its clinical relevance in human renal cell carcinoma. <i>Oncotarget</i> , 2016, 7, 67360-67372.	1.8	38
146	Endometriosis as a risk factor for ovarian or endometrial cancer – results of a hospital-based case-control study. <i>BMC Cancer</i> , 2015, 15, 751.	2.6	25
147	Piwil 2 Expression Is Correlated with Disease-Specific and Progression-Free Survival of Chemotherapy-Treated Bladder Cancer Patients. <i>Molecular Medicine</i> , 2015, 21, 371-380.	4.4	21
148	Sclerosing epithelioid fibrosarcoma of the kidney: clinicopathologic and molecular study of a rare neoplasm at a novel location. <i>Annals of Diagnostic Pathology</i> , 2015, 19, 221-225.	1.3	19
149	SMARCA4-deficient undifferentiated carcinoma of the ovary (small cell carcinoma, hypercalcemic) Tj ETQq1 1 0.784314 rgBT /Overl 2015, 19, 283-287.	1.3	17
150	Increased expression of the Th17-IL-6R/pSTAT3/BATF/Ror1 <sup>3</sup> T-axis in the tumoural region of adenocarcinoma as compared to squamous cell carcinoma of the lung. <i>Scientific Reports</i> , 2015, 4, 7396.	3.3	17
151	Pattern of SMARCB1 (INI1) and SMARCA4 (BRG1) in poorly differentiated endometrioid adenocarcinoma of the uterus: analysis of a series with emphasis on a novel SMARCA4-deficient dedifferentiated rhabdoid variant. <i>Annals of Diagnostic Pathology</i> , 2015, 19, 198-202.	1.3	102
152	IL-9 and its receptor are predominantly involved in the pathogenesis of UC. <i>Gut</i> , 2015, 64, 743-755.	12.1	151
153	Low Frequency of HNPCC-Associated Microsatellite Instability and Aberrant MMR Protein Expression in Early-Onset Bladder Cancer. <i>American Journal of Clinical Pathology</i> , 2014, 142, 634-639.	0.7	17
154	Piwi-like 1 and 4 gene transcript levels are associated with clinicopathological parameters in renal cell carcinomas. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2014, 1842, 686-690.	3.8	30
155	Easy performance of 6-color confocal immunofluorescence with 4-laser line microscopes. <i>Immunology Letters</i> , 2014, 161, 1-5.	2.5	13
156	Macrophages and Dendritic Cells as Actors in the Immune Reaction of Classical Hodgkin Lymphoma. <i>PLoS ONE</i> , 2014, 9, e114345.	2.5	34
157	Long term follow up of through-the-scope balloon dilation as compared to strictureplasty and bowel resection of intestinal strictures in crohn's disease. <i>International Journal of Clinical and Experimental Pathology</i> , 2014, 7, 7419-31.	0.5	14
158	First analysis of immune cell infiltration in stage pT1 urothelial bladder carcinoma: CD3 positivity as a prognostic marker for cancer-specific survival. <i>World Journal of Urology</i> , 2012, 30, 875-877.	2.2	17