

Stephen F Austin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/472824/publications.pdf>

Version: 2024-02-01

40
papers

1,084
citations

516710

16
h-index

414414

32
g-index

46
all docs

46
docs citations

46
times ranked

1745
citing authors

#	ARTICLE	IF	CITATIONS
1	Treatment of difficult-to-treat depression – clinical guideline for selected interventions. <i>Nordic Journal of Psychiatry</i> , 2022, 76, 177-188.	1.3	4
2	Investigating personal and clinical recovery processes in people with first episode psychosis. <i>Microbial Biotechnology</i> , 2022, 16, 1102-1111.	1.7	5
3	IMPACHS: Feasibility and acceptability of an m-health solution integrated into routine clinical treatment for psychosis. <i>Schizophrenia Research</i> , 2022, 240, 150-152.	2.0	1
4	European Validation of the Self-Evaluation of Negative Symptoms (SNS): A Large Multinational and Multicenter Study. <i>Frontiers in Psychiatry</i> , 2022, 13, 826465.	2.6	13
5	Service User Experiences of Integrating a Mobile Solution (IMPACHS) Into Clinical Treatment for Psychosis. <i>Qualitative Health Research</i> , 2021, 31, 942-954.	2.1	2
6	Digital Shared Decision-Making Interventions in Mental Healthcare: A Systematic Review and Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2021, 12, 691251.	2.6	8
7	Patients’ and psychiatrists’ perspectives on clozapine treatment – a scoping review protocol. <i>BMJ Open</i> , 2021, 11, e054308.	1.9	2
8	Group rumination-focused cognitive-behavioural therapy (CBT) <i>v.</i> group CBT for depression: phase II trial. <i>Psychological Medicine</i> , 2020, 50, 11-19.	4.5	60
9	Prevalence, predictors, and patterns of mechanical restraint use for inpatients with dual diagnosis. <i>Perspectives in Psychiatric Care</i> , 2020, 56, 20-27.	1.9	8
10	Rumination-focused cognitive behaviour therapy for non-responsive chronic depression: an uncontrolled group study. <i>Behavioural and Cognitive Psychotherapy</i> , 2020, 48, 376-381.	1.2	4
11	A new tool for rating cognitive behavioural supervision – preliminary findings in a clinical setting. <i>The Cognitive Behaviour Therapist</i> , 2020, 13, .	1.0	2
12	Mobile App Integration Into Dialectical Behavior Therapy for Persons With Borderline Personality Disorder: Qualitative and Quantitative Study. <i>JMIR Mental Health</i> , 2020, 7, e14913.	3.3	15
13	A large European, multicenter, multinational validation study of the Brief Negative Symptom Scale. <i>European Neuropsychopharmacology</i> , 2019, 29, 947-959.	0.7	60
14	The Momentum trial: the efficacy of using a smartphone application to promote patient activation and support shared decision making in people with a diagnosis of schizophrenia in outpatient treatment settings: a randomized controlled single-blind trial. <i>BMC Psychiatry</i> , 2019, 19, 185.	2.6	13
15	Metacognitive capacity and negative symptoms in first episode psychosis: Evidence of a prospective relationship over a 3-year follow-up. <i>Journal of Experimental Psychopathology</i> , 2019, 10, 204380871882157.	0.8	26
16	A clinimetric analysis of a BPRS-6 scale for schizophrenia severity. <i>Acta Neuropsychiatrica</i> , 2018, 30, 187-191.	2.1	6
17	Patient reported outcome measures (PROMs): examination of the psychometric properties of two measures for burden of symptoms and quality of life in patients with depression or anxiety. <i>Nordic Journal of Psychiatry</i> , 2018, 72, 251-258.	1.3	22
18	T123. PERSISTENT NEGATIVE SYMPTOMS IN FIRST EPISODE PSYCHOSIS: PREVALENCE, PREDICTORS AND PROGNOSIS. <i>Schizophrenia Bulletin</i> , 2018, 44, S163-S163.	4.3	0

#	ARTICLE	IF	CITATIONS
19	Promoting well-being in psychosis. <i>Nordic Journal of Psychiatry</i> , 2018, 72, 437-441.	1.3	7
20	Stability and development of psychotic symptoms and the use of antipsychotic medication â€“ long-term follow-up. <i>Psychological Medicine</i> , 2017, 47, 2118-2129.	4.5	22
21	Antipsychotic medication and remission of psychotic symptoms 10 years after a first-episode psychosis. <i>Schizophrenia Research</i> , 2017, 182, 42-48.	2.0	80
22	Family psychoeducation for major depressive disorder â€“ study protocol for a randomized controlled trial. <i>Trials</i> , 2016, 17, 427.	1.6	7
23	Trajectories of suicidal ideation in patients with first-episode psychosis: secondary analysis of data from the OPUS trial. <i>Lancet Psychiatry</i> , 2016, 3, 443-450.	7.4	48
24	Predictors and longitudinal course of cognitive functioning in schizophrenia spectrum disorders, 10 years after baseline: The OPUS study. <i>Schizophrenia Research</i> , 2016, 175, 57-63.	2.0	61
25	Measuring euthymia within the Neuroticism Scale from the NEO Personality Inventory. <i>Journal of Affective Disorders</i> , 2016, 193, 99-102.	4.1	24
26	Treatment of adult patients with schizophrenia and complex mental health needs â€“ A national clinical guideline. <i>Nordic Journal of Psychiatry</i> , 2016, 70, 231-240.	1.3	25
27	Long-term trajectories of positive and negative symptoms in first episode psychosis: A 10year follow-up study in the OPUS cohort. <i>Schizophrenia Research</i> , 2015, 168, 84-91.	2.0	141
28	Rumination-focused cognitive behaviour therapy vs. cognitive behaviour therapy for depression: study protocol for a randomised controlled superiority trial. <i>Trials</i> , 2015, 16, 344.	1.6	18
29	Schizophrenia and Metacognition: An Investigation of Course of Illness and Metacognitive Beliefs Within a First Episode Psychosis. <i>Cognitive Therapy and Research</i> , 2015, 39, 61-69.	1.9	23
30	Ten-Year Follow-up of the OPUS Specialized Early Intervention Trial for Patients With a First Episode of Psychosis. <i>Schizophrenia Bulletin</i> , 2015, 41, 617-626.	4.3	127
31	The Voice. By Yolanda D. Heman-Ackah, et al.. <i>Medical Problems of Performing Artists</i> , 2015, 30, 70-70.	0.4	0
32	CBT for psychotic disorders: beyond meta-analyses and guidelines - it is time to implement!. <i>World Psychiatry</i> , 2014, 13, 260-261.	10.4	6
33	Predictors of recovery in first episode psychosis: The OPUS cohort at 10year follow-up. <i>Schizophrenia Research</i> , 2013, 150, 163-168.	2.0	144
34	Treatment of first-episode psychosis patient, psychosocial aspects. <i>Drug Discovery Today: Therapeutic Strategies</i> , 2011, 8, 37-41.	0.5	1
35	The Implementation and Evaluation of Cognitive Milieu Therapy for Dual Diagnosis Inpatients: A Pragmatic Clinical Trial. <i>Journal of Dual Diagnosis</i> , 2010, 6, 58-72.	1.2	9
36	Predictors of completing treatment and achieving abstinence during inpatient dual diagnosis treatment. <i>Mental Health and Substance Use: Dual Diagnosis</i> , 2009, 2, 182-190.	0.5	5

#	ARTICLE	IF	CITATIONS
37	Validity of the BPRS, the BDI and the BAI in dual diagnosis patients. <i>Addictive Behaviors</i> , 2008, 33, 292-300.	3.0	51
38	Treating panic symptoms within everyday clinical settings: The feasibility of a group cognitive behavioural intervention. <i>Nordic Journal of Psychiatry</i> , 2008, 62, 287-293.	1.3	8
39	The Feasibility of a Cognitive Behavioural Intervention for Low Self-Esteem within a Dual Diagnosis Inpatient Population. <i>Behavioural and Cognitive Psychotherapy</i> , 2007, 35, 403-408.	1.2	7
40	Conducting research in everyday psychiatric settings: identifying the challenges to meaningful evaluation. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2007, 14, 55-63.	2.1	10