

# Gabriel N Hortobagyi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4728720/publications.pdf>

Version: 2024-02-01

331  
papers

46,211  
citations

3449

93  
h-index

2351

205  
g-index

339  
all docs

339  
docs citations

339  
times ranked

39133  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | A Randomized Trial of Fulvestrant, Everolimus, and Anastrozole for the Front-line Treatment of Patients with Advanced Hormone Receptorâ€“positive Breast Cancer, SWOG S1222. <i>Clinical Cancer Research</i> , 2022, 28, 611-617.  | 3.2  | 4         |
| 2  | Abstract GS2-01: Overall survival subgroup analysis by metastatic site from the phase 3 MONALEESA-2 study of first-line ribociclib + letrozole in postmenopausal patients with advanced HR+/HER2â€“ breast cancer. <i>Cancer Research</i> , 2022, 82, GS2-01-GS2-01.                   | 0.4  | 2         |
| 3  | Reply to A. Pfob and C. Sidey-Gibbons. <i>JCO Clinical Cancer Informatics</i> , 2022, 6, e2100171.   | 1.0  | 0         |
| 4  | Abstract PD2-05: Genomic profiling of PAM50-based intrinsic subtypes in HR+/HER2- advanced breast cancer (ABC) across the MONALEESA (ML) studies. <i>Cancer Research</i> , 2022, 82, PD2-05-PD2-05.  | 0.4  | 2         |
| 5  | Overall Survival with Ribociclib plus Letrozole in Advanced Breast Cancer. <i>New England Journal of Medicine</i> , 2022, 386, 942-950.  | 13.9 | 220       |
| 6  | Invasive lobular carcinoma: an understudied emergent subtype of breast cancer. <i>Breast Cancer Research and Treatment</i> , 2022, 193, 253-264.   | 1.1  | 38        |
| 7  | Ephrin receptor A10 monoclonal antibodies and the derived chimeric antigen receptor T cells exert an antitumor response in mouse models of triple-negative breast cancer. <i>Journal of Biological Chemistry</i> , 2022, 298, 101817.  | 1.6  | 15        |
| 8  | Molecular Characterization and Prospective Evaluation of Pathologic Response and Outcomes with Neoadjuvant Therapy in Metaplastic Triple-Negative Breast Cancer. <i>Clinical Cancer Research</i> , 2022, 28, 2878-2889.  | 3.2  | 10        |
| 9  | Physical Activity Before, During, and After Chemotherapy for High-Risk Breast Cancer: Relationships With Survival. <i>Journal of the National Cancer Institute</i> , 2021, 113, 54-63.   | 3.0  | 98        |
| 10 | Risk factors for bisphosphonate-associated osteonecrosis of the jaw in the prospective randomized trial of adjuvant bisphosphonates for early-stage breast cancer (SWOG 0307). <i>Supportive Care in Cancer</i> , 2021, 29, 2509-2517.   | 1.0  | 17        |
| 11 | Cellular Fitness Phenotypes of Cancer Target Genes from Oncobiology to Cancer Therapeutics. <i>Cells</i> , 2021, 10, 433.  | 1.8  | 5         |
| 12 | Inflammatory breast cancer: early recognition and diagnosis is critical. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 225, 392-396.  | 0.7  | 20        |
| 13 | TYRO3 induces antiâ€“PD-1/PD-L1 therapy resistance by limiting innate immunity and tumoral ferroptosis. <i>Journal of Clinical Investigation</i> , 2021, 131, .  | 3.9  | 135       |
| 14 | Expanding Criteria for Prognostic Stage IA in Hormone Receptorâ€“Positive Breast Cancer. <i>Journal of the National Cancer Institute</i> , 2021, 113, 1744-1750.   | 3.0  | 7         |
| 15 | Human ribonuclease 1 serves as a secretory ligand of ephrin A4 receptor and induces breast tumor initiation. <i>Nature Communications</i> , 2021, 12, 2788.  | 5.8  | 11        |
| 16 | Association of Cardiovascular Disease Risk Factors with Late Cardiotoxicity and Survival in HER2-positive Breast Cancer Survivors. <i>Clinical Cancer Research</i> , 2021, 27, 5343-5352.  | 3.2  | 5         |
| 17 | Targeting a cell surface vitamin D receptor on tumor-associated macrophages in triple-negative breast cancer. <i>ELife</i> , 2021, 10, .   | 2.8  | 18        |
| 18 | Chemotherapy and Targeted Therapy for Patients With Human Epidermal Growth Factor Receptor 2â€“Negative Metastatic Breast Cancer That is Either Endocrine-Pretreated or Hormone Receptorâ€“Negative: ASCO Guideline Update. <i>Journal of Clinical Oncology</i> , 2021, 39, 3938-3958. | 0.8  | 40        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Immune Phenotype and Response to Neoadjuvant Therapy in Triple-Negative Breast Cancer. <i>Clinical Cancer Research</i> , 2021, 27, 5365-5375.  | 3.2  | 29        |
| 20 | Prognostic Model for De Novo and Recurrent Metastatic Breast Cancer. <i>JCO Clinical Cancer Informatics</i> , 2021, 5, 789-804.  | 1.0  | 10        |
| 21 | Evaluating Serum Thymidine Kinase 1 in Patients with Hormone Receptor-Positive Metastatic Breast Cancer Receiving First-line Endocrine Therapy in the SWOG S0226 Trial. <i>Clinical Cancer Research</i> , 2021, 27, 6115-6123. | 3.2  | 9         |
| 22 | Estrogen Receptor: A Paradigm for Targeted Therapy. <i>Cancer Research</i> , 2021, 81, 5396-5398.  | 0.4  | 6         |
| 23 | 21-Gene Assay to Inform Chemotherapy Benefit in Node-Positive Breast Cancer. <i>New England Journal of Medicine</i> , 2021, 385, 2336-2347.  | 13.9 | 363       |
| 24 | Phase III Randomized Trial of Bisphosphonates as Adjuvant Therapy in Breast Cancer: S0307. <i>Journal of the National Cancer Institute</i> , 2020, 112, 698-707.   | 3.0  | 48        |
| 25 | Association Between 21-Gene Assay Recurrence Score and Locoregional Recurrence Rates in Patients With Node-Positive Breast Cancer. <i>JAMA Oncology</i> , 2020, 6, 505.  | 3.4  | 51        |
| 26 | Phase II study of Radium-223 dichloride combined with hormonal therapy for hormone receptor-positive, bone-dominant metastatic breast cancer. <i>Cancer Medicine</i> , 2020, 9, 1025-1032.                                     | 1.3  | 19        |
| 27 | Dietary Supplement Use During Chemotherapy and Survival Outcomes of Patients With Breast Cancer Enrolled in a Cooperative Group Clinical Trial (SWOG S0221). <i>Journal of Clinical Oncology</i> , 2020, 38, 804-814.          | 0.8  | 142       |
| 28 | Tucatinib, Trastuzumab, and Capecitabine for HER2-Positive Metastatic Breast Cancer. <i>New England Journal of Medicine</i> , 2020, 382, 597-609.  | 13.9 | 789       |
| 29 | Bernard Fisher: A Pioneer Moves On. <i>Oncologist</i> , 2020, 25, 89-90.   | 1.9  | 1         |
| 30 | Cancer Cell Metabolism Bolsters Immunotherapy Resistance by Promoting an Immunosuppressive Tumor Microenvironment. <i>Frontiers in Oncology</i> , 2020, 10, 1197.  | 1.3  | 30        |
| 31 | Validation of Prognostic Stage and Anatomic Stage in the American Joint Committee on Cancer 8th Edition for Inflammatory Breast Cancer. <i>Cancers</i> , 2020, 12, 3105.   | 1.7  | 1         |
| 32 | Impact of Delayed Neoadjuvant Systemic Chemotherapy on Overall Survival Among Patients with Breast Cancer. <i>Oncologist</i> , 2020, 25, 749-757.  | 1.9  | 28        |
| 33 | Incorporation of clinical and biological factors improves prognostication and reflects contemporary clinical practice. <i>Npj Breast Cancer</i> , 2020, 6, 11.   | 2.3  | 2         |
| 34 | Blocking c-Met and EGFR reverses acquired resistance of PARP inhibitors in triple-negative breast cancer. <i>American Journal of Cancer Research</i> , 2020, 10, 648-661.  | 1.4  | 15        |
| 35 | Removal of N-Linked Glycosylation Enhances PD-L1 Detection and Predicts Anti-PD-1/PD-L1 Therapeutic Efficacy. <i>Cancer Cell</i> , 2019, 36, 168-178.e4.   | 7.7  | 240       |
| 36 | Phase II trial of AKT inhibitor MK-2206 in patients with advanced breast cancer who have tumors with PIK3CA or AKT mutations, and/or PTEN loss/PTEN mutation. <i>Breast Cancer Research</i> , 2019, 21, 78.                    | 2.2  | 141       |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | CDK2-mediated site-specific phosphorylation of EZH2 drives and maintains triple-negative breast cancer. <i>Nature Communications</i> , 2019, 10, 5114.  | 5.8  | 64        |
| 38 | Long-Term Survival Analysis of Adjuvant Chemotherapy with or without Trastuzumab in Patients with T1, Node-Negative HER2-Positive Breast Cancer. <i>Clinical Cancer Research</i> , 2019, 25, 7388-7395.   | 3.2  | 12        |
| 39 | Oncogenic lncRNA downregulates cancer cell antigen presentation and intrinsic tumor suppression. <i>Nature Immunology</i> , 2019, 20, 835-851.  | 7.0  | 277       |
| 40 | Overall Survival with Fulvestrant plus Anastrozole in Metastatic Breast Cancer. <i>New England Journal of Medicine</i> , 2019, 380, 1226-1234.  | 13.9 | 95        |
| 41 | Efficacy and Safety of Ribociclib With Letrozole in US Patients Enrolled in the MONALEESA-2 Study. <i>Clinical Breast Cancer</i> , 2019, 19, 268-277.e1.  | 1.1  | 13        |
| 42 | Leptomeningeal carcinomatosis in patients with breast cancer. <i>Critical Reviews in Oncology/Hematology</i> , 2019, 135, 85-94.  | 2.0  | 90        |
| 43 | New and important changes in breast cancer TNM: incorporation of biologic factors into staging. <i>Expert Review of Anticancer Therapy</i> , 2019, 19, 309-318.   | 1.1  | 8         |
| 44 | Circulating Tumor Cell Clusters in Patients with Metastatic Breast Cancer: a SWOG S0500 Translational Medicine Study. <i>Clinical Cancer Research</i> , 2019, 25, 6089-6097.  | 3.2  | 46        |
| 45 | Efficacy and safety of the combination of metformin, everolimus and exemestane in overweight and obese postmenopausal patients with metastatic, hormone receptor-positive, HER2-negative breast cancer: a phase II study. <i>Investigational New Drugs</i> , 2019, 37, 345-351. | 1.2  | 28        |
| 46 | Indirect Evaluation of Bone Saturation with Zoledronic Acid After Long-Term Dosing. <i>Oncologist</i> , 2019, 24, 178-184.  | 1.9  | 4         |
| 47 | John Mendelsohn: A visionary scientist, oncologist and leader. <i>Genes and Cancer</i> , 2019, 10, 109-118.   | 0.6  | 3         |
| 48 | Synergism of PARP inhibitor fluzoparib (HS10160) and MET inhibitor HS10241 in breast and ovarian cancer cells. <i>American Journal of Cancer Research</i> , 2019, 9, 608-618.   | 1.4  | 12        |
| 49 | Eighth Edition of the AJCC Cancer Staging Manual: Breast Cancer. <i>Annals of Surgical Oncology</i> , 2018, 25, 1783-1785.  | 0.7  | 359       |
| 50 | Development of CNS metastases and survival in patients with inflammatory breast cancer. <i>Cancer</i> , 2018, 124, 2299-2305.   | 2.0  | 11        |
| 51 | A phase II study of tipifarnib and gemcitabine in metastatic breast cancer. <i>Investigational New Drugs</i> , 2018, 36, 299-306.   | 1.2  | 16        |
| 52 | Characterization of bone only metastasis patients with respect to tumor subtypes. <i>Npj Breast Cancer</i> , 2018, 4, 2.  | 2.3  | 40        |
| 53 | Eradication of Triple-Negative Breast Cancer Cells by Targeting Glycosylated PD-L1. <i>Cancer Cell</i> , 2018, 33, 187-201.e10.   | 7.7  | 381       |
| 54 | Ribociclib plus letrozole versus letrozole alone in patients with de novo HR+, HER2 <sup>+</sup> advanced breast cancer in the randomized MONALEESA-2 trial. <i>Breast Cancer Research and Treatment</i> , 2018, 168, 127-134.  | 1.1  | 90        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | Zoledronic Acid Dosing in Patients With Metastatic Breast Cancer—Reply. <i>JAMA Oncology</i> , 2018, 4, 586.   | 3.4  | 1         |
| 56 | Validation Study of the American Joint Committee on Cancer Eighth Edition Prognostic Stage Compared With the Anatomic Stage in Breast Cancer. <i>JAMA Oncology</i> , 2018, 4, 203.                                   | 3.4  | 152       |
| 57 | New and Important Changes in the TNM Staging System for Breast Cancer. <i>American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting</i> , 2018, 38, 457-467.       | 1.8  | 83        |
| 58 | American Society of Clinical Oncology's Global Oncology Leadership Task Force: Findings and Actions. <i>Journal of Global Oncology</i> , 2018, 4, 1-8.   | 0.5  | 8         |
| 59 | A phase II study of imatinib mesylate and letrozole in patients with hormone receptor-positive metastatic breast cancer expressing c-kit or PDGFR- $\beta$ . <i>Investigational New Drugs</i> , 2018, 36, 1103-1109. | 1.2  | 13        |
| 60 | Ribociclib for the first-line treatment of advanced hormone receptor-positive breast cancer: a review of subgroup analyses from the MONALEESA-2 trial. <i>Breast Cancer Research</i> , 2018, 20, 123.                | 2.2  | 41        |
| 61 | Adjuvant HER2-Targeted Therapy Update in Breast Cancer: Escalation and De-escalation of Therapy in 2018. <i>Current Breast Cancer Reports</i> , 2018, 10, 296-306.   | 0.5  | 5         |
| 62 | Prognostic Factors in Patients with Metastatic Breast Cancer with Bone-Only Metastases. <i>Oncologist</i> , 2018, 23, 1282-1288.   | 1.9  | 46        |
| 63 | Comparative Effectiveness of an mTOR-Based Systemic Therapy Regimen in Advanced, Metaplastic and Nonmetaplastic Triple-Negative Breast Cancer. <i>Oncologist</i> , 2018, 23, 1300-1309.                              | 1.9  | 46        |
| 64 | CDK4/6 inhibitors in hormone receptor-positive, human epidermal growth factor receptor 2 (HER2)-negative metastatic breast cancer: Are we at the finish line?. <i>Oncotarget</i> , 2018, 9, 34193-34195.             | 0.8  | 2         |
| 65 | Ribociclib for HR-Positive, Advanced Breast Cancer. <i>New England Journal of Medicine</i> , 2017, 376, 288-289.   | 13.9 | 13        |
| 66 | Long-Term Prognostic Risk After Neoadjuvant Chemotherapy Associated With Residual Cancer Burden and Breast Cancer Subtype. <i>Journal of Clinical Oncology</i> , 2017, 35, 1049-1060.                                | 0.8  | 478       |
| 67 | Continued Treatment Effect of Zoledronic Acid Dosing Every 12 vs 4 Weeks in Women With Breast Cancer Metastatic to Bone. <i>JAMA Oncology</i> , 2017, 3, 906.  | 3.4  | 134       |
| 68 | PARP Inhibitor Upregulates PD-L1 Expression and Enhances Cancer-Associated Immunosuppression. <i>Clinical Cancer Research</i> , 2017, 23, 3711-3720.   | 3.2  | 710       |
| 69 | Correlation between PIK3CA mutations in cell-free DNA and everolimus efficacy in HR+, HER2 <sup>+</sup> advanced breast cancer: results from BOLERO-2. <i>British Journal of Cancer</i> , 2017, 116, 726-730.        | 2.9  | 112       |
| 70 | Poor prognosis of patients with triple-negative breast cancer can be stratified by RANK and RANKL dual expression. <i>Breast Cancer Research and Treatment</i> , 2017, 164, 57-67.                                   | 1.1  | 31        |
| 71 | Personalized Prognostic Prediction Models for Breast Cancer Recurrence and Survival Incorporating Multidimensional Data. <i>Journal of the National Cancer Institute</i> , 2017, 109, .                              | 3.0  | 42        |
| 72 | Inflammatory breast cancer: a proposed conceptual shift in the UICC's AJCC TNM staging system. <i>Lancet Oncology</i> , The, 2017, 18, e228-e232.  | 5.1  | 74        |

| #  | ARTICLE  | IF    | CITATIONS |
|----|--|-------|-----------|
| 73 | Breast Cancer—Major changes in the American Joint Committee on Cancer eighth edition cancer staging manual. <i>Ca-A Cancer Journal for Clinicians</i> , 2017, 67, 290-303.   | 157.7 | 649       |
| 74 | Cytoplasmic Cyclin E Predicts Recurrence in Patients with Breast Cancer. <i>Clinical Cancer Research</i> , 2017, 23, 2991-3002.  | 3.2   | 46        |
| 75 | Bone metastasis-related signaling pathways in breast cancers stratified by estrogen receptor status. <i>Journal of Cancer</i> , 2017, 8, 1045-1052.  | 1.2   | 9         |
| 76 | Circulating tumor cells (CTCs) are associated with abnormalities in peripheral blood dendritic cells in patients with inflammatory breast cancer. <i>Oncotarget</i> , 2017, 8, 35656-35668.  | 0.8   | 44        |
| 77 | EGFR signaling promotes inflammation and cancer stem-like activity in inflammatory breast cancer. <i>Oncotarget</i> , 2017, 8, 67904-67917.  | 0.8   | 40        |
| 78 | Reverse phase protein array identification of triple-negative breast cancer subtypes and comparison with mRNA molecular subtypes. <i>Oncotarget</i> , 2017, 8, 70481-70495.  | 0.8   | 14        |
| 79 | The Association between EGFR and cMET Expression and Phosphorylation and Its Prognostic Implication in Patients with Breast Cancer. <i>PLoS ONE</i> , 2016, 11, e0152585.  | 1.1   | 14        |
| 80 | Current challenges of metastatic breast cancer. <i>Cancer and Metastasis Reviews</i> , 2016, 35, 495-514.  | 2.7   | 63        |
| 81 | High HER2/Centromeric Probe for Chromosome 17 Fluorescence In Situ Hybridization Ratio Predicts Pathologic Complete Response and Survival Outcome in Patients Receiving Neoadjuvant Systemic Therapy With Trastuzumab for HER2-Overexpressing Locally Advanced Breast Cancer. <i>Oncologist</i> , 2016, 21, 21-27. | 1.9   | 19        |
| 82 | Ribociclib as First-Line Therapy for HR-Positive, Advanced Breast Cancer. <i>New England Journal of Medicine</i> , 2016, 375, 1738-1748.   | 13.9  | 1,390     |
| 83 | Prevalence of <i>ESR1</i> Mutations in Cell-Free DNA and Outcomes in Metastatic Breast Cancer. <i>JAMA Oncology</i> , 2016, 2, 1310.   | 3.4   | 395       |
| 84 | Glycosylation and stabilization of programmed death ligand-1 suppresses T-cell activity. <i>Nature Communications</i> , 2016, 7, 12632.  | 5.8   | 648       |
| 85 | Deubiquitination and Stabilization of PD-L1 by CSN5. <i>Cancer Cell</i> , 2016, 30, 925-939.   | 7.7   | 538       |
| 86 | Towards a transcriptome-based theranostic platform for unfavorable breast cancer phenotypes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 12780-12785.  | 3.3   | 31        |
| 87 | Phase I biomarker modulation study of atorvastatin in women at increased risk for breast cancer. <i>Breast Cancer Research and Treatment</i> , 2016, 158, 67-77.   | 1.1   | 16        |
| 88 | Incidence of Atypical Femur Fractures in Cancer Patients: The MD Anderson Cancer Center Experience. <i>Journal of Bone and Mineral Research</i> , 2016, 31, 1569-1576.   | 3.1   | 44        |
| 89 | AKT1 Inhibits Epithelial-to-Mesenchymal Transition in Breast Cancer through Phosphorylation-Dependent Twist1 Degradation. <i>Cancer Research</i> , 2016, 76, 1451-1462.  | 0.4   | 65        |
| 90 | EGFR Signaling Enhances Aerobic Glycolysis in Triple-Negative Breast Cancer Cells to Promote Tumor Growth and Immune Escape. <i>Cancer Research</i> , 2016, 76, 1284-1296.   | 0.4   | 190       |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 91  | Blocking c-Met-mediated PARP1 phosphorylation enhances anti-tumor effects of PARP inhibitors. <i>Nature Medicine</i> , 2016, 22, 194-201.  | 15.2 | 189       |
| 92  | The American Society of Clinical Oncology's Efforts to Support Global Cancer Medicine. <i>Journal of Clinical Oncology</i> , 2016, 34, 76-82.  | 0.8  | 13        |
| 93  | The Neo-Bioscore Update for Staging Breast Cancer Treated With Neoadjuvant Chemotherapy. <i>JAMA Oncology</i> , 2016, 2, 929.  | 3.4  | 94        |
| 94  | Ten-Year Outcomes of Patients With Breast Cancer With Cytologically Confirmed Axillary Lymph Node Metastases and Pathologic Complete Response After Primary Systemic Chemotherapy. <i>JAMA Oncology</i> , 2016, 2, 508.                                    | 3.4  | 103       |
| 95  | Correlative Analysis of Genetic Alterations and Everolimus Benefit in Hormone Receptor-Positive, Human Epidermal Growth Factor Receptor 2-Negative Advanced Breast Cancer: Results From BOLERO-2. <i>Journal of Clinical Oncology</i> , 2016, 34, 419-426. | 0.8  | 203       |
| 96  | Association of Body Mass Index Changes during Neoadjuvant Chemotherapy with Pathologic Complete Response and Clinical Outcomes in Patients with Locally Advanced Breast Cancer. <i>Journal of Cancer</i> , 2015, 6, 310-318.                               | 1.2  | 20        |
| 97  | Phase II Randomized Study of Ixabepilone Versus Observation in Patients With Significant Residual Disease After Neoadjuvant Systemic Therapy for HER2-Negative Breast Cancer. <i>Clinical Breast Cancer</i> , 2015, 15, 325-331.                           | 1.1  | 18        |
| 98  | The PARP inhibitor AZD2281 (Olaparib) induces autophagy/mitophagy in BRCA1 and BRCA2 mutant breast cancer cells. <i>International Journal of Oncology</i> , 2015, 47, 262-268.   | 1.4  | 81        |
| 99  | Circulating tumor cells in newly diagnosed inflammatory breast cancer. <i>Breast Cancer Research</i> , 2015, 17, 2.  | 2.2  | 36        |
| 100 | Effect of 21-Gene RT-PCR Assay on Adjuvant Therapy and Outcomes in Patients With Stage I Breast Cancer. <i>Clinical Breast Cancer</i> , 2015, 15, 458-466.   | 1.1  | 10        |
| 101 | Acute and Short-term Toxic Effects of Conventionally Fractionated vs Hypofractionated Whole-Breast Irradiation. <i>JAMA Oncology</i> , 2015, 1, 931.   | 3.4  | 216       |
| 102 | BRCA1/2 Model Validation in Male Patients Presenting for BRCA Testing. <i>Oncologist</i> , 2015, 20, 593-597.  | 1.9  | 13        |
| 103 | Everolimus Plus Exemestane for the Treatment of Advanced Breast Cancer: A Review of Subanalyses from BOLERO-2. <i>Neoplasia</i> , 2015, 17, 279-288.   | 2.3  | 56        |
| 104 | Receptor Status Change From Primary to Residual Breast Cancer After Neoadjuvant Chemotherapy and Analysis of Survival Outcomes. <i>Clinical Breast Cancer</i> , 2015, 15, 153-160.   | 1.1  | 33        |
| 105 | Antitumor Activity of KW-2450 against Triple-Negative Breast Cancer by Inhibiting Aurora A and B Kinases. <i>Molecular Cancer Therapeutics</i> , 2015, 14, 2687-2699.  | 1.9  | 15        |
| 106 | Comparison of cardiac events associated with liposomal doxorubicin, epirubicin and doxorubicin in breast cancer: a Bayesian network meta-analysis. <i>European Journal of Cancer</i> , 2015, 51, 2314-2320.  | 1.3  | 58        |
| 107 | SWOG S0221: A Phase III Trial Comparing Chemotherapy Schedules in High-Risk Early-Stage Breast Cancer. <i>Journal of Clinical Oncology</i> , 2015, 33, 58-64.  | 0.8  | 89        |
| 108 | Phase III trial of bisphosphonates as adjuvant therapy in primary breast cancer: SWOG/Alliance/ECOG-ACRIN/NCIC Clinical Trials Group/NRG Oncology study S0307. <i>Journal of Clinical Oncology</i> , 2015, 33, 503-503.                                    | 0.8  | 16        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Functional consequence of the <i>MET-T</i> 1010I polymorphism in breast cancer. <i>Oncotarget</i> , 2015, 6, 2604-2614.  | 0.8 | 34        |
| 110 | Phosphorylation of EZH2 at T416 by CDK2 contributes to the malignancy of triple negative breast cancers. <i>American Journal of Translational Research (discontinued)</i> , 2015, 7, 1009-20.  | 0.0 | 28        |
| 111 | High Serum miR-19a Levels Are Associated with Inflammatory Breast Cancer and Are Predictive of Favorable Clinical Outcome in Patients with Metastatic HER2+ Inflammatory Breast Cancer. <i>PLoS ONE</i> , 2014, 9, e83113.   | 1.1 | 91        |
| 112 | cMET Activation and EGFR-Directed Therapy Resistance in Triple-Negative Breast Cancer. <i>Journal of Cancer</i> , 2014, 5, 745-753.  | 1.2 | 46        |
| 113 | Breast Cancer, BRCA Mutations, and Attitudes Regarding Pregnancy and Preimplantation Genetic Diagnosis. <i>Oncologist</i> , 2014, 19, 797-804.   | 1.9 | 21        |
| 114 | Gene Signature-Guided Dasatinib Therapy in Metastatic Breast Cancer. <i>Clinical Cancer Research</i> , 2014, 20, 5265-5271.  | 3.2 | 28        |
| 115 | Outcomes of children exposed in utero to chemotherapy for breast cancer. <i>Breast Cancer Research</i> , 2014, 16, 500.  | 2.2 | 75        |
| 116 | Reverse-Phase Protein Array for Prediction of Patients at Low Risk of Developing Bone Metastasis From Breast Cancer. <i>Oncologist</i> , 2014, 19, 909-914.  | 1.9 | 15        |
| 117 | <i>TP53</i> mutation-correlated genes predict the risk of tumor relapse and identify <i>MPS1</i> as a potential therapeutic kinase in <i>TP53</i> -mutated breast cancers. <i>Molecular Oncology</i> , 2014, 8, 508-519.   | 2.1 | 59        |
| 118 | Effect of Age and Race On Quality of Life in Young Breast Cancer Survivors. <i>Clinical Breast Cancer</i> , 2014, 14, e21-e31.   | 1.1 | 42        |
| 119 | Everolimus plus exemestane as first-line therapy in HR+, HER2 <sup>+</sup> advanced breast cancer in BOLERO-2. <i>Breast Cancer Research and Treatment</i> , 2014, 143, 459-467.   | 1.1 | 74        |
| 120 | Simvastatin Radiosensitizes Differentiated and Stem-Like Breast Cancer Cell Lines and Is Associated With Improved Local Control in Inflammatory Breast Cancer Patients Treated With Postmastectomy Radiation. <i>Stem Cells Translational Medicine</i> , 2014, 3, 849-856. | 1.6 | 69        |
| 121 | Chemotherapy and Targeted Therapy for Women With Human Epidermal Growth Factor Receptor 2-Negative (or unknown) Advanced Breast Cancer: American Society of Clinical Oncology Clinical Practice Guideline. <i>Journal of Clinical Oncology</i> , 2014, 32, 3307-3329.      | 0.8 | 210       |
| 122 | Circulating Tumor Cells and Response to Chemotherapy in Metastatic Breast Cancer: SWOG S0500. <i>Journal of Clinical Oncology</i> , 2014, 32, 3483-3489.   | 0.8 | 543       |
| 123 | Definition of PKC- $\delta$ , CDK6, and MET as Therapeutic Targets in Triple-Negative Breast Cancer. <i>Cancer Research</i> , 2014, 74, 4822-4835.   | 0.4 | 61        |
| 124 | Locoregional Recurrence Risk for Patients With T1,2 Breast Cancer With 1-3 Positive Lymph Nodes Treated With Mastectomy and Systemic Treatment. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014, 89, 392-398.                                    | 0.4 | 126       |
| 125 | Safety and Efficacy of Everolimus With Exemestane vs. Exemestane Alone in Elderly Patients With HER2-Negative, Hormone Receptor-Positive Breast Cancer in BOLERO-2. <i>Clinical Breast Cancer</i> , 2013, 13, 421-432.e8.  | 1.1 | 104       |
| 126 | Effect of Everolimus on Bone Marker Levels and Progressive Disease in Bone in BOLERO-2. <i>Journal of the National Cancer Institute</i> , 2013, 105, 654-663.  | 3.0 | 88        |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 127 | Everolimus Plus Exemestane in Postmenopausal Patients with HR+ Breast Cancer: BOLERO-2 Final Progression-Free Survival Analysis. <i>Advances in Therapy</i> , 2013, 30, 870-884.  | 1.3  | 430       |
| 128 | Health-related quality of life of patients with advanced breast cancer treated with everolimus plus exemestane versus placebo plus exemestane in the phase 3, randomized, controlled, BOLERO-2 trial. <i>Cancer</i> , 2013, 119, 1908-1915.   | 2.0  | 81        |
| 129 | Supplement use during an intergroup clinical trial for breast cancer (S0221). <i>Breast Cancer Research and Treatment</i> , 2013, 137, 903-913.   | 1.1  | 31        |
| 130 | Effect of visceral metastases on the efficacy and safety of everolimus in postmenopausal women with advanced breast cancer: Subgroup analysis from the BOLERO-2 study. <i>European Journal of Cancer</i> , 2013, 49, 2621-2632.   | 1.3  | 53        |
| 131 | Case Control Study of Women Treated With Chemotherapy for Breast Cancer During Pregnancy as Compared With Nonpregnant Patients With Breast Cancer. <i>Oncologist</i> , 2013, 18, 369-376.   | 1.9  | 74        |
| 132 | Health-related quality of life and disease symptoms in postmenopausal women with HR <sup>+</sup> , HER2 <sup>-</sup> advanced breast cancer treated with everolimus plus exemestane versus exemestane monotherapy. <i>Current Medical Research and Opinion</i> , 2013, 29, 1463-1473. | 0.9  | 24        |
| 133 | Differential Response to Neoadjuvant Chemotherapy Among 7 Triple-Negative Breast Cancer Molecular Subtypes. <i>Clinical Cancer Research</i> , 2013, 19, 5533-5540.  | 3.2  | 597       |
| 134 | Incidence, management, and resolution of noninfectious pneumonitis in BOLERO-2. <i>Journal of Clinical Oncology</i> , 2013, 31, 561-561.  | 0.8  | 5         |
| 135 | Correlation of molecular alterations with efficacy of everolimus in hormone receptor <sup>+</sup> positive, HER2-negative advanced breast cancer: Results from BOLERO-2. <i>Journal of Clinical Oncology</i> , 2013, 31, LBA509-LBA509.   | 0.8  | 49        |
| 136 | Correlation of molecular alterations with efficacy of everolimus in hormone-receptor <sup>+</sup> positive (HR <sup>+</sup> ), HER2-negative advanced breast cancer: Preliminary results from BOLERO-2. <i>Journal of Clinical Oncology</i> , 2013, 31, LBA509-LBA509.                | 0.8  | 10        |
| 137 | Toward Individualized Breast Cancer Therapy: Translating Biological Concepts to the Bedside. <i>Oncologist</i> , 2012, 17, 577-584.   | 1.9  | 17        |
| 138 | Everolimus in Postmenopausal Hormone-Receptor <sup>+</sup> Positive Advanced Breast Cancer. <i>New England Journal of Medicine</i> , 2012, 366, 520-529.  | 13.9 | 2,474     |
| 139 | Combination Anastrozole and Fulvestrant in Metastatic Breast Cancer. <i>New England Journal of Medicine</i> , 2012, 367, 435-444.   | 13.9 | 352       |
| 140 | Survival outcomes in HER2-positive invasive lobular breast carcinoma. <i>Journal of Clinical Oncology</i> , 2012, 30, 612-612.  | 0.8  | 2         |
| 141 | Circulating tumor cells as prognostic and predictive markers in metastatic breast cancer patients receiving first-line systemic treatment. <i>Breast Cancer Research</i> , 2011, 13, R67.   | 2.2  | 188       |
| 142 | First generation prognostic gene signatures for breast cancer predict both survival and chemotherapy sensitivity and identify overlapping patient populations. <i>Breast Cancer Research and Treatment</i> , 2011, 130, 155-164.  | 1.1  | 36        |
| 143 | Gene Pathways Associated With Prognosis and Chemotherapy Sensitivity in Molecular Subtypes of Breast Cancer. <i>Journal of the National Cancer Institute</i> , 2011, 103, 264-272.  | 3.0  | 203       |
| 144 | High-Dose Chemotherapy With Autologous Stem-Cell Support As Adjuvant Therapy in Breast Cancer: Overview of 15 Randomized Trials. <i>Journal of Clinical Oncology</i> , 2011, 29, 3214-3223.   | 0.8  | 89        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 145 | Novel Staging System for Predicting Disease-Specific Survival in Patients With Breast Cancer Treated With Surgery As the First Intervention: Time to Modify the Current American Joint Committee on Cancer Staging System. <i>Journal of Clinical Oncology</i> , 2011, 29, 4654-4661.  | 0.8  | 92        |
| 146 | Phase I/III Study of Trastuzumab in Combination With Everolimus (RAD001) in Patients With HER2-Overexpressing Metastatic Breast Cancer Who Progressed on Trastuzumab-Based Therapy. <i>Journal of Clinical Oncology</i> , 2011, 29, 3126-3132.   | 0.8  | 207       |
| 147 | PI3K Pathway Mutations and PTEN Levels in Primary and Metastatic Breast Cancer. <i>Molecular Cancer Therapeutics</i> , 2011, 10, 1093-1101.  | 1.9  | 204       |
| 148 | Analysis of overall survival from a phase III study of ixabepilone plus capecitabine versus capecitabine in patients with MBC resistant to anthracyclines and taxanes. <i>Breast Cancer Research and Treatment</i> , 2010, 122, 409-418.   | 1.1  | 65        |
| 149 | Primary systemic therapy for operable breast cancer patients: the need for the new generation of trial design. <i>Breast Cancer Research and Treatment</i> , 2010, 124, 701-705.   | 1.1  | 2         |
| 150 | A phase 2 study of a fixed combination of uracil and ftorafur (UFT) and leucovorin given orally in a 3-times-daily regimen to treat patients with recurrent metastatic breast cancer. <i>Cancer</i> , 2010, 116, 1440-1445.  | 2.0  | 5         |
| 151 | Phase 2 trial of primary systemic therapy with doxorubicin and docetaxel followed by surgery, radiotherapy, and adjuvant chemotherapy with cyclophosphamide, methotrexate, and 5- <i>fluorouracil</i> based on clinical and pathologic response in patients with stage IIB to III breast cancer. <i>Cancer</i> , 2010, 116, 1210-1217. | 2.0  | 11        |
| 152 | A phase 2 study of a fixed combination of uracil and ftorafur and leucovorin given orally in a twice-daily regimen to treat patients with recurrent metastatic breast cancer. <i>Cancer</i> , 2010, 116, NA-NA.  | 2.0  | 4         |
| 153 | Circulating Tumor Cells and Biomarkers: Implications for Personalized Targeted Treatments for Metastatic Breast Cancer. <i>Breast Journal</i> , 2010, 16, 327-330.   | 0.4  | 32        |
| 154 | Estrogen Receptor Expression and Docetaxel Efficacy in Patients with Metastatic Breast Cancer: A Pooled Analysis of Four Randomized Trials. <i>Oncologist</i> , 2010, 15, 476-483.   | 1.9  | 6         |
| 155 | Predictors of Tumor Progression During Neoadjuvant Chemotherapy in Breast Cancer. <i>Journal of Clinical Oncology</i> , 2010, 28, 1821-1828.   | 0.8  | 128       |
| 156 | Two Good Choices to Prevent Breast Cancer: Great Taste, Less Filling. <i>Cancer Prevention Research</i> , 2010, 3, 681-685.  | 0.7  | 15        |
| 157 | Prognosis of Women With Metastatic Breast Cancer by <i>HER2</i> Status and Trastuzumab Treatment: An Institutional-Based Review. <i>Journal of Clinical Oncology</i> , 2010, 28, 92-98.  | 0.8  | 666       |
| 158 | Future directions of bone-targeted therapy for metastatic breast cancer. <i>Nature Reviews Clinical Oncology</i> , 2010, 7, 641-651.   | 12.5 | 97        |
| 159 | Prognostic and predictive value of the 21-gene recurrence score assay in postmenopausal women with node-positive, oestrogen-receptor-positive breast cancer on chemotherapy: a retrospective analysis of a randomised trial. <i>Lancet Oncology</i> , The, 2010, 11, 55-65.  | 5.1  | 1,252     |
| 160 | Molecular predictors of response to trastuzumab and lapatinib in breast cancer. <i>Nature Reviews Clinical Oncology</i> , 2010, 7, 98-107.   | 12.5 | 148       |
| 161 | Why my neighbor's health is important to me. <i>Oncology</i> , 2010, 24, 1238.   | 0.4  | 0         |
| 162 | Characterization of a Naturally Occurring Breast Cancer Subset Enriched in Epithelial-to-Mesenchymal Transition and Stem Cell Characteristics. <i>Cancer Research</i> , 2009, 69, 4116-4124.   | 0.4  | 768       |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 163 | Circulating Tumor Cells and [ <sup>18</sup> F]Fluorodeoxyglucose Positron Emission Tomography/Computed Tomography for Outcome Prediction in Metastatic Breast Cancer. <i>Journal of Clinical Oncology</i> , 2009, 27, 3303-3311.       | 0.8  | 139       |
| 164 | Molecular targets for treatment of inflammatory breast cancer. <i>Nature Reviews Clinical Oncology</i> , 2009, 6, 387-394.   | 12.5 | 52        |
| 165 | The HER-2 Receptor and Breast Cancer: Ten Years of Targeted Anti-HER-2 Therapy and Personalized Medicine. <i>Oncologist</i> , 2009, 14, 320-368.   | 1.9  | 986       |
| 166 | A time for creative collaboration. <i>Cancer</i> , 2008, 113, 2217-2220.   | 2.0  | 2         |
| 167 | Locally advanced breast cancer. <i>Cancer</i> , 2008, 113, 2315-2324.  | 2.0  | 45        |
| 168 | Circulating tumor cells in metastatic breast cancer. <i>Cancer</i> , 2008, 113, 2422-2430.   | 2.0  | 156       |
| 169 | Fingerprinting Lymph Node Metastases. <i>Annals of Surgical Oncology</i> , 2008, 15, 1275-1276.  | 0.7  | 0         |
| 170 | ERK promotes tumorigenesis by inhibiting FOXO3a via MDM2-mediated degradation. <i>Nature Cell Biology</i> , 2008, 10, 138-148.   | 4.6  | 590       |
| 171 | Using Response to Primary Chemotherapy to Select Postoperative Therapy: Long-Term Results from a Prospective Phase II Trial in Locally Advanced Primary Breast Cancer. <i>Clinical Breast Cancer</i> , 2008, 8, 516-521.               | 1.1  | 11        |
| 172 | Response to Neoadjuvant Therapy and Long-Term Survival in Patients With Triple-Negative Breast Cancer. <i>Journal of Clinical Oncology</i> , 2008, 26, 1275-1281.  | 0.8  | 2,387     |
| 173 | Commercialized Multigene Predictors of Clinical Outcome for Breast Cancer. <i>Oncologist</i> , 2008, 13, 477-493.  | 1.9  | 235       |
| 174 | Staging of Breast Cancer in the Neoadjuvant Setting. <i>Cancer Research</i> , 2008, 68, 6477-6481.   | 0.4  | 38        |
| 175 | Residual Ductal Carcinoma In Situ in Patients With Complete Eradication of Invasive Breast Cancer After Neoadjuvant Chemotherapy Does Not Adversely Affect Patient Outcome. <i>Journal of Clinical Oncology</i> , 2007, 25, 2650-2655. | 0.8  | 253       |
| 176 | A Shortage of Oncologists? The American Society of Clinical Oncology Workforce Study. <i>Journal of Clinical Oncology</i> , 2007, 25, 1468-1469.   | 0.8  | 73        |
| 177 | Overall Survival and Cause-Specific Mortality of Patients With Stage T1a,bN0M0 Breast Carcinoma. <i>Journal of Clinical Oncology</i> , 2007, 25, 4952-4960.  | 0.8  | 258       |
| 178 | IKK $\beta$ Suppression of TSC1 Links Inflammation and Tumor Angiogenesis via the mTOR Pathway. <i>Cell</i> , 2007, 130, 440-455.  | 13.5 | 585       |
| 179 | Measurement of Residual Breast Cancer Burden to Predict Survival After Neoadjuvant Chemotherapy. <i>Journal of Clinical Oncology</i> , 2007, 25, 4414-4422.  | 0.8  | 1,243     |
| 180 | Circulating Tumor Cells in Metastatic Breast Cancer: Biologic Staging Beyond Tumor Burden. <i>Clinical Breast Cancer</i> , 2007, 7, 34-42.   | 1.1  | 141       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | Inflammatory breast cancer (IBC) and patterns of recurrence. <i>Cancer</i> , 2007, 110, 1436-1444.   | 2.0 | 194       |
| 182 | Clinicopathologic characteristics and prognostic factors in 420 metastatic breast cancer patients with central nervous system metastasis. <i>Cancer</i> , 2007, 110, 2640-2647.  | 2.0 | 147       |
| 183 | Circulating tumor cells in metastatic breast cancer: biologic staging beyond tumor burden. <i>Clinical Breast Cancer</i> , 2007, 7, 471-9.   | 1.1 | 67        |
| 184 | Personalized medicine for breast cancer: moving forward and going back. <i>Personalized Medicine</i> , 2006, 3, 363-370.   | 0.8 | 1         |
| 185 | Randomized trial of high-dose chemotherapy and autologous hematopoietic stem cell support for high-risk primary breast carcinoma. <i>Cancer</i> , 2006, 106, 2327-2336.  | 2.0 | 26        |
| 186 | Treatment of pregnant breast cancer patients and outcomes of children exposed to chemotherapy in utero. <i>Cancer</i> , 2006, 107, 1219-1226.  | 2.0 | 342       |
| 187 | Long-Term Cardiac Tolerability of Trastuzumab in Metastatic Breast Cancer: The M.D. Anderson Cancer Center Experience. <i>Journal of Clinical Oncology</i> , 2006, 24, 4107-4115.  | 0.8 | 336       |
| 188 | The natural history of breast carcinoma in patients with $\geq 10$ metastatic axillary lymph nodes before and after the advent of adjuvant therapy. <i>Cancer</i> , 2005, 104, 229-235.  | 2.0 | 27        |
| 189 | Invasive Lobular Carcinoma Classic Type: Response to Primary Chemotherapy and Survival Outcomes. <i>Journal of Clinical Oncology</i> , 2005, 23, 41-48.  | 0.8 | 352       |
| 190 | Significantly Higher Pathologic Complete Remission Rate After Neoadjuvant Therapy With Trastuzumab, Paclitaxel, and Epirubicin Chemotherapy: Results of a Randomized Trial in Human Epidermal Growth Factor Receptor 2-Positive Operable Breast Cancer. <i>Journal of Clinical Oncology</i> , 2005, 23, 3676-3685. | 0.8 | 1,076     |
| 191 | Outcome After Pathologic Complete Eradication of Cytologically Proven Breast Cancer Axillary Node Metastases Following Primary Chemotherapy. <i>Journal of Clinical Oncology</i> , 2005, 23, 9304-9311.  | 0.8 | 366       |
| 192 | Chemotherapy: What Progress in the Last 5 Years?. <i>Journal of Clinical Oncology</i> , 2005, 23, 1760-1775.   | 0.8 | 96        |
| 193 | Circulating Tumor Cells: A Novel Prognostic Factor for Newly Diagnosed Metastatic Breast Cancer. <i>Journal of Clinical Oncology</i> , 2005, 23, 1420-1430.  | 0.8 | 1,012     |
| 194 | Moving into the future: Treatment of bone metastases and beyond. <i>Cancer Treatment Reviews</i> , 2005, 31, 9-18.   | 3.4 | 18        |
| 195 | The Global Breast Cancer Burden: Variations in Epidemiology and Survival. <i>Clinical Breast Cancer</i> , 2005, 6, 391-401.  | 1.1 | 445       |
| 196 | The Use of Alternate, Non-Cross-Resistant Adjuvant Chemotherapy on the Basis of Pathologic Response to a Neoadjuvant Doxorubicin-Based Regimen in Women With Operable Breast Cancer: Long-Term Results From a Prospective Randomized Trial. <i>Journal of Clinical Oncology</i> , 2004, 22, 2294-2302.             | 0.8 | 137       |
| 197 | Inflammatory Breast Carcinoma: The Sphinx of Breast Cancer Research. <i>Journal of Clinical Oncology</i> , 2004, 22, 381-383.  | 0.8 | 38        |
| 198 | Opportunities and challenges in the development of targeted therapies. <i>Seminars in Oncology</i> , 2004, 31, 21-27.  | 0.8 | 33        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | PTEN activation contributes to tumor inhibition by trastuzumab, and loss of PTEN predicts trastuzumab resistance in patients. <i>Cancer Cell</i> , 2004, 6, 117-127.  | 7.7 | 1,693     |
| 200 | Is breast cancer survival improving?. <i>Cancer</i> , 2004, 100, 44-52.   | 2.0 | 469       |
| 201 | Prognostic value of P53, MDM-2, and MUC-1 for patients with inflammatory breast carcinoma. <i>Cancer</i> , 2004, 101, 913-917.  | 2.0 | 17        |
| 202 | Targeted Radiotherapy to the Skeleton Using <sup>166</sup> Ho-DOTMP with Autologous Stem Cell Transplantation for Patients with Bone-Only Metastatic Breast Cancer.. <i>Blood</i> , 2004, 104, 5239-5239.   | 0.6 | 1         |
| 203 | New Approaches to Breast Cancer Therapy. <i>Breast Cancer Research and Treatment</i> , 2003, 80, 1-2.   | 1.1 | 23        |
| 204 | Future Directions in the Endocrine Therapy of Breast Cancer. <i>Breast Cancer Research and Treatment</i> , 2003, 80, 37-39.   | 1.1 | 4         |
| 205 | Novel approaches to the management of bone metastases. <i>Seminars in Oncology</i> , 2003, 30, 161-166.   | 0.8 | 8         |
| 206 | Update on the Management of Inflammatory Breast Cancer. <i>Oncologist</i> , 2003, 8, 141-148.   | 1.9 | 126       |
| 207 | Gemcitabine in Combination with Vinorelbine for Treatment of Advanced Breast Cancer. <i>Clinical Breast Cancer</i> , 2002, 3, S34-S38.  | 1.1 | 8         |
| 208 | The Status of Breast Cancer Management: Challenges and Opportunities. <i>Breast Cancer Research and Treatment</i> , 2002, 75, 61-65.  | 1.1 | 13        |
| 209 | Novel approaches to the management of bone metastases in patients with breast cancer. <i>Seminars in Oncology</i> , 2002, 29, 134-144.  | 0.8 | 36        |
| 210 | Long-term complications associated with breast-conservation surgery and radiotherapy. , 2002, 9, 543.   |     | 12        |
| 211 | Integration of docetaxel into adjuvant breast cancer treatment regimens. <i>Oncology</i> , 2002, 16, 27-33.   | 0.4 | 0         |
| 212 | Long-Term Results of Combined-Modality Therapy for Locally Advanced Breast Cancer With Ipsilateral Supraclavicular Metastases: The University of Texas M.D. Anderson Cancer Center Experience. <i>Journal of Clinical Oncology</i> , 2001, 19, 628-633. | 0.8 | 200       |
| 213 | Progress in Systemic Chemotherapy of Primary Breast Cancer: an Overview. <i>Journal of the National Cancer Institute Monographs</i> , 2001, 2001, 72-79.  | 0.9 | 39        |
| 214 | Expression of erbB/HER receptors, heregulin and p38 in primary breast cancer using quantitative immunohistochemistry. <i>Pathology and Oncology Research</i> , 2001, 7, 171-177.  | 0.9 | 56        |
| 215 | Phase I study of vinorelbine and paclitaxel by 3-hour simultaneous infusion with and without granulocyte colony-stimulating factor support in metastatic breast carcinoma. <i>Cancer</i> , 2001, 91, 664-671.   | 2.0 | 10        |
| 216 | Breast conservation therapy as a treatment option for the elderly. <i>Cancer</i> , 2001, 92, 1092-1100.   | 2.0 | 50        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 217 | Female patients with breast carcinoma age 30 years and younger have a poor prognosis. <i>Cancer</i> , 2001, 92, 2523-2528.  | 2.0 | 154       |
| 218 | Phase II Vinorelbine (Navelbine®) by Continuous Infusion in Patients with Metastatic Breast Cancer: Cumulative Toxicities Limit Dose Escalation. <i>Cancer Investigation</i> , 2001, 19, 459-466.                   | 0.6 | 7         |
| 219 | Canalicular Stenosis as the Underlying Mechanism for Epiphora in Patients Receiving Weekly Docetaxel. <i>Oncologist</i> , 2001, 6, 551-552.   | 1.9 | 26        |
| 220 | Female patients with breast carcinoma age 30 years and younger have a poor prognosis. , 2001, 92, 2523.   |     | 1         |
| 221 | The evolving role of bisphosphonates. <i>Seminars in Oncology</i> , 2001, 28, 284-290.  | 0.8 | 19        |
| 222 | Overview of treatment results with trastuzumab (Herceptin) in metastatic breast cancer. <i>Seminars in Oncology</i> , 2001, 28, 43-47.  | 0.8 | 76        |
| 223 | Oral bisphosphonates. <i>Cancer</i> , 2000, 88, 6-14.   | 2.0 | 124       |
| 224 | Pamidronate prevents skeletal complications and is effective palliative treatment in women with breast carcinoma and osteolytic bone metastases. , 2000, 88, 1082-1090.   |     | 592       |
| 225 | Combined modality treatment of locally advanced breast carcinoma in elderly patients or patients with severe comorbid conditions using tamoxifen as the primary therapy. , 2000, 88, 2054-2060.                     |     | 35        |
| 226 | Developments in chemotherapy of breast cancer. <i>Cancer</i> , 2000, 88, 3073-3079.   | 2.0 | 82        |
| 227 | Phase II study of paclitaxel in patients with metastatic breast carcinoma refractory to standard chemotherapy. <i>Cancer</i> , 2000, 89, 2195-2201.   | 2.0 | 21        |
| 228 | Phase II trial and pharmacokinetic evaluation of cytosine arabinoside for leptomeningeal metastases from breast cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2000, 46, 382-386.                            | 1.1 | 36        |
| 229 | Phase I study of liposomal annexin. <i>Cancer Chemotherapy and Pharmacology</i> , 2000, 46, 427-432.  | 1.1 | 14        |
| 230 | Prognostic Implications of Pathological Lymph Node Status After Preoperative Chemotherapy for Operable T3N0M0 Breast Cancer. <i>Annals of Surgical Oncology</i> , 2000, 7, 435-440.                                 | 0.7 | 26        |
| 231 | Ductal Carcinoma-In-Situ: Long-Term Results of Breast-Conserving Therapy. <i>Annals of Surgical Oncology</i> , 2000, 7, 656-664.  | 0.7 | 38        |
| 232 | Randomized Trial of High-Dose Chemotherapy and Blood Cell Autografts for High-Risk Primary Breast Carcinoma. <i>Journal of the National Cancer Institute</i> , 2000, 92, 225-233.                                   | 3.0 | 161       |
| 233 | Risks and Benefits of Taxanes in Breast and Ovarian Cancer. <i>Drug Safety</i> , 2000, 23, 401-428.   | 1.4 | 97        |
| 234 | Phase II Trial of Liposome-Encapsulated Doxorubicin, Cyclophosphamide, and Fluorouracil as First-Line Therapy in Patients With Metastatic Breast Cancer. <i>Journal of Clinical Oncology</i> , 1999, 17, 1425-1425. | 0.8 | 86        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 235 | Prospective Evaluation of Paclitaxel Versus Combination Chemotherapy With Fluorouracil, Doxorubicin, and Cyclophosphamide as Neoadjuvant Therapy in Patients With Operable Breast Cancer. <i>Journal of Clinical Oncology</i> , 1999, 17, 3412-3417.        | 0.8 | 234       |
| 236 | Pamidronate Reduces Skeletal Morbidity in Women With Advanced Breast Cancer and Lytic Bone Lesions: A Randomized, Placebo-Controlled Trial. <i>Journal of Clinical Oncology</i> , 1999, 17, 846-846.  | 0.8 | 597       |
| 237 | Management of Breast Cancer During Pregnancy Using a Standardized Protocol. <i>Journal of Clinical Oncology</i> , 1999, 17, 855-855.  | 0.8 | 400       |
| 238 | Phase I/II trial of high dose mitoxantrone in metastatic breast cancer: the M.D. Anderson Cancer Center experience. <i>Breast Cancer Research and Treatment</i> , 1999, 54, 225-233.  | 1.1 | 13        |
| 239 | Relapse after complete response to anthracycline-based combination chemotherapy in metastatic breast cancer. <i>Breast Cancer Research and Treatment</i> , 1999, 55, 1-8.   | 1.1 | 4         |
| 240 | Phase II study of mitoxantrone by 14-day continuous infusion with granulocyte colony-stimulating factor (G-CSF) support in patients with metastatic breast cancer and limited prior therapy. <i>Cancer Chemotherapy and Pharmacology</i> , 1999, 43, 86-91. | 1.1 | 2         |
| 241 | Doxorubicin-induced congestive heart failure in elderly patients with metastatic breast cancer, with long-term follow-up: the M.D. Anderson experience. <i>Cancer Chemotherapy and Pharmacology</i> , 1999, 43, 471-478.                                    | 1.1 | 51        |
| 242 | Primary Tumor Response to Induction Chemotherapy as a Predictor of Histological Status of Axillary Nodes in Operable Breast Cancer Patients. <i>Annals of Surgical Oncology</i> , 1999, 6, 762-767.   | 0.7 | 31        |
| 243 | Results and long term follow-up for 1581 patients with metastatic breast carcinoma treated with standard dose doxorubicin-containing chemotherapy. , 1999, 85, 104-111.   |     | 118       |
| 244 | Phase II study of vinorelbine administered by 96-hour infusion in patients with advanced breast carcinoma. , 1999, 86, 1251-1257.   |     | 20        |
| 245 | Clinical Course of Breast Cancer Patients With Complete Pathologic Primary Tumor and Axillary Lymph Node Response to Doxorubicin-Based Neoadjuvant Chemotherapy. <i>Journal of Clinical Oncology</i> , 1999, 17, 460-460.                                   | 0.8 | 1,199     |
| 246 | Overexpression of both p185c-erbB2 and p170mdr-1 renders breast cancer cells highly resistant to taxol. <i>Oncogene</i> , 1998, 16, 2087-2094.  | 2.6 | 122       |
| 247 | Tyrosine kinase inhibitors, emodin and its derivative repress HER-2/neu-induced cellular transformation and metastasis-associated properties. <i>Oncogene</i> , 1998, 16, 2855-2863.  | 2.6 | 108       |
| 248 | Hand-foot syndrome following prolonged infusion of high doses of vinorelbine. , 1998, 82, 965-969.  |     | 43        |
| 249 | Progress in endocrine therapy for breast carcinoma. , 1998, 83, 1-6.  |     | 11        |
| 250 | Role of axillary lymph node dissection after tumor downstaging with induction chemotherapy for locally advanced breast cancer. <i>Annals of Surgical Oncology</i> , 1998, 5, 673-680.   | 0.7 | 72        |
| 251 | New Antiestrogens in Breast Cancer: A Review. <i>Breast Journal</i> , 1998, 4, 213-229.   | 0.4 | 3         |
| 252 | Residual metastatic axillary lymph nodes following neoadjuvant chemotherapy predict disease-free survival in patients with locally advanced breast cancer. <i>American Journal of Surgery</i> , 1998, 176, 502-509.   | 0.9 | 149       |



| #   | ARTICLE  | IF    | CITATIONS |
|-----|--|-------|-----------|
| 253 | Treatment of Breast Cancer. <i>New England Journal of Medicine</i> , 1998, 339, 974-984.   | 13.9  | 695       |
| 254 | Anastrozole (Arimidex®), a New Aromatase Inhibitor for Advanced Breast Cancer: Mechanism of Action and Role in Management. <i>Cancer Investigation</i> , 1998, 16, 385-390.                | 0.6   | 5         |
| 255 | Integration of Systemic Chemotherapy in the Management of Primary Breast Cancer. <i>Oncologist</i> , 1998, 3, 300-313.   | 1.9   | 17        |
| 256 | Paclitaxel-Induced Pancreatitis: A Case Report. <i>Journal of the National Cancer Institute</i> , 1997, 89, 91-93.   | 3.0   | 16        |
| 257 | The tumor suppression activity of E1A in HER-2/neu-overexpressing breast cancer. <i>Oncogene</i> , 1997, 14, 561-568.  | 2.6   | 81        |
| 258 | Anthracycline-resistant breast cancer. <i>Breast Cancer</i> , 1997, 4, 221-227.  | 1.3   | 2         |
| 259 | Combined-modality treatment of inflammatory breast carcinoma: twenty years of experience at M. D. Anderson Cancer Center. <i>Cancer Chemotherapy and Pharmacology</i> , 1997, 40, 321-329. | 1.1   | 242       |
| 260 | Chemotherapy-induced neutropenia and fever in patients with metastatic breast carcinoma receiving salvage chemotherapy. , 1997, 79, 1150-1157.   |       | 32        |
| 261 | The prognostic significance of sialyl-tn Antigen in women treated with breast carcinoma treated with adjuvant chemotherapy. , 1997, 80, 2240-2249.   |       | 41        |
| 262 | Secondary drug resistance in breast cancer: Failure to reverse with oral nifedipine. , 1997, 73, 184-186.  |       | 4         |
| 263 | A phase II study of CI-973 [SP-4-3(R)]- [1, 1-cyclobutane-dicarboxylato (2-)] (2-methyl-1,4-butanediamine-N,) Tj ETQq1 1 0.784314 rgB<br><i>Pharmacology</i> , 1996, 38, 289-291.          | 1.1   | 8         |
| 264 | Technical approach for the study of the genetic evolution of breast cancer from paraffin-embedded tissue sections. <i>Breast Cancer Research and Treatment</i> , 1996, 39, 177-185.        | 1.1   | 11        |
| 265 | Locally Advanced Breast Cancer. <i>Oncologist</i> , 1996, 1, 8-17.   | 1.9   | 85        |
| 266 | Current status of adjuvant systemic therapy for primary breast cancer: progress and controversy. <i>Ca-A Cancer Journal for Clinicians</i> , 1995, 45, 199-226.                            | 157.7 | 59        |
| 267 | Factors predicting long-term survival for metastatic breast cancer patients treated with high-dose chemotherapy and bone marrow support. <i>Cancer</i> , 1994, 73, 2157-2167.              | 2.0   | 97        |
| 268 | Multidisciplinary management of advanced primary and metastatic breast cancer. <i>Cancer</i> , 1994, 74, 416-423.  | 2.0   | 115       |
| 269 | Phase I trail of droloxifene in patients with metastatic breast cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 1994, 33, 313-316.   | 1.1   | 31        |
| 270 | Anthracycline Antibiotics in Cancer Therapy. <i>Drugs</i> , 1994, 47, 223-258.   | 4.9   | 170       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 271 | Phase I trial of droloxifene in patients with metastatic breast cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 1994, 33, 313-316.  | 1.1 | 1         |
| 272 | The order of administration of chemotherapy and radiation and its effect on the local control of operable breast cancer. <i>Cancer</i> , 1993, 71, 3680-3684.                     | 2.0 | 62        |
| 273 | Strategies for the application of biomarkers for risk assessment and efficacy in breast cancer chemoprevention trials. <i>Journal of Cellular Biochemistry</i> , 1993, 53, 37-43. | 1.2 | 7         |
| 274 | Present Status of Anthracyclines in the Adjuvant Treatment of Breast Cancer. <i>Drugs</i> , 1993, 45, 10-19.  | 4.9 | 24        |
| 275 | Complications associated with indwelling catheters. <i>Medical and Pediatric Oncology</i> , 1992, 20, 22-25.  | 1.0 | 13        |
| 276 | Clinical course of patients with breast cancer with ten or more positive nodes who were treated with doxorubicin-containing adjuvant therapy. <i>Cancer</i> , 1992, 69, 448-452.  | 2.0 | 63        |
| 277 | A randomized trial of two dosage schedules of mitomycin C in advanced breast carcinoma. <i>Cancer</i> , 1992, 69, 476-481.  | 2.0 | 22        |
| 278 | Feasibility of breast-conservation surgery after induction chemotherapy for locally advanced breast carcinoma. <i>Cancer</i> , 1992, 69, 2849-2852.                               | 2.0 | 238       |
| 279 | Ki-67 immunostaining in node-negative stage I/II breast carcinoma. Significant correlation with prognosis. <i>Cancer</i> , 1991, 68, 549-557.                                     | 2.0 | 161       |
| 280 | Radiotherapy enhances the toxicity of aminoglutethimide. <i>Medical and Pediatric Oncology</i> , 1990, 18, 162-164.   | 1.0 | 1         |
| 281 | Is chemotherapy effective in reducing the local failure rate in patients with operable breast cancer?. <i>Cancer</i> , 1990, 65, 394-399.   | 2.0 | 57        |
| 282 | Pregnancy and offspring after adjuvant chemotherapy in breast cancer patients. <i>Cancer</i> , 1990, 65, 847-850.   | 2.0 | 120       |
| 283 | Trilostane with hydrocortisone in treatment of metastatic breast cancer. <i>Breast Cancer Research and Treatment</i> , 1989, 13, 117-121.   | 1.1 | 9         |
| 284 | Ductal carcinoma-in-situ of the breast: Fine-needle aspiration cytology of 12 cases. <i>Diagnostic Cytopathology</i> , 1989, 5, 371-377.  | 0.5 | 33        |
| 285 | The Role of Serum CEA as a Prognostic Indicator in Stage II and III Breast Cancer Patients Treated With Adjuvant Chemotherapy. <i>Cancer</i> , 1989, 63, 828-835.                 | 2.0 | 21        |
| 286 | 5-fluorouracil rechallenge by protracted infusion in refractory breast cancer. <i>Cancer</i> , 1989, 64, 793-797.   | 2.0 | 46        |
| 287 | Sequential cyclic combined hormonal therapy for metastatic breast cancer. <i>Cancer</i> , 1989, 64, 1002-1006.  | 2.0 | 13        |
| 288 | Role of adjuvant chemotherapy in male breast cancer. <i>Cancer</i> , 1989, 64, 1583-1585.   | 2.0 | 118       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 289 | Angiosarcoma arising in an irradiated breast. A case report and review of the literature. <i>Cancer</i> , 1989, 64, 2214-2216.  | 2.0 | 61        |
| 290 | Ten-Year Results of FAC Adjuvant Chemotherapy Trial in Breast Cancer. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 1989, 12, 123-128.   | 0.6 | 71        |
| 291 | Adjuvant therapy of breast cancer with or without additional treatment with alternate drugs. <i>Cancer</i> , 1988, 62, 2098-2104.   | 2.0 | 25        |
| 292 | Sequential multiagent chemotherapy incorporating cisplatin, doxorubicin, and cyclophosphamide in the treatment of metastatic breast cancer. <i>Cancer</i> , 1988, 62, 2105-2110.                            | 2.0 | 8         |
| 293 | Management of stage III primary breast cancer with primary chemotherapy, surgery, and radiation therapy. <i>Cancer</i> , 1988, 62, 2507-2516.   | 2.0 | 472       |
| 294 | Mitoxantrone, cyclophosphamide, and fluorouracil in metastatic breast cancer unresponsive to hormonal therapy. <i>Cancer</i> , 1987, 59, 1992-1999.   | 2.0 | 12        |
| 295 | Chemotherapy with mitoxantrone in combination with continuous infusion vinblastine for metastatic breast cancer. <i>Cancer</i> , 1987, 60, 1724-1728.   | 2.0 | 3         |
| 296 | Combined antiestrogen and cytotoxic therapy with pseudomonas vaccine immunotherapy for metastatic breast cancer a prospective, randomized trial. <i>Cancer</i> , 1987, 60, 2596-2604.                       | 2.0 | 15        |
| 297 | Trioxifene mesylate in the treatment of advanced breast cancer. <i>Cancer</i> , 1986, 57, 40-43.  | 2.0 | 22        |
| 298 | Clinical course of breast cancer patients with osseous metastasis treated with combination chemotherapy. <i>Cancer</i> , 1986, 58, 2589-2593.   | 2.0 | 120       |
| 299 | A comparative study of bisantrene given by two dose schedules in patients with metastatic breast cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 1986, 18, 157-61.                                    | 1.1 | 4         |
| 300 | Oral medroxyprogesterone acetate in the treatment of metastatic breast cancer. <i>Breast Cancer Research and Treatment</i> , 1985, 5, 321-326.  | 1.1 | 44        |
| 301 | Regulation of breast tumor growth by high dose estrogen is independent of the presence of estrogen receptors. <i>Breast Cancer Research and Treatment</i> , 1985, 6, 237-240.                               | 1.1 | 8         |
| 302 | A comparative randomized trial of vinca alkaloids in patients with metastatic breast carcinoma. <i>Cancer</i> , 1985, 55, 337-340.  | 2.0 | 44        |
| 303 | Improved survival of patients with metastatic breast cancer receiving combination chemotherapy. Comparison of consecutive series of patients in 1950s, 1960s, and 1970s. <i>Cancer</i> , 1985, 55, 341-346. | 2.0 | 84        |
| 304 | Five-day continuous-infusion vinblastine in the treatment of breast cancer. <i>Cancer</i> , 1985, 56, 225-229.  | 2.0 | 47        |
| 305 | A comparative study of PALA, PALA plus 5-FU, and 5-FU in advanced breast cancer. <i>Cancer</i> , 1985, 56, 1320-1324.   | 2.0 | 9         |
| 306 | Doxorubicin-induced congestive heart failure in adults. <i>Cancer</i> , 1985, 56, 1361-1365.  | 2.0 | 114       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 307 | Adjuvant chemotherapy with fluorouracil, doxorubicin, and cyclophosphamide, with or without Bacillus Calmette-Guerin and with or without irradiation in operable breast cancer a prospective randomized trial. <i>Cancer</i> , 1984, 53, 384-389. | 2.0 | 73        |
| 308 | Tumor-associated fever in breast cancer. <i>Cancer</i> , 1984, 53, 1596-1599.   | 2.0 | 13        |
| 309 | Combination chemotherapy of metastatic breast carcinoma with cyclophosphamide, adriamycin, and peptichemio. <i>Cancer</i> , 1984, 53, 1836-1840.  | 2.0 | 4         |
| 310 | Combination chemotherapy for metastatic breast cancer with fluorouracil, adriamycin, cyclophosphamide, and methotrexate. <i>Journal of Surgical Oncology</i> , 1984, 26, 205-207.   | 0.8 | 1         |
| 311 | Analysis of the Antitumor Agent Bay i 7433 (Copovithane) in Plasma and Urine by High Performance Liquid Chromatography. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1984, 7, 159-166.                                      | 0.9 | 1         |
| 312 | Response of metastatic breast cancer to tamoxifen withdrawal: Report of a case. <i>Journal of Surgical Oncology</i> , 1983, 22, 45-46.  | 0.8 | 27        |
| 313 | Spontaneous regression of breast carcinoma: Follow-up report and literature review. <i>Journal of Surgical Oncology</i> , 1982, 19, 22-24.  | 0.8 | 15        |
| 314 | Peptichemio versus melphalan (L-PAM) in advanced breast cancer. <i>Cancer</i> , 1982, 49, 1767-1770.  | 2.0 | 6         |
| 315 | Treatment for meningeal carcinomatosis in breast cancer. <i>Cancer</i> , 1982, 50, 219-222.   | 2.0 | 93        |
| 316 | Management of inflammatory carcinoma of breast with combined modality approachâ€”an update. <i>Cancer</i> , 1981, 47, 2537-2542.  | 2.0 | 72        |
| 317 | Management of breast cancer patients failing adjuvant chemotherapy with adriamycin-containing regimens. <i>Cancer</i> , 1981, 47, 2798-2802.  | 2.0 | 67        |
| 318 | Combination chemotherapy for breast cancer metastatic to bone marrow. <i>Cancer</i> , 1981, 48, 227-232.  | 2.0 | 10        |
| 319 | Response to hormonal therapy as a prognostic factor for metastatic breast cancer treated with combination chemotherapy. <i>Cancer</i> , 1980, 46, 438-445.  | 2.0 | 22        |
| 320 | Combined chemoimmunotherapy for advanced breast cancer.A comparison of BCG and levamisole. <i>Cancer</i> , 1979, 43, 1112-1122.   | 2.0 | 33        |
| 321 | Combination chemoimmunotherapy of metastatic breast cancer with 5-fluorouracil, adriamycin, cyclophosphamide, and BCG. <i>Cancer</i> , 1979, 43, 1225-1233.   | 2.0 | 61        |
| 322 | Bone marrow metastases without cortical bone involvement in breast cancer patients. <i>Cancer</i> , 1979, 44, 196-198.  | 2.0 | 23        |
| 323 | Combination chemotherapy with vincristine and methotrexate for advanced refractory breast cancer. <i>Cancer</i> , 1979, 44, 32-34.  | 2.0 | 7         |
| 324 | Ftorafur, adriamycin, cyclophosphamide and bcg in the treatment of metastatic breast cancer. <i>Cancer</i> , 1979, 44, 398-405.   | 2.0 | 19        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 325 | The natural history of breast cancer patients with brain metastases. <i>Cancer</i> , 1979, 44, 1913-1918.   | 2.0 | 279       |
| 326 | Combination chemoimmunotherapy of metastatic breast cancer with 5-fluorouracil, adriamycin, cyclophosphamide, and BCG. <i>Cancer</i> , 1979, 44, 1955-1962.             | 2.0 | 25        |
| 327 | Combined chemoimmunotherapy and radiation therapy of inflammatory breast carcinoma. <i>Journal of Surgical Oncology</i> , 1979, 11, 325-332.                            | 0.8 | 35        |
| 328 | Adjuvant chemoimmunotherapy following regional therapy for isolated recurrences of breast cancer (stage IV NED). <i>Journal of Surgical Oncology</i> , 1979, 12, 27-40. | 0.8 | 48        |
| 329 | Chemoimmunotherapy with or without oophorectomy in premenopausal patients with advanced breast cancer. <i>Journal of Surgical Oncology</i> , 1979, 12, 333-341.         | 0.8 | 2         |
| 330 | Intensive postoperative chemoimmunotherapy for patients with stage II and stage III breast cancer. <i>Cancer</i> , 1978, 41, 1064-1075.                                 | 2.0 | 65        |
| 331 | Adriamycin and 1-(2-Chlorethyl)-3-Cyclohexyl-1-Nitrosourea (CCNU) in the treatment of metastatic breast cancer. <i>Cancer</i> , 1978, 41, 1235-1239.                    | 2.0 | 16        |