François Beck

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4731952/publications.pdf

Version: 2024-02-01

147801 197818 3,023 83 31 49 citations h-index g-index papers 115 115 115 4395 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Use of the Internet as a Health Information Resource Among French Young Adults: Results From a Nationally Representative Survey. Journal of Medical Internet Research, 2014, 16, e128.	4.3	276
2	Covidâ \in 19 health crisis and lockdown associated with high level of sleep complaints and hypnotic uptake at the population level. Journal of Sleep Research, 2021, 30, e13119.	3.2	142
3	Beyond the U -curve: the relationship between sport and alcohol, cigarette and cannabis use in adolescents. Addiction, 2002, 97, 707-716.	3.3	112
4	Total Sleep Time Severely Drops during Adolescence. PLoS ONE, 2012, 7, e45204.	2.5	107
5	Computer use, sleep duration and health symptoms: a cross-sectional study of 15-year olds in three countries. International Journal of Public Health, 2014, 59, 619-628.	2.3	93
6	Attitudes toward vaccination and the H1N1 vaccine: Poor people's unfounded fears or legitimate concerns of the elite?. Social Science and Medicine, 2014, 109, 10-18.	3.8	85
7	Short sleep in young adults: Insomnia or sleep debt? Prevalence and clinical description of short sleep in a representative sample of 1004 young adults from France. Sleep Medicine, 2011, 12, 454-462.	1.6	78
8	Cigarettes and social differentiation in France: is tobacco use increasingly concentrated among the poor?. Addiction, 2009, 104, 1718-1728.	3.3	74
9	Smoking too few cigarettes to be at risk? Smokers' perceptions of risk and risk denial, a French survey. Tobacco Control, 2007, 16, 351-356.	3.2	67
10	Social gradient in initiation and transition to daily use of tobacco and cannabis during adolescence: a retrospective cohort study. Addiction, 2011, 106, 1520-1531.	3.3	62
11	The labour market, psychosocial outcomes and health conditions in cancer survivors: protocol for a nationwide longitudinal survey 2 and 5 years after cancer diagnosis (the VICAN survey). BMJ Open, 2015, 5, e005971-e005971.	1.9	61
12	Widening inequalities in smoking initiation and cessation patterns: A cohort and gender analysis in France. Drug and Alcohol Dependence, 2011, 117, 233-241.	3.2	57
13	The Influence of Socioeconomic Status on Cannabis Use Among French Adolescents. Journal of Adolescent Health, 2012, 50, 395-402.	2.5	55
14	To what extent is women's economic situation associated with cancer screening uptake when nationwide screening exists? A study of breast and cervical cancer screening in France in 2010. Cancer Causes and Control, 2014, 25, 977-983.	1.8	54
15	Suicidal ideation among young French adults: Association with occupation, family, sexual activity, personal background and drug use. Journal of Affective Disorders, 2010, 123, 108-115.	4.1	52
16	Gender differences in the associations of gambling activities and suicidal behaviors with problem gambling in a nationally representative French sample. Addictive Behaviors, 2015, 45, 45-50.	3.0	51
17	Poverty as a smoking trap. International Journal of Drug Policy, 2009, 20, 230-236.	3.3	49
18	Risk behaviors, suicidal ideation and suicide attempts in a nationally representative French sample. Journal of Affective Disorders, 2013, 151, 1059-1065.	4.1	49

#	Article	lF	Citations
19	The Risks of Sleeping "Too Much― Survey of a National Representative Sample of 24671 Adults (INPES)	Гј ЕТО <u>о 1</u>	1 0.784314 rgB
20	Prevalence and predictors of smoking in "smoke-free―bars. Findings from the International Tobacco Control (ITC) Europe Surveys. Social Science and Medicine, 2011, 72, 1643-1651.	3.8	45
21	The Gateway Hypothesis, Common Liability to Addictions or the Route of Administration Model? A Modelling Process Linking the Three Theories. European Addiction Research, 2016, 22, 107-117.	2.4	45
22	France's \tilde{A} ‰vin Law on the control of alcohol advertising: content, effectiveness and limitations. Addiction, 2017, 112, 86-93.	3.3	45
23	Electronic cigarette use in France in 2014. International Journal of Public Health, 2016, 61, 159-165.	2.3	42
24	Risk factors for suicide attempts and hospitalizations in a sample of 39,542 French adolescents. Journal of Affective Disorders, 2016, 190, 517-521.	4.1	38
25	Social Participation, Social Environment and Death Ideations in Later Life. PLoS ONE, 2012, 7, e46723.	2.5	38
26	Cigarette smoking as a stigma: Evidence from France. International Journal of Drug Policy, 2014, 25, 282-290.	3.3	37
27	Properties of the Cannabis Abuse Screening Test (CAST) in the general population. International Journal of Methods in Psychiatric Research, 2015, 24, 170-183.	2.1	36
28	Time perspective as a predictor of smoking status: findings from the International Tobacco Control (ITC) Surveys in Scotland, France, Germany, China, and Malaysia. BMC Public Health, 2013, 13, 346.	2.9	34
29	Psychological distress in French college students: demographic, economic and social stressors. Results from the 2010 National Health Barometer. BMC Public Health, 2014, 14, 256.	2.9	34
30	Smokers' risk perception, socioeconomic status and source of information on cancer. Addictive Behaviors, 2014, 39, 1304-1310.	3.0	34
31	Evaluating the Effectiveness of France's Indoor Smoke-Free Law 1 Year and 5 Years after Implementation: Findings from the ITC France Survey. PLoS ONE, 2013, 8, e66692.	2.5	32
32	Socioeconomic and country variations in cross-border cigarette purchasing as tobacco tax avoidance strategy. Findings from the ITC Europe Surveys. Tobacco Control, 2014, 23, i30-i38.	3.2	32
33	Effectiveness of the European Union text-only cigarette health warnings: findings from four countries. European Journal of Public Health, 2012, 22, 693-699.	0.3	31
34	L'alcool donne-t-il un genre�. Travail, Genre Et Societes, 2006, N° 15, 141-160.	0.2	30
35	Outdoor smoking behaviour and support for outdoor smoking restrictions before and after France's national smoking ban. European Journal of Public Health, 2012, 22, 29-34.	0.3	29
36	Associations between tobacco control policy awareness, social acceptability of smoking and smoking cessation. Findings from the International Tobacco Control (ITC) Europe Surveys. Health Education Research, 2014, 29, 72-82.	1.9	29

#	Article	lF	CITATIONS
37	Sleep Loss in the Homeless—An Additional Factor of Precariousness. JAMA Internal Medicine, 2017, 177, 278.	5.1	29
38	Does Computer Survey Technology Improve Reports on Alcohol and Illicit Drug Use in the General Population? A Comparison Between Two Surveys with Different Data Collection Modes In France. PLoS ONE, 2014, 9, e85810.	2.5	29
39	Influence of cannabis use trajectories, grade repetition and family background on the school-dropout rate at the age of 17 years in France. European Journal of Public Health, 2010, 20, 157-163.	0.3	28
40	Evolution of bicycle helmet use and its determinants in France: 2000–2010. Accident Analysis and Prevention, 2013, 60, 113-120.	5.7	28
41	Opposite social gradient for alcohol use and misuse among French adolescents. International Journal of Drug Policy, 2013, 24, 359-366.	3.3	28
42	Collaboration Between General Practitioners and Occupational Physicians. Journal of Occupational and Environmental Medicine, 2014, 56, 209-213.	1.7	25
43	Educational inequalities in smoking over the life cycle: an analysis by cohort and gender. International Journal of Public Health, 2016, 61, 101-109.	2.3	25
44	Working Conditions, Job Dissatisfaction and Smoking Behaviours Among French Clerks and Manual Workers. Journal of Occupational and Environmental Medicine, 2009, 51, 343-350.	1.7	20
45	Does e-cigarette experimentation increase the transition to daily smoking among young ever-smokers in France?. Drug and Alcohol Dependence, 2020, 208, 107853.	3.2	20
46	The prevalences of and perceived risks from drug use among teenagers in 33 European countries. Journal of Substance Use, 2009, 14, 189-196.	0.7	19
47	Understanding increases in smoking prevalence: case study from France in comparison with England 2000-10. Addiction, 2015, 110, 392-400.	3.3	19
48	Revisiting Factors Associated With Screen Time Media Use: A Structural Study Among School-Aged Adolescents. Journal of Physical Activity and Health, 2018, 15, 448-456.	2.0	19
49	Tobacco Smoking Surveillance: Is Quota Sampling an Efficient Tool for Monitoring National Trends? A Comparison with a Random Cross-Sectional Survey. PLoS ONE, 2013, 8, e78372.	2.5	18
50	Why do apprentices smoke much more than high school students? Understanding educational disparities in smoking with a Oaxaca-blinder decomposition analysis. BMC Public Health, 2020, 20, 924.	2.9	17
51	Correction of Body-Mass Index Using Body-Shape Perception and Socioeconomic Status in Adolescent Self-Report Surveys. PLoS ONE, 2014, 9, e96768.	2.5	17
52	Predictors of car smoking rules among smokers in France, Germany and the Netherlands. European Journal of Public Health, 2012, 22, 17-22.	0.3	16
53	Health Behaviors: Is There Any Distinction for Teachers? A Cross-Sectional Nationwide Study. PLoS ONE, 2015, 10, e0120040.	2.5	15
54	Gender and age disparities in the associations of occupational factors with alcohol abuse and smoking in the French working population. Revue D'Epidemiologie Et De Sante Publique, 2011, 59, 223-232.	0.5	14

#	Article	lF	Citations
55	Exposure to indoor tanning in France: a population based study. BMC Dermatology, 2013, 13, 6.	2.1	14
56	From cannabis initiation to daily use: educational inequalities in consumption behaviours over three generations in France. Addiction, 2016 , 111 , 1856 - 1866 .	3.3	14
57	Changing patterns of first injection across key periods of the French Harm Reduction Policy: PrimInject, a cross sectional analysis. Drug and Alcohol Dependence, 2013, 133, 254-261.	3.2	13
58	A Quantitative Exploration of Attitudes Out of Line with the Prevailing Norms Toward Alcohol, Tobacco, and Cannabis Use Among European Students. Substance Use and Misuse, 2014, 49, 877-890.	1.4	13
59	Gender differences in gambling preferences and problem gambling: a network-level analysis. International Gambling Studies, 0, , 1-14.	2.1	12
60	Association between cumulating substances use and cumulating several school, violence and mental health difficulties in early adolescents. Psychiatry Research, 2019, 280, 112480.	3.3	12
61	Relationships between substance initiation sequence and further substance use: A French nationwide retrospective study. Addictive Behaviors, 2016, 57, 1-5.	3.0	11
62	Experimenting first with eâ€eigarettes versus first with cigarettes and transition to daily cigarette use among adolescents: the crucial effect of age at first experiment. Addiction, 2021, 116, 1521-1531.	3.3	11
63	Cigarettes and Mobile Phones: are they complementary or substitutable products?. Drugs: Education, Prevention and Policy, 2002, 9, 339-343.	1.3	10
64	Aux abonnés absents : Liste rouge et téléphone portable dans les enquêtes en population générale les drogues. BMS Bulletin of Sociological Methodology/ Bulletin De Methodologie Sociologique, 2005, 86, 5-29.	sur 0.8	10
65	Heavy drinking and patterns of sociability at the end of adolescence: a French survey. International Journal of Adolescent Medicine and Health, 2006, 18, 159-69.	1.3	10
66	Predicting Teenage Beliefs Concerning the Harm Alcohol and Cannabis Use may do in Eight European Countries. Journal of Substance Use, 2009, 14, 364-374.	0.7	10
67	Effects of using an Overlapping Dual-Frame Design on Estimates of Health Behaviors: A French General Population Telephone Survey. Journal of Survey Statistics and Methodology, 2016, , smw028.	1.2	10
68	Mesurer l'implication des jeunes dans la violence. Déviance Et Société, 2013, Vol. 37, 89-115.	0.2	10
69	Santé mentale et usage de cannabis à la fin de l'adolescence. Medecine/Sciences, 2002, 18, 481-488.	0.2	7
70	Becoming a smoker: Adapting Becker's model of deviance for adolescent smoking. Health Sociology Review, 2007, 16, 53-67.	2.8	6
71	Smoking cessation interventions from health care providers before and after the national smoke-free law in France. European Journal of Public Health, 2012, 22, 23-28.	0.3	6
72	Factor associated with risky sexual behaviors among the French general population. Journal of Public Health, 2017, 39, 523-529.	1.8	6

#	Article	IF	Citations
73	Evaluation of the smoking ban in public places in France one year and five years after its implementation: Findings from the ITC France survey. Bulletin Epidemiologique Hebdomadaire, 2013, 20, 217-223.	0.0	6
74	More about sport and drugs use: context, competition and â€~integrative' drugs. Addiction, 2002, 97, 1609-1611.	3.3	4
75	Addictive behaviors and healthcare renunciation for economic reasons in a French population-based sample. International Journal of Drug Policy, 2017, 49, 1-7.	3.3	4
76	Jeunes femmes sous influence. Travail, Genre Et Societes, 2013, n° 29, 105-127.	0.2	4
77	Plus précoces et moins sanctionnés� Usages des statistiques dans les discours sur les jeunes face aux drogues. Mots: Les Langages Du Politique, 2012, , 137-152.	0.2	2
78	Increasing Coverage Rates for Mammographic Screening in France in Older Women–16â€fYears of Follow-Up. Breast Journal, 2011, 17, 686-688.	1.0	1
79	Le cannabis en France. Totem ou tabou�. Esprit, 2017, Février, 72-84.	0.0	1
80	Fumes-tu encore? Quitting among French and American smokers: 2000–2010. Annals of Epidemiology, 2019, 34, 26-32.	1.9	1
81	Typology of substance use in a nationally representative sample of French adolescents. Addiction Research and Theory, 0 , 0 , 1 -13.	1.9	1
82	How to reduce biases coming from a before and after design: the impact of the 2007–08 French smoking ban policy. European Journal of Public Health, 2019, 29, 372-377.	0.3	0
83	Retour sur 20Âans de quantification des usages de drogues chez les adolescents. Psychotropes (discontinued), 2021, Vol. 27, 65-86.	0.1	0