

Gerard Morton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4742757/publications.pdf>

Version: 2024-02-01

125
papers

3,772
citations

136950

32
h-index

133252

59
g-index

125
all docs

125
docs citations

125
times ranked

3016
citing authors

#	ARTICLE	IF	CITATIONS
1	Androgen Suppression Combined with Elective Nodal and Dose Escalated Radiation Therapy (the IJ EIQq1 1 0.784314 r9B1 7Overlo a Low-Dose-Rate Brachytherapy Boost to a Dose-Escalated External Beam Boost for High- and Intermediate-risk Prostate Cancer. International Journal of Radiation Oncology Biology Physics, 2017, 98, 275-285.	0.8	606
2	American Brachytherapy Society consensus guidelines for high-dose-rate prostate brachytherapy. Brachytherapy, 2012, 11, 20-32.	0.5	257
3	ASCENDE-RT: An Analysis of Treatment-Related Morbidity for a Randomized Trial Comparing a Low-Dose-Rate Brachytherapy Boost with a Dose-Escalated External Beam Boost for High- and Intermediate-Risk Prostate Cancer. International Journal of Radiation Oncology Biology Physics, 2017, 98, 286-295.	0.8	250
4	Effect of Standard vs Dose-Escalated Radiation Therapy for Patients With Intermediate-Risk Prostate Cancer. JAMA Oncology, 2018, 4, e180039.	7.1	238
5	PREVALENCE AND PATTERNS OF THE USE OF COMPLEMENTARY THERAPIES AMONG PROSTATE CANCER PATIENTS: AN EPIDEMIOLOGICAL ANALYSIS. Journal of Urology, 1999, 161, 1521-1524.	0.4	123
6	Target position variability throughout prostate radiotherapy. International Journal of Radiation Oncology Biology Physics, 1998, 42, 1155-1161.	0.8	122
7	Prostate high dose-rate brachytherapy as monotherapy for low and intermediate risk prostate cancer: Efficacy results from a randomized phase II clinical trial of one fraction of 19 Gy or two fractions of 13.5 Gy. Radiotherapy and Oncology, 2020, 146, 90-96.	0.6	92
8	Is single fraction 15Gy the preferred high dose-rate brachytherapy boost dose for prostate cancer?. Radiotherapy and Oncology, 2011, 100, 463-467.	0.6	84
9	Long-term outcome of postorchietomy surveillance for Stage I testicular seminoma. International Journal of Radiation Oncology Biology Physics, 2005, 61, 736-740.	0.8	83
10	Individualized planning target volumes for intrafraction motion during hypofractionated intensity-modulated radiotherapy boost for prostate cancer. International Journal of Radiation Oncology Biology Physics, 2005, 62, 418-425.	0.8	77
11	Prostate high dose-rate brachytherapy as monotherapy for low and intermediate risk prostate cancer: Early toxicity and quality-of life results from a randomized phase II clinical trial of one fraction of 19Gy or two fractions of 13.5Gy. Radiotherapy and Oncology, 2017, 122, 87-92.	0.6	75
12	Positive resection margin and/or pathologic T3 adenocarcinoma of prostate with undetectable postoperative prostate-specific antigen after radical prostatectomy: to irradiate or not?. International Journal of Radiation Oncology Biology Physics, 2002, 52, 674-680.	0.8	63
13	(IN)-efficacy of salvage radiotherapy for rising PSA or clinically isolated local recurrence after radical prostatectomy. International Journal of Radiation Oncology Biology Physics, 2002, 53, 269-276.	0.8	58
14	Late toxicity and biochemical recurrence after external-beam radiotherapy combined with permanent-source prostate brachytherapy. Cancer, 2007, 109, 1506-1512.	4.1	56
15	A Prospective Phase 2 Trial of Transperineal Ultrasound-Guided Brachytherapy for Locally Recurrent Prostate Cancer After External Beam Radiation Therapy (NRG Oncology/RTOG-0526). International Journal of Radiation Oncology Biology Physics, 2019, 103, 335-343.	0.8	56
16	Long-Term Results of a Phase II Trial of Ultrasound-Guided Radioactive Implantation of the Prostate for Definitive Management of Localized Adenocarcinoma of the Prostate (RTOG 98-05). International Journal of Radiation Oncology Biology Physics, 2011, 81, 1-7.	0.8	54
17	Focal Salvage High Dose-Rate Brachytherapy for Locally Recurrent Prostate Cancer After Primary Radiation Therapy Failure: Results From a Prospective Clinical Trial. International Journal of Radiation Oncology Biology Physics, 2018, 102, 561-567.	0.8	54
18	Pathological Predictors for Site of Local Recurrence After Radiotherapy for Prostate Cancer. International Journal of Radiation Oncology Biology Physics, 2012, 82, e441-e448.	0.8	52

#	ARTICLE	IF	CITATIONS
19	Evaluation of a Machine-Learning Algorithm for Treatment Planning in Prostate Low-Dose-Rate Brachytherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017, 97, 822-829.	0.8	50
20	ASCENDE-RT*: A multicenter, randomized trial of dose-escalated external beam radiation therapy (EBRT-B) versus low-dose-rate brachytherapy (LDR-B) for men with unfavorable-risk localized prostate cancer.. <i>Journal of Clinical Oncology</i> , 2015, 33, 3-3.	1.6	50
21	High dose-rate brachytherapy boost for intermediate risk prostate cancer: Long-term outcomes of two different treatment schedules and early biochemical predictors of success. <i>Radiotherapy and Oncology</i> , 2015, 115, 84-89.	0.6	49
22	Fulminant hepatic failure associated with bicalutamide. <i>Urology</i> , 1997, 49, 283-284.	1.0	47
23	Results of a phase II trial of transrectal ultrasound-guided permanent radioactive implantation of the prostate for definitive management of localized adenocarcinoma of the prostate (Radiation Therapy) Tj ETQq1 1 0.784314 rgBT /Overlo	0.8	46
24	Hypofractionated Concomitant Intensity-Modulated Radiotherapy Boost for High-Risk Prostate Cancer: Late Toxicity. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 82, 898-905.	0.8	46
25	A Prospective Study of 18F-DCFPyL PSMA PET/CT Restaging in Recurrent Prostate Cancer following Primary External Beam Radiotherapy or Brachytherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020, 106, 546-555.	0.8	42
26	MR-guided Prostate Biopsy for Planning of Focal Salvage after Radiation Therapy. <i>Radiology</i> , 2015, 274, 181-191.	7.3	40
27	A phase II study of external beam radiotherapy combined with permanent source brachytherapy for intermediate-risk, clinically localized adenocarcinoma of the prostate: Preliminary results of RTOG P-0019. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006, 64, 804-809.	0.8	37
28	Testosterone Recovery After Prolonged Androgen Suppression in Patients With Prostate Cancer. <i>Journal of Urology</i> , 2008, 180, 1438-1444.	0.4	36
29	Efficacy of Salvage Radiotherapy Plus 2-Year Androgen Suppression for Postradical Prostatectomy Patients With PSA Relapse. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009, 75, 983-989.	0.8	36
30	Hypofractionated Accelerated Radiotherapy Using Concomitant Intensity-Modulated Radiotherapy Boost Technique for Localized High-Risk Prostate Cancer: Acute Toxicity Results. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008, 72, 85-92.	0.8	34
31	Pattern of relapse and dose received by the recurrent intraprostatic nodule in low- to intermediate-risk prostate cancer treated with single fraction 19ÂGy high-dose-rate brachytherapy. <i>Brachytherapy</i> , 2018, 17, 291-297.	0.5	34
32	Prospective Assessment of Gastrointestinal and Genitourinary Toxicity of Salvage Radiotherapy for Patients With Prostate-Specific Antigen Relapse or Local Recurrence After Radical Prostatectomy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008, 72, 792-798.	0.8	32
33	Patient costs associated with external beam radiotherapy treatment for localized prostate cancer: the benefits of hypofractionated over conventionally fractionated radiotherapy. <i>Canadian Journal of Urology</i> , 2012, 19, 6165-9.	0.0	27
34	Comparative study of dosimetry between high-dose-rate and permanent prostate implant brachytherapies in patients with prostate adenocarcinoma. <i>Brachytherapy</i> , 2006, 5, 251-255.	0.5	25
35	Urodynamic changes at 18 months post-therapy in patients treated with external beam radiotherapy for prostate carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2002, 53, 290-296.	0.8	24
36	MRI-based automated detection of implanted low dose rate (LDR) brachytherapy seeds using quantitative susceptibility mapping (QSM) and unsupervised machine learning (ML). <i>Radiotherapy and Oncology</i> , 2018, 129, 540-547.	0.6	24

#	ARTICLE	IF	CITATIONS
37	MRI assisted focal boost integrated with HDR monotherapy study in low and intermediate risk prostate cancer (MARS): Results from a phase II clinical trial. <i>Radiotherapy and Oncology</i> , 2019, 141, 144-148.	0.6	24
38	Prospective survey of sexual function among patients with clinically localized prostate cancer referred for definitive radiotherapy and the impact of radiotherapy on sexual function. <i>Supportive Care in Cancer</i> , 2010, 18, 715-722.	2.2	23
39	Conventional vs machine learning-based treatment planning in prostate brachytherapy: Results of a Phase I randomized controlled trial. <i>Brachytherapy</i> , 2020, 19, 470-476.	0.5	23
40	Developing and Evaluating Multimedia Patient Education Tools to Better Prepare Prostate-Cancer Patients for Radiotherapy Treatment (Randomized Study). <i>Journal of Cancer Education</i> , 2018, 33, 551-556.	1.3	22
41	A Phase 2 Randomized Pilot Study Comparing High-Dose-Rate Brachytherapy and Low-Dose-Rate Brachytherapy as Monotherapy in Localized Prostate Cancer. <i>Advances in Radiation Oncology</i> , 2019, 4, 631-640.	1.2	21
42	Clinical evaluation of an MRI-to-ultrasound deformable image registration algorithm for prostate brachytherapy. <i>Brachytherapy</i> , 2019, 18, 95-102.	0.5	21
43	Evaluating the Tolerability of a Simultaneous Focal Boost to the Gross Tumor in Prostate SABR: A Toxicity and Quality-of-Life Comparison of Two Prospective Trials. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020, 107, 136-142.	0.8	21
44	Salvage Low-Dose-Rate Prostate Brachytherapy: Clinical Outcomes of a Phase 2 Trial for Local Recurrence after External Beam Radiation Therapy (NRG Oncology/RTOG 0526). <i>International Journal of Radiation Oncology Biology Physics</i> , 2022, 112, 1115-1122.	0.8	21
45	Effect of combined treatment with salvage radiotherapy plus androgen suppression on quality of life in patients with recurrent prostate cancer after radical prostatectomy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006, 65, 78-83.	0.8	20
46	Canadian Prostate Brachytherapy in 2012. <i>Canadian Urological Association Journal</i> , 2013, 7, 51.	0.6	19
47	A randomized trial of 79.2Gy versus 70.2Gy radiation therapy (RT) for localized prostate cancer.. <i>Journal of Clinical Oncology</i> , 2015, 33, 4-4.	1.6	19
48	A descriptive analysis of postimplant dosimetric parameters from Radiation Therapy Oncology Group P0019. <i>Brachytherapy</i> , 2006, 5, 239-243.	0.5	18
49	Salvage radiotherapy following biochemical relapse after radical prostatectomy: proceedings of the Genito-Urinary Radiation Oncologists of Canada consensus meeting. <i>Canadian Urological Association Journal</i> , 2013, 2, 500.	0.6	17
50	A comparative study of quality of life in patients with localized prostate cancer treated at a single institution: Stereotactic ablative radiotherapy or external beam+high dose rate brachytherapy boost. <i>Radiotherapy and Oncology</i> , 2014, 113, 404-409.	0.6	17
51	Effect of androgen suppression on hemoglobin in prostate cancer patients undergoing salvage radiotherapy plus 2-year buserelin acetate for rising PSA after surgery. <i>International Journal of Radiation Oncology Biology Physics</i> , 2005, 62, 719-724.	0.8	16
52	Limited efficacy of salvage radiotherapy for biopsy confirmed or clinically palpable local recurrence of prostate carcinoma after surgery. <i>Radiotherapy and Oncology</i> , 2005, 74, 163-167.	0.6	16
53	Prospective Study Evaluating Postoperative Radiotherapy Plus 2-Year Androgen Suppression for Post-Radical Prostatectomy Patients With Pathologic T3 Disease and/or Positive Surgical Margins. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009, 75, 407-412.	0.8	16
54	Analysis of Gastrointestinal and Genitourinary Morbidity of Postoperative Radiotherapy for Pathologic T3 Disease or Positive Surgical Margins After Radical Prostatectomy Using National Cancer Institute Expanded Common Toxicity Criteria. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008, 72, 989-995.	0.8	15

#	ARTICLE	IF	CITATIONS
55	Is prostate brachytherapy a dying art? Trends and variation in the definitive management of prostate cancer in Ontario, Canada. <i>Radiotherapy and Oncology</i> , 2020, 152, 42-48.	0.6	15
56	Single-fraction HDR brachytherapy as monotherapy in low and intermediate risk prostate cancer: Outcomes from two clinical trials with and without an MRI-guided boost. <i>Radiotherapy and Oncology</i> , 2021, 154, 29-35.	0.6	15
57	Quality of Life After Hypofractionated Concomitant Intensity-Modulated Radiotherapy Boost for High-Risk Prostate Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 83, 617-623.	0.8	14
58	The clinical significance of persistent cancer cells on prostate biopsy after high-dose-rate brachytherapy boost for intermediate-risk prostate cancer. <i>Brachytherapy</i> , 2015, 14, 309-314.	0.5	14
59	Brachytherapy education and certification—A Canadian approach. <i>Brachytherapy</i> , 2020, 19, 857-860.	0.5	14
60	Quantitative Ultrasound Spectroscopic Imaging for Characterization of Disease Extent in Prostate Cancer Patients. <i>Translational Oncology</i> , 2015, 8, 25-34.	3.7	13
61	Optimized penile surface mold brachytherapy using latest stereolithography techniques: A single-institution experience. <i>Brachytherapy</i> , 2019, 18, 348-352.	0.5	13
62	Postimplant Dosimetry of Permanent Prostate Brachytherapy: Comparison of MRI-Only and CT-MRI Fusion-Based Workflows. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020, 106, 206-215.	0.8	13
63	The effect of selection and referral biases for the treatment of localised prostate cancer with surgery or radiation. <i>British Journal of Cancer</i> , 2018, 118, 1399-1405.	6.4	12
64	Prostate high dose-rate brachytherapy as monotherapy for prostate cancer: Late toxicity and patient reported outcomes from a randomized phase II clinical trial. <i>Radiotherapy and Oncology</i> , 2021, 156, 160-165.	0.6	12
65	Prospective Evaluation of Quality of Life in Prostate Cancer Patients Receiving Combined Treatment of Postoperative Radiotherapy Plus Androgen Suppression for PT3 or Positive Resection Margin after Radical Prostatectomy. <i>European Urology</i> , 2007, 52, 1645-1652.	1.9	11
66	The best method for dose escalation: Prostate brachytherapy. <i>Canadian Urological Association Journal</i> , 2012, 6, 196-198.	0.6	10
67	PSA outcomes and late toxicity of single-fraction HDR brachytherapy and LDR brachytherapy as monotherapy in localized prostate cancer: A phase 2 randomized pilot study. <i>Brachytherapy</i> , 2021, 20, 1090-1098.	0.5	10
68	Diagnosis, referral, and primary treatment decisions in newly diagnosed prostate cancer patients in a multidisciplinary diagnostic assessment program. <i>Canadian Urological Association Journal</i> , 2016, 10, 120.	0.6	10
69	High-dose-rate prostate brachytherapy in a patient with bilateral hip prostheses planned using megavoltage computed tomography images acquired with a helical tomotherapy unit. <i>Brachytherapy</i> , 2009, 8, 70-73.	0.5	9
70	Stereotactic Body Radiation Therapy Boost for Intermediate-Risk Prostate Cancer: A Phase 1 Dose-Escalation Study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019, 104, 1066-1073.	0.8	9
71	Sensitivity of clinically relevant dosimetric parameters to contouring uncertainty in postimplant dosimetry of low-dose-rate prostate permanent seed brachytherapy. <i>Brachytherapy</i> , 2016, 15, 774-779.	0.5	8
72	5-Year Outcomes of a Prospective Phase 1/2 Study of Accelerated Hypofractionated Radiation Therapy to the Prostate Bed. <i>Practical Radiation Oncology</i> , 2019, 9, 354-361.	2.1	8

#	ARTICLE	IF	CITATIONS
73	Elective nodal ultra hypofractionated radiation for prostate cancer: Safety and efficacy from four prospective clinical trials. <i>Radiotherapy and Oncology</i> , 2021, 163, 159-164.	0.6	8
74	Two-fraction stereotactic ablative radiotherapy (SABR) versus two-fraction high dose rate (HDR) brachytherapy for localized prostate cancer: Does dose heterogeneity matter?. <i>Radiotherapy and Oncology</i> , 2022, 169, 51-56.	0.6	8
75	Feasibility of an MRI-only workflow for postimplant dosimetry of low-dose-rate prostate brachytherapy: Transition from phantoms to patients. <i>Brachytherapy</i> , 2019, 18, 863-874.	0.5	7
76	Utilization of Salvage and Systemic Therapies for Recurrent Prostate Cancer as a Result of 18F-DCFPyL PET/CT Restaging. <i>Advances in Radiation Oncology</i> , 2021, 6, 100553.	1.2	7
77	Elective pelvic nodal irradiation with a simultaneous hypofractionated integrated prostate boost for localized high risk prostate cancer: Long term results from a prospective clinical trial. <i>Radiotherapy and Oncology</i> , 2021, 163, 21-31.	0.6	7
78	Defining radio-recurrent intra-prostatic target volumes using PSMA-targeted PET/CT and multi-parametric MRI. <i>Clinical and Translational Radiation Oncology</i> , 2022, 32, 41-47.	1.7	7
79	Stereotactic pelvic radiotherapy with HDR boost for dose escalation in intermediate and high-risk prostate cancer (SPARE): Efficacy, toxicity and quality of life. <i>Radiotherapy and Oncology</i> , 2021, 161, 40-46.	0.6	6
80	Contemporary management of prostate cancer: a practice survey of Ontario genitourinary radiation oncologists. <i>Radiotherapy and Oncology</i> , 2003, 69, 63-72.	0.6	5
81	Radiation treatment of bladder squamous cell carcinoma in a patient with spina bifida: A case report. <i>Canadian Urological Association Journal</i> , 2012, 6, E125-E128.	0.6	5
82	Changes in ADC and T2-weighted MRI-derived radiomic features in patients treated with focal salvage HDR prostate brachytherapy for local recurrence after previous external-beam radiotherapy. <i>Brachytherapy</i> , 2019, 18, 567-573.	0.5	5
83	Estimating acute urinary retention risk post prostate high dose-rate (HDR) brachytherapy: A clinical-based recursive partitioning analysis. <i>Radiotherapy and Oncology</i> , 2021, 154, 118-122.	0.6	5
84	Quality assurance methods for the first Radiation Therapy Oncology Group permanent prostate implant protocol. <i>Brachytherapy</i> , 2006, 5, 152-156.	0.5	4
85	Long-term results of a study using individualized planning target volumes for hypofractionated intensity-modulated radiotherapy boost for prostate cancer. <i>Radiation Oncology</i> , 2015, 10, 95.	2.7	4
86	Evaluation of an Automated Deformable Registration Algorithm for MRI-Guided Focal Boost Integrated with Ultrasound-Based High-Dose Rate Brachytherapy in the Treatment of Prostate Cancer. <i>Brachytherapy</i> , 2016, 15, S36-S37.	0.5	4
87	Adjuvant Versus Salvage Radiotherapy for Patients With Adverse Pathological Findings Following Radical Prostatectomy: A Decision Analysis. <i>MDM Policy and Practice</i> , 2017, 2, 238146831770947.	0.9	4
88	Does ADT benefit unfavourable intermediate risk prostate cancer patients treated with brachytherapy boost and external beam radiotherapy? A propensity-score matched analysis. <i>Radiotherapy and Oncology</i> , 2020, 150, 195-200.	0.6	4
89	Radiation Oncologist Consultations Prior to Radical Prostatectomy: Disparities and Opportunities. <i>Journal of Urology</i> , 2022, 207, 118-126.	0.4	4
90	Quality of life (QOL) and acute toxicities of a pilot study of focal salvage high-dose rate (HDR) prostate brachytherapy in patients with local recurrence after definitive external-beam radiotherapy (XRT).. <i>Journal of Clinical Oncology</i> , 2015, 33, 79-79.	1.6	4

#	ARTICLE	IF	CITATIONS
91	Gantry-Based 5-Fraction Elective Nodal Irradiation in Unfavorable-Risk Prostate Cancer: Outcomes From 2 Prospective Studies Comparing SABR Boost With MR Dose-Painted HDR Brachytherapy Boost. <i>International Journal of Radiation Oncology Biology Physics</i> , 2022, 112, 735-743.	0.8	4
92	Role of radiotherapy in the treatment of cancer of the ovary. <i>Journal of Surgical Oncology</i> , 1994, 10, 305-312.	1.4	3
93	A prospective study on pain score with transperineal prostatic gold seed fiducial implantation under local anesthetic alone. <i>Canadian Urological Association Journal</i> , 2013, 7, e202-6.	0.6	3
94	Dosimetric impact of inter-observer catheter reconstruction variability in ultrasound-based high-dose-rate prostate brachytherapy. <i>Brachytherapy</i> , 2018, 17, 306-312.	0.5	3
95	Efficacy Results of a Randomized Trial of Prostate HDR Monotherapy in Either One or Two Fractions for Low and Intermediate Risk Disease. <i>Brachytherapy</i> , 2019, 18, S52-S53.	0.5	3
96	Dosimetric evaluation of MRI-to-ultrasound automated image registration algorithms for prostate brachytherapy. <i>Brachytherapy</i> , 2020, 19, 599-606.	0.5	3
97	Multipurpose ultrasound-based prostate phantom for use in interstitial brachytherapy. <i>Brachytherapy</i> , 2021, 20, 1139-1145.	0.5	3
98	The American Brachytherapy Society and the American Radium Society Appropriate Use Criteria Genitourinary Committee Endorse the American Society of Clinical Oncology/Cancer Care Ontario Guidelines. <i>Journal of Clinical Oncology</i> , 2018, 36, 3342-3344.	1.6	2
99	Radiation Oncology Fellowship: a Value-Based Assessment Among Graduates of a Mature Program. <i>Journal of Cancer Education</i> , 2020, 36, 1295-1305.	1.3	2
100	Low dose rate brachytherapy vs standard external beam radiotherapy vs stereotactic body radiotherapy for low risk prostate cancer: A cost-utility analysis.. <i>Journal of Clinical Oncology</i> , 2016, 34, 6628-6628.	1.6	2
101	Single fraction radiotherapy versus multiple fraction radiotherapy for bone metastases in prostate cancer patients: comparative effectiveness. <i>Cancer Management and Research</i> , 2014, 6, 451.	1.9	1
102	Personal prostate-specific antigen screening and treatment choices for localized prostate cancer among expert physicians. <i>Canadian Urological Association Journal</i> , 2017, 12, E59-63.	0.6	1
103	Is prostate brachytherapy a dying art? Evidence of increasing utilization in Ontario, Canada.. <i>Journal of Clinical Oncology</i> , 2020, 38, e17608-e17608.	1.6	1
104	Stereotactic pelvic radiotherapy with HDR boost for dose escalation in intermediate and high-risk prostate cancer (SPARE): Efficacy, survival, and late toxicity outcomes.. <i>Journal of Clinical Oncology</i> , 2020, 38, 328-328.	1.6	1
105	A prospective study on pain score with transperineal prostatic gold seed fiducial implantation under local anesthetic alone. <i>Canadian Urological Association Journal</i> , 2013, 7, 1-5.	0.6	1
106	Biochemical, pathologic, toxicity, and quality-of-life outcomes in a five-fraction hypofractionated accelerated radiotherapy treatment using standard linear accelerators and gold seed fiducials.. <i>Journal of Clinical Oncology</i> , 2012, 30, 186-186.	1.6	1
107	Stereotactic radiotherapy +/- HDR boost for unfavorable-risk prostate cancer: Comparison of efficacy, survival, and late toxicity outcomes.. <i>Journal of Clinical Oncology</i> , 2020, 38, 372-372.	1.6	1
108	A comparative study of patient-reported outcomes after contemporary radiation techniques for prostate cancer. <i>Radiotherapy and Oncology</i> , 2022, 171, 164-172.	0.6	1

#	ARTICLE	IF	CITATIONS
109	The best method for dose escalation: Prostate brachytherapy. Canadian Urological Association Journal, 2013, 6, 196-8.	0.6	0
110	Radiation oncologist consultations prior to prostatectomy in Ontario, Canada: Disparities and opportunities.. Journal of Clinical Oncology, 2021, 39, e17052-e17052.	1.6	0
111	High Dose Rate Prostate Brachytherapy. Practical Guides in Radiation Oncology, 2021, , 127-151.	0.1	0
112	Comparison of acute toxicity in patients treated with a 4-field box or IMRT to deliver elective pelvic nodal irradiation for localized high-risk prostate cancer.. Journal of Clinical Oncology, 2012, 30, 69-69.	1.6	0
113	Three-dimensional ultrasound-based spectroscopic imaging for the detection of prostate cancer.. Journal of Clinical Oncology, 2012, 30, 234-234.	1.6	0
114	How does stereotactic body radiotherapy compare to standard external beam radiotherapy or low-dose rate brachytherapy for low-risk prostate cancer?. Journal of Clinical Oncology, 2013, 31, e16070-e16070.	1.6	0
115	Pilot study of focal salvage high-dose rate (HDR) prostate brachytherapy in patients with local recurrence after definitive external-beam radiotherapy (XRT).. Journal of Clinical Oncology, 2014, 32, 264-264.	1.6	0
116	Comparison of active surveillance with other treatment options for low-risk prostate cancer.. Journal of Clinical Oncology, 2015, 33, 178-178.	1.6	0
117	Early toxicity in a randomized trial of high dose-rate (HDR) brachytherapy as monotherapy for low- and intermediate-risk prostate cancer.. Journal of Clinical Oncology, 2016, 34, 44-44.	1.6	0
118	MRI response to focal salvage HDR prostate brachytherapy for locally recurrent prostate cancer after external-beam radiotherapy.. Journal of Clinical Oncology, 2016, 34, e631-e631.	1.6	0
119	Three year results of a prospective study on focal salvage HDR prostate brachytherapy for local recurrence after external beam radiotherapy (XRT).. Journal of Clinical Oncology, 2017, 35, e558-e558.	1.6	0
120	Early toxicity in a prospective phase I/II trial of MRI-assisted focal boost integrated with HDR monotherapy for low- and intermediate-risk prostate cancer.. Journal of Clinical Oncology, 2017, 35, 120-120.	1.6	0
121	Hypofractionated, accelerated radiotherapy to the prostate bed: Five-year outcomes of a prospective phase I/II study.. Journal of Clinical Oncology, 2019, 37, 7-7.	1.6	0
122	Evaluating the tolerability of a simultaneous focal boost to the gross tumor in prostate SABR: A toxicity and quality-of-life comparison of two prospective trials.. Journal of Clinical Oncology, 2020, 38, 319-319.	1.6	0
123	Metastatic progression following multimodal therapy for unfavorable-risk prostate cancer. Canadian Urological Association Journal, 2021, 16, .	0.6	0
124	Success of targeted transperineal biopsy in patients on surveillance for grade group 1 prostate cancer. Canadian Urological Association Journal, 2022, 16, .	0.6	0
125	Can a FLAME forge a stronger SABRe? Letâ€™s await the evidence for focal boost with Stereotactic Ablative Radiotherapy. Radiotherapy and Oncology, 2022, , .	0.6	0