

Claudia R L Cardoso

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4745658/publications.pdf>

Version: 2024-02-01

59
papers

2,424
citations

279798

23
h-index

206112

48
g-index

59
all docs

59
docs citations

59
times ranked

3708
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence and associated factors of non-alcoholic fatty liver disease in patients with type 2 diabetes mellitus. <i>Liver International</i> , 2009, 29, 113-119.	3.9	427
2	Prognostic Effect of the Nocturnal Blood Pressure Fall in Hypertensive Patients. <i>Hypertension</i> , 2016, 67, 693-700.	2.7	399
3	Histopathological stages of nonalcoholic fatty liver disease in type 2 diabetes: prevalences and correlated factors. <i>Liver International</i> , 2011, 31, 700-706.	3.9	151
4	Effects of Continuous Positive Airway Pressure Treatment on Clinic and Ambulatory Blood Pressures in Patients With Obstructive Sleep Apnea and Resistant Hypertension. <i>Hypertension</i> , 2015, 65, 736-742.	2.7	126
5	Prognostic Impact of Aortic Stiffness in High-Risk Type 2 Diabetic Patients. <i>Diabetes Care</i> , 2013, 36, 3772-3778.	8.6	93
6	Non-alcoholic fatty liver disease and diabetes: From physiopathological interplay to diagnosis and treatment. <i>World Journal of Gastroenterology</i> , 2014, 20, 8377.	3.3	76
7	Prognostic value of QT interval parameters in type 2 diabetes mellitus. <i>Journal of Diabetes and Its Complications</i> , 2003, 17, 169-178.	2.3	70
8	Microvascular degenerative complications are associated with increased aortic stiffness in type 2 diabetic patients. <i>Atherosclerosis</i> , 2009, 205, 472-476.	0.8	67
9	Mortality and Predictors of Mortality in a Cohort of Brazilian Type 2 Diabetic Patients. <i>Diabetes Care</i> , 2004, 27, 1299-1305.	8.6	51
10	Correlates of Aortic Stiffness Progression in Patients With Type 2 Diabetes: Importance of Glycemic Control. <i>Diabetes Care</i> , 2015, 38, 897-904.	8.6	51
11	Predictors of Development and Progression of Retinopathy in Patients with Type 2 Diabetes: Importance of Blood Pressure Parameters. <i>Scientific Reports</i> , 2017, 7, 4867.	3.3	50
12	Treatment Adherence and Its Associated Factors in Patients with Type 2 Diabetes: Results from the Rio de Janeiro Type 2 Diabetes Cohort Study. <i>Journal of Diabetes Research</i> , 2018, 2018, 1-8.	2.3	46
13	QTc Interval Prolongation Is a Predictor of Future Strokes in Patients With Type 2 Diabetes Mellitus. <i>Stroke</i> , 2003, 34, 2187-2194.	2.0	44
14	Increased aortic stiffness predicts future development and progression of peripheral neuropathy in patients with type 2 diabetes: the Rio de Janeiro Type 2 Diabetes Cohort Study. <i>Diabetologia</i> , 2015, 58, 2161-2168.	6.3	42
15	Aortic Stiffness as a Surrogate Endpoint to Micro- and Macrovascular Complications in Patients with Type 2 Diabetes. <i>International Journal of Molecular Sciences</i> , 2016, 17, 2044.	4.1	41
16	Pattern of 24-Hour Ambulatory Blood Pressure Monitoring in Type 2 Diabetic Patients with Cardiovascular Dysautonomy. <i>Hypertension Research</i> , 2008, 31, 865-872.	2.7	38
17	Prognostic impact of clinic and ambulatory blood pressure components in high-risk type 2 diabetic patients. <i>Journal of Hypertension</i> , 2013, 31, 2176-2186.	0.5	37
18	Prognostic impact of carotid intima-media thickness and carotid plaques on the development of micro- and macrovascular complications in individuals with type 2 diabetes: the Rio de Janeiro type 2 diabetes cohort study. <i>Cardiovascular Diabetology</i> , 2019, 18, 2.	6.8	37

#	ARTICLE	IF	CITATIONS
19	NAFLD and Increased Aortic Stiffness: Parallel or Common Physiopathological Mechanisms?. International Journal of Molecular Sciences, 2016, 17, 460.	4.1	33
20	Predictors of development and progression of microvascular complications in a cohort of Brazilian type 2 diabetic patients. Journal of Diabetes and Its Complications, 2008, 22, 164-170.	2.3	32
21	Factors associated with carotid intima-media thickness and carotid plaques in type 2 diabetic patients. Journal of Hypertension, 2012, 30, 940-947.	0.5	28
22	Aortic stiffness and ambulatory blood pressure as predictors of diabetic kidney disease: a competing risks analysis from the Rio de Janeiro Type 2 Diabetes Cohort Study. Diabetologia, 2018, 61, 455-465.	6.3	26
23	Efficacy of diacerein in reducing liver steatosis and fibrosis in patients with type 2 diabetes and nonalcoholic fatty liver disease: A randomized, placebo-controlled trial. Diabetes, Obesity and Metabolism, 2019, 21, 1266-1270.	4.4	25
24	Efficacy and Safety of Diacerein in Patients With Inadequately Controlled Type 2 Diabetes: A Randomized Controlled Trial. Diabetes Care, 2017, 40, 1356-1363.	8.6	24
25	Prevalence and factors associated with dyslipoproteinemias in Brazilian systemic lupus erythematosus patients. Rheumatology International, 2008, 28, 323-327.	3.0	22
26	Prognostic importance of baseline and serial glycated hemoglobin levels in high-risk patients with type 2 diabetes: the Rio de Janeiro Type 2 Diabetes Cohort Study. Acta Diabetologica, 2015, 52, 21-29.	2.5	22
27	Prognostic Importance of C-reactive Protein in High Cardiovascular Risk Patients With Type 2 Diabetes Mellitus: The Rio de Janeiro Type 2 Diabetes Cohort Study. Journal of the American Heart Association, 2016, 5, .	3.7	22
28	Prognostic Impact of Aortic Stiffness in Patients With Resistant Hypertension. Hypertension, 2019, 73, 728-735.	2.7	21
29	Macro and microvascular complications are determinants of increased infection-related mortality in Brazilian type 2 diabetes mellitus patients. Diabetes Research and Clinical Practice, 2007, 75, 51-58.	2.8	20
30	Thresholds of Ambulatory Blood Pressure Associated With Chronic Complications in Type 2 Diabetes. American Journal of Hypertension, 2012, 25, 82-88.	2.0	19
31	Increasing aortic stiffness is predictive of advanced liver fibrosis in patients with type 2 diabetes: the Rio de Janeiro Type 2 Diabetes Cohort Study. Liver International, 2016, 36, 977-985.	3.9	19
32	Prognostic Importance of On-Treatment Clinic and Ambulatory Blood Pressures in Resistant Hypertension. Hypertension, 2020, 75, 1184-1194.	2.7	17
33	Traditional and non-traditional risk factors for peripheral artery disease development/progression in patients with type 2 diabetes: the Rio de Janeiro type 2 diabetes cohort study. Cardiovascular Diabetology, 2021, 20, 54.	6.8	17
34	Prognostic impact of liver fibrosis and steatosis by transient elastography for cardiovascular and mortality outcomes in individuals with nonalcoholic fatty liver disease and type 2 diabetes: the Rio de Janeiro Cohort Study. Cardiovascular Diabetology, 2021, 20, 193.	6.8	17
35	Prognostic importance of visit-to-visit blood pressure variability for micro- and macrovascular outcomes in patients with type 2 diabetes: The Rio de Janeiro Type 2 Diabetes Cohort Study. Cardiovascular Diabetology, 2020, 19, 50.	6.8	16
36	Importance of hematological parameters for micro- and macrovascular outcomes in patients with type 2 diabetes: the Rio de Janeiro type 2 diabetes cohort study. Cardiovascular Diabetology, 2021, 20, 133.	6.8	16

#	ARTICLE	IF	CITATIONS
37	Correlates of aortic stiffness progression in patients with resistant hypertension. <i>Journal of Hypertension</i> , 2015, 33, 827-835.	0.5	15
38	Prognostic impact of the ankle-brachial index on the development of micro- and macrovascular complications in individuals with type 2 diabetes: the Rio de Janeiro Type 2 Diabetes Cohort Study. <i>Diabetologia</i> , 2018, 61, 2266-2276.	6.3	15
39	Prognostic Importance of Ambulatory Blood Pressure Monitoring in Resistant Hypertension: Is It All that Matters?. <i>Current Hypertension Reports</i> , 2016, 18, 85.	3.5	14
40	Prognostic Importance of Resistant Hypertension in Patients With Type 2 Diabetes: The Rio de Janeiro Type 2 Diabetes Cohort Study. <i>Diabetes Care</i> , 2020, 43, 219-227.	8.6	14
41	Associations of the nocturnal blood pressure fall and morning surge with cardiovascular events and mortality in individuals with resistant hypertension. <i>Journal of Hypertension</i> , 2021, 39, 1177-1187.	0.5	14
42	Prognostic Value of Changes in Aortic Stiffness for Cardiovascular Outcomes and Mortality in Resistant Hypertension: a Cohort Study. <i>Hypertension</i> , 2022, 79, 447-456.	2.7	14
43	Factors associated with abnormal T-wave axis and increased QRS-T angle in type 2 diabetes. <i>Acta Diabetologica</i> , 2013, 50, 919-925.	2.5	12
44	Profile of disabilities and their associated factors in patients with type 2 diabetes evaluated by the Canadian occupational performance measure: the Rio De Janeiro type 2 diabetes cohort study. <i>Disability and Rehabilitation</i> , 2016, 38, 2095-2101.	1.8	12
45	Effects of continuous positive airway pressure treatment on aortic stiffness in patients with resistant hypertension and obstructive sleep apnea: A randomized controlled trial. <i>Journal of Sleep Research</i> , 2020, 29, e12990.	3.2	12
46	Prevalence of subclinical hypercortisolism in type 2 diabetic patients from the Rio de Janeiro Type 2 Diabetes Cohort Study. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 1032-1038.	2.3	11
47	Importance of non-invasive liver fibrosis scores for mortality and complications development in individuals with type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2021, 35, 107879.	2.3	10
48	Prognostic Impact of Home Blood Pressures for Adverse Cardiovascular Outcomes and Mortality in Patients With Resistant Hypertension: A Prospective Cohort Study. <i>Hypertension</i> , 2021, 78, 1617-1627.	2.7	10
49	Associations Between Achieved Ambulatory Blood Pressures and Its Changes With Adverse Outcomes in Resistant Hypertension: Was There a J-Curve for Ambulatory Blood Pressures?. <i>Hypertension</i> , 2021, 77, 1895-1905.	2.7	5
50	Differential effects of treatment targets on risks of adverse outcomes according to diabetes duration, age and complications: Can these characteristics be used to individualize diabetes treatment? The Rio de Janeiro type 2 diabetes cohort. <i>Journal of Diabetes and Its Complications</i> , 2022, 36, 108124.	2.3	5
51	COUNTERPOINT: Should Sleep Studies Be Performed for All Patients With Poorly Controlled Hypertension? No. <i>Chest</i> , 2019, 155, 1097-1101.	0.8	4
52	Prognostic impact of short-term ambulatory blood pressure variability for microvascular and macrovascular outcomes in patients with type 2 diabetes: the Rio de Janeiro Type 2 Diabetes Cohort Study. <i>Journal of Hypertension</i> , 2021, 39, 935-946.	0.5	4
53	Refractory Hypertension: a Narrative Systematic Review with Emphasis on Prognosis. <i>Current Hypertension Reports</i> , 2022, 24, 95-106.	3.5	4
54	Prognostic impact of changes in aortic stiffness for cardiovascular and mortality outcomes in individuals with type 2 diabetes: the Rio de Janeiro cohort study. <i>Cardiovascular Diabetology</i> , 2022, 21, 76.	6.8	4

#	ARTICLE	IF	CITATIONS
55	Aortic stiffness: is it time to be included into clinical diabetes management?. Journal of Diabetes and Its Complications, 2016, 30, 1207-1208.	2.3	3
56	Prolonged heart rate-corrected QT interval and cardiovascular risk in Asian populations. Hypertension Research, 2010, 33, 876-877.	2.7	0
57	Is blood pressure response to exercise mediated by abnormal glucose and lipid metabolism in normotensive individuals?. Hypertension Research, 2013, 36, 494-495.	2.7	0
58	Forearm Resistance-Vessel Dilatation Function During Reactive Hyperemia in Patients With Resistant Hypertension. American Journal of Hypertension, 2016, 29, 1252-1260.	2.0	0
59	Rebuttal From Drs Cardoso and Salles. Chest, 2019, 155, 1102-1103.	0.8	0