

Claudia R L Cardoso

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4745658/publications.pdf>

Version: 2024-02-01

59
papers

2,424
citations

279798

23
h-index

206112

48
g-index

59
all docs

59
docs citations

59
times ranked

3708
citing authors

#	ARTICLE	IF	CITATIONS
1	Prognostic Value of Changes in Aortic Stiffness for Cardiovascular Outcomes and Mortality in Resistant Hypertension: a Cohort Study. <i>Hypertension</i> , 2022, 79, 447-456.	2.7	14
2	Refractory Hypertension: a Narrative Systematic Review with Emphasis on Prognosis. <i>Current Hypertension Reports</i> , 2022, 24, 95-106.	3.5	4
3	Differential effects of treatment targets on risks of adverse outcomes according to diabetes duration, age and complications: Can these characteristics be used to individualize diabetes treatment? The Rio de Janeiro type 2 diabetes cohort. <i>Journal of Diabetes and Its Complications</i> , 2022, 36, 108124.	2.3	5
4	Prognostic impact of changes in aortic stiffness for cardiovascular and mortality outcomes in individuals with type 2 diabetes: the Rio de Janeiro cohort study. <i>Cardiovascular Diabetology</i> , 2022, 21, 76.	6.8	4
5	Associations of the nocturnal blood pressure fall and morning surge with cardiovascular events and mortality in individuals with resistant hypertension. <i>Journal of Hypertension</i> , 2021, 39, 1177-1187.	0.5	14
6	Traditional and non-traditional risk factors for peripheral artery disease development/progression in patients with type 2 diabetes: the Rio de Janeiro type 2 diabetes cohort study. <i>Cardiovascular Diabetology</i> , 2021, 20, 54.	6.8	17
7	Importance of non-invasive liver fibrosis scores for mortality and complications development in individuals with type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2021, 35, 107879.	2.3	10
8	Associations Between Achieved Ambulatory Blood Pressures and Its Changes With Adverse Outcomes in Resistant Hypertension: Was There a J-Curve for Ambulatory Blood Pressures?. <i>Hypertension</i> , 2021, 77, 1895-1905.	2.7	5
9	Importance of hematological parameters for micro- and macrovascular outcomes in patients with type 2 diabetes: the Rio de Janeiro type 2 diabetes cohort study. <i>Cardiovascular Diabetology</i> , 2021, 20, 133.	6.8	16
10	Prognostic impact of liver fibrosis and steatosis by transient elastography for cardiovascular and mortality outcomes in individuals with nonalcoholic fatty liver disease and type 2 diabetes: the Rio de Janeiro Cohort Study. <i>Cardiovascular Diabetology</i> , 2021, 20, 193.	6.8	17
11	Prognostic Impact of Home Blood Pressures for Adverse Cardiovascular Outcomes and Mortality in Patients With Resistant Hypertension: A Prospective Cohort Study. <i>Hypertension</i> , 2021, 78, 1617-1627.	2.7	10
12	Prognostic impact of short-term ambulatory blood pressure variability for microvascular and macrovascular outcomes in patients with type 2 diabetes: the Rio de Janeiro Type 2 Diabetes Cohort Study. <i>Journal of Hypertension</i> , 2021, 39, 935-946.	0.5	4
13	Prognostic Importance of Resistant Hypertension in Patients With Type 2 Diabetes: The Rio de Janeiro Type 2 Diabetes Cohort Study. <i>Diabetes Care</i> , 2020, 43, 219-227.	8.6	14
14	Prognostic importance of visit-to-visit blood pressure variability for micro- and macrovascular outcomes in patients with type 2 diabetes: The Rio de Janeiro Type 2 Diabetes Cohort Study. <i>Cardiovascular Diabetology</i> , 2020, 19, 50.	6.8	16
15	Prognostic Importance of On-Treatment Clinic and Ambulatory Blood Pressures in Resistant Hypertension. <i>Hypertension</i> , 2020, 75, 1184-1194.	2.7	17
16	Effects of continuous positive airway pressure treatment on aortic stiffness in patients with resistant hypertension and obstructive sleep apnea: A randomized controlled trial. <i>Journal of Sleep Research</i> , 2020, 29, e12990.	3.2	12
17	Efficacy of diacerein in reducing liver steatosis and fibrosis in patients with type 2 diabetes and nonalcoholic fatty liver disease: A randomized, placebo-controlled trial. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 1266-1270.	4.4	25
18	Prognostic impact of carotid intima-media thickness and carotid plaques on the development of micro- and macrovascular complications in individuals with type 2 diabetes: the Rio de Janeiro type 2 diabetes cohort study. <i>Cardiovascular Diabetology</i> , 2019, 18, 2.	6.8	37

#	ARTICLE	IF	CITATIONS
19	Rebuttal From Drs Cardoso and Salles. Chest, 2019, 155, 1102-1103.	0.8	0
20	COUNTERPOINT: Should Sleep Studies Be Performed for All Patients With Poorly Controlled Hypertension? No. Chest, 2019, 155, 1097-1101.	0.8	4
21	Prognostic Impact of Aortic Stiffness in Patients With Resistant Hypertension. Hypertension, 2019, 73, 728-735.	2.7	21
22	Aortic stiffness and ambulatory blood pressure as predictors of diabetic kidney disease: a competing risks analysis from the Rio de Janeiro Type 2 Diabetes Cohort Study. Diabetologia, 2018, 61, 455-465.	6.3	26
23	Treatment Adherence and Its Associated Factors in Patients with Type 2 Diabetes: Results from the Rio de Janeiro Type 2 Diabetes Cohort Study. Journal of Diabetes Research, 2018, 2018, 1-8.	2.3	46
24	Prognostic impact of the ankle-brachial index on the development of micro- and macrovascular complications in individuals with type 2 diabetes: the Rio de Janeiro Type 2 Diabetes Cohort Study. Diabetologia, 2018, 61, 2266-2276.	6.3	15
25	Efficacy and Safety of Diacerein in Patients With Inadequately Controlled Type 2 Diabetes: A Randomized Controlled Trial. Diabetes Care, 2017, 40, 1356-1363.	8.6	24
26	Predictors of Development and Progression of Retinopathy in Patients with Type 2 Diabetes: Importance of Blood Pressure Parameters. Scientific Reports, 2017, 7, 4867.	3.3	50
27	NAFLD and Increased Aortic Stiffness: Parallel or Common Physiopathological Mechanisms?. International Journal of Molecular Sciences, 2016, 17, 460.	4.1	33
28	Aortic Stiffness as a Surrogate Endpoint to Micro- and Macrovascular Complications in Patients with Type 2 Diabetes. International Journal of Molecular Sciences, 2016, 17, 2044.	4.1	41
29	Increasing aortic stiffness is predictive of advanced liver fibrosis in patients with type 2 diabetes: the Rio de Janeiro Type 2 Diabetes Cohort study. Liver International, 2016, 36, 977-985.	3.9	19
30	Prognostic Importance of C-reactive Protein in High Cardiovascular Risk Patients With Type 2 Diabetes Mellitus: The Rio de Janeiro Type 2 Diabetes Cohort Study. Journal of the American Heart Association, 2016, 5, .	3.7	22
31	Prevalence of subclinical hypercortisolism in type 2 diabetic patients from the Rio de Janeiro Type 2 Diabetes Cohort Study. Journal of Diabetes and Its Complications, 2016, 30, 1032-1038.	2.3	11
32	Aortic stiffness: is it time to be included into clinical diabetes management?. Journal of Diabetes and Its Complications, 2016, 30, 1207-1208.	2.3	3
33	Forearm Resistance-Vessel Dilatation Function During Reactive Hyperemia in Patients With Resistant Hypertension. American Journal of Hypertension, 2016, 29, 1252-1260.	2.0	0
34	Prognostic Importance of Ambulatory Blood Pressure Monitoring in Resistant Hypertension: Is It All that Matters?. Current Hypertension Reports, 2016, 18, 85.	3.5	14
35	Profile of disabilities and their associated factors in patients with type 2 diabetes evaluated by the Canadian occupational performance measure: the Rio De Janeiro type 2 diabetes cohort study. Disability and Rehabilitation, 2016, 38, 2095-2101.	1.8	12
36	Prognostic Effect of the Nocturnal Blood Pressure Fall in Hypertensive Patients. Hypertension, 2016, 67, 693-700.	2.7	399

#	ARTICLE	IF	CITATIONS
37	Correlates of aortic stiffness progression in patients with resistant hypertension. <i>Journal of Hypertension</i> , 2015, 33, 827-835.	0.5	15
38	Increased aortic stiffness predicts future development and progression of peripheral neuropathy in patients with type 2 diabetes: the Rio de Janeiro Type 2 Diabetes Cohort Study. <i>Diabetologia</i> , 2015, 58, 2161-2168.	6.3	42
39	Correlates of Aortic Stiffness Progression in Patients With Type 2 Diabetes: Importance of Glycemic Control. <i>Diabetes Care</i> , 2015, 38, 897-904.	8.6	51
40	Effects of Continuous Positive Airway Pressure Treatment on Clinic and Ambulatory Blood Pressures in Patients With Obstructive Sleep Apnea and Resistant Hypertension. <i>Hypertension</i> , 2015, 65, 736-742.	2.7	126
41	Prognostic importance of baseline and serial glycated hemoglobin levels in high-risk patients with type 2 diabetes: the Rio de Janeiro Type 2 Diabetes Cohort Study. <i>Acta Diabetologica</i> , 2015, 52, 21-29.	2.5	22
42	Non-alcoholic fatty liver disease and diabetes: From physiopathological interplay to diagnosis and treatment. <i>World Journal of Gastroenterology</i> , 2014, 20, 8377.	3.3	76
43	Prognostic Impact of Aortic Stiffness in High-Risk Type 2 Diabetic Patients. <i>Diabetes Care</i> , 2013, 36, 3772-3778.	8.6	93
44	Factors associated with abnormal T-wave axis and increased QRS-T angle in type 2 diabetes. <i>Acta Diabetologica</i> , 2013, 50, 919-925.	2.5	12
45	Prognostic impact of clinic and ambulatory blood pressure components in high-risk type 2 diabetic patients. <i>Journal of Hypertension</i> , 2013, 31, 2176-2186.	0.5	37
46	Is blood pressure response to exercise mediated by abnormal glucose and lipid metabolism in normotensive individuals?. <i>Hypertension Research</i> , 2013, 36, 494-495.	2.7	0
47	Thresholds of Ambulatory Blood Pressure Associated With Chronic Complications in Type 2 Diabetes. <i>American Journal of Hypertension</i> , 2012, 25, 82-88.	2.0	19
48	Factors associated with carotid intima-media thickness and carotid plaques in type 2 diabetic patients. <i>Journal of Hypertension</i> , 2012, 30, 940-947.	0.5	28
49	Histopathological stages of nonalcoholic fatty liver disease in type 2 diabetes: prevalences and correlated factors. <i>Liver International</i> , 2011, 31, 700-706.	3.9	151
50	Prolonged heart rate-corrected QT interval and cardiovascular risk in Asian populations. <i>Hypertension Research</i> , 2010, 33, 876-877.	2.7	0
51	Prevalence and associated factors of nonalcoholic fatty liver disease in patients with type 2 diabetes mellitus. <i>Liver International</i> , 2009, 29, 113-119.	3.9	427
52	Microvascular degenerative complications are associated with increased aortic stiffness in type 2 diabetic patients. <i>Atherosclerosis</i> , 2009, 205, 472-476.	0.8	67
53	Prevalence and factors associated with dyslipoproteinemias in Brazilian systemic lupus erythematosus patients. <i>Rheumatology International</i> , 2008, 28, 323-327.	3.0	22
54	Predictors of development and progression of microvascular complications in a cohort of Brazilian type 2 diabetic patients. <i>Journal of Diabetes and Its Complications</i> , 2008, 22, 164-170.	2.3	32

#	ARTICLE	IF	CITATIONS
55	Pattern of 24-Hour Ambulatory Blood Pressure Monitoring in Type 2 Diabetic Patients with Cardiovascular Dysautonomy. Hypertension Research, 2008, 31, 865-872.	2.7	38
56	Macro and microvascular complications are determinants of increased infection-related mortality in Brazilian type 2 diabetes mellitus patients. Diabetes Research and Clinical Practice, 2007, 75, 51-58.	2.8	20
57	Mortality and Predictors of Mortality in a Cohort of Brazilian Type 2 Diabetic Patients. Diabetes Care, 2004, 27, 1299-1305.	8.6	51
58	Prognostic value of QT interval parameters in type 2 diabetes mellitus. Journal of Diabetes and Its Complications, 2003, 17, 169-178.	2.3	70
59	QTc Interval Prolongation Is a Predictor of Future Strokes in Patients With Type 2 Diabetes Mellitus. Stroke, 2003, 34, 2187-2194.	2.0	44