

# Toh-Seok Kam

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4746458/publications.pdf>

Version: 2024-02-01

162  
papers

5,642  
citations

57758  
44  
h-index

128289  
60  
g-index

177  
all docs

177  
docs citations

177  
times ranked

2550  
citing authors

#	ARTICLE	IF	CITATIONS
1	Biologically Active Indole Alkaloids from <i>Kopsia arborea</i> . <i>Journal of Natural Products</i> , 2007, 70, 1302-1307.	3.0	147
2	Alkaloids from <i>Kopsia griffithii</i> . <i>Phytochemistry</i> , 1998, 47, 145-147.	2.9	131
3	Biologically Active Aspidofractinine, Rhazinilam, Akuammiline, and Vincorine Alkaloids from <i>Kopsia</i> . <i>Journal of Natural Products</i> , 2007, 70, 1783-1789.	3.0	128
4	Lundurines A, B and C, new indole alkaloids with a novel carbon skeleton containing a cyclopropyl moiety. <i>Tetrahedron Letters</i> , 1995, 36, 759-762.	1.4	103
5	Mersicarpine, an unusual tetracyclic dihydroindole alkaloid incorporating a seven-membered imine ring. <i>Tetrahedron Letters</i> , 2004, 45, 5995-5998.	1.4	101
6	Lundurines A-D, cytotoxic indole alkaloids incorporating a cyclopropyl moiety from <i>Kopsia tenuis</i> and revision of the structures of tenuisines A-C. <i>Tetrahedron</i> , 2004, 60, 10739-10745.	1.9	93
7	Bipleiophylline, an Unprecedented Cytotoxic Bisindole Alkaloid Constituted from the Bridging of Two Indole Moieties by an Aromatic Spacer Unit. <i>Organic Letters</i> , 2008, 10, 3749-3752.	4.6	92
8	Grandilodines A-C, Biologically Active Indole Alkaloids from <i>Kopsia grandifolia</i> . <i>Journal of Natural Products</i> , 2011, 74, 1309-1312.	3.0	92
9	Jerantinines A-G, Cytotoxic <i>Aspidosperma</i> Alkaloids from <i>Tabernaemontana corymbosa</i> . <i>Journal of Natural Products</i> , 2008, 71, 1591-1594.	3.0	90
10	Leishmanicidal alkaloids from <i>Kopsia griffithii</i> . <i>Phytochemistry</i> , 1999, 50, 75-79.	2.9	81
11	Plumeran alkaloids from <i>Kopsia profunda</i> . <i>Phytochemistry</i> , 1990, 29, 2321-2322.	2.9	75
12	Alkaloids from <i>Kopsia dasyrachis</i> . <i>Phytochemistry</i> , 1999, 51, 159-169.	2.9	74
13	Arboflorine, an Unusual Pentacyclic Monoterpenoid Indole Alkaloid Incorporating a Third Nitrogen Atom. <i>Organic Letters</i> , 2006, 8, 1733-1735.	4.6	68
14	Tronocarpine, a novel pentacyclic indole incorporating a seven-membered lactam moiety. <i>Tetrahedron Letters</i> , 2000, 41, 2733-2736.	1.4	66
15	Biologically Active Ibogan and Vallesamine Derivatives from <i>Tabernaemontana divaricata</i> . <i>Chemistry and Biodiversity</i> , 2004, 1, 646-656.	2.1	66
16	Leuconoxine, Kopsinitarine, Kopsijasmine, and Kopsinone Derivatives from <i>Kopsia</i> . <i>Journal of Natural Products</i> , 2007, 70, 1380-1383.	3.0	65
17	Pauciflorines A and B, novel melanin biosynthesis inhibitors from <i>Kopsia</i> . <i>Tetrahedron Letters</i> , 1996, 37, 5765-5768.	1.4	64
18	Alkaloids from Malaysian Flora. <i>Alkaloids: Chemical and Biological Perspectives</i> , 1999, 14, 285-435.	0.2	61

#	ARTICLE	IF	CITATIONS
19	Biomimetic oxidative transformations of pericine: partial synthesis of apparicine and valparicine, a new pentacyclic indole alkaloid from <i>Kopsia</i> . <i>Tetrahedron Letters</i> , 2006, 47, 5037-5039.	1.4	60
20	Conophylline and Conophyllidine: New Dimeric Alkaloids from <i>Tabernaemontana divaricata</i> . <i>Journal of Natural Products</i> , 1993, 56, 1865-1871.	3.0	59
21	Macroline, akuammiline, sarpagine, and ajmaline alkaloids from <i>Alstonia macrophylla</i> . <i>Phytochemistry</i> , 2014, 98, 204-215.	2.9	59
22	Chapter 4 Bisindole Alkaloids. <i>The Alkaloids Chemistry and Biology</i> , 2006, 63, 181-337.	2.0	58
23	Rhazinilamâ€“Leuconolamâ€“Leuconoxine Alkaloids from <i>Leuconotis griffithii</i>. <i>Journal of Natural Products</i> , 2013, 76, 957-964.	3.0	57
24	Kopsinitarines A B and C novel cage alkaloids from a Malaysian <i>Kopsia</i> . <i>Tetrahedron Letters</i> , 1994, 35, 4457-4460.	1.4	55
25	Cytotoxic and Leishmanicidal Aminoglycosides and Aminosteroids from <i>Holarrhenacurtisi</i> . <i>Journal of Natural Products</i> , 1998, 61, 1332-1336.	3.0	55
26	Biologically active indole and bisindole alkaloids from <i>Tabernaemontana divaricata</i> . <i>Organic and Biomolecular Chemistry</i> , 2003, 1, 1292-1297.	2.8	55
27	New Indole Alkaloids from <i>Alstonia macrophylla</i> . <i>Journal of Natural Products</i> , 2004, 67, 547-552.	3.0	55
28	Oxidized Derivatives of Macroline, Sarpagine, and Pleiocarpamine Alkaloids from <i>Alstonia angustifolia</i>. <i>Journal of Natural Products</i> , 2014, 77, 2068-2080.	3.0	54
29	Novel antitumour indole alkaloid, Jerantinine A, evokes potent G2/M cell cycle arrest targeting microtubules. <i>Investigational New Drugs</i> , 2014, 32, 838-850.	2.6	54
30	Arborisidine and Arbornamine, Two Monoterpenoid Indole Alkaloids with New Polycyclic Carbonâ€“Nitrogen Skeletons Derived from a Common Pericine Precursor. <i>Organic Letters</i> , 2016, 18, 1618-1621.	4.6	54
31	Unusual spirocyclic macroline alkaloids, nitrogenous derivatives, and a cytotoxic bisindole from <i>Alstonia</i> . <i>Tetrahedron</i> , 2004, 60, 3957-3966.	1.9	53
32	Kopsifolines Aâ€“F: a New Structural Class of Monoterpenoid Indole Alkaloids from <i>Kopsia</i> . <i>Helvetica Chimica Acta</i> , 2004, 87, 991-998.	1.6	52
33	Cytotoxic effects and reversal of multidrug resistance by ibogan and related indole alkaloids. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2004, 14, 4487-4489.	2.2	52
34	Reversal of multidrug resistance (MDR) by aspidofractinine-type indole alkaloids. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1998, 8, 2769-2772.	2.2	51
35	Ibogan, Tacaman, and Cytotoxic Bisindole Alkaloids from <i>Tabernaemontana</i>. Cononusine, an Iboga Alkaloid with Unusual Incorporation of a Pyrrolidone Moiety. <i>Journal of Natural Products</i> , 2015, 78, 1129-1138.	3.0	51
36	Kopsifolines A, B, and C, indole alkaloids with a novel hexacyclic carbon skeleton from <i>Kopsia</i> . <i>Tetrahedron Letters</i> , 2003, 44, 1317-1319.	1.4	50

#	ARTICLE	IF	CITATIONS
37	Chapter 1 Alkaloids of Kopsia. The Alkaloids Chemistry and Biology, 2008, 66, 1-111.	2.0	50
38	Alkaloids from the stem-bark of Alstonia macrophylla. Phytochemistry, 1999, 51, 839-844.	2.9	48
39	Five New Iboga Alkaloids from Tabernaemontana corymbosa. Journal of Natural Products, 2002, 65, 669-672.	3.0	48
40	New Bisindole Alkaloids from Tabernaemontana corymbosa. Journal of Natural Products, 2003, 66, 11-16.	3.0	47
41	Biologically Active Aspidofractinine Alkaloids from <i>Kopsia singapurensis</i> . Journal of Natural Products, 2008, 71, 53-57.	3.0	47
42	Conodiparines A-D, new bisindoles from Tabernaemontana. Reversal of vincristine-resistance with cultured cells. Bioorganic and Medicinal Chemistry Letters, 1998, 8, 1693-1696.	2.2	46
43	Rhazinal, a Formylrhazinilam Derivative from a Malayan Kopsia. Natural Product Research, 1998, 12, 307-310.	0.4	45
44	Alkaloids from Alstonia angustifolia. Phytochemistry, 2004, 65, 603-608.	2.9	45
45	Jerantinine A induces tumor-specific cell death through modulation of splicing factor 3b subunit 1 (SF3B1). Scientific Reports, 2017, 7, 42504.	3.3	45
46	Paucidactine A and B, new indole alkaloids with a novel ring system containing a lactone moiety. Tetrahedron Letters, 1996, 37, 3603-3606.	1.4	44
47	Kopsisidine A and kopsisidine B, two novel indole alkaloids from a Malaysian Kopsia. Tetrahedron Letters, 1993, 34, 1819-1822.	1.4	43
48	Secoleuconoxine and Oxopericine Derivatives from Kopsia. Helvetica Chimica Acta, 2007, 90, 31-35.	1.6	43
49	Arboricine and arboricinine, unusual tetracyclic indole regioisomers from Kopsia. Tetrahedron Letters, 2007, 48, 1143-1145.	1.4	43
50	Leucophyllidine, a Cytotoxic Bisindole Alkaloid Constituted From the Union of an Eburnan and a New Vinylquinoline Alkaloid. Organic Letters, 2009, 11, 3962-3965.	4.6	43
51	Aspidofractinine alkaloids from a new Kopsia species. Phytochemistry, 1993, 32, 1343-1346.	2.9	42
52	Alkaloids from Tabernaemontana divaricata. Phytochemistry, 1995, 40, 313-316.	2.9	42
53	Leuconicines A <sup>â”“G</sup> and (â”“)-Eburnamaline, Biologically Active Strychnan and Eburnan Alkaloids from <i>Leuconotis</i> . Journal of Natural Products, 2009, 72, 2098-2103.	3.0	42
54	Novel Cage Indoles from a Malaysian Kopsia. Journal of Natural Products, 1996, 59, 1109-1112.	3.0	41

#	ARTICLE	IF	CITATIONS
55	Cytotoxic Vobasine, Tacaman, and Corynanthe-Tryptamine Bisindole Alkaloids from <i>&lt; i&gt;Tabernaemontana&lt;/i&gt;</i> and Structure Revision of Tronoharine. <i>Journal of Natural Products</i> , 2014, 77, 2504-2512.	3.0	41
56	Ibogan, Aspidosperman, Vincamine, and Bisindole Alkaloids from a Malayan <i>&lt; i&gt;Tabernaemontana corymbosa&lt;/i&gt;</i> : Iboga Alkaloids with C-20 $\pm$ Substitution. <i>Journal of Natural Products</i> , 2016, 79, 1388-1399.	3.0	41
57	In vitro anticancer properties and biological evaluation of novel natural alkaloid jerantinine B. <i>Cancer Letters</i> , 2016, 370, 185-197.	7.2	41
58	New alkaloids from the leaves of <i>Tabernaemontana divaricata</i> . <i>Tetrahedron Letters</i> , 1992, 33, 969-972.	1.4	40
59	Unusual indole alkaloid—pyrrole, —pyrone, and —carbamic acid adducts from <i>Alstonia angustifolia</i> . <i>Tetrahedron</i> , 2010, 66, 7799-7806.	1.9	40
60	Strychnan and Secoangustilobine A Type Alkaloids from <i>&lt; i&gt;Alstonia spatulata&lt;/i&gt;</i> Revision of the C-20 Configuration of Scholaricine. <i>Journal of Natural Products</i> , 2010, 73, 1891-1897.	3.0	38
61	Alkaloids from leaves of <i>Kopsia larutensis</i> . <i>Phytochemistry</i> , 1992, 31, 2936-2938.	2.9	37
62	Tenuisines A, B and C, novel bisindoles with C2 symmetry from <i>Kopsia tenuis</i> . <i>Tetrahedron Letters</i> , 1996, 37, 8811-8814.	1.4	37
63	A Bis-benzopyrroloisoquinoline Alkaloid Incorporating a Cyclobutane Core and a Chlorophenanthroindolizidine Alkaloid with Cytotoxic Activity from <i>&lt; i&gt;Ficus fistulosa&lt;/i&gt;</i> var. <i>&lt; i&gt;tengerensis&lt;/i&gt;</i> . <i>Journal of Natural Products</i> , 2017, 80, 2734-2740.	3.0	37
64	Tronoharine, a novel hexacyclic indole alkaloid from a Malayan <i>Tabernaemontana</i> . <i>Tetrahedron Letters</i> , 1999, 40, 5409-5412.	1.4	36
65	Structure and biomimetic, electrochemically-mediated semisynthesis of the novel pentacyclic indole danuphylline. <i>Tetrahedron</i> , 1999, 55, 1457-1468.	1.9	35
66	Voastricetine, a novel pentacyclic quinolinic alkaloid from <i>Tabernaemontana</i> . <i>Tetrahedron Letters</i> , 2001, 42, 4721-4723.	1.4	35
67	Arbophylline, a novel heptacyclic indole with a cage skeleton incorporating an acetal moiety. <i>Tetrahedron Letters</i> , 2006, 47, 8653-8655.	1.4	35
68	Conolutinine, a hexacyclic indole alkaloid with a novel ring system incorporating a diazaspiro center and fused oxadiazepine—tetrahydrofuran rings. <i>Tetrahedron Letters</i> , 2009, 50, 752-754.	1.4	35
69	Angustilobine and andranginine type indole alkaloids and an uleine—secovallesamine bisindole alkaloid from <i>Alstonia angustiloba</i> . <i>Phytochemistry</i> , 2011, 72, 2212-2218.	2.9	35
70	Aspidofractinine and Eburnane Alkaloids from a North Borneo <i>&lt; i&gt;Kopsia&lt;/i&gt;</i> . Ring-Contracted, Additional Ring-Fused, and Paucidactine-Type Aspidofractinine Alkaloids from <i>&lt; i&gt;K. pauciflora&lt;/i&gt;</i> . <i>Journal of Natural Products</i> , 2016, 79, 230-239.	3.0	35
71	Transformations of the 2,7-<i>Seco Aspidosperma</i> Alkaloid Leuconolam, Structure Revision of <i>epi</i>-Leuconolam, and Partial Syntheses of Leuconoxine and Leuconodines A and F. <i>Journal of Natural Products</i> , 2014, 77, 327-338.	3.0	34
72	Novel Macroline Oxindoles from a Malayan <i>Alstonia</i> . <i>Tetrahedron</i> , 2000, 56, 6143-6150.	1.9	33

#	ARTICLE	IF	CITATIONS
73	Mersilongine, a novel tetracyclic quinolinic alkaloid from <i>Kopsia</i> . <i>Tetrahedron Letters</i> , 2004, 45, 3521-3524.	1.4	33
74	Leucoridines Aâ”D, Cytotoxic <i>Strychnos</i>â”<i>Strychnos</i> Bisindole Alkaloids from <i>Leuconotis</i>. <i>Journal of Natural Products</i> , 2010, 73, 1107-1111.	3.0	33
75	Tenuisines A - C and tenuiphylline, novel bisindoles from <i>Kopsia tenuis</i> . <i>Tetrahedron</i> , 1997, 53, 12661-12670.	1.9	32
76	Venalstonine and dioxokopsan derivatives from <i>Kopsia fruticosa</i> . <i>Phytochemistry</i> , 2004, 65, 2119-2122.	2.9	32
77	Methyl chanofruticosinate alkaloids from <i>Kopsia arborea</i> . <i>Phytochemistry</i> , 2008, 69, 558-561.	2.9	32
78	Three aspidofractinine-type alkaloids from <i>Kopsia teoi</i> . <i>Phytochemistry</i> , 1996, 42, 539-541.	2.9	31
79	Mersinines A and B and mersiloscine, novel quinolinic alkaloids from <i>Kopsia</i> . <i>Tetrahedron Letters</i> , 2001, 42, 5977-5980.	1.4	31
80	New Indole Alkaloids from <i>Kopsia</i>. Alkaloid Variation in <i>Kopsia singapurensis</i>. <i>Helvetica Chimica Acta</i> , 2008, 91, 930-937.	1.6	31
81	Leucolusine, a tetracyclic alkaloid with a novel ring system incorporating an oxindole moiety and fused piperidine-tetrahydrofuran rings. <i>Tetrahedron Letters</i> , 2009, 50, 1059-1061.	1.4	31
82	Lumutinines Aâ€“D, Linearly Fused Macrolineâ€“Macrolineâ€“Sarpagine Bisindoles from <i>Alstonia macrophylla</i>. <i>Journal of Natural Products</i> , 2011, 74, 2556-2562.	3.0	31
83	Biomimetic Oxidative Dimerization of Anodically Generated Stilbene Radical Cations: Effect of Aromatic Substitution on Product Distribution and Reaction Pathways. <i>Journal of Organic Chemistry</i> , 2014, 79, 4528-4543.	3.2	31
84	Dippinines A - D, New Iboga-derived Indole Alkaloids from <i>Tabernaemontana</i> . <i>Heterocycles</i> , 2001, 55, 2405.	0.7	30
85	Structure, biological activity, and a biomimetic partial synthesis of the lirofolines, novel pentacyclic indole alkaloids from <i>Tabernaemontana</i> . <i>Tetrahedron Letters</i> , 2010, 51, 269-272.	1.4	29
86	Hispidacine, an unusual 8,4â€“oxyneolignan-alkaloid with vasorelaxant activity, and hispiloscline, an antiproliferative phenanthroindolizidine alkaloid, from <i>Ficus hispida</i> Linn.. <i>Phytochemistry</i> , 2015, 109, 96-102.	2.9	29
87	Biosynthetic Enantiodivergence in the Eburnane Alkaloids from <i>Kopsia</i>. <i>Journal of Natural Products</i> , 2017, 80, 3014-3024.	3.0	29
88	Electrochemical oxidation of aspidofractinine-type indole alkaloids. A facile, electrochemically-mediated conversion of kopsingine to kopsidines A, B, C, and kopsinganol. <i>Tetrahedron Letters</i> , 1995, 36, 1327-1330.	1.4	28
89	Alkaloids from <i>Kopsia pauciflora</i> . <i>Phytochemistry</i> , 1996, 43, 1385-1387.	2.9	28
90	Conoliferine and isoconoliferine, structurally novel alkaloid-lignan conjugates from <i>Tabernaemontana corymbosa</i> . <i>Tetrahedron Letters</i> , 2009, 50, 3756-3759.	1.4	28

#	ARTICLE	IF	CITATIONS
91	Arboridinine, a Pentacyclic Indole Alkaloid with a New Cage Carbonâ€“Nitrogen Skeleton Derived from a Pericine Precursor. <i>Organic Letters</i> , 2015, 17, 3628-3631.	4.6	28
92	Angustilodine, an Unusual Pentacyclic Indole Alkaloid from <i>Alstonia</i> . <i>Helvetica Chimica Acta</i> , 2004, 87, 366-369.	1.6	27
93	The alkaloids of the mersinine group: a new subclass of the monoterpenoid indole alkaloids from <i>Kopsia</i> . <i>Tetrahedron</i> , 2008, 64, 1397-1408.	1.9	26
94	A Hexacyclic, Iboga-Derived Monoterpenoid Indole with a Contracted Tetrahydroazepine C-Ring and Incorporation of an Isoxazolidine Moiety, a <i>&lt; i&gt;Seco&lt;/i&gt;-Corynanthean, an &lt; i&gt;Aspidosperma-Aspidosperma&lt;/i&gt; Bisindole with Anticancer Properties, and the Absolute Configuration of the Pyridopyrimidine Indole Alkaloid, Vernavosine. <i>Journal of Natural Products</i>, 2016, 79, 2709-2717.</i>	3.0	26
95	Vobatensines Aâ€“F, Cytotoxic Iboga-Vobasine Bisindoles from <i>&lt; i&gt;Tabernaemontana corymbosa&lt;/i&gt;</i> . <i>Journal of Natural Products</i> , 2016, 79, 1048-1055.	3.0	26
96	Four heptacyclic indoles from <i>Kopsia teoi</i> . <i>Phytochemistry</i> , 1997, 45, 623-625.	2.9	25
97	Electrochemical oxidation of aspidofractinine-type alkaloids: Formation of kopsine, kopsidine, kopsitarine and bisindole derivatives. <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 2001, , 1594-1604.	1.3	25
98	Vobasonidine and Vobatricine, Novel Bisindole Alkaloids from a Malayan <i>Tabernaemontana</i> . <i>Helvetica Chimica Acta</i> , 2002, 85, 1027.	1.6	25
99	Lahadinines A and B, new cyano-substituted indole alkaloids from <i>Kopsia pauciflora</i> . <i>Phytochemistry</i> , 1997, 46, 785-787.	2.9	24
100	Macrodasines Aâ€“G, macroline indole alkaloids incorporating fused spirocyclic tetrahydrofuranâ€“tetrahydrofuran and tetrahydrofuranâ€“tetrahydropyran rings. <i>Tetrahedron</i> , 2011, 67, 3830-3838.	1.9	24
101	Criofolinine and Vernavosine, New Pentacyclic Indole Alkaloids Incorporating Pyrroloazepine and Pyridopyrimidine Moieties Derived from a Common Yohimbine Precursor. <i>Organic Letters</i> , 2014, 16, 6330-6333.	4.6	24
102	Conodurine, conoduramine, and ervahanine derivatives from <i>Tabernaemontana corymbosa</i> . <i>Phytochemistry</i> , 2003, 63, 625-629.	2.9	23
103	Four tetracyclic oxindole alkaloids and a taberpsychine derivative from a Malayan <i>Tabernaemontana</i> . <i>Phytochemistry</i> , 2009, 70, 1182-1186.	2.9	23
104	Perhentidines Aâ€“C: Macrolineâ€“Macroline Bisindoles from <i>&lt; i&gt;Alstonia&lt;/i&gt;</i> and the Absolute Configuration of Perhentinine and Macralstonine. <i>Journal of Natural Products</i> , 2012, 75, 942-950.	3.0	23
105	Macrolineâ€“sarpagine and macrolineâ€“pleiocarpamine bisindole alkaloids from <i>Alstonia angustifolia</i> . <i>Phytochemistry</i> , 2013, 85, 194-202.	2.9	23
106	Ajmaline, Oxindole, and Cytotoxic Macrolineâ€“Akuammiline Bisindole Alkaloids from <i>&lt; i&gt;Alstonia penangiana&lt;/i&gt;</i> . <i>Journal of Natural Products</i> , 2018, 81, 1266-1277.	3.0	23
107	Conodirinines A and B, Novel Vobasine-Iboga Bisindoles Incorporating an Additional Tetrahydro-1,3-oxazine Unit on the Vobasanyl Moiety. <i>Helvetica Chimica Acta</i> , 2003, 86, 122-126.	1.6	22
108	Enhancement of apoptotic activities on brain cancer cells via the combination of $\hat{\beta}^3$ -tocotrienol and jerantinine A. <i>Phytomedicine</i> , 2017, 30, 74-84.	5.3	22

#	ARTICLE	IF	CITATIONS
109	Monoterpene Alkaloids from <i>Kopsia pauciflora</i> . <i>Journal of Natural Products</i> , 1997, 60, 673-676.	3.0	21
110	Macrodasine A, a novel macroline derivative incorporating fused spirocyclic tetrahydrofuran rings containing a spiroacetal moiety. <i>Tetrahedron Letters</i> , 2003, 44, 8787-8789.	1.4	21
111	Aspidospermatanâ€“aspidospermatan and eburnane-sarpagine bisindole alkaloids from <i>Leuconotis</i> . <i>Phytochemistry</i> , 2010, 71, 1365-1370.	2.9	21
112	Synergistic cytotoxic effects of combined $\gamma$ -tocotrienol and jerantinine B on human brain and colon cancers. <i>Journal of Ethnopharmacology</i> , 2016, 184, 107-118.	4.1	21
113	Cardiovascular Effects of Aspidofractinine-Type Alkaloids from <i>Kopsia</i> . <i>Journal of Natural Products</i> , 1998, 61, 328-332.	3.0	20
114	Conolodinines Aâ€“D, Aspidospermaâ€“Aspidosperma Bisindole Alkaloids with Antiproliferative Activity from <i>Tabernaemontana corymbosa</i> . <i>Journal of Natural Products</i> , 2019, 82, 850-858.	3.0	20
115	Corynanthean, eburnan, secoleuconoxine, and pauciflorine alkaloids from <i>Kopsia pauciflora</i> . <i>Phytochemistry</i> , 2014, 108, 234-242.	2.9	19
116	Macrolineâ€“Sarpagine Bisindole Alkaloids with Antiproliferative Activity from <i>Alstonia penangiana</i> . <i>Journal of Natural Products</i> , 2019, 82, 3121-3132.	3.0	19
117	Seco-tabersonine alkaloids from <i>Tabernaemontana corymbosa</i> . <i>Phytochemistry</i> , 2009, 70, 424-429.	2.9	18
118	17- $\beta$ -Hydroxy- $\gamma$ 14,15-kopsinine and a bisindole alkaloid from <i>Kopsia teoi</i> . <i>Phytochemistry</i> , 1999, 50, 171-175.	2.9	17
119	Indole and monoterpene alkaloids from the leaves of <i>Kopsia dasyrachis</i> . <i>Phytochemistry</i> , 1999, 52, 959-963.	2.9	17
120	New Tabernamine Derivatives from <i>Tabernaemontana</i> . <i>Heterocycles</i> , 2002, 57, 2137.	0.7	17
121	Oxo-Derivatives of Kopsine- and Rhazinilam-Type Alkaloids from a North Borneo <i>Kopsia</i> . <i>Natural Product Research</i> , 1998, 11, 131-136.	0.4	16
122	Reversal of Multidrug Resistance by Kopsiflorine Isolated from <i>Kopsia dasyrachis</i> . <i>Planta Medica</i> , 1999, 65, 307-310.	1.3	16
123	<i>Lycopodium</i> Alkaloids: Lycoplatyrine A, an Unusual Lycodineâ€“Piperidine Adduct from <i>Lycopodium platyrhizoma</i> and the Absolute Configurations of Lycoplanine D and Lycogladine H. <i>Journal of Natural Products</i> , 2019, 82, 324-329.	3.0	16
124	Electrochemically Mediated Oxidative Transformations of Substituted 4-Methoxystilbenes: Effect of Ortho-Substituted Nucleophilic Groups. <i>Journal of Organic Chemistry</i> , 2017, 82, 6172-6191.	3.2	15
125	Novel Cage Indole Alkaloidal Artefacts Containing an $\beta$ -aminoketone moiety from a <i>Kopsia</i> species. <i>Natural Product Research</i> , 1995, 5, 309-314.	0.4	14
126	Angustimaline, an unusual nitrogenous compound from <i>Alstonia angustifolia</i> . <i>Tetrahedron Letters</i> , 1997, 38, 477-478.	1.4	14

#	ARTICLE	IF	CITATIONS
127	A Cytotoxic Indole Characterized by Incorporation of a Unique Carbonâ€“Nitrogen Skeleton and Two Pentacyclic Corynanthean Alkaloids Incorporating a Substituted Tetrahydrofuranone Ring from <i>&lt; i&gt;Kopsia arborea&lt;/i&gt;</i> . <i>Journal of Natural Products</i> , 2019, 82, 1902-1907.	3.0	14
128	Voafinine and N1-Methylvoafinine, Novel Aspidosperma Alkaloids from <i>Tabernaemontana</i> . <i>Natural Product Research</i> , 1995, 7, 191-195.	0.4	13
129	Voafinidine and Voalenenine, Novel Indoles of the Aspidosperma-type from <i>&lt; i&gt;Tabernaemontana&lt;/i&gt;</i> . <i>Natural Product Research</i> , 1996, 8, 49-53.	0.4	13
130	Conomicidines A and B, Unusual Alkaloidâ€“Hydroxycinnamyl Alcohol Conjugates from <i>&lt; i&gt;Tabernaemontana corymbosa&lt;/i&gt;</i> . <i>Helvetica Chimica Acta</i> , 2009, 92, 1895-1902.	1.6	13
131	Biologically active vallesamine, strychnan, and rhazinilam alkaloids from <i>Alstonia</i> : Pneumatophorine, a nor-secovallesamine with unusual incorporation of a 3-ethylpyridine moiety. <i>Phytochemistry</i> , 2015, 117, 317-324.	2.9	13
132	Nitaphylline, A New Bisindole Alkaloid from <i>Kopsia</i> . <i>Natural Product Research</i> , 1997, 10, 69-74.	0.4	12
133	Kopsine and Danuphylline Alkaloids from <i>&lt; i&gt;Kopsia.&lt;/i&gt;</i> Biomimetic Partial Synthesis of Danuphylline B. <i>Helvetica Chimica Acta</i> , 2008, 91, 1559-1566.	1.6	12
134	5-oxo-19,20-dehydroervatamine from leaves of <i>Tabernaemontana corymbosa</i> . <i>Phytochemistry</i> , 1993, 32, 1357-1358.	2.9	11
135	Mersinaline and mersirachine, novel quinolinic alkaloids of the mersinine group from <i>Kopsia</i> . <i>Tetrahedron Letters</i> , 2007, 48, 6677-6680.	1.4	11
136	Lumusidines Aâ”D and villalstonidine F, macrolineâ€“macroline and macrolineâ€“pleiocarpamine bisindole alkaloids from <i>Alstonia macrophylla</i> . <i>Phytochemistry</i> , 2013, 87, 148-156.	2.9	11
137	Andransinine: An Unusual Case of Spontaneous Resolution in an Indole Alkaloid Derivative. <i>Journal of Natural Products</i> , 2014, 77, 1532-1535.	3.0	11
138	Aspidofractinine alkaloids from <i>Kopsia teoi</i> . <i>Phytochemistry</i> , 1997, 46, 789-792.	2.9	10
139	Danuphylline, a novel pentacyclic indole from <i>Kopsia</i> . <i>Tetrahedron Letters</i> , 1998, 39, 5823-5826.	1.4	10
140	Dippinine A, A New Alkaloid of the Chippiinetype From A Malayan <i>&lt; i&gt;Tabernaemontana&lt;/i&gt;</i> . <i>Natural Product Research</i> , 1999, 13, 143-146.	0.4	10
141	Sustainable Syntheses of (â”)-Jerantinines A & E and Structural Characterisation of the Jerantinine-Tubulin Complex at the Colchicine Binding Site. <i>Scientific Reports</i> , 2018, 8, 10617.	3.3	10
142	Macroline, talpinine, and sarpagine alkaloids from <i>Alstonia penangiana</i> . An NMR-based method for differentiating between <i>A. penangiana</i> and <i>A. macrophylla</i> . <i>Phytochemistry</i> , 2020, 176, 112391.	2.9	10
143	Schwarzinicines Aâ€“G, 1,4-Diarylbutanoidâ€“Phenethylamine Conjugates from the Leaves of <i>&lt; i&gt;Ficus schwarzii&lt;/i&gt;</i> . <i>Journal of Natural Products</i> , 2020, 83, 152-158.	3.0	8
144	Divergent Synthesis of Skeletally Distinct Arboridinine and Arborisidine. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 26978-26985.	13.8	8

#	ARTICLE	IF	CITATIONS
145	Kinabalurine A, A New Monoterpene Alkaloid from a North Borneo Kopsia. <i>Natural Product Research</i> , 1996, 8, 231-235.	0.4	7
146	19(R)-Hydroxyeburnamine and 19(R)-Hydroxy-Isoeburnamine from Kopsia Dasyrachis. <i>Natural Product Research</i> , 1998, 12, 293-298.	0.4	7
147	Mersiphyllines A and B from Kopsia. Determination of relative configuration at a quaternary center via formation of an alkaloid-borane complex. <i>Tetrahedron</i> , 2009, 65, 6873-6876.	1.9	7
148	The natural alkaloid Jerantinine B has activity in acute myeloid leukemia cells through a mechanism involving c-Jun. <i>BMC Cancer</i> , 2020, 20, 629.	2.6	7
149	Concise synthesis of the vasorelaxant alkaloids schwarzinicines A and B. <i>Natural Product Research</i> , 2022, 36, 3972-3978.	1.8	7
150	The Bisindole Alkaloids Angustilongines M and A from <i>Alstonia penangiana</i> Induce Mitochondrial Apoptosis and G0/G1 Cell Cycle Arrest in HT-29 Cells through Promotion of Tubulin Polymerization. <i>Journal of Natural Products</i> , 2021, 84, 1524-1533.	3.0	7
151	Unprecedented Cyanation and Cyanomethylation Following Ring Closure versus Dimer Formation during Anodic Oxidation of the Aspidofractinine Alkaloid Kopsamine. <i>Heterocycles</i> , 1999, 51, 249.	0.7	7
152	A Cycloartane Incorporating a Fused Tetrahydrofuran Ring and a Cytotoxic Lactam from <i>Monocarpia marginalis</i> . <i>Journal of Natural Products</i> , 2008, 71, 1104-1106.	3.0	6
153	Arbolodinines A-C, biologically-active aspidofractinine-aspidofractinine, aspidofractinine-strychnan, and kopsine-strychnan bisindole alkaloids from <i>Kopsia arborea</i> . <i>Tetrahedron</i> , 2021, 78, 131802.	1.9	6
154	Transformations of Ferric Chloride-Generated Stilbene Cation Radicals. The Effect of Aromatic Substitution and a Comparison with Anodic Oxidation. <i>Chemistry - an Asian Journal</i> , 2015, 10, 2207-2220.	3.3	5
155	Reactivity of Anodically Generated 4-Methoxystilbene Cation Radicals: The Influence of Ortho-Substituted Hydroxymethyl, Aminomethyl, and Carboxylic Acid Groups. <i>Journal of Organic Chemistry</i> , 2018, 83, 15087-15100.	3.2	4
156	Apo ferritin-Encapsulated Jerantinine A for Transferrin Receptor Targeting and Enhanced Selectivity in Breast Cancer Therapy. <i>ACS Omega</i> , 2022, 7, 21473-21482.	3.5	4
157	Jerantinine B Enhances the Mitochondria-Mediated Apoptosis by p53 Activation in Human Glioblastoma Cells via a Combination with $\gamma$ -Tocotrienol. <i>Journal of Biologically Active Products From Nature</i> , 2018, 8, 21-27.	0.3	2
158	Antiproliferative and microtubule-stabilizing activities of two iboga-vobasine bisindoles alkaloids from <i>Tabernaemontana corymbosa</i> in colorectal adenocarcinoma HT-29 cells. <i>Planta Medica</i> , 2022, , .	1.3	2
159	Arboduridine, a hexacyclic caged monoterpenoid indole incorporating cyclohexane, piperidine, and bridged-fused pyrrolidine-tetrahydrofuran moieties. <i>Tetrahedron Letters</i> , 2022, 98, 153836.	1.4	2
160	Unusual Nitrogenous Derivatives from <i>Alstonia</i> . <i>Natural Product Communications</i> , 2012, 7, 1934578X1200700.	0.5	1
161	Unusual nitrogenous derivatives from <i>Alstonia</i> . <i>Natural Product Communications</i> , 2012, 7, 739-42.	0.5	1
162	Reactions of Anodically Generated Methoxystilbene Cation Radicals: The Influence of Ortho-Substituted Vinyl and Formyl Groups. <i>Journal of Organic Chemistry</i> , 2019, 84, 7279-7290.	3.2	0