

Teun Munnik

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4750717/publications.pdf>

Version: 2024-02-01

144
papers

14,727
citations

15504

65
h-index

19749

117
g-index

149
all docs

149
docs citations

149
times ranked

10548
citing authors

#	ARTICLE	IF	CITATIONS
1	A nanodomain-anchored scaffolding complex is required for the function and localization of phosphatidylinositol 4-kinase alpha in plants. <i>Plant Cell</i> , 2022, 34, 302-332.	6.6	22
2	DIACYLGLYCEROL KINASE 5 regulates polar tip growth of tobacco pollen tubes. <i>New Phytologist</i> , 2022, 233, 2185-2202.	7.3	8
3	EARLY RESPONSE TO DEHYDRATION 7 Remodels Cell Membrane Lipid Composition during Cold Stress in Arabidopsis. <i>Plant and Cell Physiology</i> , 2021, 62, 80-91.	3.1	27
4	Hot topic: Thermosensing in plants. <i>Plant, Cell and Environment</i> , 2021, 44, 2018-2033.	5.7	96
5	Dynamic membranes—the indispensable platform for plant growth, signaling, and development. <i>Plant Physiology</i> , 2021, 185, 547-549.	4.8	8
6	Characterization of maize root microbiome in two different soils by minimizing plant DNA contamination in metabarcoding analysis. <i>Biology and Fertility of Soils</i> , 2021, 57, 731-737.	4.3	5
7	Inducible depletion of PI(4,5)P2 by the synthetic iDePP system in Arabidopsis. <i>Nature Plants</i> , 2021, 7, 587-597.	9.3	29
8	Attracted to membranes: lipid-binding domains in plants. <i>Plant Physiology</i> , 2021, 185, 707-723.	4.8	24
9	Biochemical characterization of phospholipases C from <i>Coffea arabica</i> in response to aluminium stress. <i>Journal of Inorganic Biochemistry</i> , 2020, 204, 110951.	3.5	4
10	AUTOPHAGY-RELATED14 and Its Associated Phosphatidylinositol 3-Kinase Complex Promote Autophagy in Arabidopsis. <i>Plant Cell</i> , 2020, 32, 3939-3960.	6.6	36
11	Lipid kinases PIP5K7 and PIP5K9 are required for polyamine-triggered K^{+} efflux in Arabidopsis roots. <i>Plant Journal</i> , 2020, 104, 416-432.	5.7	28
12	Science and application of strigolactones. <i>New Phytologist</i> , 2020, 227, 1001-1011.	7.3	60
13	The BIR2/BIR3-Associated Phospholipase D β 1 Negatively Regulates Plant Immunity. <i>Plant Physiology</i> , 2020, 183, 371-384.	4.8	14
14	Extracellular Spermine Triggers a Rapid Intracellular Phosphatidic Acid Response in Arabidopsis, Involving PLD β Activation and Stimulating Ion Flux. <i>Frontiers in Plant Science</i> , 2019, 10, 601.	3.6	19
15	Arabidopsis phospholipase D β 1 and D β 2 oppositely modulate EDS1- and SA-independent basal resistance against adapted powdery mildew. <i>Journal of Experimental Botany</i> , 2018, 69, 3675-3688.	4.8	23
16	Cellular Dynamics: Cellular Systems in the Time Domain. <i>Plant Physiology</i> , 2018, 176, 12-15.	4.8	0
17	Arabidopsis Phospholipase C3 is Involved in Lateral Root Initiation and ABA Responses in Seed Germination and Stomatal Closure. <i>Plant and Cell Physiology</i> , 2018, 59, 469-486.	3.1	39
18	Vacuolar Trafficking Protein VPS38 Is Dispensable for Autophagy. <i>Plant Physiology</i> , 2018, 176, 1559-1572.	4.8	34

#	ARTICLE	IF	CITATIONS
19	Role for Arabidopsis PLC7 in Stomatal Movement, Seed Mucilage Attachment, and Leaf Serration. <i>Frontiers in Plant Science</i> , 2018, 9, 1721.	3.6	16
20	Arabidopsis inositol phosphate kinases <i>IPK1</i> and <i>ITPK1</i> constitute a metabolic pathway in maintaining phosphate homeostasis. <i>Plant Journal</i> , 2018, 95, 613-630.	5.7	79
21	Knock-Down of Arabidopsis PLC5 Reduces Primary Root Growth and Secondary Root Formation While Overexpression Improves Drought Tolerance and Causes Stunted Root Hair Growth. <i>Plant and Cell Physiology</i> , 2018, 59, 2004-2019.	3.1	41
22	<i>Polyamine oxidase 5</i> loss-of-function mutations in <i>Arabidopsis thaliana</i> trigger metabolic and transcriptional reprogramming and promote salt stress tolerance. <i>Plant, Cell and Environment</i> , 2017, 40, 527-542.	5.7	66
23	Acclimation to salt modifies the activation of several osmotic stress-activated lipid signalling pathways in <i>Chlamydomonas</i> . <i>Phytochemistry</i> , 2017, 135, 64-72.	2.9	28
24	In Vivo Imaging of Diacylglycerol at the Cytoplasmic Leaflet of Plant Membranes. <i>Plant and Cell Physiology</i> , 2017, 58, 1196-1207.	3.1	33
25	Arabidopsis phosphatidylinositol-phospholipase C2 (PLC2) is required for female gametogenesis and embryo development. <i>Planta</i> , 2017, 245, 717-728.	3.2	32
26	The regulation of cell polarity by lipid transfer proteins of the SEC14 family. <i>Current Opinion in Plant Biology</i> , 2017, 40, 158-168.	7.1	29
27	<i>Arabidopsis</i> EXO70A1 recruits Patellin3 to the cell membrane independent of its role as an exocyst subunit. <i>Journal of Integrative Plant Biology</i> , 2017, 59, 851-865.	8.5	25
28	Phospholipase C2 Affects MAMP-Triggered Immunity by Modulating ROS Production. <i>Plant Physiology</i> , 2017, 175, 970-981.	4.8	57
29	Perturbing phosphoinositide homeostasis oppositely affects vascular differentiation in <i>Arabidopsis thaliana</i> roots. <i>Development (Cambridge)</i> , 2017, 144, 3578-3589.	2.5	27
30	Visualization of Phosphatidylinositol 3,5-Bisphosphate Dynamics by a Tandem ML1N-Based Fluorescent Protein Probe in Arabidopsis. <i>Plant and Cell Physiology</i> , 2017, 58, 1185-1195.	3.1	27
31	Phosphatidic acid binding proteins display differential binding as a function of membrane curvature stress and chemical properties. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2016, 1858, 2709-2716.	2.6	74
32	Mitochondrial uncouplers inhibit clathrin-mediated endocytosis largely through cytoplasmic acidification. <i>Nature Communications</i> , 2016, 7, 11710.	12.8	98
33	Inhibition of phosphatidylinositol 3,5-bisphosphate production has pleiotropic effects on various membrane trafficking routes in Arabidopsis. <i>Plant and Cell Physiology</i> , 2016, 58, pcw164.	3.1	14
34	Phosphatidylinositol 3-phosphate 5-kinase, FAB1/PIKfyve mediates endosome maturation to establish endosome-cortical microtubule interaction in Arabidopsis. <i>Plant Physiology</i> , 2015, 169, pp.01368.2015.	4.8	54
35	The diversity of algal phospholipase D homologs revealed by biocomputational analysis. <i>Journal of Phycology</i> , 2015, 51, 943-962.	2.3	13
36	VIH2 Regulates the Synthesis of Inositol Pyrophosphate $InsP_8$ and Jasmonate-Dependent Defenses in Arabidopsis. <i>Plant Cell</i> , 2015, 27, 1082-1097.	6.6	153

#	ARTICLE	IF	CITATIONS
37	Primary root protophloem differentiation requires balanced phosphatidylinositol-4,5-biphosphate levels and systemically affects root branching. <i>Development (Cambridge)</i> , 2015, 142, 1437-46.	2.5	99
38	Identification and functional characterization of the <i>A</i> rabidopsis Snf-related protein kinase SnRK2.4 phosphatidic acid-binding domain. <i>Plant, Cell and Environment</i> , 2015, 38, 614-624.	5.7	47
39	SAC phosphoinositide phosphatases at the tonoplast mediate vacuolar function in Arabidopsis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 2818-2823.	7.1	62
40	Multiple vacuoles in impaired tonoplast trafficking mutants are independent organelles. <i>Plant Signaling and Behavior</i> , 2014, 9, e972113.	2.4	7
41	A multi-colour/affinity marker set to visualize phosphoinositide dynamics in <i>A</i> rabidopsis. <i>Plant Journal</i> , 2014, 77, 322-337.	5.7	241
42	Bipolar Plasma Membrane Distribution of Phosphoinositides and Their Requirement for Auxin-Mediated Cell Polarity and Patterning in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2014, 26, 2114-2128.	6.6	144
43	Protein Delivery to Vacuole Requires SAND Protein-Dependent Rab GTPase Conversion for MVB-Vacuole Fusion. <i>Current Biology</i> , 2014, 24, 1383-1389.	3.9	144
44	Involvement of Phosphatidylinositol 3-kinase in the regulation of proline catabolism in <i>Arabidopsis thaliana</i> . <i>Frontiers in Plant Science</i> , 2014, 5, 772.	3.6	35
45	PI-PLC: Phosphoinositide-Phospholipase C in Plant Signaling. <i>Signaling and Communication in Plants</i> , 2014, , 27-54.	0.7	38
46	Halotropism Is a Response of Plant Roots to Avoid a Saline Environment. <i>Current Biology</i> , 2013, 23, 2044-2050.	3.9	270
47	Identification of novel candidate phosphatidic acid-binding proteins involved in the salt-stress response of <i>Arabidopsis thaliana</i> roots. <i>Biochemical Journal</i> , 2013, 450, 573-581.	3.7	151
48	Lipid-Binding Analysis Using a Fat Blot Assay. <i>Methods in Molecular Biology</i> , 2013, 1009, 253-259.	0.9	25
49	Use of Phospholipase A2 for the Production of Lysophospholipids. <i>Methods in Molecular Biology</i> , 2013, 1009, 63-68.	0.9	1
50	Analyzing Plant Signaling Phospholipids Through ³² Pi-Labeling and TLC. <i>Methods in Molecular Biology</i> , 2013, 1009, 3-15.	0.9	37
51	Using Genetically Encoded Fluorescent Reporters to Image Lipid Signalling in Living Plants. <i>Methods in Molecular Biology</i> , 2013, 1009, 283-289.	0.9	17
52	Assay of Phospholipase A Activity. <i>Methods in Molecular Biology</i> , 2013, 1009, 241-249.	0.9	6
53	Measuring PLD Activity In Vivo. <i>Methods in Molecular Biology</i> , 2013, 1009, 219-231.	0.9	17
54	Analysis and Quantification of Plant Membrane Lipids by Thin-Layer Chromatography and Gas Chromatography. <i>Methods in Molecular Biology</i> , 2013, 1009, 69-78.	0.9	15

#	ARTICLE	IF	CITATIONS
55	Distinguishing Phosphatidic Acid Pools from De Novo Synthesis, PLD, and DCK. <i>Methods in Molecular Biology</i> , 2013, 1009, 55-62.	0.9	17
56	Analysis of D3-,4-,5-Phosphorylated Phosphoinositides Using HPLC. <i>Methods in Molecular Biology</i> , 2013, 1009, 17-24.	0.9	7
57	Rapid phosphatidic acid accumulation in response to low temperature stress in Arabidopsis is generated through diacylglycerol kinase. <i>Frontiers in Plant Science</i> , 2013, 4, 1.	3.6	879
58	Phosphatidylinositol 4-phosphate is associated to extracellular lipoproteic fractions and is detected in tomato apoplastic fluids. <i>Plant Biology</i> , 2012, 14, 41-49.	3.8	23
59	The Snf1-related protein kinases SnRK2.4 and SnRK2.10 are involved in maintenance of root system architecture during salt stress. <i>Plant Journal</i> , 2012, 72, 436-449.	5.7	161
60	Heat shock response in photosynthetic organisms: Membrane and lipid connections. <i>Progress in Lipid Research</i> , 2012, 51, 208-220.	11.6	134
61	Molecular, cellular, and physiological responses to phosphatidic acid formation in plants. <i>Journal of Experimental Botany</i> , 2011, 62, 2349-2361.	4.8	335
62	Understanding pollen tube growth: the hydrodynamic model versus the cell wall model. <i>Trends in Plant Science</i> , 2011, 16, 347-352.	8.8	51
63	Green light for polyphosphoinositide signals in plants. <i>Current Opinion in Plant Biology</i> , 2011, 14, 489-497.	7.1	184
64	The OX11 Kinase Pathway Mediates Piriformospora indica-Induced Growth Promotion in Arabidopsis. <i>PLoS Pathogens</i> , 2011, 7, e1002051.	4.7	126
65	The salt stress-induced LPA response in Chlamydomonas is produced via PLA2 hydrolysis of DKG-generated phosphatidic acid. <i>Journal of Lipid Research</i> , 2011, 52, 2012-2020.	4.2	40
66	Imaging Lipids in Living Plants. <i>Plant Cell Monographs</i> , 2010, , 185-199.	0.4	5
67	Diacylglycerol Kinase. <i>Plant Cell Monographs</i> , 2010, , 107-114.	0.4	2
68	Osmotic stress-induced phosphoinositide and inositol phosphate signalling in plants. <i>Plant, Cell and Environment</i> , 2010, 33, 655-669.	5.7	227
69	Identification of tomato phosphatidylinositol-specific phospholipase-C (PI-PLC) family members and the role of PLC4 and PLC6 in HR and disease resistance. <i>Plant Journal</i> , 2010, 62, 224-239.	5.7	127
70	Lipid Signaling in Plants. <i>Plant Cell Monographs</i> , 2010, , .	0.4	14
71	Plant Phosphatidylinositol 3-Kinase. <i>Plant Cell Monographs</i> , 2010, , 95-106.	0.4	11
72	Plant phospholipid signaling: a nutshell. <i>Journal of Lipid Research</i> , 2009, 50, S260-S265.	4.2	242

#	ARTICLE	IF	CITATIONS
73	Multiple PLDs Required for High Salinity and Water Deficit Tolerance in Plants. <i>Plant and Cell Physiology</i> , 2009, 50, 78-89.	3.1	213
74	Phospholipid Signaling Responses in Salt-Stressed Rice Leaves. <i>Plant and Cell Physiology</i> , 2009, 50, 986-997.	3.1	140
75	Reassessing the role of phospholipase D in the <i>Arabidopsis</i> wounding response. <i>Plant, Cell and Environment</i> , 2009, 32, 837-850.	5.7	74
76	Imaging phosphatidylinositol 4-phosphate dynamics in living plant cells. <i>Plant Journal</i> , 2009, 57, 356-372.	5.7	189
77	Heat stress activates phospholipase D and triggers PIP ₂ accumulation at the plasma membrane and nucleus. <i>Plant Journal</i> , 2009, 60, 10-21.	5.7	191
78	Plant PA signaling via diacylglycerol kinase. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2009, 1791, 869-875.	2.4	213
79	Uncovering hidden treasures in pollen tube growth mechanics. <i>Trends in Plant Science</i> , 2009, 14, 318-327.	8.8	62
80	Phosphatidylinositol 4-phosphate accumulates extracellularly upon xylanase treatment in tomato cell suspensions. <i>Plant, Cell and Environment</i> , 2008, 31, 1051-1062.	5.7	29
81	The <i>Arabidopsis</i> Phosphatidylinositol Phosphate 5-Kinase PIP5K3 Is a Key Regulator of Root Hair Tip Growth. <i>Plant Cell</i> , 2008, 20, 367-380.	6.6	194
82	Still life. <i>Plant Signaling and Behavior</i> , 2008, 3, 836-838.	2.4	4
83	Vesicle trafficking dynamics and visualization of zones of exocytosis and endocytosis in tobacco pollen tubes. <i>Journal of Experimental Botany</i> , 2008, 59, 861-873.	4.8	161
84	PA, a stress-induced short cut to switch-on ethylene signalling by switching-off CTR1?. <i>Plant Signaling and Behavior</i> , 2008, 3, 681-683.	2.4	17
85	Phosphatidic acid binds to and inhibits the activity of <i>Arabidopsis</i> CTR1. <i>Journal of Experimental Botany</i> , 2007, 58, 3905-3914.	4.8	132
86	An Electrostatic/Hydrogen Bond Switch as the Basis for the Specific Interaction of Phosphatidic Acid with Proteins. <i>Journal of Biological Chemistry</i> , 2007, 282, 11356-11364.	3.4	214
87	Life under pressure: hydrostatic pressure in cell growth and function. <i>Trends in Plant Science</i> , 2007, 12, 90-97.	8.8	138
88	Visualization of phosphatidylinositol 4,5-bisphosphate in the plasma membrane of suspension-cultured tobacco BY-2 cells and whole <i>Arabidopsis</i> seedlings. <i>Plant Journal</i> , 2007, 52, 1014-1026.	5.7	182
89	Signalling diacylglycerol pyrophosphate, a new phosphatidic acid metabolite. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2006, 1761, 151-159.	2.4	59
90	LePLD ¹ activation and relocalization in suspension-cultured tomato cells treated with xylanase. <i>Plant Journal</i> , 2006, 45, 358-368.	5.7	72

#	ARTICLE	IF	CITATIONS
91	Visualization of PtdIns3Pdynamics in living plant cells. <i>Plant Journal</i> , 2006, 47, 687-700.	5.7	245
92	Hydrodynamics and Cell Volume Oscillations in the Pollen Tube Apical Region are Integral Components of the Biomechanics of <i>Nicotiana tabacum</i> Pollen Tube Growth. <i>Cell Biochemistry and Biophysics</i> , 2006, 46, 209-232.	1.8	45
93	Aluminum inhibits phosphatidic acid formation by blocking the phospholipase C pathway. <i>Planta</i> , 2006, 225, 393-401.	3.2	48
94	The role of phospholipase D in plant stress responses. <i>Current Opinion in Plant Biology</i> , 2006, 9, 515-522.	7.1	286
95	Cracking the Green Paradigm: Functional Coding of Phosphoinositide Signals in Plant Stress Responses. , 2006, 39, 207-237.		41
96	Phosphatidic acid: a multifunctional stress signaling lipid in plants. <i>Trends in Plant Science</i> , 2005, 10, 368-375.	8.8	518
97	Osmotically Induced Cell Swelling versus Cell Shrinking Elicits Specific Changes in Phospholipid Signals in Tobacco Pollen Tubes. <i>Plant Physiology</i> , 2004, 134, 813-823.	4.8	136
98	Phosphatidic acid accumulation is an early response in the Cf-4/Avr4 interaction. <i>Plant Journal</i> , 2004, 39, 1-12.	5.7	199
99	Isolation and identification of phosphatidic acid targets from plants. <i>Plant Journal</i> , 2004, 39, 527-536.	5.7	187
100	A protein kinase target of a PDK1 signalling pathway is involved in root hair growth in <i>Arabidopsis</i> . <i>EMBO Journal</i> , 2004, 23, 572-581.	7.8	285
101	Learning the lipid language of plant signalling. <i>Trends in Plant Science</i> , 2004, 9, 378-384.	8.8	141
102	Plant Response to Stress: Phosphatidic Acid As a Second Messenger. , 2004, , 995-998.		4
103	Characterization of five tomato phospholipase D cDNAs: rapid and specific expression of LePLD ²¹ on elicitation with xylanase. <i>Plant Journal</i> , 2003, 26, 237-247.	5.7	104
104	Substrate preference of stress-activated phospholipase D in <i>Chlamydomonas</i> and its contribution to PA formation. <i>Plant Journal</i> , 2003, 34, 595-604.	5.7	48
105	PHOSPHOLIPID-BASED SIGNALING IN PLANTS. <i>Annual Review of Plant Biology</i> , 2003, 54, 265-306.	18.7	551
106	Nod Factor and Elicitors Activate Different Phospholipid Signaling Pathways in Suspension-Cultured Alfalfa Cells. <i>Plant Physiology</i> , 2003, 132, 311-317.	4.8	109
107	Phospholipase D Activation Correlates with Microtubule Reorganization in Living Plant Cells[W]. <i>Plant Cell</i> , 2003, 15, 2666-2679.	6.6	225
108	Tumour necrosis factor alpha potentiates ion secretion induced by histamine in a human intestinal epithelial cell line and in mouse colon: involvement of the phospholipase D pathway. <i>Gut</i> , 2002, 50, 314-321.	12.1	26

#	ARTICLE	IF	CITATIONS
109	Phospholipase D in <i>Phytophthora infestans</i> and Its Role in Zoospore Encystment. <i>Molecular Plant-Microbe Interactions</i> , 2002, 15, 939-946.	2.6	45
110	Phospholipid signalling in plant defence. <i>Current Opinion in Plant Biology</i> , 2002, 5, 332-338.	7.1	223
111	KCl activates phospholipase D at two different concentration ranges: distinguishing between hyperosmotic stress and membrane depolarization. <i>Plant Journal</i> , 2002, 31, 51-60.	5.7	35
112	Phosphatidic acid: an emerging plant lipid second messenger. <i>Trends in Plant Science</i> , 2001, 6, 227-233.	8.8	371
113	Osmotic stress activates distinct lipid and MAPK signalling pathways in plants. <i>FEBS Letters</i> , 2001, 498, 172-178.	2.8	120
114	PLD pathway involved in carbachol-induced Cl^- secretion: possible role of TNF- α . <i>American Journal of Physiology - Cell Physiology</i> , 2001, 280, C789-C795.	4.6	18
115	Identification of a new polyphosphoinositide in plants, phosphatidylinositol 5-monophosphate (PtdIns5P), and its accumulation upon osmotic stress. <i>Biochemical Journal</i> , 2001, 360, 491.	3.7	81
116	Identification of a new polyphosphoinositide in plants, phosphatidylinositol 5-monophosphate (PtdIns5P), and its accumulation upon osmotic stress. <i>Biochemical Journal</i> , 2001, 360, 491-498.	3.7	106
117	Hyperosmotic stress rapidly generates lyso-phosphatidic acid in <i>Chlamydomonas</i> . <i>Plant Journal</i> , 2001, 25, 541-548.	5.7	71
118	Phospholipid Signaling in Plants: Holding On to Phospholipase D. <i>Science Signaling</i> , 2001, 2001, pe42-pe42.	3.6	34
119	Nod factor-induced phosphatidic acid and diacylglycerol pyrophosphate formation: a role for phospholipase C and D in root hair deformation. <i>Plant Journal</i> , 2001, 25, 55-65.	5.7	11
120	Nod factor-induced phosphatidic acid and diacylglycerol pyrophosphate formation: a role for phospholipase C and D in root hair deformation. <i>Plant Journal</i> , 2001, 25, 55-65.	5.7	156
121	Water Deficit Triggers Phospholipase D Activity in the Resurrection Plant <i>Craterostigma plantagineum</i> . <i>Plant Cell</i> , 2000, 12, 111-123.	6.6	223
122	Water Deficit Triggers Phospholipase D Activity in the Resurrection Plant <i>Craterostigma Plantagineum</i> . <i>Plant Cell</i> , 2000, 12, 111.	6.6	16
123	Hyperosmotic stress stimulates phospholipase D activity and elevates the levels of phosphatidic acid and diacylglycerol pyrophosphate. <i>Plant Journal</i> , 2000, 22, 147-154.	5.7	239
124	Polar glycerolipids of <i>Chlamydomonas moewusii</i> . <i>Phytochemistry</i> , 2000, 53, 265-270.	2.9	53
125	<i>Chlamydomonas</i> contains calcium stores that are mobilized when phospholipase C is activated. <i>Planta</i> , 2000, 210, 286-294.	3.2	24
126	Elicitation of Suspension-Cultured Tomato Cells Triggers the Formation of Phosphatidic Acid and Diacylglycerol Pyrophosphate. <i>Plant Physiology</i> , 2000, 123, 1507-1516.	4.8	221

#	ARTICLE	IF	CITATIONS
127	Tumor necrosis factor α potentiates ion secretion induced by histamine in HT29cL19A cells via the phospholipase D pathway. <i>Gastroenterology</i> , 2000, 118, A1132.	1.3	0
128	Distinct osmo-sensing protein kinase pathways are involved in signalling moderate and severe hyper-osmotic stress. <i>Plant Journal</i> , 1999, 20, 381-388.	5.7	179
129	Hyperosmotic stress induces rapid synthesis of phosphatidyl- D -inositol 3,5-bisphosphate in plant cells. <i>Planta</i> , 1999, 208, 294-298.	3.2	132
130	Mastoparan analogues stimulate phospholipase C- and phospholipase D-activity in <i>Chlamydomonas</i> : a comparative study. <i>Journal of Experimental Botany</i> , 1999, 50, 1735-1742.	4.8	22
131	Detailed analysis of the turnover of polyphosphoinositides and phosphatidic acid upon activation of phospholipases C and D in <i>Chlamydomonas</i> cells treated with non-permeabilizing concentrations of mastoparan. <i>Planta</i> , 1998, 207, 133-145.	3.2	105
132	Phospholipid signalling in plants. <i>Lipids and Lipid Metabolism</i> , 1998, 1389, 222-272.	2.6	389
133	Activation of phospholipase D by calmodulin antagonists and mastoparan in carnation petals. <i>Journal of Experimental Botany</i> , 1997, 48, 1631-1637.	4.8	42
134	Activation of phospholipase D by calmodulin antagonists and mastoparan in carnation petals. <i>Journal of Experimental Botany</i> , 1997, 48, 1631-1637.	4.8	14
135	Identification of Diacylglycerol Pyrophosphate as a Novel Metabolic Product of Phosphatidic Acid during G-protein Activation in Plants. <i>Journal of Biological Chemistry</i> , 1996, 271, 15708-15715.	3.4	129
136	G Protein Activation Stimulates Phospholipase D Signaling in Plants.. <i>Plant Cell</i> , 1995, 7, 2197-2210.	6.6	216
137	G Protein Activation Stimulates Phospholipase D Signaling in Plants. <i>Plant Cell</i> , 1995, 7, 2197.	6.6	96
138	Rapid turnover of polyphosphoinositides in carnation flower petals. <i>Planta</i> , 1994, 193, 89-98.	3.2	63
139	Rapid turnover of phosphatidylinositol 3-phosphate in the green alga <i>Chlamydomonas eugametos</i> : signs of a phosphatidylinositide 3-kinase signalling pathway in lower plants?. <i>Biochemical Journal</i> , 1994, 298, 269-273.	3.7	70
140	Inositol 1,4,5-trisphosphate as fertilization signal in plants: testcase <i>Chlamydomonas eugametos</i> . <i>Planta</i> , 1993, 191, 280.	3.2	14
141	Zygote formation in the homothallic green alga <i>Chlamydomonas monoica</i> Strehlow. <i>Planta</i> , 1992, 188, 551-558.	3.2	8
142	Cyclic variations in the permeability of the cell wall of <i>Saccharomyces cerevisiae</i> . <i>Yeast</i> , 1991, 7, 589-598.	1.7	45
143	An assay of relative cell wall porosity in <i>Saccharomyces cerevisiae</i> , <i>Kluyveromyces lactis</i> and <i>Schizosaccharomyces pombe</i> . <i>Yeast</i> , 1990, 6, 483-490.	1.7	143
144	The glucanase-soluble mannoproteins limit cell wall porosity in <i>Saccharomyces cerevisiae</i> . <i>Yeast</i> , 1990, 6, 491-499.	1.7	238