

# Stefan Leucht

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4757850/publications.pdf>

Version: 2024-02-01

435  
papers

41,925  
citations

2322

98  
h-index

2828

191  
g-index

484  
all docs

484  
docs citations

484  
times ranked

26179  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Associations between individual antipsychotics and the risk of arrests and convictions of violent and other crime: a nationwide within-individual study of 74 925 persons. <i>Psychological Medicine</i> , 2022, 52, 3792-3800.           | 4.5  | 8         |
| 2  | How Efficacious Are Antipsychotic Drugs for Schizophrenia? An Interpretation Based on 13 Effect Size Indices. <i>Schizophrenia Bulletin</i> , 2022, 48, 27-36.  | 4.3  | 7         |
| 3  | About the issue of including or excluding studies from China in systematic reviews. <i>Schizophrenia Research</i> , 2022, 240, 162-163.   | 2.0  | 4         |
| 4  | Family interventions for relapse prevention in schizophrenia: a systematic review and network meta-analysis. <i>Lancet Psychiatry</i> , 2022, 9, 211-221.   | 7.4  | 47        |
| 5  | New insight into the CATIE study by constrained confidence partitioning. An innovative technique towards personalized antipsychotic drug therapy in schizophrenia treatment. <i>Schizophrenia Research</i> , 2022, 239, 192-199.          | 2.0  | 2         |
| 6  | Antipsychotic-Induced Weight Gain: Dose-Response Meta-Analysis of Randomized Controlled Trials. <i>Schizophrenia Bulletin</i> , 2022, 48, 643-654.  | 4.3  | 35        |
| 7  | Which first-generation antipsychotics should be repurposed for the treatment of schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 1-3.   | 3.2  | 10        |
| 8  | Early- and subsequent- response of cognitive functioning in Alzheimer's disease: Individual-participant data from five pivotal randomized clinical trials of donepezil. <i>Journal of Psychiatric Research</i> , 2022, 148, 159-164.      | 3.1  | 5         |
| 9  | Representation and Outcomes of Individuals With Schizophrenia Seen in Everyday Practice Who Are Ineligible for Randomized Clinical Trials. <i>JAMA Psychiatry</i> , 2022, 79, 210.  | 11.0 | 47        |
| 10 | Cognitive impairment networks in Alzheimer's disease: Analysis of three double-blind randomized, placebo-controlled, clinical trials of donepezil. <i>European Neuropsychopharmacology</i> , 2022, 57, 50-58.                             | 0.7  | 2         |
| 11 | Treatment Approaches for First Episode and Early-Phase Schizophrenia in Adolescents and Young Adults: A Delphi Consensus Report from Europe. <i>Neuropsychiatric Disease and Treatment</i> , 2022, Volume 18, 201-219.                    | 2.2  | 3         |
| 12 | Comparative efficacy and tolerability of 32 oral and long-acting injectable antipsychotics for the maintenance treatment of adults with schizophrenia: a systematic review and network meta-analysis. <i>Lancet</i> , 2022, 399, 824-836. | 13.7 | 88        |
| 13 | Pharmacological and dietary-supplement treatments for autism spectrum disorder: a systematic review and network meta-analysis. <i>Molecular Autism</i> , 2022, 13, 10.  | 4.9  | 36        |
| 14 | Concept of the Munich/Augsburg Consortium Precision in Mental Health for the German Center of Mental Health. <i>Frontiers in Psychiatry</i> , 2022, 13, 815718.   | 2.6  | 2         |
| 15 | Adverse events after antipsychotic discontinuation: an individual participant data meta-analysis. <i>Lancet Psychiatry</i> , 2022, 9, 232-242.  | 7.4  | 15        |
| 16 | Relapse prevention in schizophrenia – Authors' reply. <i>Lancet Psychiatry</i> , 2022, 9, e14.  | 7.4  | 0         |
| 17 | Confidence of evidence should be considered in ranking of treatments in the network meta-analysis – Authors' reply. <i>Lancet Psychiatry</i> , 2022, 9, e16.  | 7.4  | 0         |
| 18 | Amisulpride and olanzapine combination treatment versus each monotherapy in acutely ill patients with schizophrenia in Germany (COMBINE): a double-blind randomised controlled trial. <i>Lancet Psychiatry</i> , 2022, 9, 291-306.        | 7.4  | 6         |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Half a century of research on antipsychotics and schizophrenia: A scientometric study of hotspots, nodes, bursts, and trends. <i>Neuroscience and Biobehavioral Reviews</i> , 2022, 136, 104608.   | 6.1  | 67        |
| 20 | Cognitive dysfunction in schizophrenia: An expert group paper on the current state of the art. <i>Schizophrenia Research: Cognition</i> , 2022, 29, 100249.  | 1.3  | 23        |
| 21 | Optimal Doses of Specific Antipsychotics for Relapse Prevention in a Nationwide Cohort of Patients with Schizophrenia. <i>Schizophrenia Bulletin</i> , 2022, 48, 774-784.  | 4.3  | 9         |
| 22 | Maintenance Treatment With Antipsychotic Drugs in Schizophrenia: A Cochrane Systematic Review and Meta-analysis. <i>Schizophrenia Bulletin</i> , 2022, 48, 738-740.  | 4.3  | 13        |
| 23 | Scalability of the Positive and Negative Syndrome Scale in first-episode schizophrenia assessed by Rasch models. <i>Acta Psychiatrica Scandinavica</i> , 2022, 146, 21-35.   | 4.5  | 4         |
| 24 | What Is the Minimum Clinically Important Change in Negative Symptoms of Schizophrenia? PANSS Based Post-hoc Analyses of a Phase III Clinical Trial. <i>Frontiers in Psychiatry</i> , 2022, 13, 816339.   | 2.6  | 4         |
| 25 | Cognitive behavioural therapy plus standard care for first episode psychosis. <i>The Cochrane Library</i> , 2022, 2022, .  | 2.8  | 1         |
| 26 | Vitruvian plot: a visualisation tool for multiple outcomes in network meta-analysis. <i>Evidence-Based Mental Health</i> , 2022, 25, e65-e70.  | 4.5  | 8         |
| 27 | Effects of antipsychotics on heart rate in treatment of schizophrenia: a systematic review and meta-analysis. <i>Therapeutic Advances in Psychopharmacology</i> , 2022, 12, 204512532210972.   | 2.7  | 3         |
| 28 | Evidence-based Shared-Decision-Making Assistant (SDM-assistant) for choosing antipsychotics: protocol of a cluster-randomized trial in hospitalized patients with schizophrenia. <i>BMC Psychiatry</i> , 2022, 22, .   | 2.6  | 2         |
| 29 | Pharmacological Treatment of Early-Onset Schizophrenia: A Critical Review, Evidence-Based Clinical Guidance and Unmet Needs. <i>Pharmacopsychiatry</i> , 2022, 55, 233-245.  | 3.3  | 9         |
| 30 | Antipsychotic drugs: from "major tranquilizers" to Neuroscience-based-Nomenclature. <i>Psychological Medicine</i> , 2021, 51, 522-524.   | 4.5  | 10        |
| 31 | Reducing antipsychotic drugs in stable patients with chronic schizophrenia or schizoaffective disorder: a randomized controlled pilot trial. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 293-302.  | 3.2  | 20        |
| 32 | Association of CYP2C19 and CYP2D6 Poor and Intermediate Metabolizer Status With Antidepressant and Antipsychotic Exposure. <i>JAMA Psychiatry</i> , 2021, 78, 270.   | 11.0 | 91        |
| 33 | Treatment Goals for Patients with Schizophrenia – A Narrative Review of Physician and Patient Perspectives. <i>Pharmacopsychiatry</i> , 2021, 54, 53-59.   | 3.3  | 4         |
| 34 | Exploring a Safety Signal of Antipsychotic-Associated Pneumonia: A Pharmacovigilance-Pharmacodynamic Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 672-681.   | 4.3  | 4         |
| 35 | Identification and management of cardiometabolic risk in subjects with schizophrenia spectrum disorders: A Delphi expert consensus study. <i>European Psychiatry</i> , 2021, 64, e7.   | 0.2  | 15        |
| 36 | Quantifying the heterogeneity of cognitive functioning in Alzheimer's disease to extend the placebo-treatment dichotomy: Latent class analysis of individual-participant data from five pivotal randomized clinical trials of donepezil. <i>European Psychiatry</i> , 2021, 64, e16. | 0.2  | 1         |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Multifactorial barriers in the implementation of schizophrenia and psychosocial therapies guidelines: A quantitative study across different professions. <i>Schizophrenia Research</i> , 2021, 228, 425-434.  | 2.0  | 10        |
| 38 | Antipsychotic Medications: Enhancing Use to Improve Outcomes. <i>Schizophrenia Bulletin</i> , 2021, 47, 1201-1204.  | 4.3  | 2         |
| 39 | A living meta-ecological study of the consequences of the COVID-19 pandemic on mental health. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 219-221.  | 3.2  | 10        |
| 40 | Short-acting intramuscular second-generation antipsychotic drugs for acutely agitated patients with schizophrenia spectrum disorders. A systematic review and network meta-analysis. <i>Schizophrenia Research</i> , 2021, 229, 3-11.   | 2.0  | 7         |
| 41 | An efficient way to assess the effect of COVID-19 on mental health in the general population. <i>Lancet Psychiatry</i> , 2021, 8, e14-e15.  | 7.4  | 10        |
| 42 | The role of depression in the prediction of a relapse-free remission in first-episode psychosis: An analysis of the OPTiMiSE study. <i>Schizophrenia Research</i> , 2021, 231, 100-107.   | 2.0  | 4         |
| 43 | Effects of Genetic Polymorphism in CYP2D6, CYP2C19, and the Organic Cation Transporter OCT1 on Amitriptyline Pharmacokinetics in Healthy Volunteers and Depressive Disorder Patients. <i>Frontiers in Pharmacology</i> , 2021, 12, 688950.  | 3.5  | 14        |
| 44 | Lower cholinergic basal forebrain volumes link with cognitive difficulties in schizophrenia. <i>Neuropsychopharmacology</i> , 2021, 46, 2320-2329.  | 5.4  | 17        |
| 45 | Let us not rush back to odds ratios without a recommendation to convert them to interpretable measures. <i>Journal of Clinical Epidemiology</i> , 2021, 134, 172-173.   | 5.0  | 0         |
| 46 | Imputing the Number of Responders from the Mean and Standard Deviation of CGI-Improvement in Clinical Trials Investigating Medications for Autism Spectrum Disorder. <i>Brain Sciences</i> , 2021, 11, 908.   | 2.3  | 4         |
| 47 | Metabolic side effects of antipsychotic drugs in individuals with schizophrenia during medium- to long-term treatment: protocol for a systematic review and network meta-analysis of randomized controlled trials. <i>Systematic Reviews</i> , 2021, 10, 214.   | 5.3  | 5         |
| 48 | Examination of Dosing of Antipsychotic Drugs for Relapse Prevention in Patients With Stable Schizophrenia. <i>JAMA Psychiatry</i> , 2021, 78, 1238.   | 11.0 | 44        |
| 49 | Evaluating pimavanserin as a treatment for psychiatric disorders: A pharmacological property in search of an indication. <i>Expert Opinion on Pharmacotherapy</i> , 2021, 22, 1651-1660.  | 1.8  | 8         |
| 50 | Examining Side Effect Variability of Antipsychotic Treatment in Schizophrenia Spectrum Disorders: A Meta-analysis of Variance. <i>Schizophrenia Bulletin</i> , 2021, 47, 1601-1610.   | 4.3  | 6         |
| 51 | Linking the Clinical Dementia Rating Scale-Sum of Boxes, the Clinician's Interview-Based Impression Plus Caregiver Input, and the Clinical Global Impression Scale: Evidence based on Individual Participant Data from Five Randomized Clinical Trials of Donepezil. <i>Journal of Alzheimer's Disease</i> , 2021, 82, 1075-1084. | 2.6  | 5         |
| 52 | Should "atypical", first-generation antipsychotics no longer be generally used in the treatment of schizophrenia?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 1411-1413.   | 3.2  | 6         |
| 53 | Efficacy and safety of clozapine in psychotic disorders—a systematic quantitative meta-review. <i>Translational Psychiatry</i> , 2021, 11, 487.   | 4.8  | 61        |
| 54 | Clozapine, Long-Acting Injectables (and Polypharmacy?) Superior in U.S. and International Registries. <i>American Journal of Psychiatry</i> , 2021, 178, 888-889.   | 7.2  | 5         |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 55 | Prolactin levels influenced by antipsychotic drugs in schizophrenia: A systematic review and network meta-analysis. <i>Schizophrenia Research</i> , 2021, 237, 20-25.   | 2.0  | 22        |
| 56 | Matrix Metalloproteinase 9 Blood Alterations in Patients With Schizophrenia Spectrum Disorders: A Systematic Review and Meta-Analysis. <i>Schizophrenia Bulletin</i> , 2021, 47, 986-996.   | 4.3  | 9         |
| 57 | Linking the Mini-Mental State Examination, the Alzheimer's Disease Assessment Scale-Cognitive Subscale and the Severe Impairment Battery: evidence from individual participant data from five randomised clinical trials of donepezil. <i>Evidence-Based Mental Health</i> , 2021, 24, 56-61.           | 4.5  | 14        |
| 58 | Psychosocial and psychological interventions for relapse prevention in schizophrenia: a systematic review and network meta-analysis. <i>Lancet Psychiatry</i> , 2021, 8, 969-980.   | 7.4  | 114       |
| 59 | Limitations in Research on Maintenance Treatment for Individuals With Schizophrenia—Reply. <i>JAMA Psychiatry</i> , 2021, , .   | 11.0 | 0         |
| 60 | Translating the BDI and BDI-II into the HAMD and vice versa with equipercenile linking. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e24.   | 3.9  | 39        |
| 61 | Antipsychotic drugs <i>v.</i> barbiturates or benzodiazepines used as active placebos for schizophrenia: a systematic review and meta-analysis. <i>Psychological Medicine</i> , 2020, 50, 2622-2633.  | 4.5  | 6         |
| 62 | A randomized double-blind controlled trial to assess the benefits of amisulpride and olanzapine combination treatment versus each monotherapy in acutely ill schizophrenia patients (COMBINE): methods and design. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 83-94. | 3.2  | 4         |
| 63 | Dose-Response Meta-Analysis of Antipsychotic Drugs for Acute Schizophrenia. <i>American Journal of Psychiatry</i> , 2020, 177, 342-353.   | 7.2  | 137       |
| 64 | M201. MODERATORS OF WEIGHT GAIN IN RANDOMIZED CONTROLLED TRIALS OF SCHIZOPHRENIA — A META-REGRESSION ANALYSIS. <i>Schizophrenia Bulletin</i> , 2020, 46, S212-S213.   | 4.3  | 0         |
| 65 | Hostility and aggressive behaviour in first episode psychosis: Results from the OPTiMiSE trial. <i>Schizophrenia Research</i> , 2020, 223, 271-278.   | 2.0  | 9         |
| 66 | Optimal Dose of Selective Serotonin Reuptake Inhibitors, Venlafaxine, and Mirtazapine in Major Depression: A Systematic Review and Dose-Response Meta-Analysis. <i>Focus (American Psychiatric)</i> 10 Tf 50  | 7.4  | 4         |
| 67 | What is the "best" explanatory versus pragmatic antipsychotic drug trials. <i>Lancet Psychiatry</i> , 2020, 7, 1004-1006.   | 7.4  | 4         |
| 68 | Maintenance treatment with antipsychotic drugs for schizophrenia. <i>The Cochrane Library</i> , 2020, 2020, CD008016.   | 2.8  | 56        |
| 69 | Placebo response in pharmacological and dietary supplement trials of autism spectrum disorder (ASD): systematic review and meta-regression analysis. <i>Molecular Autism</i> , 2020, 11, 66.  | 4.9  | 40        |
| 70 | Aberrant striatal dopamine links topographically with cortico-thalamic dysconnectivity in schizophrenia. <i>Brain</i> , 2020, 143, 3495-3505.   | 7.6  | 20        |
| 71 | Antipsychotic Dose in Acute Schizophrenia: A Meta-analysis. <i>Schizophrenia Bulletin</i> , 2020, 46, 1439-1458.  | 4.3  | 22        |
| 72 | Rasch analysis of the PANSS negative subscale and exploration of negative symptom trajectories in first-episode schizophrenia — data from the OPTiMiSE trial. <i>Psychiatry Research</i> , 2020, 289, 112970.   | 3.3  | 11        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 73 | Gauging the Scope for Precision Medicine: Evaluating Individual Differences in Side Effects to Antipsychotic Treatment. <i>Biological Psychiatry</i> , 2020, 87, S291-S292.   | 1.3  | 0         |
| 74 | T200. METABOLIC SIDE EFFECTS OF ANTIPSYCHOTIC DRUGS –“ PROTOCOL OF A SYSTEMATIC REVIEW AND NETWORK- METAANALYSIS. <i>Schizophrenia Bulletin</i> , 2020, 46, S308-S308.  | 4.3  | 0         |
| 75 | Comparative efficacy and acceptability of antidepressants, psychotherapies, and their combination for acute treatment of children and adolescents with depressive disorder: a systematic review and network meta-analysis. <i>Lancet Psychiatry</i> , 2020, 7, 581-601. | 7.4  | 176       |
| 76 | Antipsychotics for schizophrenia and substance misuse –“ Authors' reply. <i>Lancet</i> , 2020, 395, 1903.   | 13.7 | 1         |
| 77 | Are Randomized Controlled Trials on Pharmacotherapy and Psychotherapy for Positive Symptoms of Schizophrenia Comparable? A Systematic Review of Patient and Study Characteristics. <i>Schizophrenia Bulletin</i> , 2020, 46, 496-504.                                   | 4.3  | 11        |
| 78 | How well do elderly patients with major depressive disorder respond to antidepressants: a systematic review and single-group meta-analysis. <i>BMC Psychiatry</i> , 2020, 20, 102.  | 2.6  | 30        |
| 79 | Add-on spironolactone as antagonist of the NRG1-ERBB4 signaling pathway for the treatment of schizophrenia: Study design and methodology of a multicenter randomized, placebo-controlled trial. <i>Contemporary Clinical Trials Communications</i> , 2020, 17, 100537.  | 1.1  | 17        |
| 80 | Persistent negative symptoms in recent-onset psychosis: Relationship to treatment response and psychosocial functioning. <i>European Neuropsychopharmacology</i> , 2020, 34, 76-86.   | 0.7  | 30        |
| 81 | Psychosocial treatments for relapse prevention in schizophrenia: study protocol for a systematic review and network meta-analysis of randomised evidence. <i>BMJ Open</i> , 2020, 10, e035073.  | 1.9  | 3         |
| 82 | Comparative Efficacy and Tolerability of 32 Oral Antipsychotics for the Acute Treatment of Adults With Multi-Episode Schizophrenia: A Systematic Review and Network Meta-Analysis. <i>Focus (American Journal of Psychiatry)</i> , 2020, 128, 100-110.                  | 0.7  | 0         |
| 83 | How Many Patients With Schizophrenia Do Not Respond to Antipsychotic Drugs in the Short Term? An Analysis Based on Individual Patient Data From Randomized Controlled Trials. <i>Schizophrenia Bulletin</i> , 2019, 45, 639-646.  | 4.3  | 74        |
| 84 | Second-generation antipsychotic drugs and short-term somatic serious adverse events: a systematic review and meta-analysis. <i>Lancet Psychiatry</i> , 2019, 6, 753-765.  | 7.4  | 29        |
| 85 | Disconnection of drug-response and placebo-response in acute-phase antipsychotic drug trials on schizophrenia? Meta-regression analysis. <i>Neuropsychopharmacology</i> , 2019, 44, 1955-1966.  | 5.4  | 23        |
| 86 | Comparative efficacy and tolerability of 32 oral antipsychotics for the acute treatment of adults with multi-episode schizophrenia: a systematic review and network meta-analysis. <i>Lancet</i> , 2019, 394, 939-951.  | 13.7 | 1,050     |
| 87 | Efficacy and tolerability of pharmacological and non-pharmacological interventions in older patients with major depressive disorder: A systematic review, pairwise and network meta-analysis. <i>European Neuropsychopharmacology</i> , 2019, 29, 1003-1022.            | 0.7  | 50        |
| 88 | Optimal dosing of antidepressant drugs –“ Authors' reply. <i>Lancet Psychiatry</i> , 2019, 6, 806-807.  | 7.4  | 1         |
| 89 | Stratification and prediction of remission in first-episode psychosis patients: the OPTiMiSE cohort study. <i>Translational Psychiatry</i> , 2019, 9, 20.   | 4.8  | 52        |
| 90 | Evaluation of Differences in Individual Treatment Response in Schizophrenia Spectrum Disorders. <i>JAMA Psychiatry</i> , 2019, 76, 1063.  | 11.0 | 48        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 91  | Optimal dose of selective serotonin reuptake inhibitors, venlafaxine, and mirtazapine in major depression: a systematic review and dose-response meta-analysis. <i>Lancet Psychiatry</i> , 2019, 6, 601-609.                       | 7.4  | 184       |
| 92  | 17.1 PREDICTORS OF RELAPSE IN FIRST EPISODE PSYCHOSIS PATIENTS IN REMISSION. <i>Schizophrenia Bulletin</i> , 2019, 45, S115-S116.  | 4.3  | 0         |
| 93  | The controversy about cognitive behavioural therapy for schizophrenia. <i>World Psychiatry</i> , 2019, 18, 235-236.  | 10.4 | 22        |
| 94  | Reduced striatal dopamine synthesis capacity in patients with schizophrenia during remission of positive symptoms. <i>Brain</i> , 2019, 142, 1813-1826.  | 7.6  | 46        |
| 95  | Linking PANSS negative symptom scores with the Clinical Global Impressions Scale: understanding negative symptom scores in schizophrenia. <i>Neuropsychopharmacology</i> , 2019, 44, 1589-1596.                                    | 5.4  | 26        |
| 96  | 17.4 STRATIFICATION AND PREDICTION OF REMISSION IN FIRST-EPISODE PSYCHOSIS PATIENTS: THE OPTiMISE COHORT STUDY. <i>Schizophrenia Bulletin</i> , 2019, 45, S116-S117.   | 4.3  | 0         |
| 97  | Efficient two-step multivariate random effects meta-analysis of individual participant data for longitudinal clinical trials using mixed effects models. <i>BMC Medical Research Methodology</i> , 2019, 19, 33.                   | 3.1  | 6         |
| 98  | Specific Substantial Dysconnectivity in Schizophrenia: A Transdiagnostic Multimodal Meta-analysis of Resting-State Functional and Structural Magnetic Resonance Imaging Studies. <i>Biological Psychiatry</i> , 2019, 85, 573-583. | 1.3  | 93        |
| 99  | Efficacy, acceptability and tolerability of antipsychotics in patients with schizophrenia and comorbid substance use. A systematic review and meta-analysis. <i>European Neuropsychopharmacology</i> , 2019, 29, 32-45.            | 0.7  | 59        |
| 100 | Maximizing response to first-line antipsychotics in schizophrenia: a review focused on findings from meta-analysis. <i>Psychopharmacology</i> , 2019, 236, 545-559.  | 3.1  | 33        |
| 101 | Fat Mass and Obesity-Related Gene Variants rs9939609 and rs7185735 are Associated with Second-Generation Antipsychotic-Induced Weight Gain. <i>Pharmacopsychiatry</i> , 2019, 52, 16-23.   | 3.3  | 6         |
| 102 | Schizophrenien und andere psychotische Störungen. , 2019, , 301-362.e7.  |      | 1         |
| 103 | Comparative efficacy and acceptability of 21 antidepressant drugs for the acute treatment of adults with major depressive disorder: a systematic review and network meta-analysis. <i>Lancet</i> , 2018, 391, 1357-1366.           | 13.7 | 2,076     |
| 104 | Enthusiasm and Skepticism About Using National Registers to Analyze Psychotropic Drug Outcomes. <i>JAMA Psychiatry</i> , 2018, 75, 314.  | 11.0 | 7         |
| 105 | Initial severity of major depression and efficacy of new generation antidepressants: individual participant data meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2018, 137, 450-458.  | 4.5  | 39        |
| 106 | Antidepressants might work for people with major depression: where do we go from here?. <i>Lancet Psychiatry</i> , 2018, 5, 461-463.   | 7.4  | 23        |
| 107 | Antipsychotic drugs for patients with schizophrenia and predominant or prominent negative symptoms: a systematic review and meta-analysis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018, 268, 625-639.  | 3.2  | 143       |
| 108 | Is placebo response in antidepressant trials rising or not? A reanalysis of datasets to conclude this long-lasting controversy. <i>Evidence-Based Mental Health</i> , 2018, 21, 1-3.   | 4.5  | 27        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 109 | Psychological interventions for positive symptoms in schizophrenia: protocol for a network meta-analysis of randomised controlled trials. <i>BMJ Open</i> , 2018, 8, e019280.   | 1.9  | 8         |
| 110 | Dose equivalents for second generation long-acting injectable antipsychotics: The minimum effective dose method. <i>Schizophrenia Research</i> , 2018, 193, 23-28.  | 2.0  | 34        |
| 111 | Effectiveness of Long-Acting Injectable vs Oral Antipsychotics in Patients With Schizophrenia: A Meta-analysis of Prospective and Retrospective Cohort Studies. <i>Schizophrenia Bulletin</i> , 2018, 44, 603-619.                              | 4.3  | 137       |
| 112 | Translating the HAM-D into the MADRS and vice versa with equipercetile linking. <i>Journal of Affective Disorders</i> , 2018, 226, 326-331.   | 4.1  | 62        |
| 113 | Auditory hallucinations across the lifespan: a systematic review and meta-analysis. <i>Psychological Medicine</i> , 2018, 48, 879-888.  | 4.5  | 110       |
| 114 | Clozapine versus olanzapine for people with schizophrenia. <i>The Cochrane Library</i> , 2018, , .  | 2.8  | 1         |
| 115 | Clozapine versus quetiapine for people with schizophrenia. <i>The Cochrane Library</i> , 2018, , .  | 2.8  | 0         |
| 116 | Clozapine versus risperidone for people with schizophrenia. <i>The Cochrane Library</i> , 2018, , .   | 2.8  | 0         |
| 117 | S47. ADD-ON SPIRONOLACTONE FOR THE TREATMENT OF SCHIZOPHRENIA (SPIRO TREAT). <i>Schizophrenia Bulletin</i> , 2018, 44, S342-S342.   | 4.3  | 0         |
| 118 | Response rates in patients with schizophrenia and positive symptoms receiving cognitive behavioural therapy: a systematic review and single-group meta-analysis. <i>BMC Psychiatry</i> , 2018, 18, 380.   | 2.6  | 23        |
| 119 | Comparative Efficacy and Acceptability of 21 Antidepressant Drugs for the Acute Treatment of Adults With Major Depressive Disorder: A Systematic Review and Network Meta-Analysis. <i>Focus (American J Psychiatry)</i> , 2018, 116, 1077-1087. | 10.7 | 114       |
| 120 | Clozapine as a first- or second-line treatment in schizophrenia: a systematic review and meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 281-288.   | 4.5  | 56        |
| 121 | Psychological interventions to reduce positive symptoms in schizophrenia: systematic review and network meta-analysis. <i>World Psychiatry</i> , 2018, 17, 316-329.   | 10.4 | 119       |
| 122 | Antipsychotic drugs for elderly patients with schizophrenia: A systematic review and meta-analysis. <i>European Neuropsychopharmacology</i> , 2018, 28, 1360-1370.  | 0.7  | 28        |
| 123 | Tardive dyskinesia risk with first- and second-generation antipsychotics in comparative randomized controlled trials: a meta-analysis. <i>World Psychiatry</i> , 2018, 17, 330-340.   | 10.4 | 117       |
| 124 | Possibly no baseline severity effect for antidepressants versus placebo but for antipsychotics. Why?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018, 268, 621-623.  | 3.2  | 4         |
| 125 | 60 years of placebo-controlled antipsychotic drug trials in acute schizophrenia: Meta-regression of predictors of placebo response. <i>Schizophrenia Research</i> , 2018, 201, 315-323.   | 2.0  | 26        |
| 126 | Efficacy, acceptability, and tolerability of antipsychotics in children and adolescents with schizophrenia: A network meta-analysis. <i>European Neuropsychopharmacology</i> , 2018, 28, 659-674.   | 0.7  | 93        |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 127 | Is there compelling evidence that schizophrenia long-term treatment guidelines should be changed?. World Psychiatry, 2018, 17, 166-167.  | 10.4 | 10        |
| 128 | Second-generation antipsychotic drugs and short-term mortality: a systematic review and meta-analysis of placebo-controlled randomised controlled trials. Lancet Psychiatry, 2018, 5, 653-663.                                 | 7.4  | 58        |
| 129 | Increasing antipsychotic dose for non response in schizophrenia. The Cochrane Library, 2018, 5, CD011883.  | 2.8  | 8         |
| 130 | Increasing antipsychotic dose versus switching antipsychotic for non response in schizophrenia. The Cochrane Library, 2018, 5, CD011884.   | 2.8  | 4         |
| 131 | Amisulpride and olanzapine followed by open-label treatment with clozapine in first-episode schizophrenia and schizophreniform disorder (OPTiMiSE): a three-phase switching study. Lancet Psychiatry, 2018, 5, 797-807.        | 7.4  | 141       |
| 132 | 31.3 CLINICAL UTILITY OF MRI SCANNING IN FIRST EPISODE PSYCHOSIS. Schizophrenia Bulletin, 2018, 44, S50-S51.   | 4.3  | 2         |
| 133 | In Reply. Deutsches Ärzteblatt International, 2018, 115, 68-69.  | 0.9  | 0         |
| 134 | What does the MADRS mean? Equipercentile linking with the CGI using a company database of mirtazapine studies. Journal of Affective Disorders, 2017, 210, 287-293.   | 4.1  | 45        |
| 135 | Combining randomized and non-randomized evidence in network meta-analysis. Statistics in Medicine, 2017, 36, 1210-1226.  | 1.6  | 110       |
| 136 | Antipsychotic augmentation vs. monotherapy in schizophrenia: systematic review, meta-analysis and meta-regression analysis. World Psychiatry, 2017, 16, 77-89.   | 10.4 | 156       |
| 137 | Schizophrenia, primary negative symptoms, and soft outcomes in psychiatry. Lancet, 2017, 389, 1077-1078.   | 13.7 | 16        |
| 138 | Markov model for longitudinal studies with incomplete dichotomous outcomes. Pharmaceutical Statistics, 2017, 16, 122-132.  | 1.3  | 3         |
| 139 | Efficacy of 42 Pharmacologic Cotreatment Strategies Added to Antipsychotic Monotherapy in Schizophrenia. JAMA Psychiatry, 2017, 74, 675.   | 11.0 | 153       |
| 140 | Sixty Years of Placebo-Controlled Antipsychotic Drug Trials in Acute Schizophrenia: Systematic Review, Bayesian Meta-Analysis, and Meta-Regression of Efficacy Predictors. American Journal of Psychiatry, 2017, 174, 927-942. | 7.2  | 338       |
| 141 | Clozapine in treatment-resistant schizophrenia. British Journal of Psychiatry, 2017, 210, 299-299.   | 2.8  | 4         |
| 142 | A novel approach to measuring response and remission in schizophrenia in clinical trials. Schizophrenia Research, 2017, 190, 123-128.  | 2.0  | 6         |
| 143 | DSM-III-R change in definition might have affected placebo response to antidepressants – Authors' reply. Lancet Psychiatry, 2017, 4, 22-23.  | 7.4  | 1         |
| 144 | Living systematic reviews: 4. Living guideline recommendations. Journal of Clinical Epidemiology, 2017, 91, 47-53.   | 5.0  | 184       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Living systematic review: 1. Introduction – the why, what, when, and how. <i>Journal of Clinical Epidemiology</i> , 2017, 91, 23-30.   | 5.0 | 406       |
| 146 | Living systematic reviews: 2. Combining human and machine effort. <i>Journal of Clinical Epidemiology</i> , 2017, 91, 31-37.   | 5.0 | 246       |
| 147 | Initial symptom severity of bipolar I disorder and the efficacy of olanzapine: a meta-analysis of individual participant data from five placebo-controlled studies. <i>Lancet Psychiatry</i> , 2017, 4, 859-867.                             | 7.4 | 23        |
| 148 | Living systematic reviews: 3. Statistical methods for updating meta-analyses. <i>Journal of Clinical Epidemiology</i> , 2017, 91, 38-46.   | 5.0 | 102       |
| 149 | Do antipsychotic drugs lose their efficacy for relapse prevention over time?. <i>British Journal of Psychiatry</i> , 2017, 211, 127-129.   | 2.8 | 29        |
| 150 | Antipsychotic drugs for the acute treatment of patients with a first episode of schizophrenia: a systematic review with pairwise and network meta-analyses. <i>Lancet Psychiatry</i> , 2017, 4, 694-705.                                     | 7.4 | 97        |
| 151 | Clinical relevance of findings in trials of CBT for depression. <i>European Psychiatry</i> , 2017, 45, 207-211.  | 0.2 | 28        |
| 152 | Common pitfalls and mistakes in the set-up, analysis and interpretation of results in network meta-analysis: what clinicians should look for in a published article. <i>Evidence-Based Mental Health</i> , 2017, 20, 88-94.                  | 4.5 | 66        |
| 153 | Comparative efficacy and acceptability of antidepressants, psychological interventions, and their combination for depressive disorder in children and adolescents: protocol for a network meta-analysis. <i>BMJ Open</i> , 2017, 7, e016608. | 1.9 | 18        |
| 154 | How well do patients with a first episode of schizophrenia respond to antipsychotics: A systematic review and meta-analysis. <i>European Neuropsychopharmacology</i> , 2017, 27, 835-844.  | 0.7 | 92        |
| 155 | Do antipsychotics lead to cognitive impairment in dementia? A meta-analysis of randomised placebo-controlled trials. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017, 267, 187-198.                                  | 3.2 | 14        |
| 156 | The Prevalence of Mental Illness in Homeless People in Germany. <i>Deutsches Ärzteblatt International</i> , 2017, 114, 665-672.  | 0.9 | 56        |
| 157 | Evidenzbasierung und leitliniengestützte Therapie in der Psychiatrie. , 2017, , 1321-1338.   |     | 0         |
| 158 | Comparative efficacy and acceptability of first-generation and second-generation antidepressants in the acute treatment of major depression: protocol for a network meta-analysis. <i>BMJ Open</i> , 2016, 6, e010919.                       | 1.9 | 139       |
| 159 | Effects of Short-Term Exercise Interventions on Behavioral and Psychological Symptoms in Patients with Dementia: A Systematic Review. <i>Journal of Alzheimer's Disease</i> , 2016, 55, 1583-1594.   | 2.6 | 32        |
| 160 | Biological and psychosocial treatments: a myth about pharmacotherapy vs. psychotherapy. <i>British Journal of Psychiatry</i> , 2016, 208, 309-311.   | 2.8 | 33        |
| 161 | Multisite prediction of 4-week and 52-week treatment outcomes in patients with first-episode psychosis: a machine learning approach. <i>Lancet Psychiatry</i> , 2016, 3, 935-946.  | 7.4 | 144       |
| 162 | Placebo response rates in antidepressant trials: a systematic review of published and unpublished double-blind randomised controlled studies. <i>Lancet Psychiatry</i> , 2016, 3, 1059-1066.   | 7.4 | 161       |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 163 | Authors' reply. British Journal of Psychiatry, 2016, 209, 171-172.   | 2.8  | 0         |
| 164 | Use of Clozapine in Schizophrenia—Reply. JAMA Psychiatry, 2016, 73, 1098.  | 11.0 | 0         |
| 165 | Dose Equivalents for Antipsychotic Drugs: The DDD Method: Table 1.. Schizophrenia Bulletin, 2016, 42, S90-S94.   | 4.3  | 428       |
| 166 | Valproate for schizophrenia. The Cochrane Library, 2016, 2016, CD004028.   | 2.8  | 65        |
| 167 | Identifying a system of predominant negative symptoms: Network analysis of three randomized clinical trials. Schizophrenia Research, 2016, 178, 17-22.   | 2.0  | 49        |
| 168 | Network meta-analyses should be the highest level of evidence in treatment guidelines. European Archives of Psychiatry and Clinical Neuroscience, 2016, 266, 477-480.  | 3.2  | 133       |
| 169 | The Optimization of Treatment and Management of Schizophrenia in Europe (OPTiMISE) Trial: Rationale for Its Methodology and a Review of the Effectiveness of Switching Antipsychotics. Focus (American) Tj ETQq1 1 0.784314 rgBT /Over | 0.8  | 0         |
| 170 | Comparative efficacy and tolerability of antidepressants for major depressive disorder in children and adolescents: a network meta-analysis. Lancet, The, 2016, 388, 881-890.  | 13.7 | 513       |
| 171 | Efficacy and Safety of Antidepressants Added to Antipsychotics for Schizophrenia: A Systematic Review and Meta-Analysis. American Journal of Psychiatry, 2016, 173, 876-886.   | 7.2  | 167       |
| 172 | Second-generation antipsychotics and quality of life in schizophrenia. Lancet Psychiatry, the, 2016, 3, 694-695.   | 7.4  | 4         |
| 173 | Using the contribution matrix to evaluate complex study limitations in a network meta-analysis: a case study of bipolar maintenance pharmacotherapy review. BMC Research Notes, 2016, 9, 218.  | 1.4  | 17        |
| 174 | The Longitudinal Course of Schizophrenia Across the Lifespan. Harvard Review of Psychiatry, 2016, 24, 118-128.   | 2.1  | 112       |
| 175 | Efficacy, Acceptability, and Tolerability of Antipsychotics in Treatment-Resistant Schizophrenia. JAMA Psychiatry, 2016, 73, 199.  | 11.0 | 235       |
| 176 | Initial severity and efficacy of risperidone in autism: Results from the RUPP trial. European Psychiatry, 2016, 32, 16-20.   | 0.2  | 20        |
| 177 | Are all first-generation antipsychotics equally effective in treating schizophrenia? A meta-analysis of randomised, haloperidol-controlled trials. World Journal of Biological Psychiatry, 2016, 17, 210-220.                          | 2.6  | 4         |
| 178 | The SWITCH study: rationale and design of the trial. European Archives of Psychiatry and Clinical Neuroscience, 2016, 266, 513-521.  | 3.2  | 7         |
| 179 | Publication bias and small-study effects magnified effectiveness of antipsychotics but their relative ranking remained invariant. Journal of Clinical Epidemiology, 2016, 69, 161-169.   | 5.0  | 25        |
| 180 | Behandlungsresistenz. , 2016, , 157-176.   |      | 2         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 181 | Evidenzbasierung und leitliniengestützte Therapie in der Psychiatrie. , 2016, , 1-18.   |      | 0         |
| 182 | Perphenazine for schizophrenia. The Cochrane Library, 2015, 2015, CD003443.   | 2.8  | 15        |
| 183 | How effective are common medications: a perspective based on meta-analyses of major drugs. BMC Medicine, 2015, 13, 253.   | 5.5  | 77        |
| 184 | Switching antipsychotic for non response in schizophrenia. The Cochrane Library, 2015, , .  | 2.8  | 0         |
| 185 | Accounting for uncertainty due to "last observation carried forward" outcome imputation in a meta-analysis model. Statistics in Medicine, 2015, 34, 742-752.  | 1.6  | 4         |
| 186 | Lithium for schizophrenia. The Cochrane Library, 2015, 2015, CD003834.  | 2.8  | 57        |
| 187 | Increasing antipsychotic dose versus switching antipsychotic for non response in schizophrenia. The Cochrane Library, 2015, , .   | 2.8  | 2         |
| 188 | Initial Severity of Schizophrenia and Efficacy of Antipsychotics. JAMA Psychiatry, 2015, 72, 14.  | 11.0 | 94        |
| 189 | Early Improvement As a Predictor of Later Response to Antipsychotics in Schizophrenia: A Diagnostic Test Review. American Journal of Psychiatry, 2015, 172, 617-629.  | 7.2  | 150       |
| 190 | Investigation of <i>TSPO</i> variants in schizophrenia and antipsychotic treatment outcomes. Pharmacogenomics, 2015, 16, 5-22.  | 1.3  | 15        |
| 191 | Defining therapeutic benefit for people with schizophrenia: Focus on negative symptoms. Schizophrenia Research, 2015, 162, 169-174.   | 2.0  | 26        |
| 192 | Second-generation antipsychotic effect on cognition in patients with schizophrenia—a meta-analysis of randomized clinical trials. Acta Psychiatrica Scandinavica, 2015, 131, 185-196.   | 4.5  | 216       |
| 193 | Haloperidol versus first-generation antipsychotics for the treatment of schizophrenia and other psychotic disorders. The Cochrane Library, 2015, 2015, CD009831.  | 2.8  | 52        |
| 194 | Detecting Neuroimaging Biomarkers for Schizophrenia: A Meta-Analysis of Multivariate Pattern Recognition Studies. Neuropsychopharmacology, 2015, 40, 1742-1751.   | 5.4  | 182       |
| 195 | Joint modeling of dropout and outcome in three pivotal clinical trials of schizophrenia. Schizophrenia Research, 2015, 164, 122-126.  | 2.0  | 8         |
| 196 | Dose equivalents of antidepressants: Evidence-based recommendations from randomized controlled trials. Journal of Affective Disorders, 2015, 180, 179-184.  | 4.1  | 267       |
| 197 | Modeling Determinants of Medication Attitudes and Poor Adherence in Early Nonaffective Psychosis: Implications for Intervention. Schizophrenia Bulletin, 2015, 41, 584-596.   | 4.3  | 36        |
| 198 | The Optimization of Treatment and Management of Schizophrenia in Europe (OPTiMiSE) Trial: Rationale for its Methodology and a Review of the Effectiveness of Switching Antipsychotics. Schizophrenia Bulletin, 2015, 41, 549-558. | 4.3  | 47        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 199 | CYP1A2*1D and *1F Polymorphisms Have a Significant Impact on Olanzapine Serum Concentrations. <i>Therapeutic Drug Monitoring</i> , 2015, 37, 152-160.  | 2.0  | 31        |
| 200 | Dose Equivalents for Second-Generation Antipsychotic Drugs: The Classical Mean Dose Method. <i>Schizophrenia Bulletin</i> , 2015, 41, 1397-1402.   | 4.3  | 198       |
| 201 | Recent meta-analyses neglect previous systematic reviews and meta-analyses about the same topic: a systematic examination. <i>BMC Medicine</i> , 2015, 13, 82.   | 5.5  | 46        |
| 202 | Schizophrenien und andere psychotische Störungen. , 2015, , 349-412.   |      | 0         |
| 203 | Haloperidol versus low-potency first-generation antipsychotic drugs for schizophrenia. <i>The Cochrane Library</i> , 2014, 2014, CD009268.   | 2.8  | 31        |
| 204 | Carbamazepine for schizophrenia. <i>The Cochrane Library</i> , 2014, , CD001258.   | 2.8  | 26        |
| 205 | Comparative Efficacy and Tolerability of 15 Antipsychotic Drugs in Schizophrenia: A Multiple-Treatments Meta-Analysis. <i>Focus (American Psychiatric Publishing)</i> , 2014, 12, 192-204.   | 0.8  | 1         |
| 206 | Do patients with paranoid and disorganized schizophrenia respond differently to antipsychotic drugs?. <i>Acta Psychiatrica Scandinavica</i> , 2014, 130, 40-45.  | 4.5  | 5         |
| 207 | Equipercntile linking of scales measuring functioning and symptoms: Examining the GAF, SOFAS, CGI-S, and PANSS. <i>European Neuropsychopharmacology</i> , 2014, 24, 1767-1772.   | 0.7  | 48        |
| 208 | An approach for modelling multiple correlated outcomes in a network of interventions using odds ratios. <i>Statistics in Medicine</i> , 2014, 33, 2275-2287.   | 1.6  | 40        |
| 209 | A systematic review of the clinical relevance of repetitive transcranial magnetic stimulation. <i>Acta Psychiatrica Scandinavica</i> , 2014, 130, 326-341.   | 4.5  | 39        |
| 210 | Efficacy of Pharmacotherapy and Psychotherapy for Adult Psychiatric Disorders. <i>JAMA Psychiatry</i> , 2014, 71, 706.   | 11.0 | 244       |
| 211 | Pharmacotherapy in the treatment of patients with borderline personality disorder. <i>International Clinical Psychopharmacology</i> , 2014, 29, 224-228.   | 1.7  | 28        |
| 212 | Early improvement as a predictor of treatment response and remission in patients with schizophrenia: A pooled, post-hoc analysis from the asenapine development program. <i>Journal of Psychopharmacology</i> , 2014, 28, 387-394. | 4.0  | 29        |
| 213 | Addressing missing outcome data in meta-analysis. <i>Evidence-Based Mental Health</i> , 2014, 17, 85-89.   | 4.5  | 63        |
| 214 | Long-Acting Injectable vs Oral Antipsychotics for Relapse Prevention in Schizophrenia: A Meta-Analysis of Randomized Trials. <i>Schizophrenia Bulletin</i> , 2014, 40, 192-213.  | 4.3  | 332       |
| 215 | Aripiprazole versus other atypical antipsychotics for schizophrenia. <i>The Cochrane Library</i> , 2014, , CD006569.   | 2.8  | 70        |
| 216 | Bipolar treatment efficacy – Authors' reply. <i>Lancet Psychiatry</i> , 2014, 1, 418-419.  | 7.4  | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 217 | Pharmacotherapy of treatment-resistant schizophrenia: a clinical perspective. Evidence-Based Mental Health, 2014, 17, 33-37.  | 4.5 | 89        |
| 218 | Perphenazine versus low-potency first-generation antipsychotic drugs for schizophrenia. The Cochrane Library, 2014, , CD009369.   | 2.8 | 7         |
| 219 | Polymorphisms in Serotonergic Pathways Influence the Outcome of Antidepressant Therapy in Psychiatric Inpatients. Genetic Testing and Molecular Biomarkers, 2014, 18, 20-31.  | 0.7 | 29        |
| 220 | Trifluoperazine versus low-potency first-generation antipsychotic drugs for schizophrenia. The Cochrane Library, 2014, , CD009396.  | 2.8 | 12        |
| 221 | Efficacy of Anti-inflammatory Agents to Improve Symptoms in Patients With Schizophrenia: An Update. Schizophrenia Bulletin, 2014, 40, 181-191.  | 4.3 | 288       |
| 222 | Comparative efficacy and tolerability of pharmacological treatments in the maintenance treatment of bipolar disorder: a systematic review and network meta-analysis. Lancet Psychiatry, the, 2014, 1, 351-359.                  | 7.4 | 280       |
| 223 | Chlorpromazine versus every other antipsychotic for schizophrenia: A systematic review and meta-analysis challenging the dogma of equal efficacy of antipsychotic drugs. European Neuropsychopharmacology, 2014, 24, 1046-1055. | 0.7 | 22        |
| 224 | Treatment response heterogeneity in the predominant negative symptoms of schizophrenia: Analysis of amisulpride vs placebo in three clinical trials. Schizophrenia Research, 2014, 156, 107-114.                                | 2.0 | 18        |
| 225 | Dose Equivalents for Second-Generation Antipsychotics: The Minimum Effective Dose Method. Schizophrenia Bulletin, 2014, 40, 314-326.  | 4.3 | 277       |
| 226 | META-ANALYSES ON DOUBLE-BLIND RCTS ADDING DRUGS WITH ANTI-INFLAMMATORY PROPERTIES TO ANTIPSYCHOTIC MEDICATION. Schizophrenia Research, 2014, 153, S15-S16.  | 2.0 | 0         |
| 227 | Measurements of Response, Remission, and Recovery in Schizophrenia and Examples for Their Clinical Application. Journal of Clinical Psychiatry, 2014, 75, 8-14.   | 2.2 | 113       |
| 228 | Fluphenazine versus low-potency first-generation antipsychotic drugs for schizophrenia. The Cochrane Library, 2014, 2014, CD009230.   | 2.8 | 17        |
| 229 | Perazine for schizophrenia. The Cochrane Library, 2014, 2014, CD002832.   | 2.8 | 5         |
| 230 | Flupenthixol versus low-potency first-generation antipsychotic drugs for schizophrenia. The Cochrane Library, 2014, , CD009227.   | 2.8 | 5         |
| 231 | Aripiprazole versus other atypical antipsychotics for schizophrenia. , 2013, , CD006569.  |     | 18        |
| 232 | Imputation of response rates from means and standard deviations in schizophrenia. Schizophrenia Research, 2013, 151, 209-214.   | 2.0 | 22        |
| 233 | Clozapine resistanceâ€”Augmentation strategies. European Neuropsychopharmacology, 2013, 23, 338.  | 0.7 | 6         |
| 234 | Issues and perspectives in designing clinical trials for negative symptoms in schizophrenia. Schizophrenia Research, 2013, 150, 328-333.  | 2.0 | 46        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 235 | The impact of trial characteristics on premature discontinuation of antipsychotics in schizophrenia. <i>European Neuropsychopharmacology</i> , 2013, 23, 1010-1016.                                      | 0.7  | 12        |
| 236 | Efficacy of antipsychotic drugs for schizophrenia – Authors' reply. <i>Lancet, The</i> , 2013, 382, 1874-1875.   | 13.7 | 6         |
| 237 | Psychiatrists' decision making between branded and generic drugs. <i>European Neuropsychopharmacology</i> , 2013, 23, 686-690.   | 0.7  | 16        |
| 238 | The Deceleration Capacity - a New Measure of Heart Rate Variability Evaluated in Patients With Schizophrenia and Antipsychotic Treatment. <i>European Psychiatry</i> , 2013, 28, 81-86.                  | 0.2  | 27        |
| 239 | Attaining and sustaining remission of predominant negative symptoms. <i>Schizophrenia Research</i> , 2013, 143, 60-64.   | 2.0  | 13        |
| 240 | Identifying clinically meaningful symptom response cut-off values on the SANS in predominant negative symptoms. <i>Schizophrenia Research</i> , 2013, 145, 125-127.                                      | 2.0  | 34        |
| 241 | Benzodiazepine augmentation of antipsychotic drugs in schizophrenia: A meta-analysis and cochrane review of randomized controlled trials. <i>European Neuropsychopharmacology</i> , 2013, 23, 1023-1033. | 0.7  | 63        |
| 242 | Can we inflate effect size and thus increase chances of producing “positive” results if we raise the baseline threshold in schizophrenia trials?. <i>Schizophrenia Research</i> , 2013, 144, 105-108.    | 2.0  | 0         |
| 243 | Psychometric analysis in support of shortening the Scale for the Assessment of Negative Symptoms. <i>European Neuropsychopharmacology</i> , 2013, 23, 1051-1056.   | 0.7  | 18        |
| 244 | Equipercntile linking of the BPRS and the PANSS. <i>European Neuropsychopharmacology</i> , 2013, 23, 956-959.  | 0.7  | 101       |
| 245 | What does the HAMD mean?. <i>Journal of Affective Disorders</i> , 2013, 148, 243-248.  | 4.1  | 152       |
| 246 | Comparative efficacy and tolerability of 15 antipsychotic drugs in schizophrenia: a multiple-treatments meta-analysis. <i>Lancet, The</i> , 2013, 382, 951-962.  | 13.7 | 2,094     |
| 247 | Quetiapine versus other atypical antipsychotics for schizophrenia. <i>The Cochrane Library</i> , 2013, , CD006625.   | 2.8  | 44        |
| 248 | Relapse prevention in schizophrenia: a systematic review and meta-analysis of second-generation antipsychotics versus first-generation antipsychotics. <i>Molecular Psychiatry</i> , 2013, 18, 53-66.    | 7.9  | 136       |
| 249 | Increasing Placebo Response in Antipsychotic Drug Trials: Let’s Stop the Vicious Circle. <i>American Journal of Psychiatry</i> , 2013, 170, 1232-1234.   | 7.2  | 14        |
| 250 | Association of the Common MC4R rs17782313 Polymorphism With Antipsychotic-Related Weight Gain. <i>Journal of Clinical Psychopharmacology</i> , 2013, 33, 74-79.  | 1.4  | 32        |
| 251 | MC4R rs489693: a clinical risk factor for second generation antipsychotic-related weight gain?. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 2103-2109.                           | 2.1  | 40        |
| 252 | Evaluating the impact of imputations for missing participant outcome data in a network meta-analysis. <i>Clinical Trials</i> , 2013, 10, 378-388.  | 1.6  | 37        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 253 | Pharmacological Augmentation Strategies for Schizophrenia Patients With Insufficient Response to Clozapine: A Quantitative Literature Review. <i>Schizophrenia Bulletin</i> , 2012, 38, 1003-1011.                               | 4.3  | 144       |
| 254 | Benzodiazepines for schizophrenia. <i>The Cochrane Library</i> , 2012, 11, CD006391.   | 2.8  | 66        |
| 255 | Putting the efficacy of psychiatric and general medicine medication into perspective: review of meta-analyses. <i>British Journal of Psychiatry</i> , 2012, 200, 97-106.   | 2.8  | 332       |
| 256 | Caregivers of patients with frontotemporal lobar degeneration: a review of burden, problems, needs, and interventions. <i>International Psychogeriatrics</i> , 2012, 24, 1368-1386.  | 1.0  | 56        |
| 257 | Amitriptyline versus placebo for major depressive disorder. <i>The Cochrane Library</i> , 2012, 12, CD009138.  | 2.8  | 32        |
| 258 | Antipsychotic drugs versus placebo for relapse prevention in schizophrenia: a systematic review and meta-analysis. <i>Lancet, The</i> , 2012, 379, 2063-2071.  | 13.7 | 742       |
| 259 | Antipsychotic drugs for relapse prevention in schizophrenia – Authors' reply. <i>Lancet, The</i> , 2012, 380, 1056.  | 13.7 | 0         |
| 260 | Equipercntile linking of the Brief Psychiatric Rating Scale and the Clinical Global Impression Scale in a catchment area. <i>European Neuropsychopharmacology</i> , 2012, 22, 501-505.   | 0.7  | 26        |
| 261 | Delayed- and early-onset hypotheses of antipsychotic drug action in the negative symptoms of schizophrenia. <i>European Neuropsychopharmacology</i> , 2012, 22, 812-817.   | 0.7  | 10        |
| 262 | Patients' acceptance of the deltoid application of risperidone long-acting injection. <i>European Neuropsychopharmacology</i> , 2012, 22, 897-901.   | 0.7  | 7         |
| 263 | Second-Generation Antipsychotic Drugs and Extrapyrarnidal Side Effects: A Systematic Review and Meta-analysis of Head-to-Head Comparisons. <i>Schizophrenia Bulletin</i> , 2012, 38, 167-177.                                    | 4.3  | 229       |
| 264 | PHARMACOLOGICAL AUGMENTATION STRATEGIES FOR SCHIZOPHRENIA PATIENTSWITH INSUFFICIENT RESPONSE TO CLOZAPINE. <i>Schizophrenia Research</i> , 2012, 136, S21.   | 2.0  | 0         |
| 265 | META-ANALYSIS ON RELAPSE PREVENTION WITH ANTIPSYCHOTIC DRUGS COMPARED TO PLACEBO IN SCHIZOPHRENIA. <i>Schizophrenia Research</i> , 2012, 136, S58.   | 2.0  | 0         |
| 266 | Poster #216 IS HALOPERIDOL MORE EFFECTIVE THAN OTHER FIRST-GENERATION ANTIPSYCHOTICS IN SCHIZOPHRENIA? A META-ANALYSIS OF RANDOMIZED CONTROLLED TRIALS. <i>Schizophrenia Research</i> , 2012, 136, S263-S264.                    | 2.0  | 1         |
| 267 | Early symptom response to antipsychotic medication as a marker of subsequent symptom change: An eighteen-month follow-up study of recent episode schizophrenia. <i>Schizophrenia Research</i> , 2012, 141, 168-172.              | 2.0  | 21        |
| 268 | Maintenance treatment with antipsychotic drugs for schizophrenia. <i>The Cochrane Library</i> , 2012, , CD008016.  | 2.8  | 154       |
| 269 | Critical trial-related criteria in acute schizophrenia studies. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 151-155.   | 3.2  | 6         |
| 270 | Peroxisome proliferator-activated receptor gamma (PPARG) Pro12Ala: lack of association with weight gain in psychiatric inpatients treated with olanzapine or clozapine. <i>Molecular Diagnosis and Therapy</i> , 2012, 16, 93-8. | 3.8  | 7         |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 271 | Schizophrenien und andere psychotische Störungen. , 2012, , 347-419.  |      | 2         |
| 272 | The clinical significance of cognition-focused interventions for cognitively impaired older adults: a systematic review of randomized controlled trials. <i>International Psychogeriatrics</i> , 2011, 23, 1364-1375.       | 1.0  | 66        |
| 273 | Efficacy of Antimanic Treatments: Meta-analysis of Randomized, Controlled Trials. <i>Neuropsychopharmacology</i> , 2011, 36, 375-389.   | 5.4  | 222       |
| 274 | Proton Magnetic Resonance Spectroscopy and Illness Stage in Schizophrenia—A Systematic Review and Meta-Analysis. <i>Biological Psychiatry</i> , 2011, 69, 495-503.  | 1.3  | 126       |
| 275 | Evidence-based pharmacotherapy of schizophrenia. <i>International Journal of Neuropsychopharmacology</i> , 2011, 14, 269-284.   | 2.1  | 87        |
| 276 | Ventajas y desventajas del tratamiento de combinación con antipsicóticos. Reunión ECNP Consensus, marzo de 2008, Niza. <i>Psiquiatría Biológica</i> , 2011, 18, 55-67.  | 0.1  | 2         |
| 277 | Relative indices of treatment effect may be constant across different definitions of response in schizophrenia trials. <i>Schizophrenia Research</i> , 2011, 126, 212-219.  | 2.0  | 34        |
| 278 | Physical illness in patients with severe mental disorders. II. Barriers to care, monitoring and treatment guidelines, plus recommendations at the system and individual level. <i>World Psychiatry</i> , 2011, 10, 138-151. | 10.4 | 631       |
| 279 | Risperidone versus other atypical antipsychotics for schizophrenia. <i>The Cochrane Library</i> , 2011, , CD006626.   | 2.8  | 69        |
| 280 | Oral versus depot antipsychotic drugs for schizophrenia—A critical systematic review and meta-analysis of randomised long-term trials. <i>Schizophrenia Research</i> , 2011, 127, 83-92.                                    | 2.0  | 397       |
| 281 | Psychiatrists' attitude to antipsychotic depot treatment in patients with first-episode schizophrenia. <i>European Psychiatry</i> , 2011, 26, 297-301.  | 0.2  | 57        |
| 282 | Second-generation antipsychotics and constipation: A review of the literature. <i>European Psychiatry</i> , 2011, 26, 34-44.  | 0.2  | 113       |
| 283 | Drowning in Numbers—what Psychiatrists Mean when Talking to Patients about Probabilities of Risks and Benefits of Medication. <i>European Psychiatry</i> , 2011, 26, 130-131.   | 0.2  | 2         |
| 284 | How to Speak to Your Psychiatrist—Shared Decision-Making Training for Inpatients With Schizophrenia. <i>Psychiatric Services</i> , 2011, 62, 1218-1221.   | 2.0  | 73        |
| 285 | How to Obtain NNT from Cohen's d: Comparison of Two Methods. <i>PLoS ONE</i> , 2011, 6, e19070.   | 2.5  | 120       |
| 286 | Prevalence and severity of antipsychotic related constipation in patients with schizophrenia: a retrospective descriptive study. <i>BMC Gastroenterology</i> , 2011, 11, 17.  | 2.0  | 86        |
| 287 | Physical illness in patients with severe mental disorders. I. Prevalence, impact of medications and disparities in health care. <i>World Psychiatry</i> , 2011, 10, 52-77.  | 10.4 | 1,767     |
| 288 | Confirmation bias: why psychiatrists stick to wrong preliminary diagnoses. <i>Psychological Medicine</i> , 2011, 41, 2651-2659.   | 4.5  | 66        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 289 | Are all antipsychotic drugs the same?. British Journal of Psychiatry, 2011, 199, 269-271.  | 2.8 | 11        |
| 290 | Mid-Term and Long-Term Efficacy and Effectiveness of Antipsychotic Medications for Schizophrenia. Journal of Clinical Psychiatry, 2011, 72, 1616-1627.   | 2.2 | 43        |
| 291 | SpÄtschizophrenie und chronische Schizophrenie im hÄrteren Lebensalter. , 2011, , 241-262.   |     | 0         |
| 292 | Quetiapine versus other atypical antipsychotics for schizophrenia. , 2010, , CD006625.   |     | 122       |
| 293 | Zotepine versus other atypical antipsychotics for schizophrenia. , 2010, , CD006628.   |     | 10        |
| 294 | Zotepine versus other atypical antipsychotics for schizophrenia. The Cochrane Library, 2010, , CD006628.   | 2.8 | 7         |
| 295 | Correlation between amygdala volume and age in bipolar disorder â€” A systematic review and meta-analysis of structural MRI studies. Psychiatry Research - Neuroimaging, 2010, 182, 1-8.                     | 1.8 | 76        |
| 296 | Methylenedioxymethamphetamine (MDMA). , 2010, , 758-762.   |     | 0         |
| 297 | The PANSS Should Be Rescaled. Schizophrenia Bulletin, 2010, 36, 461-462.   | 4.3 | 65        |
| 298 | Second-generation antipsychotics for anxiety disorders. The Cochrane Library, 2010, , CD008120.  | 2.8 | 54        |
| 299 | Second-generation antipsychotics for major depressive disorder and dysthymia. The Cochrane Library, 2010, , CD008121.  | 2.8 | 78        |
| 300 | Elaboration on the Early-Onset Hypothesis of Antipsychotic Drug Action: Treatment Response Trajectories. Biological Psychiatry, 2010, 68, 86-92.   | 1.3 | 55        |
| 301 | Head-to-head comparisons of metabolic side effects of second generation antipsychotics in the treatment of schizophrenia: A systematic review and meta-analysis. Schizophrenia Research, 2010, 123, 225-233. | 2.0 | 577       |
| 302 | Pharmacogenetics and olanzapine treatment: CYP1A2*1F and serotonergic polymorphisms influence therapeutic outcome. Pharmacogenomics Journal, 2010, 10, 20-29.  | 2.0 | 90        |
| 303 | Amisulpride versus other atypical antipsychotics for schizophrenia. The Cochrane Library, 2010, , CD006624.  | 2.8 | 26        |
| 304 | Movement Disorder. , 2010, , 805-805.  |     | 0         |
| 305 | How much more effective do depot antipsychotics have to be compared to oral antipsychotics before they are prescribed?. European Neuropsychopharmacology, 2010, 20, 276-279.                                 | 0.7 | 26        |
| 306 | Second-generation antipsychotics for obsessive compulsive disorder. The Cochrane Library, 2010, , CD008141.  | 2.8 | 54        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 307 | Clozapine versus other atypical antipsychotics for schizophrenia. The Cochrane Library, 2010, , CD006633.  | 2.8  | 130       |
| 308 | Acamprosate for alcohol dependence. The Cochrane Library, 2010, , CD004332.  | 2.8  | 232       |
| 309 | Olanzapine versus other atypical antipsychotics for schizophrenia. The Cochrane Library, 2010, , CD006654.   | 2.8  | 120       |
| 310 | Remission in schizophrenia: validity, frequency, predictors, and patients' perspective 5 years later. Dialogues in Clinical Neuroscience, 2010, 12, 393-407.   | 3.7  | 146       |
| 311 | Intermediate metabolizer: increased side effects in psychoactive drug therapy. The key to cost-effectiveness of pretreatment CYP2D6 screening?. Pharmacogenomics Journal, 2009, 9, 395-403.  | 2.0  | 45        |
| 312 | Antipsychotic Combinations vs Monotherapy in Schizophrenia: A Meta-analysis of Randomized Controlled Trials. Schizophrenia Bulletin, 2009, 35, 443-457.  | 4.3  | 360       |
| 313 | A Meta-Analysis of Head-to-Head Comparisons of Second-Generation Antipsychotics in the Treatment of Schizophrenia. American Journal of Psychiatry, 2009, 166, 152-163.   | 7.2  | 453       |
| 314 | DRD4 48â€‰bp VNTR but not 5-HT2C Cys23Ser receptor polymorphism is related to antipsychotic-induced weight gain. Pharmacogenomics Journal, 2009, 9, 71-77.   | 2.0  | 26        |
| 315 | Cortical Dopamine D2/D3 Receptors Are a Common Site of Action for Antipsychotic Drugs--An Original Patient Data Meta-analysis of the SPECT and PET In Vivo Receptor Imaging Literature. Schizophrenia Bulletin, 2009, 35, 789-797. | 4.3  | 69        |
| 316 | Evidenceâ€‰based guidelines for interpretation of the Panic Disorder Severity Scale. Depression and Anxiety, 2009, 26, 922-929.  | 4.1  | 120       |
| 317 | How effective are second-generation antipsychotic drugs? A meta-analysis of placebo-controlled trials. Molecular Psychiatry, 2009, 14, 429-447.  | 7.9  | 428       |
| 318 | Definitions of response and remission in schizophrenia: recommendations for their use and their presentation. Acta Psychiatrica Scandinavica, 2009, 119, 7-14.   | 4.5  | 173       |
| 319 | How to read and understand and use systematic reviews and metaâ€‰analyses. Acta Psychiatrica Scandinavica, 2009, 119, 443-450.   | 4.5  | 49        |
| 320 | Second-generation antipsychotics for schizophrenia: can we resolve the conflict?. Psychological Medicine, 2009, 39, 1591.  | 4.5  | 155       |
| 321 | Advantages and disadvantages of combination treatment with antipsychotics. European Neuropsychopharmacology, 2009, 19, 520-532.  | 0.7  | 125       |
| 322 | Second-generation versus first-generation antipsychotic drugs for schizophrenia: a meta-analysis. Lancet, The, 2009, 373, 31-41.   | 13.7 | 1,663     |
| 323 | Are new drugs for schizophrenia better than old ones? â€œ Authors' reply. Lancet, The, 2009, 373, 1249-1250.   | 13.7 | 4         |
| 324 | Ziprasidone versus other atypical antipsychotics for schizophrenia. The Cochrane Library, 2009, , CD006627.  | 2.8  | 45        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 325 | Aripiprazole versus other atypical antipsychotics for schizophrenia. , 2009, , CD006569.   |     | 57        |
| 326 | Sertindole versus other atypical antipsychotics for schizophrenia. The Cochrane Library, 2009, , CD006752.   | 2.8 | 13        |
| 327 | CATIE Findings Revisited. Psychiatric Services, 2009, 60, 125-126.   | 2.0 | 5         |
| 328 | Therapieresistente Schizophrenie (ICD-10 F2). , 2009, , 117-130.   |     | 0         |
| 329 | Schizophrenien und andere psychotische Störungen. , 2009, , 411-490.   |     | 1         |
| 330 | Reply to The Importance of Negative Comorbidity. Journal of Clinical Psychiatry, 2009, 70, 1192.   | 2.2 | 2         |
| 331 | An update of meta-analyses on second-generation antipsychotic drugs for schizophrenia. Medical Psychiatry, 2009, , 164-173.  | 0.2 | 2         |
| 332 | Commentary on strategies for switching antipsychotics. BMC Medicine, 2008, 6, 18.  | 5.5 | 8         |
| 333 | Extrapolation between measures of symptom severity and change: An examination of the PANSS and CGI. Schizophrenia Research, 2008, 98, 318-322.                                   | 2.0 | 103       |
| 334 | Predicting antipsychotic drug response – Replication and extension to six weeks in an international olanzapine study. Schizophrenia Research, 2008, 101, 312-319.                | 2.0 | 56        |
| 335 | Comparative remission rates of schizophrenic patients using various remission criteria. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2008, 32, 1643-1651.     | 4.8 | 37        |
| 336 | Identifying the profile of optimal candidates for antipsychotic depot therapy. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2008, 32, 1987-1993.              | 4.8 | 31        |
| 337 | Acamprosate supports abstinence, Naltrexone prevents excessive drinking: evidence from a meta-analysis with unreported outcomes. Journal of Psychopharmacology, 2008, 22, 11-23. | 4.0 | 288       |
| 338 | Haloperidol versus chlorpromazine for treatment of schizophrenia. Schizophrenia Bulletin, 2008, 34, 813-815.   | 4.3 | 9         |
| 339 | Haloperidol versus chlorpromazine for schizophrenia. The Cochrane Library, 2008, , CD004278.   | 2.8 | 39        |
| 340 | Valproate for schizophrenia. , 2008, , CD004028.   |     | 46        |
| 341 | Personality disorders and violence. Current Opinion in Psychiatry, 2008, 21, 84-92.  | 6.3 | 83        |
| 342 | Dr. Hamann and Colleagues Reply. Journal of Clinical Psychiatry, 2008, 69, 326-327.  | 2.2 | 0         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 343 | Cochrane Schizophrenia Group. Schizophrenia Bulletin, 2007, 34, 259-265.  | 4.3  | 9         |
| 344 | Unanswered Questions in Schizophrenia Clinical Trials. Schizophrenia Bulletin, 2007, 34, 302-309.   | 4.3  | 24        |
| 345 | Defining "Response" in Antipsychotic Drug Trials: Recommendations for the Use of Scale-Derived Cutoffs. Neuropsychopharmacology, 2007, 32, 1903-1910.                               | 5.4  | 171       |
| 346 | Quetiapine is no less effective than risperidone for reducing symptoms of schizophrenia. Evidence-Based Mental Health, 2007, 10, 56-56.   | 4.5  | 0         |
| 347 | Different antipsychotics produce similar, small improvements in psychosocial functioning at one year in people with schizophrenia. Evidence-Based Mental Health, 2007, 10, 112-112. | 4.5  | 2         |
| 348 | Has Research Informed Us on the Practical Drug Treatment of Schizophrenia?. Schizophrenia Bulletin, 2007, 34, 403-405.  | 4.3  | 3         |
| 349 | Benzodiazepines for schizophrenia. , 2007, , CD006391.  |      | 61        |
| 350 | Pretrial Medication Bias in Randomized Antipsychotic Drug Trials. American Journal of Psychiatry, 2007, 164, 1266-1266.   | 7.2  | 2         |
| 351 | Lithium for schizophrenia. , 2007, , CD003834.  |      | 55        |
| 352 | Second-Generation Antipsychotic Agents in the Treatment of Acute Mania. Archives of General Psychiatry, 2007, 64, 442.  | 12.3 | 204       |
| 353 | Methodological Issues in Current Antipsychotic Drug Trials. Schizophrenia Bulletin, 2007, 34, 275-285.  | 4.3  | 76        |
| 354 | Issues in Psychopharmacology. Schizophrenia Bulletin, 2007, 34, 258-258.  | 4.3  | 2         |
| 355 | Review: little evidence to support dose escalation of selective serotonin reuptake inhibitors in non-responders. Evidence-Based Mental Health, 2007, 10, 46-46.                     | 4.5  | 0         |
| 356 | The attitude of patients towards antipsychotic depot treatment. International Clinical Psychopharmacology, 2007, 22, 275-282.   | 1.7  | 87        |
| 357 | Carbamazepine for schizophrenia. , 2007, , CD001258.  |      | 27        |
| 358 | Psychiatric treatment guidelines: doctors? non-compliance or insufficient evidence?. Acta Psychiatrica Scandinavica, 2007, 115, 417-419.  | 4.5  | 19        |
| 359 | Physical illness and schizophrenia: a review of the literature. Acta Psychiatrica Scandinavica, 2007, 116, 317-333.   | 4.5  | 545       |
| 360 | On the concept of remission in schizophrenia. Psychopharmacology, 2007, 194, 453-461.   | 3.1  | 46        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 361 | Early Prediction of Antipsychotic Nonresponse Among Patients With Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2007, 68, 352-360.  | 2.2 | 118       |
| 362 | Shared Decision Making and Long-Term Outcome in Schizophrenia Treatment. <i>Journal of Clinical Psychiatry</i> , 2007, 68, 992-997.  | 2.2 | 145       |
| 363 | How long do psychiatrists wait for response before they switch to another antipsychotic?. <i>Psychopharmacology Bulletin</i> , 2007, 40, 149-54.   | 0.0 | 0         |
| 364 | Linking the PANSS, BPRS, and CGI: Clinical Implications. <i>Neuropsychopharmacology</i> , 2006, 31, 2318-2325.   | 5.4 | 257       |
| 365 | Perazine for schizophrenia. , 2006, , CD002832.  |     | 2         |
| 366 | Dr. Hamann and Colleagues Reply. <i>American Journal of Psychiatry</i> , 2006, 163, 937-937.   | 7.2 | 0         |
| 367 | Antidepressants for the negative symptoms of schizophrenia. , 2006, , CD005581.  |     | 51        |
| 368 | Translating research into clinical practice: critical interpretation of clinical trials in schizophrenia. <i>International Clinical Psychopharmacology</i> , 2006, 21, S1-S10.   | 1.7 | 5         |
| 369 | Psychiatric Decision Making in the Adoption of a New Antipsychotic in Germany. <i>Psychiatric Services</i> , 2006, 57, 700-703.  | 2.0 | 14        |
| 370 | Improvement of the physical health of people with mental illness. <i>Current Opinion in Psychiatry</i> , 2006, 19, 411-412.  | 6.3 | 11        |
| 371 | Standardized remission criteria in schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2006, 113, 91-95.  | 4.5 | 238       |
| 372 | Eleven-year clinical outcome of schizophrenia in Bali. <i>Acta Psychiatrica Scandinavica</i> , 2006, 114, 68-68.   | 4.5 | 0         |
| 373 | Shared decision making for in-patients with schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2006, 114, 265-273.   | 4.5 | 265       |
| 374 | Why Olanzapine Beats Risperidone, Risperidone Beats Quetiapine, and Quetiapine Beats Olanzapine: An Exploratory Analysis of Head-to-Head Comparison Studies of Second-Generation Antipsychotics. <i>American Journal of Psychiatry</i> , 2006, 163, 185-194. | 7.2 | 401       |
| 375 | The Concepts of Remission and Recovery in Schizophrenia. <i>Pharmacopsychiatry</i> , 2006, 39, 161-170.  | 3.3 | 123       |
| 376 | The Relative Sensitivity of the Clinical Global Impressions Scale and the Brief Psychiatric Rating Scale in Antipsychotic Drug Trials. <i>Neuropsychopharmacology</i> , 2006, 31, 406-412.   | 5.4 | 114       |
| 377 | Intramuscular haloperidol and olanzapine begin to reduce psychosis within 24 hours. <i>Evidence-Based Mental Health</i> , 2006, 9, 9-9.  | 4.5 | 0         |
| 378 | Serotonin transporter polymorphisms and side effects in antidepressant therapy â€“ a pilot study. <i>Pharmacogenomics</i> , 2006, 7, 159-166.  | 1.3 | 57        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 379 | Is the Superior Efficacy of New Generation Antipsychotics an Artifact of LOCF?. Schizophrenia Bulletin, 2006, 33, 183-191.   | 4.3 | 185       |
| 380 | ABCB1 (P-Glycoprotein/MDR1) Gene G2677T/A Sequence Variation (Polymorphism): Lack of Association with Side Effects and Therapeutic Response in Depressed Inpatients Treated with Amitriptyline. Clinical Chemistry, 2006, 52, 893-895.         | 3.2 | 56        |
| 381 | Measurement-Based Psychiatry: Definitions of Response, Remission, Stability, and Relapse in Schizophrenia. Journal of Clinical Psychiatry, 2006, 67, 1813-1814.  | 2.2 | 63        |
| 382 | Attitudes of Psychiatrists Toward Antipsychotic Depot Medication. Journal of Clinical Psychiatry, 2006, 67, 1948-1953.   | 2.2 | 132       |
| 383 | Rapid Detection Of The Intermediate Metabolizer Associated CYP2D6 Polymorphisms *9 And *17 With Real Time PCR. Therapeutic Drug Monitoring, 2005, 27, 242-243.   | 2.0 | 0         |
| 384 | Dr. Correll and Colleagues Reply. American Journal of Psychiatry, 2005, 162, 405-a-406.  | 7.2 | 1         |
| 385 | Perphenazine for schizophrenia. , 2005, , CD003443.  |     | 19        |
| 386 | Benperidol for schizophrenia. The Cochrane Library, 2005, , CD003083.  | 2.8 | 4         |
| 387 | Intermediate Metabolizers And Increased Risk Of Adverse Events in Psychiatric In-patients. an Update Including All Relevant Alleles With Reduced Function and Applying Gene-dose for Analysis. Therapeutic Drug Monitoring, 2005, 27, 254-255. | 2.0 | 0         |
| 388 | The Dopamine D4 Receptor 48 Base Pair Repeat Polymorphism Influences Antipsychotic Induced Body Weight Gain. A Preliminary Report. Therapeutic Drug Monitoring, 2005, 27, 242.   | 2.0 | 1         |
| 389 | How do psychiatrists choose among different antipsychotics?. European Journal of Clinical Pharmacology, 2005, 61, 851-854.   | 1.9 | 14        |
| 390 | Is there a differential efficacy of new generation antipsychotic drugs?. International Journal of Psychiatry in Clinical Practice, 2005, 9, 154-156.   | 2.4 | 0         |
| 391 | Do Patients With Schizophrenia Wish to Be Involved in Decisions About Their Medical Treatment?. American Journal of Psychiatry, 2005, 162, 2382-2384.  | 7.2 | 203       |
| 392 | Physicians' and Patients' Involvement in Relapse Prevention With Antipsychotics in Schizophrenia. Psychiatric Services, 2005, 56, 1448-1450.   | 2.0 | 15        |
| 393 | Amitriptyline or Not, That Is the Question: Pharmacogenetic Testing of CYP2D6 and CYP2C19 Identifies Patients with Low or High Risk for Side Effects in Amitriptyline Therapy. Clinical Chemistry, 2005, 51, 376-385.                          | 3.2 | 162       |
| 394 | Clinical implications of Brief Psychiatric Rating Scale scores. British Journal of Psychiatry, 2005, 187, 366-371.   | 2.8 | 799       |
| 395 | European psychiatric treatment guidelines: is the glass half full or half empty?. European Psychiatry, 2005, 20, 554-558.  | 0.2 | 14        |
| 396 | Early-Onset Hypothesis of Antipsychotic Drug Action: A Hypothesis Tested, Confirmed and Extended. Biological Psychiatry, 2005, 57, 1543-1549.  | 1.3 | 218       |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 397 | What does the PANSS mean?. Schizophrenia Research, 2005, 79, 231-238.   | 2.0  | 1,083     |
| 398 | Antidepressants as add-on treatment to antipsychotics for people with schizophrenia and pronounced negative symptoms: A systematic review of randomized trials. Schizophrenia Research, 2005, 80, 85-97.  | 2.0  | 81        |
| 399 | Medical Decision Making in the Mental Health Field. Psychiatric Services, 2005, 56, 221-221.  | 2.0  | 4         |
| 400 | Lower Risk for Tardive Dyskinesia Associated With Second-Generation Antipsychotics: A Systematic Review of 1-Year Studies. American Journal of Psychiatry, 2004, 161, 414-425.  | 7.2  | 653       |
| 401 | Allele-Specific Change of Concentration and Functional Gene Dose for the Prediction of Steady-State Serum Concentrations of Amitriptyline and Nortriptyline in CYP2C19 and CYP2D6 Extensive and Intermediate Metabolizers. Clinical Chemistry, 2004, 50, 1623-1633. | 3.2  | 126       |
| 402 | Amisulpride is an ?atypical? antipsychotic associated with low weight gain. Psychopharmacology, 2004, 173, 112-115.   | 3.1  | 42        |
| 403 | Valproate as an adjunct to antipsychotics for schizophrenia: a systematic review of randomized trials. Schizophrenia Research, 2004, 70, 33-37.   | 2.0  | 73        |
| 404 | Effect sizes in cumulative meta-analyses of mental health randomized trials evolved over time. Journal of Clinical Epidemiology, 2004, 57, 1124-1130.   | 5.0  | 166       |
| 405 | Language bias in neuroscienceâ€”is the Tower of Babel located in Germany?. European Psychiatry, 2004, 19, 230-232.  | 0.2  | 13        |
| 406 | Medical Decision Making in Antipsychotic Drug Choice for Schizophrenia. American Journal of Psychiatry, 2004, 161, 1301-1304.   | 7.2  | 50        |
| 407 | Amisulpride â€” a selective dopamine antagonist and atypical antipsychotic: results of a meta-analysis of randomized controlled trials. International Journal of Neuropsychopharmacology, 2004, 7, S15-S20.   | 2.1  | 50        |
| 408 | Lithium for Schizophrenia Revisited. Journal of Clinical Psychiatry, 2004, 65, 177-186.   | 2.2  | 55        |
| 409 | Relationship Between Costs and Symptoms in Schizophrenia Patients Treated With Antipsychotic Medication. Journal of Clinical Psychiatry, 2004, 65, 756-765.   | 2.2  | 6         |
| 410 | Lithium for schizophrenia revisited: a systematic review and meta-analysis of randomized controlled trials. Journal of Clinical Psychiatry, 2004, 65, 177-86.   | 2.2  | 13        |
| 411 | Shared decision making in psychiatry. Acta Psychiatrica Scandinavica, 2003, 107, 403-409.   | 4.5  | 233       |
| 412 | New generation antipsychotics versus low-potency conventional antipsychotics: a systematic review and meta-analysis. Lancet, The, 2003, 361, 1581-1589.   | 13.7 | 667       |
| 413 | New generation versus conventional antipsychotics. Lancet, The, 2003, 362, 404-405.   | 13.7 | 5         |
| 414 | Are Patients with Schizophrenia Under-treated with Second-generation Antipsychotics? A Pilot Study of the Prescription Practices of German Psychiatrists. Pharmacopsychiatry, 2003, 36, 309-312.  | 3.3  | 8         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 415 | Relapse Prevention in Schizophrenia With New-Generation Antipsychotics: A Systematic Review and Exploratory Meta-Analysis of Randomized, Controlled Trials. <i>American Journal of Psychiatry</i> , 2003, 160, 1209-1222.   | 7.2 | 455       |
| 416 | Are the Second-generation Antipsychotics Cost-effective? A Critical Review on the Background of Different Health Systems. <i>Pharmacopsychiatry</i> , 2003, 36, 18-26.  | 3.3 | 27        |
| 417 | The expert consensus guideline series. Optimizing pharmacologic treatment of psychotic disorders. Introduction: methods, commentary, and summary. <i>Journal of Clinical Psychiatry</i> , 2003, 64 Suppl 12, 5-19.  | 2.2 | 102       |
| 418 | Amisulpride, an Unusual "Atypical" Antipsychotic: A Meta-Analysis of Randomized Controlled Trials. <i>American Journal of Psychiatry</i> , 2002, 159, 180-190.  | 7.2 | 455       |
| 419 | Carbamazepine Augmentation for Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2002, 63, 218-224.  | 2.2 | 38        |
| 420 | Pharmacogenetics: a new diagnostic tool in the management of antidepressive drug therapy. <i>Clinica Chimica Acta</i> , 2001, 308, 33-41.   | 1.1 | 91        |
| 421 | Doxepin Plasma Concentrations: Is There Really a Therapeutic Range?. <i>Journal of Clinical Psychopharmacology</i> , 2001, 21, 432-439.   | 1.4 | 27        |
| 422 | Dropout rates in randomised antipsychotic drug trials. <i>Psychopharmacology</i> , 2001, 155, 230-233.  | 3.1 | 156       |
| 423 | The Effect of Family Interventions on Relapse and Rehospitalization in Schizophrenia--A Meta-analysis. <i>Schizophrenia Bulletin</i> , 2001, 27, 73-92.   | 4.3 | 571       |
| 424 | Effect of adjunctive paroxetine on serum levels and side-effects of tricyclic antidepressants in depressive inpatients. <i>Psychopharmacology</i> , 2000, 147, 378-383.   | 3.1 | 38        |
| 425 | Efficacy and extrapyramidal side-effects of the new antipsychotics olanzapine, quetiapine, risperidone, and sertindole compared to conventional antipsychotics and placebo. A meta-analysis of randomized controlled trials. <i>Schizophrenia Research</i> , 1999, 35, 51-68. | 2.0 | 777       |
| 426 | Results of treatment of schizophrenia: is the glass half full or half empty?. <i>International Clinical Psychopharmacology</i> , 1999, 14, S11-S14.   | 1.7 | 21        |
| 427 | Variability of cerebral blood flow deficits in 99mTc-HMPAO SPECT in patients with Alzheimer's disease. <i>Journal of Neural Transmission</i> , 1997, 104, 689-701.  | 2.8 | 9         |
| 428 | Accuracy and reproducibility of the measurement of actively circulating blood volume with an integrated fiberoptic monitoring system. <i>Critical Care Medicine</i> , 1995, 23, 885-893.  | 0.9 | 64        |
| 429 | Monitoring of right ventricular function using a conventional slow response thermistor catheter. <i>Intensive Care Medicine</i> , 1994, 20, 348-353.  | 8.2 | 19        |
| 430 | Opioid antagonists for alcohol dependence. <i>The Cochrane Library</i> , 0, , .   | 2.8 | 101       |
| 431 | Evidence-based pharmacotherapy of schizophrenia. , 0, , 18-38.  |     | 1         |
| 432 | Increasing antipsychotic dose for non response in schizophrenia. <i>The Cochrane Library</i> , 0, , .   | 2.8 | 2         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 433 | Antipsychotic dose reduction compared to dose continuation for people with schizophrenia. The Cochrane Library, 0, , .   | 2.8 | 2         |
| 434 | Antipsychotic polypharmacy reduction versus polypharmacy continuation for people with schizophrenia. The Cochrane Library, 0, , .  | 2.8 | 1         |
| 435 | Baseline levels of C-reactive protein and proinflammatory cytokines are not associated with early response to amisulpride in patients with First Episode Psychosis: the OPTiMiSE cohort study. Schizophrenia Bulletin Open, 0, , . | 1.7 | 2         |