## Alkistis Skalkidou

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4758453/publications.pdf

Version: 2024-02-01

160 papers 4,795 citations

76326 40 h-index 138484 58 g-index

166 all docs

166 docs citations

166 times ranked 6376 citing authors

#	Article	IF	CITATIONS
1	A Role of Sunshine in the Triggering of Suicide. Epidemiology, 2002, 13, 106-109.	2.7	152
2	Controlled ovarian hyperstimulation for IVF: impact on ovarian, endometrial and cervical cancerâ€"a systematic review and meta-analysis. Human Reproduction Update, 2013, 19, 105-123.	10.8	135
3	Association of Age at Menopause and Duration of Reproductive Period With Depression After Menopause. JAMA Psychiatry, 2016, 73, 139.	11.0	126
4	Low adiponectin levels are associated with renal cell carcinoma: A caseâ€control study. International Journal of Cancer, 2007, 120, 1573-1578.	5.1	117
5	Association between parental depressive symptoms and impaired bonding with the infant. Archives of Women's Mental Health, 2016, 19, 87-94.	2.6	117
6	Biological Aspects of Postpartum Depression. Women's Health, 2012, 8, 659-672.	1.5	112
7	Suicides during pregnancy and 1 year postpartum in Sweden, 1980–2007. British Journal of Psychiatry, 2016, 208, 462-469.	2.8	103
8	Surgical menopause in association with cognitive function and risk of dementia: A systematic review and meta-analysis. Psychoneuroendocrinology, 2019, 106, 9-19.	2.7	102
9	The effects of maternal depression and maternal selective serotonin reuptake inhibitor exposure on offspring. Frontiers in Cellular Neuroscience, 2013, 7, 73.	3.7	93
10	Low Serum Allopregnanolone Is Associated with Symptoms of Depression in Late Pregnancy. Neuropsychobiology, 2014, 69, 147-153.	1.9	87
11	Caesarean delivery and risk of childhood leukaemia: a pooled analysis from the Childhood Leukemia International Consortium (CLIC). Lancet Haematology,the, 2016, 3, e176-e185.	4.6	83
12	IVF and breast cancer: a systematic review and meta-analysis. Human Reproduction Update, 2014, 20, 106-123.	10.8	82
13	Inflammatory and anti-inflammatory markers in plasma: from late pregnancy to early postpartum. Scientific Reports, 2019, 9, 1863.	3.3	79
14	Exploring lag and duration effect of sunshine in triggering suicide. Journal of Affective Disorders, 2005, 88, 287-297.	4.1	78
15	Circulating Adiponectin Levels and Expression of Adiponectin Receptors in Relation to Lung Cancer: Two Case-Control Studies. Oncology, 2007, 73, 261-269.	1.9	73
16	Socioeconomic disparities in survival from childhood leukemia in the United States and globally: a meta-analysis. Annals of Oncology, 2015, 26, 589-597.	1.2	69
17	Prenatal and Postpartum Evening Salivary Cortisol Levels in Association with Peripartum Depressive Symptoms. PLoS ONE, 2015, 10, e0135471.	2.5	69
18	Age at menopause and duration of reproductive period in association with dementia and cognitive function: A systematic review and meta-analysis. Psychoneuroendocrinology, 2016, 73, 224-243.	2.7	68

#	Article	IF	Citations
19	Personality and risk for postpartum depressive symptoms. Archives of Women's Mental Health, 2015, 18, 539-546.	2.6	64
20	Factors affecting motorcycle helmet use in the population of Greater Athens, Greece. Injury Prevention, 1999, 5, 264-267.	2.4	63
21	Sex differences in depression during pregnancy and the postpartum period. Journal of Neuroscience Research, 2017, 95, 719-730.	2.9	63
22	In vitro fertilization and risk of childhood leukemia in Greece and Sweden. Pediatric Blood and Cancer, 2012, 58, 930-936.	1.5	60
23	Postpartum depression symptoms. Psychiatric Genetics, 2011, 21, 19-28.	1.1	58
24	Risk of postpartum depression in association with serum leptin and interleukin-6 levels at delivery: A nested case–control study within the UPPSAT cohort. Psychoneuroendocrinology, 2009, 34, 1329-1337.	2.7	57
25	Delineating the association between mode of delivery and postpartum depression symptoms: a longitudinal study. Acta Obstetricia Et Gynecologica Scandinavica, 2018, 97, 301-311.	2.8	56
26	Neonatal leptin levels are strongly associated with female gender, birth length, IGF†levels and formula feeding. Clinical Endocrinology, 2005, 62, 366-371.	2.4	55
27	Characteristics of women with different perinatal depression trajectories. Journal of Neuroscience Research, 2020, 98, 1268-1282.	2.9	55
28	Insulin-like growth factor-I and binding protein-3 in relation to childhood leukaemia. International Journal of Cancer, 1999, 80, 494-496.	5.1	53
29	Maternal and female fetal testosterone levels are associated with maternal age and gestational weight gain. European Journal of Endocrinology, 2017, 177, 379-388.	3.7	52
30	Cortisol awakening response in late pregnancy in women with previous or ongoing depression. Psychoneuroendocrinology, 2013, 38, 3150-3154.	2.7	51
31	Pre-pregnancy Restless Legs Syndrome (Willis-Ekbom Disease) Is Associated with Perinatal Depression. Journal of Clinical Sleep Medicine, 2014, 10, 527-533.	2.6	51
32	Inflammatory markers in late pregnancy in association with postpartum depressionâ€"A nested case-control study. Psychoneuroendocrinology, 2017, 79, 146-159.	2.7	51
33	Delineating the Association between Heavy Postpartum Haemorrhage and Postpartum Depression. PLoS ONE, 2016, 11, e0144274.	2.5	49
34	Lower inflammatory markers in women with antenatal depression brings the M1/M2 balance into focus from a new direction. Psychoneuroendocrinology, 2017, 80, 15-25.	2.7	48
35	Postpartum depressive symptoms and the BDNF Val66Met functional polymorphism: effect of season of delivery. Archives of Women's Mental Health, 2011, 14, 453-463.	2.6	47
36	Serum adiponectin concentrations in relation to maternaland perinatal characteristics in newborns. European Journal of Endocrinology, 2004, 151, 741-746.	3.7	45

#	Article	IF	CITATIONS
37	Emotion Reactivity Is Increased 4-6 Weeks Postpartum in Healthy Women: A Longitudinal fMRI Study. PLoS ONE, 2015, 10, e0128964.	2.5	45
38	Fatalities from non-use of seat belts and helmets in greece: A nationwide appraisal. Accident Analysis and Prevention, 1998, 30, 87-91.	5.7	44
39	Advanced parental age as risk factor for childhood acute lymphoblastic leukemia: results from studies of the Childhood Leukemia International Consortium. European Journal of Epidemiology, 2018, 33, 965-976.	5.7	44
40	Predicting women with depressive symptoms postpartum with machine learning methods. Scientific Reports, 2021, 11, 7877.	3.3	44
41	Inflammatory markers in women with postpartum depressive symptoms. Journal of Neuroscience Research, 2020, 98, 1309-1321.	2.9	43
42	Are traffic injuries disproportionally more common among tourists in Greece? Struggling with incomplete data. Accident Analysis and Prevention, 1999, 31, 611-615.	5.7	42
43	Sun exposure, birth weight, and childhood lymphomas: a case control study in Greece. Cancer Causes and Control, 2007, 18, 1031-1037.	1.8	42
44	Adverse obstetric outcomes in pregnancies resulting from oocyte donation: a retrospective cohort case study in Sweden. BMC Pregnancy and Childbirth, 2015, 15, 247.	2.4	41
45	Inverse association of leptin levels with renal cell carcinoma: Results from a case-control study. Hormones, 2009, 8, 39-46.	1.9	39
46	Anxiety and depression symptoms among sub-fertile women, women pregnant after infertility treatment, and naturally pregnant women. European Psychiatry, 2017, 45, 212-219.	0.2	38
47	Allopregnanolone levels and depressive symptoms during pregnancy in relation to single nucleotide polymorphisms in the allopregnanolone synthesis pathway. Hormones and Behavior, 2017, 94, 106-113.	2.1	36
48	Thyroid function tests at delivery and risk for postpartum depressive symptoms. Psychoneuroendocrinology, 2013, 38, 1007-1013.	2.7	35
49	Premenstrual syndrome and dysphoric disorder as risk factors for postpartum depression. Acta Obstetricia Et Gynecologica Scandinavica, 2013, 92, 178-184.	2.8	35
50	Risk factors for exclusive breastfeeding lasting less than two monthsâ€"Identifying women in need of targeted breastfeeding support. PLoS ONE, 2017, 12, e0179402.	2.5	35
51	Risk for childhood leukemia associated with maternal and paternal age. European Journal of Epidemiology, 2015, 30, 1229-1261.	5.7	34
52	Comparison of major depression diagnostic classification probability using the SCID, CIDI, and MINI diagnostic interviews among women in pregnancy or postpartum: An individual participant data metaâ€analysis. International Journal of Methods in Psychiatric Research, 2019, 28, e1803.	2.1	34
53	Evidence on the infectious etiology of childhood leukemia: the role of low herd immunity (Greece). Cancer Causes and Control, 2001, 12, 645-652.	1.8	33
54	A prospective investigation of perceived stress, infertilityâ€related stress, and cortisol levels in women undergoing in vitro fertilization: influence on embryo quality and clinical pregnancy rate. Acta Obstetricia Et Gynecologica Scandinavica, 2018, 97, 258-268.	2.8	32

#	Article	IF	CITATIONS
55	Ultrasound Pregnancy Dating Leads to Biased Perinatal Morbidity and Neonatal Mortality Among Post-term-born Girls. Epidemiology, 2010, 21, 791-796.	2.7	31
56	Seasonality patterns in postpartum depression. American Journal of Obstetrics and Gynecology, 2011, 204, 413.e1-413.e6.	1.3	31
57	Sleep duration, depression, and oxytocinergic genotype influence prepulse inhibition of the startle reflex in postpartum women. European Neuropsychopharmacology, 2016, 26, 767-776.	0.7	30
58	Cohort profile: the Biology, Affect, Stress, Imaging and Cognition (BASIC) study on perinatal depression in a population-based Swedish cohort. BMJ Open, 2019, 9, e031514.	1.9	30
59	Maternal perinatal depressive symptoms trajectories and impact on toddler behavior – the importance of symptom duration and maternal bonding. Journal of Affective Disorders, 2020, 273, 542-551.	4.1	30
60	Newborn gender as a predictor of postpartum mood disturbances in a sample of Swedish women. Archives of Women's Mental Health, 2011, 14, 195-201.	2.6	29
61	Treatment with serotonin reuptake inhibitors during pregnancy is associated with elevated corticotropin-releasing hormone levels. Psychoneuroendocrinology, 2015, 58, 104-113.	2.7	29
62	Validity of intraoperative gross examination of myometrial invasion in patients with endometrial cancer: a metaâ€analysis. Acta Obstetricia Et Gynecologica Scandinavica, 2012, 91, 779-793.	2.8	28
63	lodine deficiency in a study population of pregnant women in Sweden. Acta Obstetricia Et Gynecologica Scandinavica, 2015, 94, 1168-1174.	2.8	28
64	Association of Attention-Deficit/Hyperactivity Disorder With Teenage Birth Among Women and Girls in Sweden. JAMA Network Open, 2019, 2, e1912463.	5.9	28
65	Prefrontal activity during response inhibition decreases over time in the postpartum period. Behavioural Brain Research, 2013, 241, 132-138.	2.2	27
66	The effects of antenatal depression and antidepressant treatment on placental gene expression. Frontiers in Cellular Neuroscience, 2014, 8, 465.	3.7	27
67	Growth velocity during the first postnatal week of life is linked to a spurt of IGF†effect. Paediatric and Perinatal Epidemiology, 2003, 17, 281-286.	1.7	26
68	Risk of endometrial cancer in women treated with ovary-stimulating drugs for subfertility. The Cochrane Library, 2017, 2017, CD010931.	2.8	25
69	Epidural Analgesia During Childbirth and Postpartum Depressive Symptoms: A Population-Based Longitudinal Cohort Study. Anesthesia and Analgesia, 2020, 130, 615-624.	2.2	25
70	Are there common triggers of preterm deliveries?. British Journal of Obstetrics and Gynaecology, 2001, 108, 598-604.	0.9	24
71	Cancer incidence and mortality patterns in women with anorexia nervosa. International Journal of Cancer, 2014, 134, 1751-1757.	5.1	24
72	MID-PREGNANCY CORTICOTROPIN-RELEASING HORMONE LEVELS IN ASSOCIATION WITH POSTPARTUM DEPRESSIVE SYMPTOMS. Depression and Anxiety, 2016, 33, 1023-1030.	4.1	23

#	Article	IF	Citations
73	Tandem mass spectrometry determined maternal cortisone to cortisol ratio and psychiatric morbidity during pregnancyâ interaction with birth weight. Psychoneuroendocrinology, 2016, 69, 142-149.	2.7	23
74	Correlates of Postpartum Depression in First Time Mothers Without Previous Psychiatric Contact. European Psychiatry, 2017, 40, 4-12.	0.2	23
75	Parental age and the risk of childhood acute myeloid leukemia: results from the Childhood Leukemia International Consortium. Cancer Epidemiology, 2019, 59, 158-165.	1.9	23
76	Conception by means of inÂvitro fertilization is not associated with maternal depressive symptoms during pregnancy or postpartum. Fertility and Sterility, 2017, 108, 325-332.	1.0	22
77	Antenatal depressive symptoms and early initiation of breastfeeding in association with exclusive breastfeeding six weeks postpartum: a longitudinal population-based study. BMC Pregnancy and Childbirth, 2019, 19, 49.	2.4	22
78	Endogenous risk factors for childhood leukemia in relation to the IGF system (Greece). The Childhood Haematologists-Oncologists Group. Cancer Causes and Control, 2000, 11, 765-771.	1.8	21
79	Prelabor cesarean delivery and early-onset acute childhood leukemia risk. European Journal of Cancer Prevention, 2016, 25, 155-161.	1.3	21
80	Systematic misclassification of gestational age by ultrasound biometry: implications for clinical practice and research methodology in the Nordic countries. Acta Obstetricia Et Gynecologica Scandinavica, 2018, 97, 440-444.	2.8	21
81	Associations between a polymorphism in the hydroxysteroid (11-beta) dehydrogenase 1 gene, neuroticism and postpartum depression. Journal of Affective Disorders, 2017, 207, 141-147.	4.1	20
82	Oral Contraceptives, Hormone Replacement Therapy, and Stroke Risk. Stroke, 2022, 53, 3107-3115.	2.0	20
83	Insulin-Like Growth Factor Binding Protein-3 Predicts Survival from Acute Childhood Leukemia. Oncology, 2001, 60, 252-257.	1.9	19
84	Maternal and birth anthropometric characteristics in relation to the risk of childhood lymphomas. European Journal of Cancer Prevention, 2015, 24, 535-541.	1.3	19
85	Violence victimisation—a watershed for young women's mental and physical health. European Journal of Public Health, 2016, 26, 861-867.	0.3	19
86	Women with prolonged nausea in pregnancy have increased risk for depressive symptoms postpartum. Scientific Reports, 2018, 8, 15796.	3.3	19
87	Social and emotional contexts predict the development of gaze following in early infancy. Royal Society Open Science, 2020, 7, 201178.	2.4	19
88	Car restraints and seating position for prevention of motor vehicle injuries in Greece. Archives of Disease in Childhood, 1998, 78, 335-339.	1.9	18
89	Prevalence of intimate partner violence among women seeking termination of pregnancy compared to women seeking contraceptive counseling. Acta Obstetricia Et Gynecologica Scandinavica, 2014, 93, 45-51.	2.8	18
90	Stress-related genetic polymorphisms in association with peripartum depression symptoms and stress hormones: A longitudinal population-based study. Psychoneuroendocrinology, 2019, 103, 296-305.	2.7	18

#	Article	IF	CITATIONS
91	Supraphysiological hormonal status, anxiety disorders, and COMT Val/Val genotype are associated with reduced sensorimotor gating in women. Psychoneuroendocrinology, 2015, 60, 217-223.	2.7	17
92	Self-Harm Thoughts Postpartum as a Marker for Long-Term Morbidity. Frontiers in Public Health, 2018, 6, 34.	2.7	17
93	Neighborhood deprivation and adverse perinatal outcomes in Sweden: A populationâ€based register study. Acta Obstetricia Et Gynecologica Scandinavica, 2019, 98, 1004-1013.	2.8	16
94	Preventing suicide and homicide in the United States: The potential benefit in human lives. Psychiatry Research, 2009, 169, 154-158.	3.3	15
95	Neonatal outcomes in pregnancies resulting from oocyte donation: a cohort study in Sweden. BMC Pediatrics, 2016, 16, 170.	1.7	15
96	Psychometric properties of the attachment style questionnaire in Swedish pregnant women: short and full versions. Journal of Reproductive and Infant Psychology, 2017, 35, 450-461.	1.8	15
97	SSRI use during pregnancy and risk for postpartum haemorrhage: a national registerâ€based cohort study in Sweden. BJOG: an International Journal of Obstetrics and Gynaecology, 2020, 127, 1366-1373.	2.3	15
98	Effectiveness of a comprehensive multisector campaign to increase seat belt use in the greater Athens area, Greece. Hellenic Road Traffic Police Department American Journal of Public Health, 1999, 89, 1861-1863.	2.7	14
99	Effects of ultrasound pregnancy dating on neonatal morbidity in late preterm and early term male infants: a register-based cohort study. BMC Pregnancy and Childbirth, 2016, 16, 335.	2.4	14
100	Adult attachment's unique contribution in the prediction of postpartum depressive symptoms, beyond personality traits. Journal of Affective Disorders, 2017, 222, 177-184.	4.1	14
101	The effect of antenatal depression and antidepressant treatment on placental tissue: a protein-validated gene expression study. BMC Pregnancy and Childbirth, 2019, 19, 479.	2.4	14
102	DNA methylation in cord blood in association with prenatal depressive symptoms. Clinical Epigenetics, 2021, 13, 78.	4.1	14
103	Important research outcomes for treatment studies of perinatal depression: systematic overview and development of a core outcome set. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, 128, 2141-2149.	2.3	14
104	Different patterns of attentional bias in antenatal and postpartum depression. Brain and Behavior, 2017, 7, e00844.	2.2	13
105	Severe obstetric lacerations associated with postpartum depression among women with low resilience $\hat{a} \in \mathbb{C}$ a Swedish birth cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2020, 127, 1382-1390.	2.3	13
106	Who do we miss when screening for postpartum depression? A population-based study in a Swedish region. Journal of Affective Disorders, 2021, 287, 165-173.	4.1	13
107	Seasonal patterns in self-reported peripartum depressive symptoms. European Psychiatry, 2017, 43, 99-108.	0.2	12
108	Maternal and fetal characteristics affect discrepancies between pregnancyâ€dating methods: a populationâ€based crossâ€sectional register study. Acta Obstetricia Et Gynecologica Scandinavica, 2017, 96, 86-95.	2.8	12

#	Article	IF	Citations
109	Maternal body mass index moderates antenatal depression effects on infant birthweight. Scientific Reports, 2019, 9, 6213.	3.3	12
110	Experience of the First Breastfeeding Session in Association with the Use of the Hands-On Approach by Healthcare Professionals: A Population-Based Swedish Study. Breastfeeding Medicine, 2014, 9, 294-300.	1.7	11
111	Investigating the effect of lifestyle risk factors upon number of aspirated and mature oocytes in in vitro fertilization cycles: Interaction with antral follicle count. PLoS ONE, 2019, 14, e0221015.	2.5	11
112	Heart rate variability in late pregnancy: exploration of distinctive patterns in relation to maternal mental health. Translational Psychiatry, 2021, 11, 286.	4.8	11
113	Validity of the Gender Dysphoria diagnosis and incidence trends in Sweden: a nationwide register study. Scientific Reports, 2021, 11, 16168.	3.3	11
114	Maternal childhood trauma and perinatal distress are related to infants' focused attention from 6 to 18Âmonths. Scientific Reports, 2021, 11, 24190.	3.3	11
115	Birth Size and Neonatal Levels of Major Components of the IGF System: Implications for Later Risk of Cancer. Journal of Pediatric Endocrinology and Metabolism, 2002, 15, 1479-86.	0.9	10
116	Motivational interviewing does not affect risk drinking among young women: A randomised, controlled intervention study in Swedish youth health centres. Scandinavian Journal of Public Health, 2016, 44, 611-618.	2.3	9
117	Blood plasma metabolic profiling of pregnant women with antenatal depressive symptoms. Translational Psychiatry, 2019, 9, 204.	4.8	9
118	Perinatal mental health around the world: priorities for research and service development in Sweden. BJPsych International, 2020, 17, 6-8.	1.4	8
119	Metabolic Profiling Indicates Diversity in the Metabolic Physiologies Associated With Maternal Postpartum Depressive Symptoms. Frontiers in Psychiatry, 2021, 12, 685656.	2.6	8
120	Determinants and consequences of major insulin-like growth factor components among full-term healthy neonates. Cancer Epidemiology Biomarkers and Prevention, 2003, 12, 860-5.	2.5	8
121	Discrepancy between pregnancy dating methods affects obstetric and neonatal outcomes: a population-based register cohort study. Scientific Reports, 2018, 8, 6936.	3.3	7
122	Hypothalamic-pituitary-adrenal axis responsiveness, startle response, and sensorimotor gating in late pregnancy. Psychoneuroendocrinology, 2019, 106, 1-8.	2.7	7
123	Sexual violence against women in Sweden: Associations with combined childhood violence and sociodemographic factors. Scandinavian Journal of Public Health, 2021, 49, 292-300.	2.3	7
124	Predicting perinatal health outcomes using smartphone-based digital phenotyping and machine learning in a prospective Swedish cohort (Mom2B): study protocol. BMJ Open, 2022, 12, e059033.	1.9	7
125	Risk of upper limb injury in left handed children: a study in Greece. Injury Prevention, 1999, 5, 68-71.	2.4	6
126	Adipocytokines levels at delivery, functional variation of TFAP2 $\hat{l}^2$ , and maternal and neonatal anthropometric parameters. Obesity, 2013, 21, 2130-2137.	3.0	6

#	Article	IF	CITATIONS
127	Factors associated with re-initiation of antidepressant treatment following discontinuation during pregnancy: a register-based cohort study. Archives of Women's Mental Health, 2020, 23, 709-717.	2.6	6
128	The histidine-rich glycoprotein A1042G polymorphism and recurrent miscarriage: a pilot study. Reproductive Biology and Endocrinology, 2014, 12, 70.	3.3	5
129	No Differences in Health Outcomes After Routine Inquiry About Violence Victimization in Young Women: A Randomized Controlled Study in Swedish Youth Health Centers. Journal of Interpersonal Violence, 2020, 35, 77-99.	2.0	5
130	History of Maternal Fetal Loss and Childhood Leukaemia Risk in Subsequent Offspring: Differentials by Miscarriage or Stillbirth History and Disease Subtype. Paediatric and Perinatal Epidemiology, 2015, 29, 453-461.	1.7	4
131	Maternal fetal loss history and increased acute leukemia subtype risk in subsequent offspring: a systematic review and meta-analysis. Cancer Causes and Control, 2017, 28, 599-624.	1.8	4
132	Association of maternal attention deficit hyperactivity disorder and preterm birth: a cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2020, 127, 1480-1487.	2.3	4
133	Migraine as a risk factor for mixed symptoms of peripartum depression and anxiety in late pregnancy: A prospective cohort study. Journal of Affective Disorders, 2021, 295, 733-739.	4.1	4
134	Maternal prenatal depressive symptoms and toddler behavior: an umbilical cord blood epigenome-wide association study. Translational Psychiatry, 2022, 12, 186.	4.8	4
135	Parental family variables and likelihood of divorce. International Journal of Public Health, 2000, 45, 95-101.	2.6	3
136	Growth velocity during the first postnatal week of life is not related to adiponectin or leptin. Paediatric and Perinatal Epidemiology, 2004, 18, 395-395.	1.7	3
137	Experience of fetal scalp blood sampling during labor. Acta Obstetricia Et Gynecologica Scandinavica, 2014, 93, 113-117.	2.8	3
138	Adherence to Swedish national pregnancy dating guidelines and management of discrepancies between pregnancy dating methods: a survey study. Reproductive Health, 2019, 16, 95.	3.1	3
139	Pregnancy-related hormones and COMT genotype: Associations with maternal working memory. Psychoneuroendocrinology, 2021, 132, 105361.	2.7	3
140	Insulinâ€like growth factorâ€l and binding proteinâ€3 in relation to childhood leukaemia. International Journal of Cancer, 1999, 80, 494-496.	5.1	3
141	Swedish intrauterine growth reference ranges of biometric measurements of fetal head, abdomen and femur. Scientific Reports, 2020, 10, 22441.	3.3	3
142	Association Between Objectively Assessed Sleep and Depressive Symptoms During Pregnancy and Post-partum. Frontiers in Global Women S Health, 2021, 2, 807817.	2.3	3
143	Longitudinal assessment of inflammatory markers in the peripartum period by depressive symptom trajectory groups. Brain, Behavior, & Immunity - Health, 2022, 22, 100468.	2.5	3
144	Neuroticism is associated with higher antenatal care utilization in obstetric lowâ€risk women. Acta Obstetricia Et Gynecologica Scandinavica, 2019, 98, 470-478.	2.8	2

#	Article	IF	Citations
145	Meteorological parameters and air pollen count in association with self-reported peripartum depressive symptoms. European Psychiatry, 2018, 54, 10-18.	0.2	2
146	HRG C633T polymorphism and risk of gestational hypertensive disorders: a pilot study. BMC Medical Genetics, 2018, 19, 44.	2.1	2
147	Experiences of sexual violence among women seeking services at a family planning unit in Sweden. Upsala Journal of Medical Sciences, 2019, 124, 135-139.	0.9	2
148	Spring peaks and autumn troughs identified in peripheral inflammatory markers during the peripartum period. Scientific Reports, 2019, 9, 15328.	3.3	2
149	Placental glucocorticoid receptors are not affected by maternal depression or SSRI treatment. Upsala Journal of Medical Sciences, 2020, 125, 30-36.	0.9	2
150	Swedish intrauterine growth reference ranges for estimated fetal weight. Scientific Reports, 2021, 11, 12464.	3.3	2
151	Perinatal mental health: how nordic data sources have contributed to existing evidence and future avenues to explore. Nordic Journal of Psychiatry, 2022, 76, 423-432.	1.3	2
152	Risk of Postpartum Depression in Association with Serum Leptin Levels: A Nested Case-control Study within the Uppsat Cohort. European Psychiatry, 2009, 24, .	0.2	1
153	Estrogen-Based Therapies and Depression in Women Who Naturally Enter Menopause Before Population Average—Reply. JAMA Psychiatry, 2016, 73, 874.	11.0	1
154	Investigating the association between neuroticism and adverse obstetric and neonatal outcomes. Scientific Reports, 2019, 9, 15470.	3.3	1
155	Pregnancy and postpartum psychiatric episodes in fathers: A population-based study on treatment incidence and prevalence. Journal of Affective Disorders, 2022, 296, 130-135.	4.1	1
156	Abstract LB-194: Cesarean delivery and risk of childhood leukemia: findings from the Childhood Leukemia International Consortium (CLIC). Cancer Research, 2015, 75, LB-194-LB-194.	0.9	1
157	Working Memory During Late Pregnancy: Associations With Antepartum and Postpartum Depression Symptoms. Frontiers in Global Women S Health, 2022, 3, 820353.	2.3	1
158	P.2.a.008 Low serum allopregnanolone is associated with elevated depressive symptoms in late pregnancy. European Neuropsychopharmacology, 2012, 22, S228.	0.7	0
159	Authors' reply re: SSRI use during pregnancy and risk for postpartum hemorrhage: a national registerâ€based cohort study in Sweden. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, 128, 619-620.	2.3	0
160	Sunshine and Suicide Incidence. Epidemiology, 2002, 13, 493-494.	2.7	0