

Alkistis Skalkidou

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4758453/publications.pdf>

Version: 2024-02-01

160
papers

4,795
citations

76326

40
h-index

138484

58
g-index

166
all docs

166
docs citations

166
times ranked

6376
citing authors

#	ARTICLE	IF	CITATIONS
1	Pregnancy and postpartum psychiatric episodes in fathers: A population-based study on treatment incidence and prevalence. <i>Journal of Affective Disorders</i> , 2022, 296, 130-135.	4.1	1
2	Perinatal mental health: how nordic data sources have contributed to existing evidence and future avenues to explore. <i>Nordic Journal of Psychiatry</i> , 2022, 76, 423-432.	1.3	2
3	Working Memory During Late Pregnancy: Associations With Antepartum and Postpartum Depression Symptoms. <i>Frontiers in Global Women S Health</i> , 2022, 3, 820353.	2.3	1
4	Maternal prenatal depressive symptoms and toddler behavior: an umbilical cord blood epigenome-wide association study. <i>Translational Psychiatry</i> , 2022, 12, 186.	4.8	4
5	Longitudinal assessment of inflammatory markers in the peripartum period by depressive symptom trajectory groups. <i>Brain, Behavior, & Immunity - Health</i> , 2022, 22, 100468.	2.5	3
6	Predicting perinatal health outcomes using smartphone-based digital phenotyping and machine learning in a prospective Swedish cohort (Mom2B): study protocol. <i>BMJ Open</i> , 2022, 12, e059033.	1.9	7
7	Oral Contraceptives, Hormone Replacement Therapy, and Stroke Risk. <i>Stroke</i> , 2022, 53, 3107-3115.	2.0	20
8	Sexual violence against women in Sweden: Associations with combined childhood violence and sociodemographic factors. <i>Scandinavian Journal of Public Health</i> , 2021, 49, 292-300.	2.3	7
9	Authors' reply re: SSRI use during pregnancy and risk for postpartum hemorrhage: a national register-based cohort study in Sweden. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, 128, 619-620.	2.3	0
10	DNA methylation in cord blood in association with prenatal depressive symptoms. <i>Clinical Epigenetics</i> , 2021, 13, 78.	4.1	14
11	Predicting women with depressive symptoms postpartum with machine learning methods. <i>Scientific Reports</i> , 2021, 11, 7877.	3.3	44
12	Who do we miss when screening for postpartum depression? A population-based study in a Swedish region. <i>Journal of Affective Disorders</i> , 2021, 287, 165-173.	4.1	13
13	Heart rate variability in late pregnancy: exploration of distinctive patterns in relation to maternal mental health. <i>Translational Psychiatry</i> , 2021, 11, 286.	4.8	11
14	Metabolic Profiling Indicates Diversity in the Metabolic Physiologies Associated With Maternal Postpartum Depressive Symptoms. <i>Frontiers in Psychiatry</i> , 2021, 12, 685656.	2.6	8
15	Important research outcomes for treatment studies of perinatal depression: systematic overview and development of a core outcome set. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, 128, 2141-2149.	2.3	14
16	Swedish intrauterine growth reference ranges for estimated fetal weight. <i>Scientific Reports</i> , 2021, 11, 12464.	3.3	2
17	Validity of the Gender Dysphoria diagnosis and incidence trends in Sweden: a nationwide register study. <i>Scientific Reports</i> , 2021, 11, 16168.	3.3	11
18	Pregnancy-related hormones and COMT genotype: Associations with maternal working memory. <i>Psychoneuroendocrinology</i> , 2021, 132, 105361.	2.7	3

#	ARTICLE	IF	CITATIONS
19	Migraine as a risk factor for mixed symptoms of peripartum depression and anxiety in late pregnancy: A prospective cohort study. <i>Journal of Affective Disorders</i> , 2021, 295, 733-739.	4.1	4
20	Association Between Objectively Assessed Sleep and Depressive Symptoms During Pregnancy and Post-partum. <i>Frontiers in Global Women S Health</i> , 2021, 2, 807817.	2.3	3
21	Maternal childhood trauma and perinatal distress are related to infants' focused attention from 6 to 18 months. <i>Scientific Reports</i> , 2021, 11, 24190.	3.3	11
22	Inflammatory markers in women with postpartum depressive symptoms. <i>Journal of Neuroscience Research</i> , 2020, 98, 1309-1321.	2.9	43
23	No Differences in Health Outcomes After Routine Inquiry About Violence Victimization in Young Women: A Randomized Controlled Study in Swedish Youth Health Centers. <i>Journal of Interpersonal Violence</i> , 2020, 35, 77-99.	2.0	5
24	Characteristics of women with different perinatal depression trajectories. <i>Journal of Neuroscience Research</i> , 2020, 98, 1268-1282.	2.9	55
25	Social and emotional contexts predict the development of gaze following in early infancy. <i>Royal Society Open Science</i> , 2020, 7, 201178.	2.4	19
26	Association of maternal attention deficit hyperactivity disorder and preterm birth: a cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020, 127, 1480-1487.	2.3	4
27	Maternal perinatal depressive symptoms trajectories and impact on toddler behavior – the importance of symptom duration and maternal bonding. <i>Journal of Affective Disorders</i> , 2020, 273, 542-551.	4.1	30
28	SSRI use during pregnancy and risk for postpartum haemorrhage: a national register-based cohort study in Sweden. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020, 127, 1366-1373.	2.3	15
29	Factors associated with re-initiation of antidepressant treatment following discontinuation during pregnancy: a register-based cohort study. <i>Archives of Women's Mental Health</i> , 2020, 23, 709-717.	2.6	6
30	Epidural Analgesia During Childbirth and Postpartum Depressive Symptoms: A Population-Based Longitudinal Cohort Study. <i>Anesthesia and Analgesia</i> , 2020, 130, 615-624.	2.2	25
31	Placental glucocorticoid receptors are not affected by maternal depression or SSRI treatment. <i>Upsala Journal of Medical Sciences</i> , 2020, 125, 30-36.	0.9	2
32	Severe obstetric lacerations associated with postpartum depression among women with low resilience – a Swedish birth cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020, 127, 1382-1390.	2.3	13
33	Perinatal mental health around the world: priorities for research and service development in Sweden. <i>BJPsych International</i> , 2020, 17, 6-8.	1.4	8
34	Swedish intrauterine growth reference ranges of biometric measurements of fetal head, abdomen and femur. <i>Scientific Reports</i> , 2020, 10, 22441.	3.3	3
35	Neuroticism is associated with higher antenatal care utilization in obstetric low-risk women. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019, 98, 470-478.	2.8	2
36	Investigating the effect of lifestyle risk factors upon number of aspirated and mature oocytes in in vitro fertilization cycles: Interaction with antral follicle count. <i>PLoS ONE</i> , 2019, 14, e0221015.	2.5	11

#	ARTICLE	IF	CITATIONS
37	Adherence to Swedish national pregnancy dating guidelines and management of discrepancies between pregnancy dating methods: a survey study. <i>Reproductive Health</i> , 2019, 16, 95.	3.1	3
38	Investigating the association between neuroticism and adverse obstetric and neonatal outcomes. <i>Scientific Reports</i> , 2019, 9, 15470.	3.3	1
39	Comparison of major depression diagnostic classification probability using the SCID, CIDI, and MINI diagnostic interviews among women in pregnancy or postpartum: An individual participant data meta-analysis. <i>International Journal of Methods in Psychiatric Research</i> , 2019, 28, e1803.	2.1	34
40	Blood plasma metabolic profiling of pregnant women with antenatal depressive symptoms. <i>Translational Psychiatry</i> , 2019, 9, 204.	4.8	9
41	Association of Attention-Deficit/Hyperactivity Disorder With Teenage Birth Among Women and Girls in Sweden. <i>JAMA Network Open</i> , 2019, 2, e1912463.	5.9	28
42	Antenatal depressive symptoms and early initiation of breastfeeding in association with exclusive breastfeeding six weeks postpartum: a longitudinal population-based study. <i>BMC Pregnancy and Childbirth</i> , 2019, 19, 49.	2.4	22
43	Experiences of sexual violence among women seeking services at a family planning unit in Sweden. <i>Uppsala Journal of Medical Sciences</i> , 2019, 124, 135-139.	0.9	2
44	Maternal body mass index moderates antenatal depression effects on infant birthweight. <i>Scientific Reports</i> , 2019, 9, 6213.	3.3	12
45	Neighborhood deprivation and adverse perinatal outcomes in Sweden: A population-based register study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019, 98, 1004-1013.	2.8	16
46	Hypothalamic-pituitary-adrenal axis responsiveness, startle response, and sensorimotor gating in late pregnancy. <i>Psychoneuroendocrinology</i> , 2019, 106, 1-8.	2.7	7
47	Surgical menopause in association with cognitive function and risk of dementia: A systematic review and meta-analysis. <i>Psychoneuroendocrinology</i> , 2019, 106, 9-19.	2.7	102
48	Stress-related genetic polymorphisms in association with peripartum depression symptoms and stress hormones: A longitudinal population-based study. <i>Psychoneuroendocrinology</i> , 2019, 103, 296-305.	2.7	18
49	Parental age and the risk of childhood acute myeloid leukemia: results from the Childhood Leukemia International Consortium. <i>Cancer Epidemiology</i> , 2019, 59, 158-165.	1.9	23
50	Inflammatory and anti-inflammatory markers in plasma: from late pregnancy to early postpartum. <i>Scientific Reports</i> , 2019, 9, 1863.	3.3	79
51	Cohort profile: the Biology, Affect, Stress, Imaging and Cognition (BASIC) study on perinatal depression in a population-based Swedish cohort. <i>BMJ Open</i> , 2019, 9, e031514.	1.9	30
52	Spring peaks and autumn troughs identified in peripheral inflammatory markers during the peripartum period. <i>Scientific Reports</i> , 2019, 9, 15328.	3.3	2
53	The effect of antenatal depression and antidepressant treatment on placental tissue: a protein-validated gene expression study. <i>BMC Pregnancy and Childbirth</i> , 2019, 19, 479.	2.4	14
54	Systematic misclassification of gestational age by ultrasound biometry: implications for clinical practice and research methodology in the Nordic countries. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018, 97, 440-444.	2.8	21

#	ARTICLE	IF	CITATIONS
55	A prospective investigation of perceived stress, infertility-related stress, and cortisol levels in women undergoing in vitro fertilization: influence on embryo quality and clinical pregnancy rate. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018, 97, 258-268.	2.8	32
56	Delineating the association between mode of delivery and postpartum depression symptoms: a longitudinal study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018, 97, 301-311.	2.8	56
57	Women with prolonged nausea in pregnancy have increased risk for depressive symptoms postpartum. <i>Scientific Reports</i> , 2018, 8, 15796.	3.3	19
58	Advanced parental age as risk factor for childhood acute lymphoblastic leukemia: results from studies of the Childhood Leukemia International Consortium. <i>European Journal of Epidemiology</i> , 2018, 33, 965-976.	5.7	44
59	Self-Harm Thoughts Postpartum as a Marker for Long-Term Morbidity. <i>Frontiers in Public Health</i> , 2018, 6, 34.	2.7	17
60	Meteorological parameters and air pollen count in association with self-reported peripartum depressive symptoms. <i>European Psychiatry</i> , 2018, 54, 10-18.	0.2	2
61	HRG C633T polymorphism and risk of gestational hypertensive disorders: a pilot study. <i>BMC Medical Genetics</i> , 2018, 19, 44.	2.1	2
62	Discrepancy between pregnancy dating methods affects obstetric and neonatal outcomes: a population-based register cohort study. <i>Scientific Reports</i> , 2018, 8, 6936.	3.3	7
63	Lower inflammatory markers in women with antenatal depression brings the M1/M2 balance into focus from a new direction. <i>Psychoneuroendocrinology</i> , 2017, 80, 15-25.	2.7	48
64	Inflammatory markers in late pregnancy in association with postpartum depression – A nested case-control study. <i>Psychoneuroendocrinology</i> , 2017, 79, 146-159.	2.7	51
65	Maternal fetal loss history and increased acute leukemia subtype risk in subsequent offspring: a systematic review and meta-analysis. <i>Cancer Causes and Control</i> , 2017, 28, 599-624.	1.8	4
66	Seasonal patterns in self-reported peripartum depressive symptoms. <i>European Psychiatry</i> , 2017, 43, 99-108.	0.2	12
67	Risk of endometrial cancer in women treated with ovary-stimulating drugs for subfertility. <i>The Cochrane Library</i> , 2017, 2017, CD010931.	2.8	25
68	Sex differences in depression during pregnancy and the postpartum period. <i>Journal of Neuroscience Research</i> , 2017, 95, 719-730.	2.9	63
69	Maternal and female fetal testosterone levels are associated with maternal age and gestational weight gain. <i>European Journal of Endocrinology</i> , 2017, 177, 379-388.	3.7	52
70	Adult attachment's unique contribution in the prediction of postpartum depressive symptoms, beyond personality traits. <i>Journal of Affective Disorders</i> , 2017, 222, 177-184.	4.1	14
71	Anxiety and depression symptoms among sub-fertile women, women pregnant after infertility treatment, and naturally pregnant women. <i>European Psychiatry</i> , 2017, 45, 212-219.	0.2	38
72	Allopregnanolone levels and depressive symptoms during pregnancy in relation to single nucleotide polymorphisms in the allopregnanolone synthesis pathway. <i>Hormones and Behavior</i> , 2017, 94, 106-113.	2.1	36

#	ARTICLE	IF	CITATIONS
73	Psychometric properties of the attachment style questionnaire in Swedish pregnant women: short and full versions. <i>Journal of Reproductive and Infant Psychology</i> , 2017, 35, 450-461.	1.8	15
74	Different patterns of attentional bias in antenatal and postpartum depression. <i>Brain and Behavior</i> , 2017, 7, e00844.	2.2	13
75	Conception by means of inÂvitro fertilization is not associated with maternal depressive symptoms during pregnancy or postpartum. <i>Fertility and Sterility</i> , 2017, 108, 325-332.	1.0	22
76	Correlates of Postpartum Depression in First Time Mothers Without Previous Psychiatric Contact. <i>European Psychiatry</i> , 2017, 40, 4-12.	0.2	23
77	Maternal and fetal characteristics affect discrepancies between pregnancyâ€dating methods: a populationâ€based crossâ€sectional register study. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2017, 96, 86-95.	2.8	12
78	Associations between a polymorphism in the hydroxysteroid (11-beta) dehydrogenase 1 gene, neuroticism and postpartum depression. <i>Journal of Affective Disorders</i> , 2017, 207, 141-147.	4.1	20
79	Risk factors for exclusive breastfeeding lasting less than two monthsâ€”Identifying women in need of targeted breastfeeding support. <i>PLoS ONE</i> , 2017, 12, e0179402.	2.5	35
80	MID-PREGNANCY CORTICOTROPIN-RELEASING HORMONE LEVELS IN ASSOCIATION WITH POSTPARTUM DEPRESSIVE SYMPTOMS. <i>Depression and Anxiety</i> , 2016, 33, 1023-1030.	4.1	23
81	Prelabor cesarean delivery and early-onset acute childhood leukemia risk. <i>European Journal of Cancer Prevention</i> , 2016, 25, 155-161.	1.3	21
82	Effects of ultrasound pregnancy dating on neonatal morbidity in late preterm and early term male infants: a register-based cohort study. <i>BMC Pregnancy and Childbirth</i> , 2016, 16, 335.	2.4	14
83	Neonatal outcomes in pregnancies resulting from oocyte donation: a cohort study in Sweden. <i>BMC Pediatrics</i> , 2016, 16, 170.	1.7	15
84	Suicides during pregnancy and 1 year postpartum in Sweden, 1980â€”2007. <i>British Journal of Psychiatry</i> , 2016, 208, 462-469.	2.8	103
85	Age at menopause and duration of reproductive period in association with dementia and cognitive function: A systematic review and meta-analysis. <i>Psychoneuroendocrinology</i> , 2016, 73, 224-243.	2.7	68
86	Motivational interviewing does not affect risk drinking among young women: A randomised, controlled intervention study in Swedish youth health centres. <i>Scandinavian Journal of Public Health</i> , 2016, 44, 611-618.	2.3	9
87	Estrogen-Based Therapies and Depression in Women Who Naturally Enter Menopause Before Population Averageâ€”Reply. <i>JAMA Psychiatry</i> , 2016, 73, 874.	11.0	1
88	Tandem mass spectrometry determined maternal cortisone to cortisol ratio and psychiatric morbidity during pregnancyâ€”interaction with birth weight. <i>Psychoneuroendocrinology</i> , 2016, 69, 142-149.	2.7	23
89	Violence victimisationâ€”a watershed for young womenâ€™s mental and physical health. <i>European Journal of Public Health</i> , 2016, 26, 861-867.	0.3	19
90	Sleep duration, depression, and oxytocinergic genotype influence prepulse inhibition of the startle reflex in postpartum women. <i>European Neuropsychopharmacology</i> , 2016, 26, 767-776.	0.7	30

#	ARTICLE	IF	CITATIONS
91	Caesarean delivery and risk of childhood leukaemia: a pooled analysis from the Childhood Leukemia International Consortium (CLIC). <i>Lancet Haematology</i> , 2016, 3, e176-e185.	4.6	83
92	Association of Age at Menopause and Duration of Reproductive Period With Depression After Menopause. <i>JAMA Psychiatry</i> , 2016, 73, 139.	11.0	126
93	Association between parental depressive symptoms and impaired bonding with the infant. <i>Archives of Women's Mental Health</i> , 2016, 19, 87-94.	2.6	117
94	Delineating the Association between Heavy Postpartum Haemorrhage and Postpartum Depression. <i>PLoS ONE</i> , 2016, 11, e0144274.	2.5	49
95	Iodine deficiency in a study population of pregnant women in Sweden. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015, 94, 1168-1174.	2.8	28
96	Adverse obstetric outcomes in pregnancies resulting from oocyte donation: a retrospective cohort case study in Sweden. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, 247.	2.4	41
97	History of Maternal Fetal Loss and Childhood Leukaemia Risk in Subsequent Offspring: Differentials by Miscarriage or Stillbirth History and Disease Subtype. <i>Paediatric and Perinatal Epidemiology</i> , 2015, 29, 453-461.	1.7	4
98	Maternal and birth anthropometric characteristics in relation to the risk of childhood lymphomas. <i>European Journal of Cancer Prevention</i> , 2015, 24, 535-541.	1.3	19
99	Risk for childhood leukemia associated with maternal and paternal age. <i>European Journal of Epidemiology</i> , 2015, 30, 1229-1261.	5.7	34
100	Personality and risk for postpartum depressive symptoms. <i>Archives of Women's Mental Health</i> , 2015, 18, 539-546.	2.6	64
101	Socioeconomic disparities in survival from childhood leukemia in the United States and globally: a meta-analysis. <i>Annals of Oncology</i> , 2015, 26, 589-597.	1.2	69
102	Treatment with serotonin reuptake inhibitors during pregnancy is associated with elevated corticotropin-releasing hormone levels. <i>Psychoneuroendocrinology</i> , 2015, 58, 104-113.	2.7	29
103	Supraphysiological hormonal status, anxiety disorders, and COMT Val/Val genotype are associated with reduced sensorimotor gating in women. <i>Psychoneuroendocrinology</i> , 2015, 60, 217-223.	2.7	17
104	Emotion Reactivity Is Increased 4-6 Weeks Postpartum in Healthy Women: A Longitudinal fMRI Study. <i>PLoS ONE</i> , 2015, 10, e0128964.	2.5	45
105	Prenatal and Postpartum Evening Salivary Cortisol Levels in Association with Peripartum Depressive Symptoms. <i>PLoS ONE</i> , 2015, 10, e0135471.	2.5	69
106	Abstract LB-194: Cesarean delivery and risk of childhood leukemia: findings from the Childhood Leukemia International Consortium (CLIC). <i>Cancer Research</i> , 2015, 75, LB-194-LB-194.	0.9	1
107	Pre-pregnancy Restless Legs Syndrome (Willis-Ekbom Disease) Is Associated with Perinatal Depression. <i>Journal of Clinical Sleep Medicine</i> , 2014, 10, 527-533.	2.6	51
108	Experience of fetal scalp blood sampling during labor. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2014, 93, 113-117.	2.8	3

#	ARTICLE	IF	CITATIONS
109	IVF and breast cancer: a systematic review and meta-analysis. <i>Human Reproduction Update</i> , 2014, 20, 106-123.	10.8	82
110	Prevalence of intimate partner violence among women seeking termination of pregnancy compared to women seeking contraceptive counseling. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2014, 93, 45-51.	2.8	18
111	Cancer incidence and mortality patterns in women with anorexia nervosa. <i>International Journal of Cancer</i> , 2014, 134, 1751-1757.	5.1	24
112	Low Serum Allopregnanolone Is Associated with Symptoms of Depression in Late Pregnancy. <i>Neuropsychobiology</i> , 2014, 69, 147-153.	1.9	87
113	The histidine-rich glycoprotein A1042G polymorphism and recurrent miscarriage: a pilot study. <i>Reproductive Biology and Endocrinology</i> , 2014, 12, 70.	3.3	5
114	Experience of the First Breastfeeding Session in Association with the Use of the Hands-On Approach by Healthcare Professionals: A Population-Based Swedish Study. <i>Breastfeeding Medicine</i> , 2014, 9, 294-300.	1.7	11
115	The effects of antenatal depression and antidepressant treatment on placental gene expression. <i>Frontiers in Cellular Neuroscience</i> , 2014, 8, 465.	3.7	27
116	Cortisol awakening response in late pregnancy in women with previous or ongoing depression. <i>Psychoneuroendocrinology</i> , 2013, 38, 3150-3154.	2.7	51
117	Prefrontal activity during response inhibition decreases over time in the postpartum period. <i>Behavioural Brain Research</i> , 2013, 241, 132-138.	2.2	27
118	Thyroid function tests at delivery and risk for postpartum depressive symptoms. <i>Psychoneuroendocrinology</i> , 2013, 38, 1007-1013.	2.7	35
119	Premenstrual syndrome and dysphoric disorder as risk factors for postpartum depression. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013, 92, 178-184.	2.8	35
120	Controlled ovarian hyperstimulation for IVF: impact on ovarian, endometrial and cervical cancer—a systematic review and meta-analysis. <i>Human Reproduction Update</i> , 2013, 19, 105-123.	10.8	135
121	Adipocytokines levels at delivery, functional variation of TFAP2 β , and maternal and neonatal anthropometric parameters. <i>Obesity</i> , 2013, 21, 2130-2137.	3.0	6
122	The effects of maternal depression and maternal selective serotonin reuptake inhibitor exposure on offspring. <i>Frontiers in Cellular Neuroscience</i> , 2013, 7, 73.	3.7	93
123	Biological Aspects of Postpartum Depression. <i>Women's Health</i> , 2012, 8, 659-672.	1.5	112
124	P.2.a.008 Low serum allopregnanolone is associated with elevated depressive symptoms in late pregnancy. <i>European Neuropsychopharmacology</i> , 2012, 22, S228.	0.7	0
125	In vitro fertilization and risk of childhood leukemia in Greece and Sweden. <i>Pediatric Blood and Cancer</i> , 2012, 58, 930-936.	1.5	60
126	Validity of intraoperative gross examination of myometrial invasion in patients with endometrial cancer: a meta-analysis. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2012, 91, 779-793.	2.8	28

#	ARTICLE	IF	CITATIONS
127	Postpartum depression symptoms. <i>Psychiatric Genetics</i> , 2011, 21, 19-28.	1.1	58
128	Seasonality patterns in postpartum depression. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 204, 413.e1-413.e6.	1.3	31
129	Newborn gender as a predictor of postpartum mood disturbances in a sample of Swedish women. <i>Archives of Women's Mental Health</i> , 2011, 14, 195-201.	2.6	29
130	Postpartum depressive symptoms and the BDNF Val66Met functional polymorphism: effect of season of delivery. <i>Archives of Women's Mental Health</i> , 2011, 14, 453-463.	2.6	47
131	Ultrasound Pregnancy Dating Leads to Biased Perinatal Morbidity and Neonatal Mortality Among Post-term-born Girls. <i>Epidemiology</i> , 2010, 21, 791-796.	2.7	31
132	Inverse association of leptin levels with renal cell carcinoma: Results from a case-control study. <i>Hormones</i> , 2009, 8, 39-46.	1.9	39
133	Risk of postpartum depression in association with serum leptin and interleukin-6 levels at delivery: A nested case-control study within the UPPSAT cohort. <i>Psychoneuroendocrinology</i> , 2009, 34, 1329-1337.	2.7	57
134	Preventing suicide and homicide in the United States: The potential benefit in human lives. <i>Psychiatry Research</i> , 2009, 169, 154-158.	3.3	15
135	Risk of Postpartum Depression in Association with Serum Leptin Levels: A Nested Case-control Study within the Uppsat Cohort. <i>European Psychiatry</i> , 2009, 24, .	0.2	1
136	Circulating Adiponectin Levels and Expression of Adiponectin Receptors in Relation to Lung Cancer: Two Case-Control Studies. <i>Oncology</i> , 2007, 73, 261-269.	1.9	73
137	Low adiponectin levels are associated with renal cell carcinoma: A case-control study. <i>International Journal of Cancer</i> , 2007, 120, 1573-1578.	5.1	117
138	Sun exposure, birth weight, and childhood lymphomas: a case control study in Greece. <i>Cancer Causes and Control</i> , 2007, 18, 1031-1037.	1.8	42
139	Neonatal leptin levels are strongly associated with female gender, birth length, IGF levels and formula feeding. <i>Clinical Endocrinology</i> , 2005, 62, 366-371.	2.4	55
140	Exploring lag and duration effect of sunshine in triggering suicide. <i>Journal of Affective Disorders</i> , 2005, 88, 287-297.	4.1	78
141	Serum adiponectin concentrations in relation to maternal and perinatal characteristics in newborns. <i>European Journal of Endocrinology</i> , 2004, 151, 741-746.	3.7	45
142	Growth velocity during the first postnatal week of life is not related to adiponectin or leptin. <i>Paediatric and Perinatal Epidemiology</i> , 2004, 18, 395-395.	1.7	3
143	Growth velocity during the first postnatal week of life is linked to a spurt of IGF effect. <i>Paediatric and Perinatal Epidemiology</i> , 2003, 17, 281-286.	1.7	26
144	Determinants and consequences of major insulin-like growth factor components among full-term healthy neonates. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2003, 12, 860-5.	2.5	8

#	ARTICLE	IF	CITATIONS
145	Birth Size and Neonatal Levels of Major Components of the IGF System: Implications for Later Risk of Cancer. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2002, 15, 1479-86.	0.9	10
146	A Role of Sunshine in the Triggering of Suicide. <i>Epidemiology</i> , 2002, 13, 106-109.	2.7	152
147	Sunshine and Suicide Incidence. <i>Epidemiology</i> , 2002, 13, 493-494.	2.7	0
148	Are there common triggers of preterm deliveries?. <i>British Journal of Obstetrics and Gynaecology</i> , 2001, 108, 598-604.	0.9	24
149	Insulin-Like Growth Factor Binding Protein-3 Predicts Survival from Acute Childhood Leukemia. <i>Oncology</i> , 2001, 60, 252-257.	1.9	19
150	Evidence on the infectious etiology of childhood leukemia: the role of low herd immunity (Greece). <i>Cancer Causes and Control</i> , 2001, 12, 645-652.	1.8	33
151	Endogenous risk factors for childhood leukemia in relation to the IGF system (Greece). The Childhood Haematologists-Oncologists Group. <i>Cancer Causes and Control</i> , 2000, 11, 765-771.	1.8	21
152	Parental family variables and likelihood of divorce. <i>International Journal of Public Health</i> , 2000, 45, 95-101.	2.6	3
153	Risk of upper limb injury in left handed children: a study in Greece. <i>Injury Prevention</i> , 1999, 5, 68-71.	2.4	6
154	Factors affecting motorcycle helmet use in the population of Greater Athens, Greece. <i>Injury Prevention</i> , 1999, 5, 264-267.	2.4	63
155	Are traffic injuries disproportionately more common among tourists in Greece? Struggling with incomplete data. <i>Accident Analysis and Prevention</i> , 1999, 31, 611-615.	5.7	42
156	Insulin-like growth factor-I and binding protein-3 in relation to childhood leukaemia. <i>International Journal of Cancer</i> , 1999, 80, 494-496.	5.1	53
157	Effectiveness of a comprehensive multisector campaign to increase seat belt use in the greater Athens area, Greece. Hellenic Road Traffic Police Department.. <i>American Journal of Public Health</i> , 1999, 89, 1861-1863.	2.7	14
158	Insulin-like growth factor-I and binding protein-3 in relation to childhood leukaemia. <i>International Journal of Cancer</i> , 1999, 80, 494-496.	5.1	3
159	Fatalities from non-use of seat belts and helmets in greece: A nationwide appraisal. <i>Accident Analysis and Prevention</i> , 1998, 30, 87-91.	5.7	44
160	Car restraints and seating position for prevention of motor vehicle injuries in Greece. <i>Archives of Disease in Childhood</i> , 1998, 78, 335-339.	1.9	18